

動脈硬化検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	146 (21.6%)	1	8	22	66	47	2	0
	女	136 (30.5%)	0	0	14	59	53	9	1
	計	282 (25.2%)	1	8	36	125	100	11	1
放置可	男	16 (2.4%)	0	0	0	5	10	1	0
	女	9 (2.0%)	0	0	0	2	7	0	0
	計	25 (2.2%)	0	0	0	7	17	1	0
要経過観察	男	428 (63.4%)	0	0	9	84	211	93	31
	女	266 (59.6%)	0	0	2	35	112	83	34
	計	694 (61.9%)	0	0	11	119	323	176	65
要精密検査	男	84 (12.4%)	0	0	0	1	20	27	36
	女	35 (7.8%)	0	0	0	2	5	9	19
	計	119 (10.6%)	0	0	0	3	25	36	55
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	1 (0.1%)	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	1
合計	男	675	1	8	31	156	288	123	68
	女	446	0	0	16	98	177	101	54
	計	1,121	1	8	47	254	465	224	122

頭部動脈超音波検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
プラーク個数	男	675 (100.0%)	1	8	31	156	288	123	68
	女	446 (100.0%)	0	0	16	98	177	101	54
	計	1,121 (100.0%)	1	8	47	254	465	224	122
頭動脈の内腔狭窄 (50-75%)	男	14 (2.1%)	0	0	0	0	7	2	5
	女	2 (0.4%)	0	0	0	1	0	0	1
	計	16 (1.4%)	0	0	0	1	7	2	6
頭動脈の高度狭窄 (75%以上)	男	2 (0.3%)	0	0	0	0	0	2	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	0	2	0
頭動脈描出不良	男	54 (8.0%)	0	1	3	15	24	5	6
	女	21 (4.7%)	0	0	1	2	6	8	4
	計	75 (6.7%)	0	1	4	17	30	13	10
不安定プラーク (III a)	男	3 (0.4%)	0	0	0	0	2	1	0
	女	2 (0.4%)	0	0	0	0	1	1	0
	計	5 (0.4%)	0	0	0	0	3	2	0
不安定プラーク (III b)	男	13 (1.9%)	0	0	0	0	5	2	6
	女	2 (0.4%)	0	0	0	1	0	1	0
	計	15 (1.3%)	0	0	0	1	5	3	6
総頭動脈壁肥厚	男	61 (9.0%)	0	0	0	1	17	20	23
	女	28 (6.3%)	0	0	0	1	6	7	14
	計	89 (7.9%)	0	0	0	2	23	27	37
その他の所見	男	7 (1.0%)	0	0	0	1	3	1	2
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	7 (0.6%)	0	0	0	1	3	1	2
検診者総数	男	675	1	8	31	156	288	123	68
	女	446	0	0	16	98	177	101	54
	計	1,121	1	8	47	254	465	224	122

頭部動脈超音波検査の計測値の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
平均IMT 右 mm	男	675	0.736	9	0.511	31	0.551	156	0.645	288	0.725	123	0.826	68	0.935
	女	446	0.701	0	0	16	0.513	98	0.603	177	0.679	101	0.764	54	0.884
	計	1,121	0.722	9	0.511	47	0.538	254	0.629	465	0.708	224	0.798	122	0.913
平均IMT 左 mm	男	675	0.795	9	0.506	31	0.583	156	0.666	288	0.798	123	0.9	68	1.028
	女	446	0.72	0	0	16	0.515	98	0.613	177	0.703	101	0.793	54	0.89
	計	1,121	0.765	9	0.506	47	0.56	254	0.645	465	0.762	224	0.852	122	0.967
最大IMT 右 mm	男	675	1.33	9	0.776	31	0.84	156	1.065	288	1.256	123	1.656	68	1.963
	女	446	1.204	0	0	16	0.831	98	0.999	177	1.164	101	1.279	54	1.68
	計	1,121	1.28	9	0.776	47	0.837	254	1.04	465	1.221	224	1.486	122	1.838
最大IMT 左 mm	男	675	1.354	9	0.737	31	0.905	156	1.04	288	1.34	123	1.688	68	1.813
	女	446	1.199	0	0	16	0.858	98	0.986	177	1.149	101	1.306	54	1.653
	計	1,121	1.292	9	0.737	47	0.889	254	1.019	465	1.267	224	1.516	122	1.742

血圧脈波検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
ABI検査 右	男	672	1.16	9	1.113	31	1.142	156	1.152	286	1.163	122	1.162	68	1.175
	女	442	1.132	0	0	16	1.107	98	1.125	176	1.127	99	1.143	53	1.144
	計	1,114	1.149	9	1.113	47	1.13	254	1.142	462	1.15	221	1.153	121	1.161
ABI検査 左	男	671	1.132	9	1.064	31	1.119	156	1.128	285	1.137	122	1.132	68	1.135
	女	442	1.104	0	0	16	1.068	98	1.094	176	1.103	99	1.118	53	1.108
	計	1,113	1.121	9	1.064	47	1.102	254	1.115	461	1.124	221	1.125	121	1.123
PWV検査 右 cm/s	男	672	1450.2	9	1208.9	31	1275	156	1302.7	286	1386.7	122	1567	68	1957.5
	女	442	1418.1	0	0	16	1146	98	1228.7	176	1363.9	99	1515.1	53	1849.4
	計	1,114	1437.5	9	1208.9	47	1231.1	254	1274.1	462	1378	221	1543.8	121	1910.1
PWV検査 左 cm/s	男	670	1433	9	1198.8	31	1245	156	1290.2	285	1371.7	122	1552.8	67	1926.3
	女	442	1405.9	0	0	16	1124.1	98	1206.9	176	1352.9	99	1505.6	53	1848.7
	計	1,112	1422.2	9	1198.8	47	1203.9	254	1258.1	461	1364.5	221	1531.7	120	1892.1