

## 大腸検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	異常なし	男	385 (86.5%)	0	2	25	121	122	102
女		198 (89.2%)	0	2	16	68	70	35	7
計		583 (87.4%)	0	4	41	189	192	137	20
放置可	男	20 (4.5%)	0	0	2	5	4	7	2
	女	13 (5.9%)	0	1	0	1	9	2	0
	計	33 (4.9%)	0	1	2	6	13	9	2
要経過観察	男	33 (7.4%)	0	0	2	7	8	13	3
	女	8 (3.6%)	0	0	1	0	3	4	0
	計	41 (6.1%)	0	0	3	7	11	17	3
要精密検査	男	3 (0.7%)	0	0	0	0	1	1	1
	女	3 (1.4%)	0	0	0	2	1	0	0
	計	6 (0.9%)	0	0	0	2	2	1	1
要治療	男	1 (0.2%)	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	1	0
治療中	男	3 (0.7%)	0	0	0	0	1	2	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	3 (0.4%)	0	0	0	0	1	2	0
合計	男	445	0	2	29	133	136	126	19
	女	222	0	3	17	71	83	41	7
	計	667	0	5	46	204	219	167	26

## 直腸診所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	外痔核	男	14 (3.1%)	0	0	1	3	2	6
女		11 (5.0%)	0	0	1	0	7	3	0
計		25 (3.7%)	0	0	2	3	9	9	2
外痔核の疑い	男	4 (0.9%)	0	0	1	0	0	2	1
	女	1 (0.5%)	0	0	0	0	0	1	0
	計	5 (0.7%)	0	0	1	0	0	3	1
内痔核	男	2 (0.4%)	0	0	0	0	1	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.3%)	0	0	0	0	1	1	0
内痔核の疑い	男	7 (1.6%)	0	0	1	0	4	1	1
	女	7 (3.2%)	0	0	0	0	4	3	0
	計	14 (2.1%)	0	0	1	0	8	4	1
肛門ポリープ	男	1 (0.2%)	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	1	0
肛門ポリープの疑い	男	1 (0.2%)	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	1	0
前立腺肥大	男	4 (0.6%)	0	0	0	1	0	3	0
前立腺肥大の疑い	男	17 (2.5%)	0	0	1	3	5	6	2
前立腺腫瘍の疑い	男	2 (0.3%)	0	0	0	0	1	0	1
直腸腫瘍の疑い	男	1 (0.2%)	0	0	0	0	1	0	0
	女	3 (1.4%)	0	0	0	2	1	0	0
	計	4 (0.6%)	0	0	0	2	2	0	0
肛門周囲湿疹	男	4 (0.9%)	0	0	0	2	0	2	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	4 (0.6%)	0	0	0	2	0	2	0
肛門周囲湿疹の疑い	男	1 (0.2%)	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	1	0	0	0
痔疾患術後	男	2 (0.4%)	0	0	0	0	0	2	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.3%)	0	0	0	0	0	2	0
その他の所見	男	3 (0.7%)	0	0	0	2	0	1	0
	女	3 (1.4%)	0	1	0	1	1	0	0
	計	6 (0.9%)	0	1	0	3	1	1	0
検診者総数	男	445	0	2	29	133	136	126	19
	女	222	0	3	17	71	83	41	7
	計	667	0	5	46	204	219	167	26