

痛風判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	19,144 (76.3%)	163	1,861	3,721	5,355	4,935	2,755	354
	女	16,524 (94.5%)	119	1,872	3,410	4,910	4,134	1,803	276
	計	35,668 (83.8%)	282	3,733	7,131	10,265	9,069	4,558	630
放置可	男	1,770 (7.1%)	11	178	364	514	463	211	29
	女	426 (2.4%)	2	28	64	109	140	68	15
	計	2,196 (5.2%)	13	206	428	623	603	279	44
要経過観察	男	2,153 (8.6%)	5	171	486	660	562	232	37
	女	416 (2.4%)	0	26	54	85	156	77	18
	計	2,569 (6.0%)	5	197	540	745	718	309	55
要精密検査	男	519 (2.1%)	1	59	123	173	122	38	3
	女	73 (0.4%)	0	3	11	12	27	15	5
	計	592 (1.4%)	1	62	134	185	149	53	8
要治療	男	34 (0.1%)	1	2	7	15	5	4	0
	女	7 (0.0%)	0	2	0	1	3	1	0
	計	41 (0.1%)	1	4	7	16	8	5	0
治療中	男	1,470 (5.9%)	0	15	92	349	637	336	41
	女	38 (0.2%)	0	0	0	3	16	12	7
	計	1,508 (3.5%)	0	15	92	352	653	348	48
合計	男	25,090	181	2,286	4,793	7,066	6,724	3,576	464
	女	17,484	121	1,931	3,539	5,120	4,476	1,976	321
	計	42,574	302	4,217	8,332	12,186	11,200	5,552	785

尿酸の性年齢別平均値

検査項目	総数	29歳以下	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	
尿酸・ mg/dL	男	25,090 6.04	2,467 6.06	4,793 6.12	7,066 6.10	6,724 6.01	3,576 5.89	464 5.84
	女	17,484 4.39	2,052 4.27	3,539 4.20	5,120 4.23	4,476 4.60	1,976 4.69	321 4.76
	計	42,574 5.36	4,519 5.25	8,332 5.30	12,186 5.32	11,200 5.45	5,552 5.46	785 5.39