

動脈硬化検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	117 (16.9%)	0	1	17	66	31	2	0
	女	127 (23.3%)	0	1	10	61	50	5	0
	計	244 (19.7%)	0	2	27	127	81	7	0
放置可	男	78 (11.3%)	0	0	4	30	35	8	1
	女	99 (18.1%)	0	0	3	33	43	19	1
	計	177 (14.3%)	0	0	7	63	78	27	2
要経過観察	男	456 (66.0%)	0	0	12	91	188	134	31
	女	292 (53.5%)	0	0	1	34	118	119	20
	計	748 (60.5%)	0	0	13	125	306	253	51
要精密検査	男	36 (5.2%)	0	0	0	1	13	13	9
	女	28 (5.1%)	0	0	0	2	3	18	5
	計	64 (5.2%)	0	0	0	3	16	31	14
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	4 (0.6%)	0	0	0	0	0	2	2
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	4 (0.3%)	0	0	0	0	0	2	2
合計	男	691	0	1	33	188	267	159	43
	女	546	0	1	14	130	214	161	26
	計	1,237	0	2	47	318	481	320	69

頸部動脈超音波検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
頸動脈の内腔狭窄 (50-75%)	男	19 (2.7%)	0	0	0	0	6	8	5
	女	4 (0.7%)	0	0	0	1	1	2	0
	計	23 (1.9%)	0	0	0	1	7	10	5
頸動脈の高度狭窄 (75%以上)	男	1 (0.1%)	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	1
総頸動脈内径拡大	男	2 (0.3%)	0	0	0	0	0	2	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	0	2	0
頸動脈描出不良	男	22 (3.2%)	0	0	1	5	11	5	0
	女	7 (1.3%)	0	0	0	2	3	2	0
	計	29 (2.3%)	0	0	1	7	14	7	0
不安定プラーク (III b)	男	0 (0.0%)	0	0	0	0	0	0	0
	女	2 (0.4%)	0	0	0	1	0	1	0
	計	2 (0.2%)	0	0	0	1	0	1	0
不安定プラーク (IV)	男	1 (0.1%)	0	0	0	0	0	0	1
	女	2 (0.4%)	0	0	0	0	1	1	0
	計	3 (0.2%)	0	0	0	0	1	1	1
総頸動脈壁肥厚	男	50 (7.2%)	0	0	0	1	21	19	9
	女	16 (2.9%)	0	0	0	0	4	10	2
	計	66 (5.3%)	0	0	0	1	25	29	11
その他の所見	男	7 (1.0%)	0	0	0	0	4	3	0
	女	2 (0.4%)	0	0	0	0	2	0	0
	計	9 (0.7%)	0	0	0	0	6	3	0
検診者総数	男	691	0	1	33	188	267	159	43
	女	546	0	1	14	130	214	161	26
	計	1,237	0	2	47	318	481	320	69

頸部動脈超音波検査の計測値の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	
平均IMT 右 mm	男	691	0.760	1	0.690	33	0.610	188	0.650	267	0.760	159	0.860	43	0.920
	女	546	0.690	1	0.490	14	0.560	130	0.600	214	0.670	161	0.780	26	0.820
	計	1,237	0.730	2	0.590	47	0.600	318	0.630	481	0.720	320	0.820	69	0.880
平均IMT 左 mm	男	691	0.800	1	0.630	33	0.650	188	0.690	267	0.820	159	0.880	43	1.040
	女	546	0.720	1	0.520	14	0.570	130	0.610	214	0.710	161	0.810	26	0.880
	計	1,237	0.770	2	0.580	47	0.630	318	0.660	481	0.770	320	0.850	69	0.980
最大IMT 右 mm	男	691	1.450	1	0.870	33	1.020	188	1.160	267	1.440	159	1.720	43	2.130
	女	546	1.250	1	0.750	14	0.940	130	1.080	214	1.220	161	1.380	26	1.640
	計	1,237	1.360	2	0.810	47	0.990	318	1.120	481	1.340	320	1.550	69	1.950
最大IMT 左 mm	男	691	1.490	1	0.820	33	1.040	188	1.220	267	1.480	159	1.780	43	2.050
	女	546	1.290	1	0.750	14	0.990	130	1.090	214	1.280	161	1.470	26	1.600
	計	1,237	1.400	2	0.790	47	1.020	318	1.170	481	1.390	320	1.620	69	1.880

血圧脈波検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	
ABI検査 右	男	687	1.150	1	1.1	33	1.130	188	1.140	265	1.160	158	1.160	42	1.140
	女	541	1.120	1	1.1	14	1.060	130	1.110	214	1.120	157	1.140	25	1.120
	計	1,228	1.140	2	1.1	47	1.110	318	1.130	479	1.140	315	1.150	67	1.130
ABI検査 左	男	687	1.140	1	1.1	33	1.120	188	1.130	265	1.150	158	1.150	42	1.110
	女	541	1.120	1	1.0	14	1.080	130	1.110	214	1.110	157	1.130	25	1.110
	計	1,228	1.130	2	1.1	47	1.110	318	1.120	479	1.130	315	1.140	67	1.110
PWV検査 右 cm/s	男	687	1412.0	1	1269.0	33	1281.4	188	1279.6	265	1410.7	158	1525.3	42	1692.5
	女	541	1332.2	1	1080.0	14	1101.1	130	1162.1	214	1275.9	157	1515.8	25	1686.1
	計	1,228	1376.9	2	1174.5	47	1227.7	318	1231.6	479	1350.5	315	1520.6	67	1690.1
PWV検査 左 cm/s	男	687	1405.6	1	1282.0	33	1273.4	188	1269.0	265	1405.1	158	1548.3	42	1590.3
	女	541	1349.6	1	1105.0	14	1114.1	130	1180.2	214	1293.4	157	1534.3	25	1692.8
	計	1,228	1380.9	2	1193.5	47	1226.0	318	1232.7	479	1355.2	315	1541.3	67	1628.6