市民健診眼底写真判定結果

判定	総数			40-49歳	50-59歳	60-69歳	70-74歳
異常なし	男	60	(28.6%)	4	6	30	20
	女	23	(28.0%)	0	1	14	8
	計	83	(28.4%)	4	7	44	28
放置可	男	3	(1.4%)	0	0	2	1
	女	0	(0.0%)	0	0	0	0
	計	3	(1.0%)	0	0	2	1
要経過観察	男	105	(50.0%)	1	2	53	49
	女	35	(42.7%)	0	3	21	1 1
	計	140	(47.9%)	1	5	74	60
要精密検査	男	38	(18.1%)	0	0	17	21
	女	22	(26.8%)	0	1	12	9
	計	60	(20.5%)	0	1	29	30
要治療	男	0	(0.0%)	0	0	0	0
	女	0	(0.0%)	0	0	0	0
	計	0	(0.0%)	0	0	0	0
治療中	男	4	(1.9%)	1	0	1	2
	女	2	(2.4%)	0	0	2	0
	計	6	(2.1%)	1	0	3	2
合計	男	210		6	8	103	93
	女	82		0	5	49	28
	計	292		6	13	152	121

市民健診眼底検查所見

所見		総数		40-49歳	50-59歳	60-69歳	70-74歳
細 動 脈 狭 細 化	男	5	(2.4%)	0	1	2	2
	女	2	(2.4%)	0	0	1	1
	計	ワ	(2.4%)	0	1	3	3
細動脈口径不同	男	0	(0.0%)	0	0	0	C
	女	1	(1.2%)	0	0	0	1
	計	1	(0.3%)	0	0	0	1
網膜白斑	男	1 1	(5.2%)	0	0	5	6
	女	3	(3.7%)	0	1	2	C
	言十	14	(4.8%)	0	1	7	6
眼底出血の疑い	男	5	(2.4%)	0	0	2	3
	女	2	(2.4%)	0	0	1	1
	計	ワ	(2.4%)	0	0	3	4
細動脈反射增強	男	38	(18.1%)	0	1	18	19
	女	19	(23.2%)	0	1	9	9
	計	57	(19.5%)	0	2	27	28
動静脈交叉現象	男	40	(19.0%)	1	0	19	20
	女	15	(18.3%)	0	0	9	6
	言十	55	(18.8%)	1	0	28	26
	男	0	(0.0%)	0	0	0	C
斑状出血	女	1	(1.2%)	0	0	1	C
	言十	1	(0.3%)	0	0	1	C
白内障の疑い	男	87	(41.4%)	1	0	38	48
	女	31	(37.8%)	0	2	19	10
	言十	118	(40.4%)	1	2	57	58
視神経乳頭異常の疑い	男	4	(1.9%)	0	0	4	C
	女	2	(2.4%)	0	0	1	1
	計	6	(2.1%)	0	0	5	1
網脈絡膜瘢痕巣の疑い	男	1	(0.5%)	0	0	1	C
	女	0	(0.0%)	0	0	0	C
	言十	1	(0.3%)	0	0	1	С
瞳孔の開き不充分	男	4	(1.9%)	0	0	1	3
	女	2	(2.4%)	0	0	0	2
	計	6	(2.1%)	0	0	1	5
黄斑部異常の疑い	男	6	(2.9%)	0	0	3	3
	女	2	(2.4%)	0	0	2	C
	計	8	(2.7%)	0	0	5	3
網膜神経線維層欠損の疑い	男	5	(2.4%)	0	0	3	2
	女	4	(4.9%)	0	0	2	2
	計	9	(3.1%)	0	0	5	4
ドルーゼン	男	0	(0.0%)	0	0	0	C
	女	1	(1.2%)	0	0	0	1
	言十	1	(0.3%)	0	0	0	1
その他の所見	男	3	(1.4%)	0	0	1	2
	女	1	(1.2%)	0	0	1	C
	言十	4	(1.4%)	0	0	2	2
	男	210		6	8	103	93
検診者総数	女	82		0	5	49	28
	言十	292		6	13	152	121