

総合判定結果（コース別健診、市民健診）

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
異常なし	男	3,866	(9.0%)	90	991	788	668	371	501	408	49
	女	6,883	(15.0%)	182	1,214	1,316	1,502	893	1,160	562	54
	計	10,749	(12.1%)	272	2,205	2,104	2,170	1,264	1,661	970	103
放置可	男	3,436	(8.0%)	79	982	941	706	308	210	172	38
	女	5,856	(12.8%)	69	1,177	1,139	1,465	812	809	343	42
	計	9,292	(10.5%)	148	2,159	2,080	2,171	1,120	1,019	515	80
要経過観察	男	15,799	(36.9%)	143	1,680	2,950	3,917	2,944	2,151	1,589	425
	女	16,510	(36.0%)	70	1,275	2,277	3,730	3,218	3,414	2,030	496
	計	32,309	(36.4%)	213	2,955	5,227	7,647	6,162	5,565	3,619	921
要精密検査	男	6,499	(15.2%)	30	523	1,172	1,808	1,323	982	493	168
	女	5,491	(12.0%)	17	338	754	1,419	1,197	1,100	511	155
	計	11,990	(13.5%)	47	861	1,926	3,227	2,520	2,082	1,004	323
要治療	男	1,068	(2.5%)	0	49	136	294	226	213	115	35
	女	744	(1.6%)	1	6	53	142	171	212	116	43
	計	1,812	(2.0%)	1	55	189	436	397	425	231	78
治療中	男	12,117	(28.3%)	1	51	323	1,412	2,875	3,533	2,969	953
	女	10,383	(22.6%)	7	43	122	634	1,602	3,398	3,391	1,186
	計	22,500	(25.4%)	8	94	445	2,046	4,477	6,931	6,360	2,139
合 計	男	42,785		343	4,276	6,310	8,805	8,047	7,590	5,746	1,668
	女	45,867		346	4,053	5,661	8,892	7,893	10,093	6,953	1,976
	計	88,652		689	8,329	11,971	17,697	15,940	17,683	12,699	3,644

胸部検査判定結果

判 定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	22,571 (90.9%)	185	2,778	4,319	6,228	5,290	3,341	430
	女	20,384 (93.7%)	131	2,888	3,804	6,001	4,860	2,399	301
	計	42,955 (92.2%)	316	5,666	8,123	12,229	10,150	5,740	731
放置可	男	1,645 (6.6%)	2	56	114	341	519	500	113
	女	1,051 (4.8%)	2	61	84	227	347	271	59
	計	2,696 (5.8%)	4	117	198	568	866	771	172
要経過観察	男	355 (1.4%)	0	4	17	81	132	84	37
	女	115 (0.5%)	0	1	6	23	41	37	7
	計	470 (1.0%)	0	5	23	104	173	121	44
要精密検査	男	254 (1.0%)	0	7	22	63	92	57	13
	女	203 (0.9%)	0	4	21	53	67	52	6
	計	457 (1.0%)	0	11	43	116	159	109	19
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	3 (0.0%)	0	0	0	0	1	2	0
	計	3 (0.0%)	0	0	0	0	1	2	0
治療中	男	9 (0.0%)	0	0	0	0	5	3	1
	女	8 (0.0%)	0	0	0	2	5	1	0
	計	17 (0.0%)	0	0	0	2	10	4	1
合 計	男	24,834	187	2,845	4,472	6,713	6,038	3,985	594
	女	21,764	133	2,954	3,915	6,306	5,321	2,762	373
	計	46,598	320	5,799	8,387	13,019	11,359	6,747	967

喀痰細胞診所見

所 見		総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
B 1 (Class I (異常なし))	男	4	(14.3%)	0	0	0	0	2	2	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	4	(11.1%)	0	0	0	0	2	2	0
B 2 (Class II (悪性所見なし))	男	23	(82.1%)	0	1	1	5	6	9	1
	女	8	(100.0%)	0	0	2	2	2	2	0
	計	31	(86.1%)	0	1	3	7	8	11	1
C (Class III)	男	1	(3.6%)	0	0	0	1	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	1	(2.8%)	0	0	0	1	0	0	0
検診者総数	男	28		0	1	1	6	8	11	1
	女	8		0	0	2	2	2	2	0
	計	36		0	1	3	8	10	13	1

胸部ヘリカルCT検査所見

所 見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
線状陰影	男	23 (2.0%)	0	1	0	2	9	8	3
	女	5 (1.9%)	0	0	0	0	3	1	1
	計	28 (2.0%)	0	1	0	2	12	9	4
帯状陰影	男	20 (1.7%)	0	0	0	4	9	4	3
	女	3 (1.1%)	0	0	1	0	0	1	1
	計	23 (1.6%)	0	0	1	4	9	5	4
微細斑点状陰影	男	0 (0.0%)	0	0	0	0	0	0	0
	女	1 (0.4%)	0	0	0	0	1	0	0
	計	1 (0.1%)	0	0	0	0	1	0	0
結節陰影	男	178 (15.4%)	0	3	7	37	79	39	13
	女	45 (17.2%)	0	0	2	12	17	11	3
	計	223 (15.8%)	0	3	9	49	96	50	16
塊状陰影	男	1 (0.1%)	0	0	0	0	0	0	1
	女	1 (0.4%)	0	0	0	0	1	0	0
	計	2 (0.1%)	0	0	0	0	1	0	1
浸潤陰影	男	25 (2.2%)	0	0	0	3	12	2	8
	女	12 (4.6%)	0	0	1	2	3	3	3
	計	37 (2.6%)	0	0	1	5	15	5	11
網目状陰影	男	4 (0.3%)	0	0	1	0	2	1	0
	女	1 (0.4%)	0	0	0	1	0	0	0
	計	5 (0.4%)	0	0	1	1	2	1	0
石灰化陰影	男	15 (1.3%)	0	0	0	1	6	2	6
	女	5 (1.9%)	0	0	0	0	1	4	0
	計	20 (1.4%)	0	0	0	1	7	6	6
空洞陰影	男	2 (0.2%)	0	0	0	0	1	0	1
	女	1 (0.4%)	0	0	0	0	0	1	0
	計	3 (0.2%)	0	0	0	0	1	1	1
囊胞陰影	男	171 (14.8%)	0	0	5	46	85	30	5
	女	10 (3.8%)	0	0	1	2	5	2	0
	計	181 (12.8%)	0	0	6	48	90	32	5
気腫性変化	男	27 (2.3%)	0	0	0	5	14	8	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	27 (1.9%)	0	0	0	5	14	8	0
すりガラス状陰影	男	33 (2.9%)	0	0	0	10	17	6	0
	女	9 (3.4%)	0	0	0	2	5	2	0
	計	42 (3.0%)	0	0	0	12	22	8	0
粒状陰影	男	1 (0.1%)	0	0	0	0	1	0	0
	女	1 (0.4%)	0	0	0	0	1	0	0
	計	2 (0.1%)	0	0	0	0	2	0	0
胸膜肥厚	男	27 (2.3%)	0	0	1	4	13	6	3
	女	11 (4.2%)	0	0	1	2	5	3	0
	計	38 (2.7%)	0	0	2	6	18	9	3
胸膜癒着	男	14 (1.2%)	0	0	2	2	4	4	2
	女	3 (1.1%)	0	0	0	0	1	1	1
	計	17 (1.2%)	0	0	2	2	5	5	3
肺気腫	男	19 (1.6%)	0	0	0	1	6	8	4
	女	2 (0.8%)	0	0	0	0	0	2	0
	計	21 (1.5%)	0	0	0	1	6	10	4
縦隔腫瘍の疑い	男	2 (0.2%)	0	0	0	1	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.1%)	0	0	0	1	1	0	0
その他 (胸部C T所見)	男	121 (10.5%)	0	1	0	25	57	30	8
	女	18 (6.9%)	0	0	2	3	6	3	4
	計	139 (9.8%)	0	1	2	28	63	33	12
検診者総数	男	1,154	0	8	55	305	526	214	46
	女	261	0	0	18	74	101	56	12
	計	1,415	0	8	73	379	627	270	58

胸部X線単純検査所見

所 見	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所 見	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
心陰影拡大	男	29	(0.1%)	0	0	3	3	7	11	5	無気肺陰影	男	0	(0.0%)	0	0	0	0	0	0	0
	女	16	(0.1%)	0	2	1	2	4	7	0		女	1	(0.0%)	0	0	0	0	0	1	0
	計	45	(0.1%)	0	2	4	5	11	18	5		計	1	(0.0%)	0	0	0	0	0	1	0
肺門陰影拡大	男	11	(0.0%)	0	1	2	4	0	4	0	気腫様陰影	男	0	(0.0%)	0	0	0	0	0	0	0
	女	3	(0.0%)	0	0	1	1	0	0	1		女	1	(0.0%)	0	0	0	0	0	1	0
	計	14	(0.0%)	0	1	3	5	0	4	1		計	1	(0.0%)	0	0	0	0	0	1	0
右胸心	男	2	(0.0%)	0	0	1	0	0	1	0	胸膜肥厚	男	276	(1.1%)	0	3	12	57	81	97	26
	女	0	(0.0%)	0	0	0	0	0	0	0		女	233	(1.1%)	0	1	5	36	100	80	11
	計	2	(0.0%)	0	0	1	0	0	1	0		計	509	(1.1%)	0	4	17	93	181	177	37
右大動脈弓	男	21	(0.1%)	0	1	5	4	6	5	0	胸膜癒着	男	207	(0.8%)	0	4	9	39	61	70	24
	女	9	(0.0%)	0	0	0	5	1	3	0		女	142	(0.7%)	0	1	6	24	56	43	12
	計	30	(0.1%)	0	1	5	9	7	8	0		計	349	(0.7%)	0	5	15	63	117	113	36
肺紋理減少	男	0	(0.0%)	0	0	0	0	0	0	0	胸水陰影	男	4	(0.0%)	0	0	0	0	0	1	3
	女	1	(0.0%)	0	0	0	0	1	0	0		女	2	(0.0%)	0	0	0	0	2	0	0
	計	1	(0.0%)	0	0	0	0	1	0	0		計	6	(0.0%)	0	0	0	0	2	1	3
大動脈	男	2	(0.0%)	0	0	0	0	1	1	0	上葉縮小	男	3	(0.0%)	0	0	1	0	2	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0		女	3	(0.0%)	0	0	0	0	2	1	0
	計	2	(0.0%)	0	0	0	0	1	1	0		計	6	(0.0%)	0	0	1	0	4	1	0
線状陰影	男	118	(0.5%)	0	4	6	28	37	36	7	横隔膜高位	男	73	(0.3%)	0	4	4	12	20	30	3
	女	50	(0.2%)	0	0	10	14	13	12	1		女	16	(0.1%)	0	0	2	2	4	6	2
	計	168	(0.4%)	0	4	16	42	50	48	8		計	89	(0.2%)	0	4	6	14	24	36	5
帯状陰影	男	122	(0.5%)	0	1	6	33	44	30	8	肋骨異常	男	13	(0.1%)	0	0	1	7	4	1	0
	女	52	(0.2%)	0	0	2	11	14	20	5		女	3	(0.0%)	1	0	0	1	1	0	0
	計	174	(0.4%)	0	1	8	44	58	50	13		計	16	(0.0%)	1	0	1	8	5	1	0
手術後	男	44	(0.2%)	0	2	3	9	14	13	3	鎖骨異常	男	2	(0.0%)	0	0	0	0	1	1	0
	女	16	(0.1%)	0	2	2	5	4	3	0		女	1	(0.0%)	0	0	0	0	0	1	0
	計	60	(0.1%)	0	4	5	14	18	16	3		計	3	(0.0%)	0	0	0	0	1	2	0
索状陰影	男	1	(0.0%)	0	0	0	0	1	0	0	漏斗胸	男	4	(0.0%)	0	0	2	0	0	1	1
	女	3	(0.0%)	0	0	0	0	2	1	0		女	13	(0.1%)	0	2	2	3	6	0	0
	計	4	(0.0%)	0	0	0	0	3	1	0		計	17	(0.0%)	0	2	4	3	6	1	1
大動脈蛇行	男	17	(0.1%)	0	0	0	0	6	8	3	胸部手術	男	109	(0.4%)	0	11	22	31	21	17	7
	女	4	(0.0%)	0	0	0	0	2	1	1		女	31	(0.1%)	0	0	3	6	8	11	3
	計	21	(0.0%)	0	0	0	0	8	9	4		計	140	(0.3%)	0	11	25	37	29	28	10
微細斑点状陰影	男	4	(0.0%)	0	0	0	0	1	1	2	陈旧性肺結核の疑い	男	3	(0.0%)	0	0	0	1	0	1	1
	女	10	(0.0%)	0	0	0	0	4	5	1		女	2	(0.0%)	0	0	0	1	0	1	0
	計	14	(0.0%)	0	0	0	0	5	6	3		計	5	(0.0%)	0	0	0	2	0	2	1
粒状陰影	男	1	(0.0%)	0	0	0	0	1	0	0	肺結核の疑い	男	1	(0.0%)	0	0	0	0	1	0	0
	女	1	(0.0%)	0	0	0	0	1	0	0		女	0	(0.0%)	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	2	0	0		計	1	(0.0%)	0	0	0	0	1	0	0
結節陰影	男	218	(0.9%)	0	3	23	48	76	53	15	肺気腫の疑い	男	47	(0.2%)	0	2	0	9	13	13	10
	女	196	(0.9%)	0	4	17	51	67	48	9		女	3	(0.0%)	0	0	0	0	1	2	0
	計	414	(0.9%)	0	7	40	99	143	101	24		計	50	(0.1%)	0	2	0	9	14	15	10
円形陰影	男	2	(0.0%)	0	0	0	0	1	1	0	慢性気管支炎の疑い	男	11	(0.0%)	0	1	0	1	3	5	1
	女	2	(0.0%)	0	0	0	0	0	1	1		女	1	(0.0%)	0	0	0	0	0	1	0
	計	4	(0.0%)	0	0	0	0	1	2	1		計	12	(0.0%)	0	1	0	1	3	6	1
塊状陰影	男	13	(0.1%)	0	0	0	1	7	5	0	気管支拡張症の疑い	男	15	(0.1%)	0	0	2	1	4	5	3
	女	10	(0.0%)	0	0	1	2	2	4	1		女	7	(0.0%)	0	0	0	2	2	3	0
	計	23	(0.0%)	0	0	1	3	9	9	1		計	22	(0.0%)	0	0	2	3	6	8	3
浸潤陰影	男	93	(0.4%)	0	5	3	16	26	33	10	間質性肺炎の疑い	男	40	(0.2%)	0	0	0	3	6	24	7
	女	64	(0.3%)	0	1	2	11	23	24	3		女	5	(0.0%)	0	0	0	1	1	2	1
	計	157	(0.3%)	0	6	5	27	49	57	13		計	45	(0.1%)	0	0	0	4	7	26	8
網目状陰影	男	3	(0.0%)	0	0	0	0	0	2	1	塵肺の疑い	男	2	(0.0%)	0	0	0	0	0	1	1
	女	2	(0.0%)	0	0	0	0	1	1	0		女	0	(0.0%)	0	0	0	0	0	0	0
	計	5	(0.0%)	0	0	0	0	1	3	1		計	2	(0.0%)	0	0	0	0	0	1	1
石灰化陰影	男	99	(0.4%)	0	0	4	17	23	36	19	気胸の疑い	男	0	(0.0%)	0	0	0	0	0	0	0
	女	61	(0.3%)	0	1	2	9	24	18	7		女	1	(0.0%)	0	0	0	0	0	1	0
	計	160	(0.3%)	0	1	6	26	47	54	26		計	1	(0.0%)	0	0	0	0	0	1	0
空洞陰影	男	2	(0.0%)	0	0	1	0	1	0	0	胸椎側弯	男	147	(0.6%)	2	18	21	24	42	34	6
	女	1	(0.0%)	0	0	0	0	0	1	0		女	357	(1.6%)	1	50	48	96	86	64	12
	計	3	(0.0%)	0	0	1	0	1	1	0		計	504	(1.1%)	3	68	69	120	128	98	18
嚢胞陰影	男	129	(0.5%)	0	5	11	35	48	30	0	その他(心所見)	男	5	(0.0%)	0	0	0	2	2	1	0
	女	13	(0.1%)	0	0	0	4	7	2	0		女	0	(0.0%)	0	0	0	0	0	0	0
	計	142	(0.3%)	0	5	11	39	55	32	0		計	5	(0.0%)	0	0	0	2	2	1	0
気胸様陰影	男	1	(0.0%)	0	0	0	0	1	0	0	その他(肺所見)	男	102	(0.4%)	0	3	6	20	28	37	8
	女	0	(0.0%)	0	0	0	0	0	0	0		女	43	(0.2%)	0	3	3	11	12	10	4
	計	1	(0.0%)	0	0	0	0	1	0	0		計	145	(0.3%)	0	6	9	31	40	47	12
											検査者総数	男	24,845	187	2,845	4,476	6,720	6,039	3,984	594	
												女	21,763	133	2,954	3,916	6,306	5,320	2,761	373	
												計	46,608	320	5,799	8,392	13,026	11,359	6,745	967	

上部消化管検査判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	14,993	(79.2%)	10	300	2,831	5,182	4,387	1,983	300
	女	8,493	(74.9%)	4	82	1,455	3,198	2,462	1,113	179
	計	23,486	(77.6%)	14	382	4,286	8,380	6,849	3,096	479
放置可	男	1,229	(6.5%)	0	1	128	400	415	236	49
	女	968	(8.5%)	0	0	89	381	339	132	27
	計	2,197	(7.3%)	0	1	217	781	754	368	76
要経過観察	男	1,893	(10.0%)	0	2	172	527	651	421	120
	女	1,351	(11.9%)	0	4	109	441	467	276	54
	計	3,244	(10.7%)	0	6	281	968	1,118	697	174
要精密検査	男	741	(3.9%)	0	5	76	202	214	195	49
	女	493	(4.3%)	0	2	46	160	161	109	15
	計	1,234	(4.1%)	0	7	122	362	375	304	64
要治療	男	50	(0.3%)	0	0	5	17	14	13	1
	女	34	(0.3%)	0	0	2	15	11	6	0
	計	84	(0.3%)	0	0	7	32	25	19	1
治療中	男	29	(0.2%)	0	0	0	7	8	12	2
	女	3	(0.0%)	0	0	0	0	1	0	2
	計	32	(0.1%)	0	0	0	7	9	12	4
合計	男	18,935		10	308	3,212	6,335	5,689	2,860	521
	女	11,342		4	88	1,701	4,195	3,441	1,636	277
	計	30,277		14	396	4,913	10,530	9,130	4,496	798

胃内視鏡検査所見

所 見	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
十二指腸潰瘍	男	13	(0.7%)	0	0	0	7	6	0	0
	女	1	(0.1%)	0	0	0	1	0	0	0
	計	14	(0.5%)	0	0	0	8	6	0	0
慢性胃炎	男	239	(13.2%)	0	0	17	56	115	46	5
	女	88	(8.7%)	0	0	10	36	33	9	0
	計	327	(11.6%)	0	0	27	92	148	55	5
食道裂孔ヘルニア	男	442	(24.4%)	0	0	44	141	172	78	7
	女	106	(10.5%)	0	0	19	41	36	9	1
	計	548	(19.4%)	0	0	63	182	208	87	8
十二指腸潰瘍瘢痕	男	70	(3.9%)	0	0	5	21	23	18	3
	女	26	(2.6%)	0	0	1	9	10	6	0
	計	96	(3.4%)	0	0	6	30	33	24	3
萎縮性胃炎	男	283	(15.6%)	0	0	15	67	86	101	14
	女	127	(12.5%)	0	0	5	40	51	26	5
	計	410	(14.5%)	0	0	20	107	137	127	19
逆流性食道炎	男	285	(15.7%)	0	1	18	104	109	51	2
	女	40	(3.9%)	0	0	3	17	15	4	1
	計	325	(11.5%)	0	1	21	121	124	55	3
出血性胃炎	男	0	(0.0%)	0	0	0	0	0	0	0
	女	1	(0.1%)	0	0	0	0	0	1	0
	計	1	(0.0%)	0	0	0	0	0	1	0
びらん性胃炎	男	58	(3.2%)	0	1	5	18	22	12	0
	女	23	(2.3%)	0	0	0	10	6	7	0
	計	81	(2.9%)	0	1	5	28	28	19	0
タコイボびらん	男	3	(0.2%)	0	0	0	2	0	1	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	3	(0.1%)	0	0	0	2	0	1	0
憩室	男	2	(0.1%)	0	0	0	0	2	0	0
	女	1	(0.1%)	0	0	0	1	0	0	0
	計	3	(0.1%)	0	0	0	1	2	0	0
胃潰瘍	男	13	(0.7%)	0	0	1	5	5	1	1
	女	5	(0.5%)	0	0	0	2	2	1	0
	計	18	(0.6%)	0	0	1	7	7	2	1
食道潰瘍	男	3	(0.2%)	0	0	0	1	2	0	0
	女	1	(0.1%)	0	0	0	0	1	0	0
	計	4	(0.1%)	0	0	0	1	3	0	0
胃潰瘍瘢痕	男	31	(1.7%)	0	0	0	4	13	10	4
	女	7	(0.7%)	0	0	1	2	2	2	0
	計	38	(1.3%)	0	0	1	6	15	12	4
ポリープ	男	319	(17.6%)	0	0	26	105	133	50	5
	女	302	(29.8%)	0	0	32	137	100	32	1
	計	621	(22.0%)	0	0	58	242	233	82	6
粘膜下腫瘍	男	32	(1.8%)	0	0	3	10	11	7	1
	女	20	(2.0%)	0	0	0	11	6	3	0
	計	52	(1.8%)	0	0	3	21	17	10	1
腸上皮化生	男	1	(0.1%)	0	0	0	0	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	1	0	0
その他の所見 (十二指腸所見)	男	133	(7.3%)	0	0	7	43	53	27	3
	女	28	(2.8%)	0	0	2	13	10	2	1
	計	161	(5.7%)	0	0	9	56	63	29	4
その他の所見 (胃所見)	男	383	(21.1%)	0	1	24	114	144	84	16
	女	160	(15.8%)	0	0	17	60	53	24	6
	計	543	(19.2%)	0	1	41	174	197	108	22
その他の所見 (食道所見)	男	141	(7.8%)	0	0	9	32	65	28	7
	女	69	(6.8%)	0	0	15	23	20	11	0
	計	210	(7.4%)	0	0	24	55	85	39	7
検診者総数	男	1,815		0	5	216	611	636	306	41
	女	1,014		0	1	145	416	334	106	12
	計	2,829		0	6	361	1,027	970	412	53

胃部X線検査所見

所 見		総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所 見		総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	
胃 部											食 道 部											
伸展不良	男	24	(0.2%)	0	0	1	4	3	7	9	拡張	男	2	(0.0%)	0	0	0	2	0	0	0	
	女	12	(0.2%)	0	0	1	2	2	5	2		女	0	(0.0%)	0	0	0	0	0	0	0	
	計	36	(0.2%)	0	0	2	6	5	12	11		計	2	(0.0%)	0	0	0	2	0	0	0	
壁硬化	男	14	(0.1%)	0	0	1	3	5	4	1	狭窄	男	3	(0.0%)	0	0	0	1	0	1	1	
	女	6	(0.1%)	0	0	1	1	1	2	1		女	1	(0.0%)	0	0	0	1	0	0	0	
	計	20	(0.1%)	0	0	2	4	6	6	2		計	4	(0.0%)	0	0	0	2	0	1	1	
辺縁不整	男	36	(0.3%)	0	0	2	4	7	18	5	食道裂孔ヘルニア	男	33	(0.3%)	0	0	0	5	9	14	5	
	女	9	(0.1%)	0	0	1	3	2	2	1		女	14	(0.2%)	0	0	0	0	4	4	6	
	計	45	(0.2%)	0	0	3	7	9	20	6		計	47	(0.2%)	0	0	0	5	13	18	11	
変形	男	124	(1.0%)	0	0	6	34	33	39	12	食道炎の疑い	男	23	(0.2%)	0	0	1	3	12	4	3	
	女	16	(0.2%)	0	0	0	2	7	6	1		女	6	(0.1%)	0	0	0	4	1	1	0	
	計	140	(0.7%)	0	0	6	36	40	45	13		計	29	(0.1%)	0	0	1	7	13	5	3	
粘膜不整	男	64	(0.5%)	0	0	5	12	16	22	9	食道潰瘍の疑い	男	1	(0.0%)	0	0	0	0	0	1	0	
	女	27	(0.3%)	0	0	1	6	9	9	2		女	1	(0.0%)	0	0	0	0	0	1	0	
	計	91	(0.5%)	0	0	6	18	25	31	11		計	2	(0.0%)	0	0	0	0	0	2	0	
ニッシェ	男	21	(0.2%)	0	0	2	4	6	7	2	その他の所見	男	22	(0.2%)	0	0	2	5	5	6	4	
	女	5	(0.1%)	0	0	0	1	3	1	0		女	12	(0.2%)	0	0	1	2	4	3	2	
	計	26	(0.1%)	0	0	2	5	9	8	2		計	34	(0.2%)	0	0	3	7	9	9	6	
レリーフ集中像	男	50	(0.4%)	0	1	7	7	17	14	4	十二指腸部											
	女	11	(0.1%)	0	0	2	1	3	4	1	十二指腸球部変形	女	49	(0.6%)	0	1	2	10	13	21	2	
	計	61	(0.3%)	0	1	9	8	20	18	5		計	281	(1.4%)	0	1	20	75	97	73	15	
レリーフ異常	男	4	(0.0%)	0	0	2	1	1	0	0		十二指腸潰瘍の疑い	男	28	(0.2%)	0	0	4	9	10	5	0
	女	1	(0.0%)	0	0	0	0	0	1	0	女		3	(0.0%)	0	0	0	0	2	1	0	
	計	5	(0.0%)	0	0	2	1	1	1	0	計		31	(0.2%)	0	0	4	9	12	6	0	
バリウム斑	男	15	(0.1%)	0	0	1	2	5	6	1	十二指腸潰瘍瘢痕の疑い	男	10	(0.1%)	0	0	0	4	3	2	1	
	女	4	(0.1%)	0	0	1	0	2	1	0		女	4	(0.1%)	0	0	0	0	3	0	1	
	計	19	(0.1%)	0	0	2	2	7	7	1		計	14	(0.1%)	0	0	0	4	6	2	2	
陰影欠損	男	8	(0.1%)	0	0	1	3	2	1	1	十二指腸炎の疑い	男	1	(0.0%)	0	0	1	0	0	0	0	
	女	2	(0.0%)	0	0	0	0	0	1	1		女	0	(0.0%)	0	0	0	0	0	0	0	
	計	10	(0.0%)	0	0	1	3	2	2	2		計	1	(0.0%)	0	0	1	0	0	0	0	
胃下垂	男	0	(0.0%)	0	0	0	0	0	0	0	十二指腸憩室の疑い	男	3	(0.0%)	0	0	0	0	0	3	0	
	女	1	(0.0%)	0	0	0	0	0	1	0		女	9	(0.1%)	0	0	1	0	1	5	2	
	計	1	(0.0%)	0	0	0	0	0	1	0		計	12	(0.1%)	0	0	1	0	1	8	2	
胃炎の疑い	男	796	(6.5%)	0	1	70	194	224	225	82	造影不良	男	7	(0.1%)	0	0	4	0	2	0	1	
	女	415	(5.3%)	0	2	20	108	111	136	38		女	0	(0.0%)	0	0	0	0	0	0	0	
	計	1,211	(6.0%)	0	3	90	302	335	361	120		計	7	(0.0%)	0	0	4	0	2	0	1	
胃潰瘍瘢痕の疑い	男	13	(0.1%)	0	0	0	2	5	5	1	その他の所見	男	4	(0.0%)	0	0	1	0	2	1	0	
	女	3	(0.0%)	0	0	0	0	2	1	0		女	1	(0.0%)	0	0	0	0	0	0	1	
	計	16	(0.1%)	0	0	0	2	7	6	1		計	5	(0.0%)	0	0	1	0	2	1	1	
胃潰瘍の疑い	男	28	(0.2%)	0	0	2	8	3	9	6	検診者総数	男	12,213		6	54	2,078	4,074	3,371	2,170	460	
	女	5	(0.1%)	0	0	0	1	1	2	1		女	7,867		2	57	1,094	2,693	2,427	1,339	255	
	計	33	(0.2%)	0	0	2	9	4	11	7		計	20,080		8	111	3,172	6,767	5,798	3,509	715	
粗大皺壁の疑い	男	42	(0.3%)	0	0	6	9	13	10	4												
	女	11	(0.1%)	0	0	1	1	6	3	0												
	計	53	(0.3%)	0	0	7	10	19	13	4												
隆起性病変の疑い	男	782	(6.4%)	0	0	109	239	257	150	27												
	女	1,173	(14.9%)	0	2	108	444	429	164	26												
	計	1,955	(9.7%)	0	2	217	683	686	314	53												
陥凹性病変の疑い	男	4	(0.0%)	0	0	1	1	1	1	0												
	女	2	(0.0%)	0	0	0	2	0	0	0												
	計	6	(0.0%)	0	0	1	3	1	1	0												
憩室の疑い	男	49	(0.4%)	0	0	5	12	16	10	6												
	女	26	(0.3%)	0	0	0	9	10	4	3												
	計	75	(0.4%)	0	0	5	21	26	14	9												
術後胃	男	41	(0.3%)	0	0	0	5	11	16	9												
	女	7	(0.1%)	0	0	0	2	0	3	2												
	計	48	(0.2%)	0	0	0	7	11	19	11												
その他の所見	男	103	(0.8%)	0	1	12	30	25	28	7												
	女	59	(0.7%)	0	0	3	17	20	17	2												
	計	162	(0.8%)	0	1	15	47	45	45	9												

ペプシノゲン検査の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
ペプシノゲン	男	5,986	101	1.7	251	2	0.8	1,013	16	1.6	2,147	25	1.2	2,103	39	1.9	452	19	4.2	20	0	—
	女	3,105	111	3.6	23	0	—	495	9	1.8	1,425	33	2.3	899	48	5.3	252	21	8.3	11	0	—
	計	9,091	212	2.3	274	2	0.7	1,508	25	1.7	3,572	58	1.6	3,002	87	2.9	704	40	5.7	31	0	—

陽性率%

ヘリコバクター・ピロリ抗体検査の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
ヘリコバクター・ピロリ抗体	男	1,314	329	25.0	4	1	25.0	166	32	19.3	558	130	23.3	401	92	22.9	163	62	38.0	22	12	54.5
	女	1,634	399	24.4	11	1	9.1	151	29	19.2	655	129	19.7	548	142	25.9	252	91	36.1	17	7	41.2
	計	2,948	728	24.7	15	2	13.3	317	61	19.2	1,213	259	21.4	949	234	24.7	415	153	36.9	39	19	48.7

陽性率%

判 定		総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	21,026	(81.2%)	154	1,964	4,165	6,359	5,258	2,840	286
	女	18,115	(88.5%)	141	1,818	3,265	5,836	4,612	2,128	315
	計	39,141	(84.4%)	295	3,782	7,430	12,195	9,870	4,968	601
放置可	男	1,461	(5.6%)	26	184	242	372	331	251	55
	女	818	(4.0%)	17	86	109	231	223	126	26
	計	2,279	(4.9%)	43	270	351	603	554	377	81
要経過観察	男	2,533	(9.8%)	12	100	231	556	799	660	175
	女	1,265	(6.2%)	3	43	129	270	395	314	111
	計	3,798	(8.2%)	15	143	360	826	1,194	974	286
要精密検査	男	174	(0.7%)	2	7	22	35	46	45	17
	女	85	(0.4%)	0	0	9	26	22	21	7
	計	259	(0.6%)	2	7	31	61	68	66	24
要治療	男	6	(0.0%)	0	0	0	1	1	3	1
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	6	(0.0%)	0	0	0	1	1	3	1
治療中	男	700	(2.7%)	0	3	14	69	272	267	75
	女	188	(0.9%)	0	0	7	11	53	75	42
	計	888	(1.9%)	0	3	21	80	325	342	117
合 計	男	25,900		194	2,258	4,674	7,392	6,707	4,066	609
	女	20,471		161	1,947	3,519	6,374	5,305	2,664	501
	計	46,371		355	4,205	8,193	13,766	12,012	6,730	1,110

所 見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
陽性S T-Tの 変化 (ダブル)	男	2 (1.0%)	0	0	0	1	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.8%)	0	0	0	1	0	0	1
疑陽性S T-T の変化 (ダブル)	男	2 (1.0%)	0	0	0	0	0	1	1
	女	1 (1.6%)	0	0	0	1	0	0	0
	計	3 (1.2%)	0	0	0	1	0	1	1
不整脈の出現 (ダブル)	男	16 (8.2%)	0	0	0	2	6	5	3
	女	3 (4.8%)	0	0	0	1	2	0	0
	計	19 (7.3%)	0	0	0	3	8	5	3
その他の 負荷心電図所見	男	1 (0.5%)	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.4%)	0	0	0	0	0	1	0
検診者総数	男	196	0	42	5	39	61	37	12
	女	63	0	1	1	13	38	9	1
	計	259	0	43	6	52	99	46	13

所 見		総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
不整脈の出現	男	41	(7.2%)	0	2	8	13	10	7	1
	女	4	(2.4%)	0	0	0	0	3	0	1
	計	45	(6.1%)	0	2	8	13	13	7	2
S T-Tの変化	男	23	(4.1%)	0	2	5	6	6	3	1
	女	6	(3.6%)	0	0	2	2	0	1	1
	計	29	(4.0%)	0	2	7	8	6	4	2
血圧の変化	男	195	(34.5%)	0	9	37	71	59	16	3
	女	38	(22.9%)	0	0	0	11	17	9	1
	計	233	(31.8%)	0	9	37	82	76	25	4
検診者総数	男	566		0	42	174	204	110	29	7
	女	166		1	1	42	62	41	16	3
	計	732		1	43	216	266	151	45	10

所 見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所 見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所 見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上			
洞性徐脈	男	467	(1.8%)	7	76	79	123	87	71	24	ヘミブロック	男	132	(0.5%)	1	8	11	24	47	31	10	心筋障害疑い	男	1	(0.0%)	0	1	0	0	0	0	0
	女	167	(0.8%)	7	26	22	36	60	15	1		女	76	(0.4%)	0	6	9	28	13	17	3		女	0	(0.0%)	0	0	0	0	0	0	0
	計	634	(1.4%)	14	102	101	159	147	86	25		計	208	(0.4%)	1	14	20	52	60	48	13		計	1	(0.0%)	0	1	0	0	0	0	0
洞性頻脈	男	107	(0.4%)	0	7	15	30	39	13	3	完全左脚ブロック	男	19	(0.1%)	0	0	0	1	3	11	4	S T 低下	男	33	(0.1%)	0	0	2	3	14	12	2
	女	77	(0.4%)	1	12	11	25	16	9	3		女	16	(0.1%)	0	0	0	3	5	4	4		女	61	(0.3%)	0	1	7	15	19	17	2
	計	184	(0.4%)	1	19	26	55	55	22	6		計	35	(0.1%)	0	0	0	4	8	15	8		計	94	(0.2%)	0	1	9	18	33	29	4
洞性不整脈	男	55	(0.2%)	14	13	10	8	1	5	4	右室伝導遅延	男	354	(1.4%)	2	32	70	97	82	64	7	S T - T 異常	男	62	(0.2%)	0	0	5	15	22	13	7
	女	42	(0.2%)	5	12	6	5	5	7	2		女	170	(0.8%)	1	12	21	35	53	42	6		女	35	(0.2%)	0	1	5	6	6	15	2
	計	97	(0.2%)	19	25	16	13	6	12	6		計	524	(1.1%)	3	44	91	132	135	106	13		計	97	(0.2%)	0	1	10	21	28	28	9
異所性上室調律	男	5	(0.0%)	3	1	1	0	0	0	0	上室性期外収縮	男	191	(0.7%)	2	6	10	41	51	57	24	異常Q波の疑い	男	214	(0.8%)	1	6	8	44	83	50	22
	女	11	(0.1%)	2	0	1	4	1	3	0		女	122	(0.6%)	1	4	6	23	35	32	21		女	93	(0.5%)	0	3	4	22	27	28	9
	計	16	(0.0%)	5	1	2	4	1	3	0		計	313	(0.7%)	3	10	16	64	86	89	45		計	307	(0.7%)	1	9	12	66	110	78	31
移動性調律	男	3	(0.0%)	0	0	0	1	1	1	0	心室性期外収縮	男	330	(1.3%)	2	15	27	65	111	91	19	r 波増高不良	男	2	(0.0%)	0	0	0	0	0	1	1
	女	2	(0.0%)	1	0	0	0	0	1	0		女	188	(0.9%)	0	11	28	61	45	33	10		女	4	(0.0%)	0	0	1	3	0	0	0
	計	5	(0.0%)	1	0	0	1	1	2	0		計	518	(1.1%)	2	26	55	126	156	124	29		計	6	(0.0%)	0	0	1	3	0	1	1
右軸偏位 (+30° 以上)	男	31	(0.1%)	1	5	13	8	1	3	0	心房細動	男	128	(0.5%)	0	0	2	13	39	56	18	陰性T波	男	256	(1.0%)	0	7	19	43	87	81	19
	女	36	(0.2%)	0	5	9	15	5	2	0		女	23	(0.1%)	0	0	0	0	0	11	12		女	267	(1.3%)	0	14	35	55	91	47	25
	計	67	(0.1%)	1	10	22	23	6	5																							

検診者総数	男	25,900	194	2,258	4,674	7,392	6,707	4,066	609
	女	20,471	161	1,947	3,519	6,374	5,305	2,664	501
	計	46,371	355	4,205	8,193	13,766	12,012	6,730	1,110

腹部超音波検査判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	857	(11.8%)	3	7	353	326	131	36	1
	女	1,488	(29.6%)	0	18	404	596	361	95	14
	計	2,345	(19.1%)	3	25	757	922	492	131	15
放置可	男	263	(3.6%)	0	1	70	87	73	31	1
	女	229	(4.6%)	0	4	72	75	64	11	3
	計	492	(4.0%)	0	5	142	162	137	42	4
要経過観察	男	5,709	(78.9%)	0	14	661	1,705	2,041	1,041	247
	女	3,071	(61.1%)	0	9	263	877	1,043	679	200
	計	8,780	(71.6%)	0	23	924	2,582	3,084	1,720	447
要精密検査	男	389	(5.4%)	1	0	33	114	123	86	32
	女	234	(4.7%)	0	1	39	68	65	45	16
	計	623	(5.1%)	1	1	72	182	188	131	48
要治療	男	3	(0.0%)	0	0	0	0	2	1	0
	女	1	(0.0%)	0	0	0	0	1	0	0
	計	4	(0.0%)	0	0	0	0	3	1	0
治療中	男	18	(0.2%)	0	0	1	2	8	6	1
	女	5	(0.1%)	0	0	1	0	1	2	1
	計	23	(0.2%)	0	0	2	2	9	8	2
合 計	男	7,239		4	22	1,118	2,234	2,378	1,201	282
	女	5,028		0	32	779	1,616	1,535	832	234
	計	12,267		4	54	1,897	3,850	3,913	2,033	516

腹部超音波検査所見

所 見	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所 見	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所 見	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計									男	女	計										男	女	計						
脂肪肝の疑い	男	2,717	(37.5%)	0	8	287	851	1,039	463	69	腹部大動脈石灰化の疑い	男	1,555	(21.5%)	0	0	2	122	596	626	209	胆砂・胆泥の疑い	男	47	(0.6%)	0	0	3	10	17	14	3
	女	833	(16.6%)	0	1	50	224	316	200	42		女	757	(15.1%)	0	0	2	39	219	351	146		女	55	(1.1%)	0	0	2	10	28	11	4
	計	3,550	(28.9%)	0	9	337	1,075	1,355	663	111		計	2,312	(18.8%)	0	0	4	161	815	977	355		計	102	(0.8%)	0	0	5	20	45	25	7
脾腫	男	3	(0.0%)	0	0	0	0	1	2	0	脾臓に高エコーのものあり	男	91	(1.3%)	0	1	5	16	32	23	14	胆嚢尿管腫症の疑い	男	168	(2.3%)	0	0	8	38	78	38	6
	女	0	(0.0%)	0	0	0	0	0	0	0		女	34	(0.7%)	0	0	4	14	8	5	3		女	55	(1.1%)	0	0	1	14	22	13	5
	計	3	(0.0%)	0	0	0	0	1	2	0		計	125	(1.0%)	0	1	9	30	40	28	17		計	223	(1.8%)	0	0	9	52	100	51	11
腎嚢胞の疑い	男	1,786	(24.7%)	0	1	81	340	685	508	171	腹部大動脈瘤の疑い	男	18	(0.2%)	0	0	0	1	2	9	6	胆嚢壁の肥厚	男	72	(1.0%)	0	0	4	27	23	16	2
	女	626	(12.5%)	0	1	32	144	200	192	57		女	1	(0.0%)	0	0	0	0	0	1	0		女	40	(0.8%)	0	0	2	12	19	5	2
	計	2,412	(19.7%)	0	2	113	484	885	700	228		計	19	(0.2%)	0	0	0	1	2	10	6		計	112	(0.9%)	0	0	6	39	42	21	4
肝嚢胞の疑い	男	1,229	(17.0%)	0	1	54	307	480	304	83	重複腎盂の疑い	男	35	(0.5%)	0	0	5	9	10	7	4	胆嚢壁内結石の疑い	男	204	(2.8%)	0	0	16	56	80	42	10
	女	1,017	(20.2%)	0	3	59	261	382	256	56		女	24	(0.5%)	0	1	4	4	6	8	1		女	55	(1.1%)	0	0	5	14	19	15	2
	計	2,246	(18.3%)	0	4	113	568	862	560	139		計	59	(0.5%)	0	1	9	13	16	15	5		計	259	(2.1%)	0	0	21	70	99	57	12
脾嚢胞の疑い	男	6	(0.1%)	0	0	0	2	2	2	0	腎萎縮の疑い	男	5	(0.1%)	0	0	1	0	2	0	2	胆嚢変形	男	4	(0.1%)	0	0	0	2	0	2	0
	女	9	(0.2%)	0	0	1	2	3	2	1		女	4	(0.1%)	0	0	0	1	1	1	1		女	0	(0.0%)	0	0	0	0	0	0	0
	計	15	(0.1%)	0	0	1	4	5	4	1		計	9	(0.1%)	0	0	1	1	3	1	3		計	4	(0.0%)	0	0	0	2	0	2	0
腎結石の疑い	男	402	(5.6%)	0	0	28	111	151	97	15	脾血管腫の疑い	男	4	(0.1%)	0	0	0	1	2	1	0	胆嚢腫大	男	4	(0.1%)	0	0	0	1	2	1	0
	女	94	(1.9%)	0	0	6	32	28	23	5		女	6	(0.1%)	0	0	1	3	0	1	1		女	3	(0.1%)	0	0	0	0	2	1	0
	計	496	(4.0%)	0	0	34	143	179	120	20		計	10	(0.1%)	0	0	1	4	2	2	1		計	7	(0.1%)	0	0	0	1	4	2	0
肝血管腫の疑い	男	328	(4.5%)	0	0	38	108	125	46	11	腎臓描出不良	男	0	(0.0%)	0	0	0	0	0	0	0	胆嚢摘出後	男	227	(3.1%)	0	0	4	42	85	78	18
	女	298	(5.9%)	0	1	61	107	90	33	6		女	4	(0.1%)	0	0	0	0	3	1	0		女	142	(2.8%)	0	0	5	22	55	49	11
	計	626	(5.1%)	0	1	99	215	215	79	17		計	4	(0.0%)	0	0	0	0	3	1	0		計	369	(3.0%)	0	0	9	64	140	127	29
脾臓に高エコーのものあり	男	12	(0.2%)	0	0	0	1	4	5	2	肝左葉辺縁鈍化	男	2	(0.0%)	0	0	0	1	0	1	0	胆嚢伸展不良	男	1	(0.0%)	0	0	0	0	1	0	0
	女	5	(0.1%)	0	0	0	0	1	3	1		女	1	(0.0%)	0	0	0	0	0	0	1		女	2	(0.0%)	0	0	1	1	0	0	0
	計	17	(0.1%)	0	0	0	1	5	8	3		計	3	(0.0%)	0	0	0	1	0	1	1		計	3	(0.0%)	0	0	1	1	1	0	0
腎臓に高エコーのものあり	男	1,101	(15.2%)	0	1	85	304	424	231	56	腎盂・腎杯の拡張	男	43	(0.6%)	0	0	3	3	15	18	4	胆嚢描出不良	男	44	(0.6%)	0	0	0	9	23	8	4
	女	505	(10.0%)	0	1	35	145	175	119	30		女	49	(1.0%)	0	0	5	12	6	18	8		女	16	(0.3%)	0	0	1	4	7	3	1
	計	1,606	(13.1%)	0	2	120	449	599	350	86		計	92	(0.7%)	0	0	8	15	21	36	12		計	60	(0.5%)	0	0	1	13	30	11	5
副脾の疑い	男	211	(2.9%)	0	2	60	70	53	23	3	肝内エコー粗雑化	男	5	(0.1%)	0	0	0	2	1	1	1	脾管拡張の疑い	男	149	(2.1%)	0	0	3	30	44	45	27
	女	249	(5.0%)	0	3	72	88	72	11	3		女	4	(0.1%)	0	0	1	0	1	2	0		女	33	(0.7%)	0	0	0	6	10	12	5
	計	460	(3.7%)	0	5	132	158	125	34	6		計	9	(0.1%)	0	0	1	2	2	3	1		計	182	(1.5%)	0	0	3	36	54	57	32
肝占拠性病変の疑い	男	9	(0.1%)	0	0	0	4	2	3	0	肝表面の不整	男	1	(0.0%)	0	0	0	0	0	1	0	脾嚢胞の疑い	男	19	(0.3%)	0	0	0	3	4	9	3
	女	4	(0.1%)	0	0	1	1	0	2	0		女	0	(0.0%)	0	0	0	0	0	0	0		女	30	(0.6%)	0	0	2	7	8	11	2
	計	13	(0.1%)	0	0	1	5	2	5	0		計	1	(0.0%)	0	0	0	0	0	1	0		計	49	(0.4%)	0	0	2	10	12	20	5
腎血管筋脂肪腫の疑い	男	43	(0.6%)	0	0	6	14	12	10	1	慢性肝疾患の疑い	男	5	(0.1%)	0	0	0	1	1	3	0	脾臓描出不良	男	4,350	(60.1%)	0	11	433	1,250	1,590	860	206
	女	59	(1.2%)	0	0	2	22	19	12	4		女	0	(0.0%)	0	0	0	0	0	0	0		女	1,020	(20.3%)	0	1	61	227	341	271	119
	計	102	(0.8%)	0	0	8	36	31	22	5		計	5	(0.0%)	0	0	0	1	1	3	0		計	5,370	(43.8%)	0	12	494	1,477	1,931	1,131	325
肝内結石の疑い	男	3	(0.0%)	0	0	0	1	2	0	0	肝臓描出不良	男	195	(2.7%)	0	0	9	34	89	42	21	その他の所見 (胆嚢・胆管・脾臓)	男	105	(1.5%)	0	0	9	20	36	28	12
	女	1	(0.0%)	0	0	0	0	0	0	1		女	18	(0.4%)	0	0	1	2	7	7	1		女	51	(1.0%)	0	0	7	12	22	10	0
	計	4	(0.0%)	0	0	0	1	2	0	1		計	213	(1.7%)	0	0	10	36	96	49	22		計	156	(1.3%)	0	0	16	32	58	38	12
脾臓描出不良	男	18	(0.2%)	0	0	0	6	4	5	3	肝内胆管拡張の疑い	男	24	(0.3%)	0	0	0	0	5	16	3	その他の所見 (脾臓・胆部大動脈)	男	31	(0.4%)	0	0	1	2	9	9	10
	女	12	(0.2%)	0	0	0	0	1	7	4		女	12	(0.2%)	0	0	0	1	4	5	2		女	16	(0.3%)	0	0	2	7	5	2	0
	計	30	(0.2%)	0	0	0	6	5	12	7		計	36	(0.3%)	0	0	0	1	9	21	5		計	47	(0.4%)	0	0	3	9	14	11	10
腎占拠性病変の疑い	男	7	(0.1%)	0	0	1	2	3	1	0	肝外胆管拡張の疑い	男	51	(0.7%)	0	0	0	5	11	28	7	その他の所見 (腎臓)	男	49	(0.7%)	0	0	4	8	22	11	4
	女	0	(0.0%)	0	0	0	0	0	0	0		女	52	(1.0%)	0	0	0	3	18	22	9		女	40	(0.8%)	0	1	1	7	17	8	6
	計	7	(0.1%)	0	0	1	2	3	1	0		計	103	(0.8%)	0	0	0	8	29	50	16		計	89	(0.7%)	0	1	5	15	39	19	10
水腎症の疑い	男	5	(0.1%)	0	0	0	1	2	1	1	胆嚢ポリープの疑い	男	1,531	(21.1%)	0	2	232	489	541	218	49	検診者総数	男	7,239		4	22	1,118	2,234	2,378	1,201	282
	女	2	(0.0%)	0	0	0	0	0	1	1		女	661	(13.1%)	0	5	99	227	196	104	30		女	5,028		0	32	779	1,616	1,535	832	234
	計	7	(0.1%)	0	0	0	1	2	2	2		計	2,192	(17.9%)	0	7	331	716	737	322	79		計	12,267		4	54	1,897	3,850	3,913	2,033	516
肝内石灰化の疑い	男	64	(0.9%)	0	0	3	15	24	17	5	胆石の疑い	男	284	(3.9%)	1	0	7	63	114	77	22											
	女	35	(0.7%)	0	0	2	5	11	13	4		女	166	(3.3%)	0	0	5	38	72	40	11											
	計	99	(0.8%)	0	0	5	20																									

眼底写真判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	5,325	(63.1%)	7	68	1,187	2,025	1,646	379	13
	女	3,599	(74.3%)	0	38	778	1,521	1,081	176	5
	計	8,924	(67.2%)	7	106	1,965	3,546	2,727	555	18
放置可	男	241	(2.9%)	0	0	6	71	112	48	4
	女	153	(3.2%)	0	0	6	34	81	31	1
	計	394	(3.0%)	0	0	12	105	193	79	5
要経過観察	男	2,060	(24.4%)	0	0	31	362	966	629	72
	女	736	(15.2%)	0	0	15	105	336	229	51
	計	2,796	(21.1%)	0	0	46	467	1,302	858	123
要精密検査	男	511	(6.1%)	0	1	20	113	206	138	33
	女	205	(4.2%)	0	0	13	44	77	59	12
	計	716	(5.4%)	0	1	33	157	283	197	45
要治療	男	2	(0.0%)	0	0	0	1	0	1	0
	女	2	(0.0%)	0	0	0	2	0	0	0
	計	4	(0.0%)	0	0	0	3	0	1	0
治療中	男	297	(3.5%)	0	1	6	35	123	108	24
	女	150	(3.1%)	0	0	4	23	62	43	18
	計	447	(3.4%)	0	1	10	58	185	151	42
合計	男	8,436		7	70	1,250	2,607	3,053	1,303	146
	女	4,845		0	38	816	1,729	1,637	538	87
	計	13,281		7	108	2,066	4,336	4,690	1,841	233

眼底検査所見

所 見	総数										19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所 見	総数										19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上																										
細動脈狭細化	男	125	(1.5%)	0	0	0	18	62	40	5	視神経乳頭異常	男	6	(0.1%)	0	0	0	3	2	1	0	女	3	(0.1%)	0	0	0	1	2	0	0	計	154	(1.2%)	0	0	0	24	76	47	7	計	9	(0.1%)	0	0	0	4	4	1	0										
	女	29	(0.6%)	0	0	0	6	14	7	2		女	3	(0.1%)	0	0	0	1	2	0	0	男	69	(0.8%)	0	0	0	18	32	18	1	女	26	(0.5%)	0	0	0	6	16	3	1	計	95	(0.7%)	0	0	0	24	48	21	2	計	400	(3.0%)	0	0	19	82	192	92	15
	計	154	(1.2%)	0	0	0	24	76	47	7		女	114	(2.3%)	0	0	4	21	59	24	6	男	286	(3.4%)	0	0	15	61	133	68	9	女	114	(2.3%)	0	0	4	21	59	24	6	計	400	(3.0%)	0	0	19	82	192	92	15										
細動脈口径不同	男	69	(0.8%)	0	0	0	18	32	18	1	視神経乳頭異常の疑い	男	286	(3.4%)	0	0	15	61	133	68	9	女	114	(2.3%)	0	0	4	21	59	24	6	計	95	(0.7%)	0	0	0	24	48	21	2	計	400	(3.0%)	0	0	19	82	192	92	15										
	女	26	(0.5%)	0	0	0	6	16	3	1		女	114	(2.3%)	0	0	4	21	59	24	6	男	28	(0.3%)	0	0	1	3	12	9	3	女	5	(0.1%)	0	0	0	2	2	1	0	計	33	(0.2%)	0	0	1	5	14	10	3										
	計	95	(0.7%)	0	0	0	24	48	21	2		計	400	(3.0%)	0	0	19	82	192	92	15	男	51	(0.6%)	0	0	0	12	22	17	0	女	11	(0.2%)	0	0	0	3	6	2	0	計	62	(0.5%)	0	0	0	15	28	19	0										
眼底出血	男	34	(0.4%)	0	0	2	7	18	7	0	光凝固後	男	28	(0.3%)	0	0	1	3	12	9	3	女	5	(0.1%)	0	0	0	2	2	1	0	計	53	(0.4%)	0	0	4	8	26	12	3	計	33	(0.2%)	0	0	1	5	14	10	3										
	女	19	(0.4%)	0	0	2	1	8	5	3		女	5	(0.1%)	0	0	0	2	2	1	0	男	48	(0.6%)	0	0	2	13	19	10	4	女	38	(0.8%)	0	0	2	11	18	6	1	計	86	(0.6%)	0	0	4	24	37	16	5	計	62	(0.5%)	0	0	0	15	28	19	0
	計	53	(0.4%)	0	0	4	8	26	12	3		計	33	(0.2%)	0	0	1	5	14	10	3	男	623	(7.4%)	0	0	4	92	312	194	21	女	307	(6.3%)	0	0	1	40	153	99	14	計	930	(7.0%)	0	0	5	132	465	293	35	計	62	(0.5%)	0	0	5	27	17	12	1
眼底出血の疑い	男	48	(0.6%)	0	0	2	13	19	10	4	網膜有鞘神経線維の疑い	男	51	(0.6%)	0	0	0	12	22	17	0	女	11	(0.2%)	0	0	0	3	6	2	0	計	86	(0.6%)	0	0	4	24	37	16	5	計	62	(0.5%)	0	0	0	15	28	19	0										
	女	38	(0.8%)	0	0	2	11	18	6	1		女	11	(0.2%)	0	0	0	3	6	2	0	男	45	(0.5%)	0	0	2	17	14	11	1	女	17	(0.4%)	0	0	3	10	3	1	0	計	62	(0.5%)	0	0	5	27	17	12	1										
	計	86	(0.6%)	0	0	4	24	37	16	5		計	62	(0.5%)	0	0	5	27	17	12	1	男	139	(1.6%)	0	0	2	15	45	67	10	女	35	(0.7%)	0	0	0	5	11	11	8	計	174	(1.3%)	0	0	2	20	56	78	18										
細動脈反射増強	男	623	(7.4%)	0	0	4	92	312	194	21	網膜静脈瘤痕象の疑い	男	45	(0.5%)	0	0	2	17	14	11	1	女	17	(0.4%)	0	0	3	10	3	1	0	計	930	(7.0%)	0	0	5	132	465	293	35	計	62	(0.5%)	0	0	5	27	17	12	1										
	女	307	(6.3%)	0	0	1	40	153	99	14		女	17	(0.4%)	0	0	3	10	3	1	0	男	139	(1.6%)	0	0	2	15	45	67	10	女	35	(0.7%)	0	0	0	5	11	11	8	計	174	(1.3%)	0	0	2	20	56	78	18										
	計	930	(7.0%)	0	0	5	132	465	293	35		計	62	(0.5%)	0	0	5	27	17	12	1	男	276	(3.3%)	0	0	4	66	114	82	10	女	84	(1.7%)	0	0	4	15	30	29	6	計	360	(2.7%)	0	0	8	81	144	111	16										
動静脈交叉現象	男	1,179	(13.9%)	0	0	9	198	595	336	41	瞳孔の開き不十分	男	139	(1.6%)	0	0	2	15	45	67	10	女	35	(0.7%)	0	0	0	5	11	11	8	計	1,541	(11.6%)	0	0	14	258	760	449	60	計	174	(1.3%)	0	0	2	20	56	78	18										
	女	362	(7.5%)	0	0	5	60	165	113	19		女	35	(0.7%)	0	0	0	5	11	11	8	男	276	(3.3%)	0	0	4	66	114	82	10	女	84	(1.7%)	0	0	4	15	30	29	6	計	360	(2.7%)	0	0	8	81	144	111	16										
	計	1,541	(11.6%)	0	0	14	258	760	449	60		計	174	(1.3%)	0	0	2	20	56	78	18	男	276	(3.3%)	0	0	4	66	114	82	10	女	84	(1.7%)	0	0	4	15	30	29	6	計	360	(2.7%)	0	0	8	81	144	111	16										
毛細血管瘤（赤色点）	男	6	(0.1%)	0	0	0	1	4	1	0	黄斑部異常の疑い	男	276	(3.3%)	0	0	4	66	114	82	10	女	1	(0.0%)	0	0	0	0	1	0	0	計	7	(0.1%)	0	0	0	1	5	1	0	計	360	(2.7%)	0	0	8	81	144	111	16										
	女	1	(0.0%)	0	0	0	0	1	0	0		女	1	(0.0%)	0	0	0	0	0	0	0	男	1	(0.0%)	0	0	0	0	0	1	0	女	0	(0.0%)	0	0	0	0	0	0	0	計	27	(0.2%)	0	0	0	3	8	14	2										
	計	7	(0.1%)	0	0	0	1	5	1	0		計	360	(2.7%)	0	0	8	81	144	111	16	男	1	(0.0%)	0	0	0	0	0	1	0	女	0	(0.0%)	0	0	0	0	0	0	0	計	27	(0.2%)	0	0	0	3	8	14	2										
新生血管	男	1	(0.0%)	0	0	0	0	0	1	0	右眼のみ撮影	男	25	(0.3%)	0	0	0	3	8	12	2	女	2	(0.0%)	0	0	0	0	0	2	0	計	1	(0.0%)	0	0	0	0	0	1	0	計	27	(0.2%)	0	0	0	3	8	14	2										
	女	0	(0.0%)	0	0	0	0	0	0	0		女	2	(0.0%)	0	0	0	0	0	2	0	男	25	(0.3%)	0	0	0	3	8	12	2	女	2	(0.0%)	0	0	0	0	0	2	0	計	27	(0.2%)	0	0	0	3	8	14	2										
	計	1	(0.0%)	0	0	0	0	0	1	0		計	27	(0.2%)	0	0	0	3	8	14	2	男	13	(0.2%)	0	0	0	2	5	5	1	女	3	(0.1%)	0	0	0	0	1	2	0	計	16	(0.1%)	0	0	0	2	6	7	1										
静脈拡張	男	2	(0.0%)	0	0	0	0	1	1	0	左眼のみ撮影	男	13	(0.2%)	0	0	0	2	5	5	1	女	3	(0.1%)	0	0	0	0	1	2	0	計	2	(0.0%)	0	0	0	1	1	0	計	16	(0.1%)	0	0	0	2	6	7	1											
	女	0	(0.0%)	0	0	0	0	0	0	0		女	3	(0.1%)	0	0	0	0	1	2	0	男	24	(0.3%)	0	0	0	3	11	7	3	女	6	(0.1%)	0	0	0	0	3	3	0	計	30	(0.2%)	0	0	0	3	14	10	3										
	計	2	(0.0%)	0	0	0	0	1	1	0		計	16	(0.1%)	0	0	0	2	6	7	1	男	24	(0.3%)	0	0	0	3	11	7	3	女	6	(0.1%)	0	0	0	0	3	3	0	計	30	(0.2%)	0	0	0	3	14	10	3										
点状出血	男	85	(1.0%)	0	0	3	20	40	21	1	硝子体閃輝融解の疑い	男	24	(0.3%)	0	0	0	3	11	7	3	女	6	(0.1%)	0	0	0	0	3	3	0	計	95	(0.7%)	0	0	4	23	44	23	1	計	30	(0.2%)	0	0	0	3	14	10	3										
	女	10	(0.2%)	0	0	1	3	4	2	0		女	6	(0.1%)	0	0	0	0	3	3	0	男	31	(0.4%)	0	0	0	6	20	5	0	女	4	(0.1%)	0	0	0	2	2	0	0	計	35	(0.3%)	0	0	0	8	22	5	0	計	308	(2.3%)	0	0	19	90	132	58	9
	計	95	(0.7%)	0	0	4	23	44	23	1		計	30	(0.2%)	0	0	0	3	14	10	3	男	221	(2.6%)	0	0	11	58	99	48	5	女	87	(1.8%)	0	0	8	32	33	10	4	計	308	(2.3%)	0	0	19	90	132	58	9										
斑状出血	男	31	(0.4%)	0	0	0	6	20	5	0	網膜神経線維層欠損の疑い	男	221	(2.6%)	0	0	11	58	99	48	5	女	87	(1.8%)	0	0	8	32	33	10	4	計	35	(0.3%)	0	0	0	8	22	5	0	計	308	(2.3%)	0	0	19	90	132	58	9										
	女	4	(0.1%)	0	0	0	2	2	0	0		女	87	(1.8%)	0	0	8	32	33	10	4	男	17	(0.2%)	0	0	0	0	5	6	6	女	111	(2.3%)	0	0	2	8	46	44	11	計	457	(3.4%)	0	0	6	58	187	183	23	計	39	(0.3%)	0	0	0	0	9	18	12
	計	35	(0.3%)	0	0	0	8	22	5	0		計	39	(0.3%)	0	0	0	0	9	18	12	男	474	(5.6%)	0	0	0	17	163	213	81	女	247	(5.1%)	0	0	2	9	70	121	45	計	721	(5.4%)	0	0	2	26	233	334	126	計	274	(2.1%)	0	2	20	71	122	55	4
網膜白斑	男	346	(4.1%)	0	0	4	50	141	139	12	ドルーゼン	男	17	(0.2%)	0	0	0	0	5	6	6	女	22	(0.5%)	0	0	0	0	4	12	6	計	457	(3.4%)	0	0	6	58	187	183	23	計	39	(0.3%)	0	0	0	0	9	18	12										
	女	111	(2.3%)																																																										

肺機能判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	4,763	(93.8%)	38	316	845	1,417	1,384	621	142
	女	2,709	(95.4%)	22	75	446	834	791	429	112
	計	7,472	(94.4%)	60	391	1,291	2,251	2,175	1,050	254
放置可	男	259	(5.1%)	2	7	18	49	80	65	38
	女	111	(3.9%)	2	2	9	36	23	25	14
	計	370	(4.7%)	4	9	27	85	103	90	52
要経過観察	男	42	(0.8%)	0	0	0	0	12	14	16
	女	16	(0.6%)	0	0	4	3	3	3	3
	計	58	(0.7%)	0	0	4	3	15	17	19
要精密検査	男	12	(0.2%)	0	0	1	2	5	3	1
	女	4	(0.1%)	0	0	0	2	1	0	1
	計	16	(0.2%)	0	0	1	4	6	3	2
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	2	(0.0%)	0	0	0	1	0	0	1
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	1	0	0	1
合 計	男	5,078		40	323	864	1,469	1,481	703	198
	女	2,840		24	77	459	875	818	457	130
	計	7,918		64	400	1,323	2,344	2,299	1,160	328

肺機能検査の性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
%肺活量・ %	男	5,054	104.1	376	103.0	866	106.8	1,455	106.4	1,464	104.2	695	99.5	198	93.3
	女	2,813	103.9	101	98.6	454	103.7	861	106.1	813	103.8	454	102.2	130	100.7
	計	7,867	104.0	477	102.0	1,320	105.7	2,316	106.3	2,277	104.0	1,149	100.5	328	96.2
一秒率・ %	男	5,054	80.9	376	85.1	866	82.6	1,455	81.3	1,464	80.0	695	78.8	198	77.7
	女	2,813	82.2	101	86.3	454	85.2	861	82.4	813	81.4	454	80.4	130	78.3
	計	7,867	81.4	477	85.4	1,320	83.5	2,316	81.7	2,277	80.5	1,149	79.4	328	77.9

聴力判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	24,194	(85.3%)	196	3,454	5,229	7,040	5,701	2,405	169
	女	20,735	(94.0%)	111	3,174	4,122	6,232	4,902	2,007	187
	計	44,929	(89.1%)	307	6,628	9,351	13,272	10,603	4,412	356
放置可	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要経過観察	男	4,179	(14.7%)	0	33	205	624	1,213	1,720	384
	女	1,326	(6.0%)	2	46	74	184	352	530	138
	計	5,505	(10.9%)	2	79	279	808	1,565	2,250	522
要精密検査	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
合 計	男	28,373		196	3,487	5,434	7,664	6,914	4,125	553
	女	22,061		113	3,220	4,196	6,416	5,254	2,537	325
	計	50,434		309	6,707	9,630	14,080	12,168	6,662	878

聴力検査の性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
聴力・右・ 5 0 0 H z d B	男	156	17.9	1	15.0	3	10.0	37	12.2	61	14.9	38	20.9	16	36.6
	女	69	17.4	1	10.0	1	10.0	18	13.3	37	16.4	10	25.0	2	42.5
	計	225	17.7	2	12.5	4	10.0	55	12.6	98	15.5	48	21.8	18	37.2
聴力・右・ 1 K H z ・ d B	男	156	18.8	1	20.0	3	11.7	37	12.3	61	16.3	38	22.2	16	36.6
	女	69	15.9	1	10.0	1	10.0	18	10.3	37	15.3	10	23.5	2	45.0
	計	225	17.9	2	15.0	4	11.3	55	11.6	98	15.9	48	22.5	18	37.5
聴力・右・ 2 K H z ・ d B	男	156	20.1	1	15.0	3	8.3	37	11.5	61	16.1	38	25.0	16	46.6
	女	69	17.0	1	25.0	1	15.0	18	13.3	37	14.6	10	23.0	2	62.5
	計	225	19.2	2	20.0	4	10.0	55	12.1	98	15.5	48	24.6	18	48.3
聴力・右・ 4 K H z ・ d B	男	156	23.9	1	-5.0	3	6.7	37	10.0	61	20.7	38	32.6	16	51.9
	女	69	13.0	1	15.0	1	5.0	18	8.3	37	11.5	10	20.0	2	52.5
	計	225	20.5	2	5.0	4	6.3	55	9.5	98	17.2	48	30.0	18	51.9
聴力・左・ 5 0 0 H z d B	男	156	19.1	1	20.0	3	10.0	37	15.8	61	15.2	38	23.3	16	33.8
	女	69	17.5	1	15.0	1	10.0	18	14.2	37	17.0	10	22.5	2	37.5
	計	225	18.6	2	17.5	4	10.0	55	15.3	98	15.9	48	23.1	18	34.2
聴力・左・ 1 K H z ・ d B	男	156	18.0	1	20.0	3	11.7	37	14.6	61	14.4	38	21.2	16	33.1
	女	69	13.3	1	10.0	1	10.0	18	7.8	37	13.0	10	19.5	2	42.5
	計	225	16.6	2	15.0	4	11.3	55	12.4	98	13.9	48	20.8	18	34.2
聴力・左・ 2 K H z ・ d B	男	156	20.9	1	20.0	3	16.7	37	15.7	61	15.8	38	26.2	16	40.9
	女	69	14.5	1	20.0	1	10.0	18	10.8	37	12.8	10	20.0	2	50.0
	計	225	19.0	2	20.0	4	15.0	55	14.1	98	14.7	48	24.9	18	41.9
聴力・左・ 4 K H z ・ d B	男	156	26.7	1	10.0	3	13.3	37	16.1	61	22.1	38	35.1	16	52.8
	女	69	12.9	1	20.0	1	10.0	18	6.9	37	12.4	10	17.5	2	50.0
	計	225	22.5	2	15.0	4	12.5	55	13.1	98	18.4	48	31.5	18	52.5

精密聴力検査の性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
精密聴力・右 2 5 0 H z d B	男	273	27.0	111	24.7	31	24.0	76	27.0	9	28.9	46	34.0	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	273	27.0	111	24.7	31	24.0	76	27.0	9	28.9	46	34.0	0	—
精密聴力・右 5 0 0 H z d B	男	273	23.2	111	21.5	31	19.5	76	22.6	9	24.4	46	30.3	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	273	23.2	111	21.5	31	19.5	76	22.6	9	24.4	46	30.3	0	—
精密聴力・右 1 K H z ・ d B	男	273	20.0	111	16.2	31	15.7	76	20.1	9	22.2	46	31.5	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	273	20.0	111	16.2	31	15.7	76	20.1	9	22.2	46	31.5	0	—
精密聴力・右 2 K H z ・ d B	男	273	18.2	111	12.1	31	13.7	76	18.4	9	23.9	46	34.3	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	273	18.2	111	12.1	31	13.7	76	18.4	9	23.9	46	34.3	0	—
精密聴力・右 4 K H z ・ d B	男	273	19.8	111	7.9	31	14.7	76	19.7	9	28.3	46	50.4	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	273	19.8	111	7.9	31	14.7	76	19.7	9	28.3	46	50.4	0	—
精密聴力・右 8 K H z ・ d B	男	273	20.3	111	9.3	31	12.3	76	19.9	9	34.4	46	50.1	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	273	20.3	111	9.3	31	12.3	76	19.9	9	34.4	46	50.1	0	—
精密聴力・左 2 5 0 H z d B	男	273	25.7	111	23.5	31	23.1	76	25.3	9	27.2	46	33.4	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	273	25.7	111	23.5	31	23.1	76	25.3	9	27.2	46	33.4	0	—
精密聴力・左 5 0 0 H z d B	男	273	23.2	111	20.9	31	19.5	76	22.6	9	25.0	46	31.6	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	273	23.2	111	20.9	31	19.5	76	22.6	9	25.0	46	31.6	0	—
精密聴力・左 1 K H z ・ d B	男	273	19.9	111	16.1	31	14.2	76	19.2	9	20.0	46	33.8	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	273	19.9	111	16.1	31	14.2	76	19.2	9	20.0	46	33.8	0	—
精密聴力・左 2 K H z ・ d B	男	273	18.5	111	12.7	31	12.1	76	17.6	9	18.9	46	38.5	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	273	18.5	111	12.7	31	12.1	76	17.6	9	18.9	46	38.5	0	—
精密聴力・左 4 K H z ・ d B	男	273	21.2	111	9.2	31	13.7	76	23.0	9	24.4	46	51.9	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	273	21.2	111	9.2	31	13.7	76	23.0	9	24.4	46	51.9	0	—
精密聴力・左 8 K H z ・ d B	男	273	20.9	111	9.4	31	13.7	76	20.8	9	27.2	46	52.3	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	273	20.9	111	9.4	31	13.7	76	20.8	9	27.2	46	52.3	0	—

血圧判定結果

判 定	総数			19歳以下		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
異常なし	男	19,094	(63.3%)	235	3,660	4,962	5,290	3,288	1,467	192							
	女	20,026	(80.5%)	196	3,760	4,572	5,901	3,973	1,454	170							
	計	39,120	(71.1%)	431	7,420	9,534	11,191	7,261	2,921	362							
放置可	男	0	(0.0%)	0	0	0	0	0	0	0							
	女	0	(0.0%)	0	0	0	0	0	0	0							
	計	0	(0.0%)	0	0	0	0	0	0	0							
要経過観察	男	6,075	(20.1%)	25	516	943	1,633	1,766	1,075	117							
	女	2,610	(10.5%)	3	64	213	700	915	616	99							
	計	8,685	(15.8%)	28	580	1,156	2,333	2,681	1,691	216							
要精密検査	男	574	(1.9%)	0	9	59	177	206	104	19							
	女	238	(1.0%)	0	2	14	77	78	62	5							
	計	812	(1.5%)	0	11	73	254	284	166	24							
要治療	男	122	(0.4%)	0	2	14	45	33	23	5							
	女	42	(0.2%)	0	0	6	12	13	9	2							
	計	164	(0.3%)	0	2	20	57	46	32	7							
治療中	男	4,287	(14.2%)	0	7	100	636	1,661	1,580	303							
	女	1,946	(7.8%)	0	0	24	248	744	703	227							
	計	6,233	(11.3%)	0	7	124	884	2,405	2,283	530							
合計	男	30,152		260	4,194	6,078	7,781	6,954	4,249	636							
	女	24,862		199	3,826	4,829	6,938	5,723	2,844	503							
	計	55,014		459	8,020	10,907	14,719	12,677	7,093	1,139							

血圧（安静時・負荷時）の性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
安静時血圧・最大 mmHg	男	30,831	123.3	4,684	119.1	6,192	119.5	7,944	121.8	7,045	126.5	4,327	129.9	639	131.1
	女	25,044	114.2	4,083	107.2	4,867	108.1	6,986	113.1	5,750	119.0	2,855	125.5	503	128.4
	計	55,875	119.3	8,767	113.5	11,059	114.5	14,930	117.8	12,795	123.1	7,182	128.2	1,142	129.9
安静時血圧・最小 mmHg	男	30,831	76.2	4,684	68.5	6,192	73.0	7,944	77.4	7,045	80.5	4,327	79.9	639	76.3
	女	25,044	69.8	4,083	64.9	4,867	66.6	6,986	70.0	5,750	73.1	2,855	74.4	503	72.3
	計	55,875	73.3	8,767	66.8	11,059	70.2	14,930	73.9	12,795	77.2	7,182	77.7	1,142	74.5
負荷後血圧・最大 mmHg	男	196	138.8	42	134.2	5	139.6	39	133.8	61	142.1	37	140.2	12	149.5
	女	63	133.0	1	138.0	1	126.0	13	126.2	38	133.7	9	138.0	1	148.0
	計	259	137.4	43	134.3	6	137.3	52	131.9	99	138.9	46	139.8	13	149.4
負荷後血圧・最小 mmHg	男	196	77.4	42	73.0	5	72.0	39	77.1	61	81.3	37	79.1	12	70.8
	女	63	75.2	1	66.0	1	64.0	13	70.3	38	76.5	9	77.8	1	88.0
	計	259	76.8	43	72.8	6	70.7	52	75.4	99	79.4	46	78.8	13	72.2

眼圧の性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
眼圧・右 mmHg	男	3,663	14.0	12	15.3	777	14.1	1,124	14.1	1,227	14.0	473	13.8	50	13.4
	女	2,633	13.7	8	13.9	499	13.6	943	13.8	931	13.8	229	13.3	23	12.7
	計	6,296	13.9	20	14.8	1,276	13.9	2,067	13.9	2,158	13.9	702	13.6	73	13.2
眼圧・左 mmHg	男	3,657	14.2	12	15.2	777	14.3	1,122	14.3	1,227	14.2	469	13.8	50	13.7
	女	2,633	13.9	8	13.9	499	13.7	943	14.0	930	14.0	230	13.9	23	12.8
	計	6,290	14.1	20	14.7	1,276	14.0	2,065	14.2	2,157	14.1	699	13.8	73	13.4

内科診察判定結果

判 定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	21,562 (98.5%)	132	1,518	3,316	6,699	6,080	3,389	428
	女	16,118 (97.2%)	57	1,109	2,440	5,516	4,559	2,151	286
	計	37,680 (97.9%)	189	2,627	5,756	12,215	10,639	5,540	714
放置可	男	69 (0.3%)	0	3	16	15	20	12	3
	女	36 (0.2%)	0	1	9	11	11	3	1
	計	105 (0.3%)	0	4	25	26	31	15	4
要経過観察	男	180 (0.8%)	1	3	15	41	44	60	16
	女	366 (2.2%)	1	8	49	145	109	44	10
	計	546 (1.4%)	2	11	64	186	153	104	26
要精密検査	男	28 (0.1%)	0	0	2	5	11	7	3
	女	24 (0.1%)	0	0	4	7	7	4	2
	計	52 (0.1%)	0	0	6	12	18	11	5
要治療	男	2 (0.0%)	0	0	0	0	0	2	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	2	0
治療中	男	49 (0.2%)	0	0	1	6	19	19	4
	女	42 (0.3%)	0	1	2	23	8	7	1
	計	91 (0.2%)	0	1	3	29	27	26	5
合計	男	21,890	133	1,524	3,350	6,766	6,174	3,489	454
	女	16,586	58	1,119	2,504	5,702	4,694	2,209	300
	計	38,476	191	2,643	5,854	12,468	10,868	5,698	754

内科診察所見

所 見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
眼瞼結膜貧血あり	男	4 (0.0%)	0	0	1	1	0	2	0
	女	49 (0.3%)	1	0	8	29	10	1	0
	計	53 (0.1%)	1	0	9	30	10	3	0
扁桃腺肥大	男	48 (0.2%)	1	2	16	15	10	4	0
	女	19 (0.1%)	0	1	7	3	6	2	0
	計	67 (0.2%)	1	3	23	18	16	6	0
頸部リンパ節腫脹	男	6 (0.0%)	0	0	0	3	2	1	0
	女	7 (0.0%)	0	0	3	2	2	0	0
	計	13 (0.0%)	0	0	3	5	4	1	0
甲状腺腫大	男	5 (0.0%)	0	0	0	1	2	1	1
	女	101 (0.6%)	0	6	17	42	24	10	2
	計	106 (0.3%)	0	6	17	43	26	11	3
心拍不整	男	87 (0.4%)	0	1	3	10	32	32	9
	女	20 (0.1%)	0	0	1	5	4	9	1
	計	107 (0.3%)	0	1	4	15	36	41	10
収縮期雑音	男	27 (0.1%)	0	1	1	6	4	9	6
	女	38 (0.2%)	0	2	4	8	14	8	2
	計	65 (0.2%)	0	3	5	14	18	17	8
拡張期雑音	男	8 (0.0%)	0	0	0	1	2	3	2
	女	5 (0.0%)	0	0	0	0	2	2	1
	計	13 (0.0%)	0	0	0	1	4	5	3
乾性ラ音	男	19 (0.1%)	0	0	0	3	7	6	3
	女	9 (0.1%)	0	0	0	3	4	1	1
	計	28 (0.1%)	0	0	0	6	11	7	4
呼吸音の減弱	男	1 (0.0%)	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	1
腹部圧痛	男	56 (0.3%)	0	0	8	17	16	14	1
	女	131 (0.8%)	0	0	16	60	43	8	4
	計	187 (0.5%)	0	0	24	77	59	22	5
所 見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
腹部腫瘤触知	男	5 (0.0%)	0	0	0	1	0	4	0
	女	36 (0.2%)	0	0	4	20	10	2	0
	計	41 (0.1%)	0	0	4	21	10	6	0
下肢静脈瘤	男	8 (0.0%)	0	0	0	0	1	7	0
	女	20 (0.1%)	0	0	0	1	9	8	2
	計	28 (0.1%)	0	0	0	1	10	15	2
関節変形	男	0 (0.0%)	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	1	0
	計	1 (0.0%)	0	0	0	0	0	1	0
P T R	男	1 (0.0%)	0	0	0	0	1	0	0
	女	1 (0.0%)	0	0	0	0	1	0	0
	計	2 (0.0%)	0	0	0	0	2	0	0
浮腫	男	18 (0.1%)	0	0	0	4	8	6	0
	女	24 (0.1%)	0	1	1	9	5	6	2
	計	42 (0.1%)	0	1	1	13	13	12	2
黄色腫	男	4 (0.0%)	0	0	1	0	3	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	4 (0.0%)	0	0	1	0	3	0	0
術創あり	男	29 (0.1%)	0	1	2	7	8	8	3
	女	19 (0.1%)	0	0	3	6	7	2	1
	計	48 (0.1%)	0	1	5	13	15	10	4
皮膚の異常	男	3 (0.0%)	0	0	1	1	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	3 (0.0%)	0	0	1	1	0	1	0
皮膚・粘膜の異常	男	1 (0.0%)	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	1	0	0	0
軽度の腰痛症状	男	9 (0.0%)	0	0	3	3	2	1	0
	女	15 (0.1%)	0	0	5	4	4	2	0
	計	24 (0.1%)	0	0	8	7	6	3	0
所 見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
中等度の腰痛症状	男	2 (0.0%)	0	0	0	1	1	0	0
	女	3 (0.0%)	0	0	0	2	1	0	0
	計	5 (0.0%)	0	0	0	3	2	0	0
前屈制限・前屈時疼痛	男	1 (0.0%)	0	0	1	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	1	0	0	0	0
後屈制限・後屈時疼痛	男	1 (0.0%)	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	1	0	0
腰部圧痛・叩打痛	男	1 (0.0%)	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	1	0	0	0
下腿しびれ・知覚異常	男	3 (0.0%)	0	0	1	1	1	0	0
	女	4 (0.0%)	0	0	0	1	2	1	0
	計	7 (0.0%)	0	0	1	2	3	1	0
膝蓋腱反射異常	男	1 (0.0%)	0	0	0	1	0	0	0
	女	1 (0.0%)	0	0	0	0	1	0	0
	計	2 (0.0%)	0	0	0	1	1	0	0
アキレス腱反射異常	男	1 (0.0%)	0	0	0	0	1	0	0
	女	2 (0.0%)	0	0	1	0	1	0	0
	計	3 (0.0%)	0	0	1	0	2	0	0
その他の所見	男	8 (0.0%)	0	1	1	1	1	4	0
	女	8 (0.0%)	0	0	1	4	1	2	0
	計	17 (0.0%)	0	1	2	5	3	6	0
検診者総数	男	21,890	133	1,524	3,350	6,766	6,174	3,489	454
	女	16,586	58	1,119	2,504	5,702	4,694	2,209	300
	計	38,476	191	2,643	5,854	12,468	10,868	5,698	754

大腸検査判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	291	(92.4%)	0	1	25	83	96	75	11
	女	176	(93.1%)	0	3	20	56	63	28	6
	計	467	(92.7%)	0	4	45	139	159	103	17
放置可	男	4	(1.3%)	0	0	0	1	1	1	1
	女	7	(3.7%)	0	0	1	0	3	3	0
	計	11	(2.2%)	0	0	1	1	4	4	1
要経過観察	男	18	(5.7%)	0	0	1	3	4	7	3
	女	6	(3.2%)	0	0	0	0	3	2	1
	計	24	(4.8%)	0	0	1	3	7	9	4
要精密検査	男	1	(0.3%)	0	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	1	(0.2%)	0	1	0	0	0	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	1	(0.3%)	0	0	0	0	0	0	1
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	1	(0.2%)	0	0	0	0	0	0	1
合 計	男	315		0	2	26	87	101	83	16
	女	189		0	3	21	56	69	33	7
	計	504		0	5	47	143	170	116	23

直腸診所見

所 見	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
外痔核	男	6	(1.9%)	0	0	0	2	1	1	2
	女	9	(4.8%)	0	0	1	0	4	4	0
	計	15	(3.0%)	0	0	1	2	5	5	2
外痔核の疑い	男	2	(0.6%)	0	1	0	0	0	1	0
	女	3	(1.6%)	0	0	0	0	1	1	1
	計	5	(1.0%)	0	1	0	0	1	2	1
内痔核	男	5	(1.6%)	0	0	0	2	2	1	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	5	(1.0%)	0	0	0	2	2	1	0
内痔核の疑い	男	1	(0.3%)	0	0	1	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	1	(0.2%)	0	0	1	0	0	0	0
痔瘻の疑い	男	1	(0.3%)	0	0	0	1	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	1	(0.2%)	0	0	0	1	0	0	0
前立腺肥大	男	3	(1.0%)	0	0	0	0	0	2	1
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	3	(0.6%)	0	0	0	0	0	2	1
前立腺肥大の疑い	男	5	(1.6%)	0	0	0	0	2	1	2
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	5	(1.0%)	0	0	0	0	2	1	2
前立腺腫瘍の疑い	男	1	(0.3%)	0	0	0	0	0	1	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	1	(0.2%)	0	0	0	0	0	1	0
直腸ポリープの疑い	男	1	(0.3%)	0	0	0	0	0	1	0
	女	1	(0.5%)	0	0	0	0	1	0	0
	計	2	(0.4%)	0	0	0	0	1	1	0
その他 (直腸診所見)	男	1	(0.3%)	0	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	1	(0.2%)	0	1	0	0	0	0	0
検診者総数	男	315		0	2	26	87	101	83	16
	女	189		0	3	21	56	69	33	7
	計	504		0	5	47	143	170	116	23

乳房検査判定結果

判 定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	10,271	(80.5%)	1	526	1,457	3,101	2,792	1,861	533
放置可	665	(5.2%)	0	25	120	168	217	104	31
要経過観察	1,324	(10.4%)	1	105	411	474	218	93	22
要精密検査	490	(3.8%)	0	19	58	178	149	68	18
要治療	0	(0.0%)	0	0	0	0	0	0	0
治療中	13	(0.1%)	0	0	2	6	4	1	0
合計	12,763		2	675	2,048	3,927	3,380	2,127	604

乳房触診所見

所 見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
乳腺症の疑い	171	(2.2%)	0	26	43	81	16	5	0
良性乳腺腫瘍	6	(0.1%)	0	1	3	0	0	2	0
良性乳腺腫瘍の疑い	82	(1.1%)	0	8	21	35	10	7	1
乳腺腫瘍	4	(0.1%)	0	0	0	2	2	0	0
乳腺腫瘍の疑い	49	(0.6%)	0	4	12	16	13	4	0
手術後	28	(0.4%)	0	0	0	8	9	5	6
術創あり	33	(0.4%)	0	0	2	7	17	6	1
その他の所見	16	(0.2%)	0	0	4	6	4	2	0
検診者総数	7,727		2	618	1,448	2,442	2,043	1,002	172

マンモグラフィ所見

所 見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
カテゴリー1	9,593	(90.5%)	1	321	914	3,217	2,832	1,810	498
カテゴリー2	610	(5.8%)	0	7	54	214	212	97	26
カテゴリー3	369	(3.5%)	0	1	19	143	130	60	16
カテゴリー4	20	(0.2%)	0	0	3	4	7	5	1
カテゴリー5	4	(0.0%)	0	0	0	1	1	1	1
腫瘍	244	(2.3%)	0	2	12	93	90	37	10
石灰化	506	(4.8%)	0	6	52	181	173	75	19
非対称性	309	(2.9%)	0	1	14	100	111	64	19
構築の乱れ	25	(0.2%)	0	0	3	6	11	5	0
その他の所見	19	(0.2%)	0	0	0	6	8	5	0
検診者総数	10,596		1	329	990	3,579	3,182	1,973	542

乳房超音波検査所見

所 見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
カテゴリー1	2,296	(64.5%)	1	244	814	537	377	249	74
カテゴリー2	1,151	(32.3%)	1	102	426	369	166	69	18
カテゴリー3	111	(3.1%)	0	18	37	30	19	6	1
カテゴリー4	2	(0.1%)	0	0	0	0	2	0	0
嚢胞疑い	939	(26.4%)	1	82	305	333	150	56	12
濃縮嚢胞疑い	4	(0.1%)	0	0	0	2	2	0	0
嚢胞内病変疑い	13	(0.4%)	0	2	1	4	6	0	0
充実性病変疑い	47	(1.3%)	0	3	15	14	10	5	0
乳腺内低エコー域	12	(0.3%)	0	0	4	4	3	0	1
乳管拡張（乳輪の範囲を超える）	233	(6.5%)	0	34	131	47	14	5	2
線維腺腫の疑い	136	(3.8%)	0	17	47	47	19	5	1
その他の所見	162	(4.6%)	0	18	60	39	26	14	5
検診者総数	3,560		2	364	1,277	936	564	324	93

婦人科判定結果

判 定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	9,992	(87.0%)	11	829	1,682	2,918	2,624	1,565	363
放置可	556	(4.8%)	0	29	60	116	170	137	44
要経過観察	403	(3.5%)	0	25	76	164	112	20	6
要精密検査	512	(4.5%)	0	56	106	170	126	45	9
要治療	17	(0.1%)	0	1	6	6	1	2	1
治療中	3	(0.0%)	0	0	0	2	1	0	0
合計	11,483		11	940	1,930	3,376	3,034	1,769	423

子宮頸部細胞診

所 見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
N I L M（異常なし）	11,145	(97.1%)	11	889	1,851	3,278	2,955	1,741	420
トリコモナス	8	(0.1%)	0	2	0	4	2	0	0
カンジダ	251	(2.2%)	0	44	92	87	23	4	1
A S C－U S	273	(2.4%)	0	41	66	81	66	19	0
A S C－H	16	(0.1%)	0	1	4	6	2	2	1
L S I L	23	(0.2%)	0	7	3	5	5	3	0
H S I L	19	(0.2%)	0	2	6	4	2	4	1
S C C	1	(0.0%)	0	0	0	0	1	0	0
A G C	5	(0.0%)	0	0	0	2	2	0	1
Adenocarcinoma	1	(0.0%)	0	0	0	0	1	0	0
その他の所見	13	(0.1%)	0	0	2	3	6	2	0
検診者総数	11,483		11	940	1,930	3,376	3,034	1,769	423

H P V 検査所見

所 見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
陰 性	125	(88.0%)	0	6	87	17	9	6	0
陽 性	17	(12.0%)	0	0	12	3	0	2	0
1 6 型 陰性	139	(97.9%)	0	6	97	19	9	8	0
1 6 型 陽性	3	(2.1%)	0	0	2	1	0	0	0
1 8 型 陰性	141	(99.3%)	0	6	99	20	9	7	0
1 8 型 陽性	1	(0.7%)	0	0	0	0	0	1	0
その他の ハイリスク型陰性	128	(90.1%)	0	6	88	18	9	7	0
その他の ハイリスク型陽性	14	(9.9%)	0	0	11	2	0	1	0
検診者総数	142		0	6	99	20	9	8	0

婦人科診察所見

所 見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
外陰異常	2	(0.0%)	0	0	0	1	0	0	1
外陰異常疑い	1	(0.0%)	0	0	0	1	0	0	0
外陰炎	4	(0.0%)	0	0	1	1	0	2	0
外陰炎疑い	4	(0.0%)	0	0	1	0	1	1	1
膣炎	1	(0.0%)	0	0	0	0	1	0	0
膣炎疑い	1	(0.0%)	0	0	0	0	0	1	0
萎縮性膣炎	8	(0.1%)	0	0	0	0	2	5	1
カンジダ疑い	9	(0.1%)	0	0	4	4	1	0	0
バルトリン腺異常	8	(0.1%)	0	0	1	2	4	1	0
バルトリン腺異常疑い	5	(0.0%)	0	1	0	1	3	0	0
子宮腔部びらん	70	(0.6%)	0	12	18	32	7	1	0
頸管粘膜ポリープ	126	(1.1%)	0	0	15	43	52	16	0
頸管粘膜ポリープ疑い	50	(0.4%)	0	2	4	20	17	5	2
子宮頸部腫瘍	1	(0.0%)	0	0	0	0	1	0	0
子宮頸部腫瘍疑い	1	(0.0%)	0	0	0	0	0	1	0
子宮体部腫瘍	189	(1.6%)	0	0	25	91	66	7	0
子宮体部腫瘍疑い	84	(0.7%)	0	2	6	47	27	2	0
良性卵巣腫瘍	3	(0.0%)	0	1	0	0	2	0	0
良性卵巣腫瘍疑い	5	(0.0%)	0	1	2	0	1	1	0
卵巣腫瘍	2	(0.0%)	0	0	1	0	1	0	0
卵巣腫瘍疑い	1	(0.0%)	0	0	0	1	0	0	0
子宮下垂	12	(0.1%)	0	0	0	1	3	5	3
子宮下垂疑い	1	(0.0%)	0	0	0	0	1	0	0
子宮術後	335	(2.9%)	0	0	3	41	125	123	43
その他の所見	25	(0.2%)	0	0	1	7	10	2	5
検診者総数	11,482		11	940	1,929	3,376	3,034	1,769	423

便潜血判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	19,252	(95.6%)	5	69	2,816	6,340	5,919	3,380	723
	女	13,642	(95.7%)	2	101	1,872	4,690	4,094	2,371	512
	計	32,894	(95.6%)	7	170	4,688	11,030	10,013	5,751	1,235
放置可	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要経過観察	男	11	(0.1%)	0	0	2	3	4	1	1
	女	6	(0.0%)	0	0	1	2	3	0	0
	計	17	(0.0%)	0	0	3	5	7	1	1
要精密検査	男	863	(4.3%)	0	5	95	222	255	233	53
	女	600	(4.2%)	0	5	110	182	155	124	24
	計	1,463	(4.3%)	0	10	205	404	410	357	77
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	12	(0.1%)	0	1	1	5	4	1	0
	女	5	(0.0%)	0	0	2	2	1	0	0
	計	17	(0.0%)	0	1	3	7	5	1	0
合 計	男	20,138		5	75	2,914	6,570	6,182	3,615	777
	女	14,253		2	106	1,985	4,876	4,253	2,495	536
	計	34,391		7	181	4,899	11,446	10,435	6,110	1,313

便潜血の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
便潜血 (一日法)	男	405	13	3.2	4	0	—	61	1	1.6	125	1	0.8	109	5	4.6	88	6	6.8	18	0	—
	女	512	12	2.3	3	0	—	68	1	1.5	131	2	1.5	169	4	2.4	126	4	3.2	15	1	6.7
	計	917	25	2.7	7	0	—	129	2	1.6	256	3	1.2	278	9	3.2	214	10	4.7	33	1	3.0
便潜血 (二日法)	男	19,733	873	4.4	76	6	7.9	2,853	97	3.4	6,445	229	3.6	6,073	258	4.2	3,527	229	6.5	759	54	7.1
	女	13,741	599	4.4	105	5	4.8	1,917	112	5.8	4,745	184	3.9	4,084	155	3.8	2,369	120	5.1	521	23	4.4
	計	33,474	1,472	4.4	181	11	6.1	4,770	209	4.4	11,190	413	3.7	10,157	413	4.1	5,896	349	5.9	1,280	77	6.0

陽性率%

脂質検査判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	10,215	(36.6%)	184	1,998	2,370	2,341	1,887	1,237	198
	女	11,901	(51.3%)	132	2,270	2,911	3,926	1,852	657	153
	計	22,116	(43.3%)	316	4,268	5,281	6,267	3,739	1,894	351
放置可	男	5,951	(21.3%)	30	616	1,192	1,648	1,476	860	129
	女	4,377	(18.9%)	17	379	670	1,290	1,319	631	71
	計	10,328	(20.2%)	47	995	1,862	2,938	2,795	1,491	200
要経過観察	男	8,013	(28.7%)	32	621	1,536	2,525	2,069	1,092	138
	女	4,392	(18.9%)	21	338	522	1,163	1,515	720	113
	計	12,405	(24.3%)	53	959	2,058	3,688	3,584	1,812	251
要精密検査	男	1,015	(3.6%)	5	110	201	323	228	127	21
	女	881	(3.8%)	13	149	191	211	210	94	13
	計	1,896	(3.7%)	18	259	392	534	438	221	34
要治療	男	401	(1.4%)	0	20	77	161	105	33	5
	女	179	(0.8%)	0	2	19	36	80	37	5
	計	580	(1.1%)	0	22	96	197	185	70	10
治療中	男	2,307	(8.3%)	0	7	80	435	938	726	121
	女	1,469	(6.3%)	0	5	21	115	570	625	133
	計	3,776	(7.4%)	0	12	101	550	1,508	1,351	254
合 計	男	27,902		251	3,372	5,456	7,433	6,703	4,075	612
	女	23,199		183	3,143	4,334	6,741	5,546	2,764	488
	計	51,101		434	6,515	9,790	14,174	12,249	6,839	1,100

脂質検査の性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
総コレステロール mg/dl	男	21,794	200.9	2,174	180.2	4,091	197.2	6,229	205.3	5,648	206.2	3,233	202.6	419	193.6
	女	15,273	202.0	1,845	179.7	2,940	188.3	4,725	198.1	3,856	220.1	1,652	220.1	255	202.0
	計	37,067	201.3	4,019	180.0	7,031	193.5	10,954	202.2	9,504	211.8	4,885	208.5	674	196.7
中性脂肪 mg/dl	男	27,769	117.9	3,566	84.9	5,397	109.7	7,419	128.0	6,702	129.2	4,073	121.5	612	112.2
	女	23,147	77.2	3,296	59.2	4,313	66.7	6,741	74.6	5,546	88.0	2,763	95.5	488	100.8
	計	50,916	99.4	6,862	72.5	9,710	90.6	14,160	102.6	12,248	110.5	6,836	111.0	1,100	107.1
HDLコレステロール mg/dl	男	27,895	56.6	3,626	56.8	5,451	55.7	7,432	55.8	6,702	57.5	4,073	57.7	611	56.6
	女	23,198	67.7	3,326	66.2	4,334	67.1	6,741	67.6	5,546	69.9	2,763	67.3	488	61.5
	計	51,093	61.6	6,952	61.3	9,785	60.8	14,173	61.4	12,248	63.1	6,836	61.6	1,099	58.8
LDLコレステロール mg/dl	男	27,881	119.4	3,615	106.3	5,447	118.7	7,432	124.6	6,703	122.5	4,073	118.3	611	112.9
	女	23,193	113.5	3,324	97.5	4,331	102.7	6,741	111.5	5,546	126.6	2,763	127.8	488	117.0
	計	51,074	116.7	6,939	102.1	9,778	111.6	14,173	118.4	12,249	124.4	6,836	122.2	1,099	114.7

糖尿病判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	21,078	(69.7%)	291	3,973	5,272	5,584	3,852	1,878	228
	女	19,531	(78.4%)	238	3,692	4,378	5,648	3,839	1,555	181
	計	40,609	(73.7%)	529	7,665	9,650	11,232	7,691	3,433	409
放置可	男	5,297	(17.5%)	12	191	609	1,476	1,687	1,136	186
	女	4,011	(16.1%)	4	112	390	1,078	1,407	827	193
	計	9,308	(16.9%)	16	303	999	2,554	3,094	1,963	379
要経過観察	男	1,543	(5.1%)	1	28	97	311	564	462	80
	女	607	(2.4%)	0	9	23	95	236	186	58
	計	2,150	(3.9%)	1	37	120	406	800	648	138
要精密検査	男	292	(1.0%)	0	5	34	49	106	78	20
	女	113	(0.5%)	0	3	9	21	32	32	16
	計	405	(0.7%)	0	8	43	70	138	110	36
要治療	男	324	(1.1%)	0	4	29	93	115	70	13
	女	93	(0.4%)	1	2	9	21	25	23	12
	計	417	(0.8%)	1	6	38	114	140	93	25
治療中	男	1,701	(5.6%)	1	8	60	268	632	623	109
	女	542	(2.2%)	1	10	18	75	183	215	40
	計	2,243	(4.1%)	2	18	78	343	815	838	149
合 計	男	30,235		305	4,209	6,101	7,781	6,956	4,247	636
	女	24,897		244	3,828	4,827	6,938	5,722	2,838	500
	計	55,132		549	8,037	10,928	14,719	12,678	7,085	1,136

糖尿病検査の性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
血糖 mg / dL	男	27,726	97	3,537	88	5,394	91	7,414	96	6,701	101	4,069	104	611	105
	女	23,084	90	3,248	85	4,306	87	6,739	89	5,544	93	2,759	97	488	104
	計	50,810	94	6,785	87	9,700	89	14,153	93	12,245	97	6,828	101	1,099	105
HbA1c (NGSP) %	男	14,017	5	1,650	5	2,412	5	4,007	5	4,085	6	1,596	6	267	6
	女	9,238	5	1,016	5	1,599	5	2,968	5	2,411	6	1,006	6	238	6
	計	23,255	5	2,666	5	4,011	5	6,975	5	6,496	6	2,602	6	505	6

糖負荷試験の判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
正常型	男	97	(71.3%)	0	0	2	31	38	20	6
	女	46	(82.1%)	0	0	1	8	27	9	1
	計	143	(74.5%)	0	0	3	39	65	29	7
境界型	男	31	(22.8%)	0	1	1	3	10	9	7
	女	9	(16.1%)	0	1	0	1	6	0	1
	計	40	(20.8%)	0	2	1	4	16	9	8
糖尿病型	男	8	(5.9%)	0	0	0	1	5	2	0
	女	1	(1.8%)	0	0	0	0	1	0	0
	計	9	(4.7%)	0	0	0	1	6	2	0
合 計	男	136		0	0	3	26	69	28	16
	女	56		0	3	2	22	35	13	2
	計	192		0	3	5	48	104	41	18

尿糖の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
尿糖定性	男	30,867	911	3.0	4,736	18	0.4	6,196	75	1.2	7,942	209	2.6	7,040	332	4.7	4,318	247	5.7	635	30	4.7
	女	25,062	232	0.9	4,126	11	0.3	4,860	25	0.5	6,984	53	0.8	5,746	68	1.2	2,848	64	2.2	498	11	2.2
	計	55,929	1,143	2.0	8,862	29	0.3	11,056	100	0.9	14,926	262	1.8	12,786	400	3.1	7,166	311	4.3	1,133	41	3.6

痛風判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	18,587	(73.6%)	161	1,966	3,490	5,109	4,635	2,822	404
	女	17,309	(93.2%)	127	2,153	3,339	5,319	4,193	1,861	317
	計	35,896	(81.9%)	288	4,119	6,829	10,428	8,828	4,683	721
放置可	男	1,916	(7.6%)	9	187	400	582	482	236	20
	女	575	(3.1%)	2	43	75	141	190	106	18
	計	2,491	(5.7%)	11	230	475	723	672	342	38
要経過観察	男	2,384	(9.4%)	9	233	513	751	581	262	35
	女	561	(3.0%)	0	35	64	149	208	90	15
	計	2,945	(6.7%)	9	268	577	900	789	352	50
要精密検査	男	704	(2.8%)	5	94	157	237	146	58	7
	女	91	(0.5%)	0	8	12	15	38	16	2
	計	795	(1.8%)	5	102	169	252	184	74	9
要治療	男	62	(0.2%)	0	12	17	19	10	4	0
	女	8	(0.0%)	0	0	1	0	5	1	1
	計	70	(0.2%)	0	12	18	19	15	5	1
治療中	男	1,595	(6.3%)	0	13	97	374	633	412	66
	女	37	(0.2%)	0	0	2	3	11	17	4
	計	1,632	(3.7%)	0	13	99	377	644	429	70
合計	男	25,248		184	2,505	4,674	7,072	6,487	3,794	532
	女	18,581		129	2,239	3,493	5,627	4,645	2,091	357
	計	43,829		313	4,744	8,167	12,699	11,132	5,885	889

尿酸の性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
尿酸・ m g / d L	男	25,248	6.14	2,689	6.17	4,674	6.25	7,072	6.21	6,487	6.11	3,794	5.92	532	5.82
	女	18,581	4.47	2,368	4.34	3,493	4.27	5,627	4.33	4,645	4.68	2,091	4.79	357	4.71
	計	43,829	5.43	5,057	5.31	8,167	5.40	12,699	5.38	11,132	5.51	5,885	5.52	889	5.37

肝機能・血清蛋白検査判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	13,743	(48.1%)	142	2,035	2,815	3,462	2,873	2,067	349
	女	17,966	(76.2%)	240	2,685	3,563	5,355	3,840	1,999	284
	計	31,709	(60.8%)	382	4,720	6,378	8,817	6,713	4,066	633
放置可	男	7,133	(25.0%)	46	897	1,334	1,872	1,850	1,016	118
	女	3,343	(14.2%)	23	386	553	909	999	410	63
	計	10,476	(20.1%)	69	1,283	1,887	2,781	2,849	1,426	181
要経過観察	男	3,441	(12.0%)	68	308	638	962	899	484	82
	女	1,358	(5.8%)	12	121	211	309	401	202	102
	計	4,799	(9.2%)	80	429	849	1,271	1,300	686	184
要精密検査	男	3,743	(13.1%)	18	348	773	1,162	948	441	53
	女	772	(3.3%)	1	52	101	197	280	110	31
	計	4,515	(8.7%)	19	400	874	1,359	1,228	551	84
要治療	男	35	(0.1%)	0	12	10	6	5	2	0
	女	4	(0.0%)	0	0	0	0	3	1	0
	計	39	(0.1%)	0	12	10	6	8	3	0
治療中	男	481	(1.7%)	0	11	35	104	202	116	13
	女	145	(0.6%)	0	1	11	26	43	54	10
	計	626	(1.2%)	0	12	46	130	245	170	23
合計	男	28,576		274	3,611	5,605	7,568	6,777	4,126	615
	女	23,588		276	3,245	4,439	6,796	5,566	2,776	490
	計	52,164		550	6,856	10,044	14,364	12,343	6,902	1,105

肝炎ウイルス検査の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
HBs抗原	男	3,101	23	0.7	297	0	—	587	0	—	909	6	0.7	962	10	1.0	317	7	2.2	29	0	—
	女	2,349	13	0.6	404	0	—	492	0	—	669	6	0.9	600	7	1.2	171	0	—	13	0	—
	計	5,450	36	0.7	701	0	—	1,079	0	—	1,578	12	0.8	1,562	17	1.1	488	7	1.4	42	0	—
HCV抗体	男	1,391	13	0.9	167	1	0.6	262	3	1.1	358	4	1.1	415	4	1.0	174	1	0.6	15	0	—
	女	1,107	3	0.3	180	0	—	292	2	0.7	279	1	0.4	291	0	—	57	0	—	8	0	—
	計	2,498	16	0.6	347	1	0.3	554	5	0.9	637	5	0.8	706	4	0.6	231	1	0.4	23	0	—

陽性率%

肝機能・血清蛋白検査の測定値の性年齢別平均値

検査項目		総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
T T T マクラガン	男	4,551	1.3	287	1.2	694	1.3	1,408	1.3	1,426	1.3	615	1.3	121	1.4
	女	2,679	1.4	255	1.4	463	1.4	882	1.5	729	1.3	276	1.4	74	1.3
	計	7,230	1.3	542	1.3	1,157	1.4	2,290	1.4	2,155	1.3	891	1.4	195	1.4
Z T T クンケル	男	5,524	7.0	531	7.0	857	7.1	1,654	6.8	1,580	6.7	774	7.5	128	8.3
	女	3,027	8.1	296	8.3	540	8.4	980	8.3	825	7.5	307	8.2	79	8.2
	計	8,551	7.4	827	7.5	1,397	7.6	2,634	7.4	2,405	7.0	1,081	7.7	207	8.3
総ビリルビン mg / dL	男	14,474	1.0	2,179	1.1	2,862	1.0	3,734	1.0	3,906	1.0	1,620	1.0	173	0.9
	女	10,051	0.9	1,859	0.9	2,115	0.9	2,964	0.9	2,325	0.9	689	0.9	99	0.9
	計	24,525	1.0	4,038	1.0	4,977	1.0	6,698	0.9	6,231	1.0	2,309	1.0	272	0.9
A S T (G O T) U / L	男	28,023	25.0	3,685	24.4	5,480	24.6	7,452	25.0	6,715	25.5	4,078	25.5	613	25.5
	女	23,251	20.4	3,343	18.0	4,357	18.5	6,754	19.5	5,546	22.5	2,763	23.7	488	24.0
	計	51,274	22.9	7,028	21.3	9,837	21.9	14,206	22.4	12,261	24.1	6,841	24.8	1,101	24.9
A L T (G P T) U / L	男	28,023	28.4	3,685	27.0	5,480	30.6	7,452	30.2	6,715	28.0	4,078	25.1	613	22.7
	女	23,251	17.4	3,343	14.0	4,357	15.3	6,754	16.8	5,546	20.2	2,763	20.5	488	18.6
	計	51,274	23.4	7,028	20.8	9,837	23.8	14,206	23.8	12,261	24.4	6,841	23.2	1,101	20.9
アルフォス U / L	男	23,716	211.6	2,450	217.4	4,332	207.6	6,670	211.5	6,113	209.9	3,643	214.1	508	221.8
	女	16,527	191.1	1,964	171.3	3,070	168.5	5,025	170.5	4,198	218.3	1,882	231.6	388	245.8
	計	40,243	203.2	4,414	196.9	7,402	191.4	11,695	193.9	10,311	213.3	5,525	220.1	896	232.2
コリンエステラーゼ U / L	男	5,106	363.1	709	352.8	925	365.4	1,391	373.8	1,455	363.1	576	348.1	50	341.6
	女	3,926	315.8	628	287.6	729	295.8	1,183	303.1	1,085	347.3	276	359.9	25	351.9
	計	9,032	342.5	1,337	322.2	1,654	334.7	2,574	341.3	2,540	356.4	852	351.9	75	345.1
L D H U / L	男	13,131	182.1	1,837	182.6	2,486	178.6	3,519	181.0	3,652	183.1	1,485	186.6	152	192.8
	女	8,342	173.7	1,386	163.6	1,753	162.8	2,528	170.0	1,969	187.0	616	195.8	90	205.2
	計	21,473	178.9	3,223	174.4	4,239	172.0	6,047	176.4	5,621	184.5	2,101	189.3	242	197.4
γ - G T (γ - G T P) U / L	男	27,993	46.0	3,672	28.6	5,468	39.8	7,449	50.5	6,715	54.2	4,078	49.4	611	40.0
	女	23,103	23.0	3,256	16.0	4,323	19.0	6,731	22.7	5,543	28.3	2,763	27.7	487	24.4
	計	51,096	35.6	6,928	22.7	9,791	30.6	14,180	37.3	12,258	42.5	6,841	40.7	1,098	33.1
L A P U / L	男	2,868	60.8	7	63.3	452	61.5	892	61.3	1,012	60.8	403	59.6	102	56.5
	女	1,846	53.6	12	50.2	287	51.6	584	50.7	639	56.0	258	56.2	66	56.1
	計	4,714	58.0	19	55.0	739	57.7	1,476	57.1	1,651	58.9	661	58.3	168	56.4
総蛋白 g / dL	男	15,503	7.3	2,471	7.5	3,068	7.4	3,992	7.3	4,024	7.2	1,741	7.2	207	7.2
	女	10,739	7.2	2,004	7.4	2,246	7.3	3,087	7.2	2,446	7.2	739	7.2	217	6.9
	計	26,242	7.3	4,475	7.4	5,314	7.3	7,079	7.2	6,470	7.2	2,480	7.2	424	7.0
アルブミン g / dL	男	14,600	4.6	2,200	4.9	2,863	4.7	3,724	4.6	3,856	4.5	1,675	4.4	282	4.2
	女	10,605	4.4	1,961	4.6	2,137	4.5	2,992	4.4	2,338	4.4	883	4.4	294	3.9
	計	25,205	4.5	4,161	4.7	5,000	4.6	6,716	4.5	6,194	4.5	2,558	4.4	576	4.1
A / G 比	男	5,139	1.7	676	1.9	953	1.8	1,404	1.7	1,416	1.7	564	1.6	126	1.5
	女	4,533	1.6	846	1.7	810	1.6	1,292	1.6	1,134	1.6	373	1.6	78	1.5
	計	9,672	1.7	1,522	1.8	1,763	1.7	2,696	1.7	2,550	1.6	937	1.6	204	1.5
アルブミン %	男	15	61.6	0	—	2	62.6	5	61.4	8	61.5	0	—	0	—
	女	3	60.4	0	—	1	59.8	2	60.7	0	—	0	—	0	—
	計	18	61.4	0	—	3	61.6	7	61.2	8	61.5	0	—	0	—
α 1 - グロブリン %	男	15	3.6	0	—	2	3.4	5	3.4	8	3.8	0	—	0	—
	女	3	3.2	0	—	1	3.0	2	3.3	0	—	0	—	0	—
	計	18	3.5	0	—	3	3.2	7	3.3	8	3.8	0	—	0	—
α 2 - グロブリン %	男	15	8.4	0	—	2	8.0	5	8.1	8	8.7	0	—	0	—
	女	3	8.2	0	—	1	7.8	2	8.4	0	—	0	—	0	—
	計	18	8.4	0	—	3	7.9	7	8.1	8	8.7	0	—	0	—
γ - グロブリン %	男	15	15.2	0	—	2	15.5	5	15.7	8	14.8	0	—	0	—
	女	3	17.2	0	—	1	20.1	2	15.8	0	—	0	—	0	—
	計	18	15.5	0	—	3	17.0	7	15.7	8	14.8	0	—	0	—
β 1 - グロブリン %	男	15	6.1	0	—	2	5.5	5	5.9	8	6.3	0	—	0	—
	女	3	6.8	0	—	1	5.5	2	7.5	0	—	0	—	0	—
	計	18	6.2	0	—	3	5.5	7	6.4	8	6.3	0	—	0	—
β 2 - グロブリン %	男	15	5.2	0	—	2	5.3	5	5.5	8	5.0	0	—	0	—
	女	3	4.3	0	—	1	3.8	2	4.5	0	—	0	—	0	—
	計	18	5.1	0	—	3	4.8	7	5.2	8	5.0	0	—	0	—
α フェトプロテイン 定量 ng / mL	男	1,025	3.6	4	3.5	179	3.3	277	3.3	324	3.9	202	3.9	39	3.2
	女	361	4.7	0	—	32	13.6	110	3.1	136	4.2	68	4.2	15	3.6
	計	1,386	3.9	4	3.5	211	4.9	387	3.3	460	4.0	270	3.9	54	3.3

貧血・血球数判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	20,491	(73.7%)	180	2,721	4,246	5,512	4,718	2,745	369
	女	16,149	(70.5%)	137	2,478	3,113	4,251	3,838	2,017	315
	計	36,640	(72.3%)	317	5,199	7,359	9,763	8,556	4,762	684
放置可	男	4,721	(17.0%)	61	493	862	1,308	1,203	712	82
	女	3,935	(17.2%)	32	487	704	1,106	1,075	449	82
	計	8,656	(17.1%)	93	980	1,566	2,414	2,278	1,161	164
要経過観察	男	2,297	(8.3%)	10	146	298	547	695	504	97
	女	2,037	(8.9%)	10	255	461	754	365	141	51
	計	4,334	(8.6%)	20	401	759	1,301	1,060	645	148
要精密検査	男	178	(0.6%)	0	2	12	38	48	51	27
	女	441	(1.9%)	2	34	96	236	47	8	18
	計	619	(1.2%)	2	36	108	274	95	59	45
要治療	男	27	(0.1%)	0	0	0	1	7	11	8
	女	72	(0.3%)	0	1	11	50	9	1	0
	計	99	(0.2%)	0	1	11	51	16	12	8
治療中	男	71	(0.3%)	0	2	4	9	25	22	9
	女	271	(1.2%)	4	15	39	144	58	10	1
	計	342	(0.7%)	4	17	43	153	83	32	10
合 計	男	27,785		251	3,364	5,422	7,415	6,696	4,045	592
	女	22,905		185	3,270	4,424	6,541	5,392	2,626	467
	計	50,690		436	6,634	9,846	13,956	12,088	6,671	1,059

貧血・血球数検査の性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
赤血球数・ 万／ μ L	男	27,768	493.3	3,598	513.6	5,414	504.8	7,420	495.5	6,697	484.7	4,046	475.0	593	460.9
	女	22,890	439.7	3,439	444.5	4,421	437.5	6,543	437.0	5,394	443.6	2,626	438.9	467	422.5
	計	50,658	469.1	7,037	479.8	9,835	474.6	13,963	468.1	12,091	466.3	6,672	460.8	1,060	444.0
ヘモグロビン g／dL	男	27,763	15.2	3,597	15.5	5,413	15.4	7,418	15.3	6,696	15.1	4,046	14.9	593	14.5
	女	22,890	13.0	3,439	13.1	4,421	12.8	6,543	12.7	5,394	13.3	2,626	13.3	467	13.0
	計	50,653	14.2	7,036	14.3	9,834	14.2	13,961	14.1	12,090	14.3	6,672	14.3	1,060	13.8
ヘマトクリット %	男	26,804	44.9	3,327	45.6	5,204	45.3	7,179	45.0	6,500	44.7	4,008	44.2	586	43.1
	女	22,236	39.3	3,195	39.3	4,291	38.7	6,409	38.6	5,305	40.1	2,574	40.1	462	39.2
	計	49,040	42.4	6,522	42.5	9,495	42.3	13,588	42.0	11,805	42.7	6,582	42.6	1,048	41.4
M C V・ fL	男	3,612	91.5	128	88.7	626	89.8	1,083	91.1	1,200	92.3	486	93.2	89	93.5
	女	2,838	89.7	135	89.6	532	88.8	912	88.7	917	90.7	304	91.2	38	93.3
	計	6,450	90.7	263	89.2	1,158	89.3	1,995	90.0	2,117	91.6	790	92.4	127	93.5
M C H・ p g	男	3,600	30.9	124	30.3	623	30.5	1,080	30.8	1,198	31.2	486	31.3	89	31.3
	女	2,823	29.6	133	29.8	526	29.3	905	29.1	917	30.1	304	30.2	38	30.8
	計	6,423	30.4	257	30.0	1,149	29.9	1,985	30.0	2,115	30.7	790	30.9	127	31.2
M C H C・ %	男	3,588	33.8	124	34.1	620	33.9	1,073	33.8	1,196	33.8	486	33.6	89	33.4
	女	2,821	33.0	133	33.2	524	32.9	905	32.8	917	33.1	304	33.1	38	33.1
	計	6,409	33.4	257	33.7	1,144	33.5	1,978	33.3	2,113	33.5	790	33.4	127	33.3
血清鉄・ μ g／dL	男	3,737	116.0	359	108.2	611	119.0	1,093	117.4	1,107	117.4	484	112.8	83	109.8
	女	2,267	101.3	109	96.7	416	97.4	739	97.5	756	107.3	208	101.8	39	112.4
	計	6,004	110.5	468	105.5	1,027	110.2	1,832	109.4	1,863	113.3	692	109.5	122	110.6
白血球数・ 千／ μ L	男	25,179	6.1	2,720	6.0	4,624	6.1	7,007	6.1	6,488	6.0	3,798	6.0	542	5.9
	女	18,874	5.7	2,429	6.3	3,596	5.9	5,649	5.7	4,656	5.2	2,126	5.3	418	5.6
	計	44,053	5.9	5,149	6.1	8,220	6.0	12,656	6.0	11,144	5.7	5,924	5.7	960	5.8
血小板数・ 万／ μ L	男	8,023	24.5	726	24.9	1,374	25.4	2,228	25.4	2,259	24.0	1,184	23.0	252	21.6
	女	6,622	25.5	577	25.7	1,132	26.0	1,943	26.8	1,861	25.1	823	23.9	286	22.2
	計	14,645	25.0	1,303	25.3	2,506	25.6	4,171	26.1	4,120	24.5	2,007	23.4	538	21.9

炎症反応判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	2,917	(89.9%)	2	82	453	880	1,032	402	66
	女	1,722	(90.9%)	0	55	323	574	566	178	26
	計	4,639	(90.3%)	2	137	776	1,454	1,598	580	92
放置可	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要経過観察	男	328	(10.1%)	0	7	63	98	101	48	11
	女	172	(9.1%)	0	4	28	61	57	16	6
	計	500	(9.7%)	0	11	91	159	158	64	17
要精密検査	男	1	(0.0%)	0	0	0	0	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	1	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
合 計	男	3,246		2	89	516	978	1,134	450	77
	女	1,894		0	59	351	635	623	194	32
	計	5,140		2	148	867	1,613	1,757	644	109

炎症反応検査の性年齢別陽性率

検査項目	性 別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
CRP	男	3,228	328	10.2	78	6	7.7	514	63	12.3	979	98	10.0	1,133	102	9.0	447	48	10.7	77	11	14.3
	女	1,851	169	9.1	47	4	8.5	342	26	7.6	627	60	9.6	616	57	9.3	187	16	8.6	32	6	18.8
	計	5,079	497	9.8	125	10	8.0	856	89	10.4	1,606	158	9.8	1,749	159	9.1	634	64	10.1	109	17	15.6
血沈	男	7	0	—	0	0	—	1	0	—	2	0	—	2	0	—	1	0	—	1	0	—
	女	7	1	14.3	1	0	—	2	1	50.0	0	0	—	4	0	—	0	0	—	0	0	—
	計	14	1	7.1	1	0	—	3	1	33.3	2	0	—	6	0	—	1	0	—	1	0	—

陽性率%

腎機能判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	21,808	(72.2%)	278	3,590	4,874	5,576	4,450	2,712	328
	女	16,449	(66.1%)	199	3,038	3,438	4,283	3,475	1,773	243
	計	38,257	(69.4%)	477	6,628	8,312	9,859	7,925	4,485	571
放置可	男	3,786	(12.5%)	6	381	676	1,080	1,061	499	83
	女	3,573	(14.4%)	18	480	716	1,163	821	300	75
	計	7,359	(13.4%)	24	861	1,392	2,243	1,882	799	158
要経過観察	男	3,903	(12.9%)	19	204	455	1,002	1,210	843	170
	女	4,594	(18.5%)	22	273	642	1,427	1,350	724	156
	計	8,497	(15.4%)	41	477	1,097	2,429	2,560	1,567	326
要精密検査	男	382	(1.3%)	2	24	55	65	118	89	29
	女	138	(0.6%)	3	24	20	28	26	19	18
	計	520	(0.9%)	5	48	75	93	144	108	47
要治療	男	6	(0.0%)	0	0	0	0	1	3	2
	女	1	(0.0%)	0	0	0	0	1	0	0
	計	7	(0.0%)	0	0	0	0	2	3	2
治療中	男	320	(1.1%)	0	3	22	57	114	101	23
	女	139	(0.6%)	2	12	10	36	49	22	8
	計	459	(0.8%)	2	15	32	93	163	123	31
合 計	男	30,205		305	4,202	6,082	7,780	6,954	4,247	635
	女	24,894		244	3,827	4,826	6,937	5,722	2,838	500
	計	55,099		549	8,029	10,908	14,717	12,676	7,085	1,135

腎機能検査の性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
尿素窒素 ・ mg / dL	男	23,580	14.3	2,494	13.4	4,338	13.5	6,638	13.8	6,031	14.7	3,573	15.7	506	17.6
	女	16,447	12.6	2,016	11.3	3,031	11.4	5,015	11.9	4,125	13.6	1,871	14.8	389	16.9
	計	40,027	13.6	4,510	12.4	7,369	12.6	11,653	13.0	10,156	14.2	5,444	15.4	895	17.3
クレアチニン ・ mg / dL	男	24,816	0.9	2,547	0.9	4,551	0.9	6,993	0.9	6,434	0.9	3,749	0.9	542	1.0
	女	17,768	0.7	2,121	0.6	3,311	0.6	5,445	0.6	4,472	0.7	2,010	0.7	409	0.7
	計	42,584	0.8	4,668	0.8	7,862	0.8	12,438	0.8	10,906	0.8	5,759	0.8	951	0.9

尿検査の性年齢別陽性率

検査項目	性 別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
尿蛋白定性	男	31,085	1,475	4.7	4,785	162	3.4	6,258	187	3.0	8,000	334	4.2	7,064	413	5.8	4,341	303	7.0	637	76	11.9
	女	25,119	792	3.2	4,137	187	4.5	4,877	151	3.1	7,004	219	3.1	5,750	129	2.2	2,853	66	2.3	498	40	8.0
	計	56,204	2,267	4.0	8,922	349	3.9	11,135	338	3.0	15,004	553	3.7	12,814	542	4.2	7,194	369	5.1	1,135	116	10.2
尿潜血	男	25,306	1,686	6.7	2,845	74	2.6	4,667	224	4.8	7,046	440	6.2	6,447	518	8.0	3,775	372	9.9	526	58	11.0
	女	18,564	4,242	22.9	2,484	465	18.7	3,575	764	21.4	5,508	1,424	25.9	4,519	980	21.7	2,073	530	25.6	405	79	19.5
	計	43,870	5,928	13.5	5,329	539	10.1	8,242	988	12.0	12,554	1,864	14.8	10,966	1,498	13.7	5,848	902	15.4	931	137	14.7

(+) 以上の人を陽性として判定している

陽性率%

脾機能判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	13,413	(91.0%)	90	1,788	2,530	3,651	3,645	1,527	182
	女	7,710	(89.5%)	24	1,221	1,603	2,313	1,733	676	140
	計	21,123	(90.5%)	114	3,009	4,133	5,964	5,378	2,203	322
放置可	男	414	(2.8%)	0	43	83	132	113	40	3
	女	179	(2.1%)	0	26	28	63	43	17	2
	計	593	(2.5%)	0	69	111	195	156	57	5
要経過観察	男	859	(5.8%)	4	76	110	173	272	175	49
	女	693	(8.0%)	0	100	120	170	187	90	26
	計	1,552	(6.6%)	4	176	230	343	459	265	75
要精密検査	男	41	(0.3%)	0	3	4	6	11	14	3
	女	27	(0.3%)	0	3	2	8	7	4	3
	計	68	(0.3%)	0	6	6	14	18	18	6
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	7	(0.0%)	0	0	0	0	5	2	0
	女	6	(0.1%)	0	0	0	4	1	1	0
	計	13	(0.1%)	0	0	0	4	6	3	0
合計	男	14,734		94	1,910	2,727	3,962	4,046	1,758	237
	女	8,615		24	1,350	1,753	2,558	1,971	788	171
	計	23,349		118	3,260	4,480	6,520	6,017	2,546	408

脾機能検査の性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
血清アミラーゼ U/L	男	14,734	74.8	2,004	72.5	2,727	71.8	3,962	72.3	4,046	75.7	1,758	82.6	237	95.1
	女	8,615	79.5	1,374	79.2	1,753	77.9	2,558	77.3	1,971	81.3	788	84.1	171	87.0
	計	23,349	76.5	3,378	75.2	4,480	74.2	6,520	74.3	6,017	77.6	2,546	83.1	408	91.7

電解質判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	2,101	(91.3%)	65	48	289	625	647	324	103
	女	1,136	(84.3%)	40	12	176	366	269	177	96
	計	3,237	(88.7%)	105	60	465	991	916	501	199
放置可	男	146	(6.3%)	0	7	17	40	49	26	7
	女	157	(11.7%)	0	1	16	34	63	25	18
	計	303	(8.3%)	0	8	33	74	112	51	25
要経過観察	男	52	(2.3%)	3	0	4	10	17	11	7
	女	54	(4.0%)	0	0	5	8	16	10	15
	計	106	(2.9%)	3	0	9	18	33	21	22
要精密検査	男	3	(0.1%)	0	0	0	2	0	1	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	3	(0.1%)	0	0	0	2	0	1	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
合 計	男	2,302		68	55	310	677	713	362	117
	女	1,347		40	13	197	408	348	212	129
	計	3,649		108	68	507	1,085	1,061	574	246

電解質検査の性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
ナトリウム・ mEq/L	男	2,301	140.5	123	140.4	310	140.3	677	140.7	712	140.7	362	140.5	117	139.6
	女	1,346	140.0	53	139.7	196	139.2	408	139.2	348	140.9	212	140.9	129	139.5
	計	3,647	140.3	176	140.2	506	139.9	1,085	140.1	1,060	140.8	574	140.6	246	139.5
カリウム・ mEq/L	男	2,301	4.1	123	4.2	310	4.1	677	4.1	712	4.1	362	4.2	117	4.3
	女	1,347	4.1	53	4.2	197	4.0	408	4.0	348	4.1	212	4.2	129	4.3
	計	3,648	4.1	176	4.2	507	4.0	1,085	4.1	1,060	4.1	574	4.2	246	4.3
クロール・ mEq/L	男	2,301	105.1	123	103.6	310	104.7	677	105.3	712	105.4	362	105.1	117	104.5
	女	1,345	105.4	53	104.9	196	105.4	408	105.5	347	105.7	212	105.5	129	104.7
	計	3,646	105.2	176	104.0	506	105.0	1,085	105.3	1,059	105.5	574	105.3	246	104.6
無機リン・ mg/dL	男	2,088	3.2	47	3.7	298	3.3	662	3.2	688	3.1	321	3.1	72	3.2
	女	1,115	3.5	12	3.6	194	3.5	402	3.4	338	3.6	139	3.6	30	3.8
	計	3,203	3.3	59	3.7	492	3.4	1,064	3.3	1,026	3.3	460	3.3	102	3.4
カルシウム・ mg/dL	男	2,100	9.4	48	9.7	299	9.5	663	9.4	696	9.4	322	9.4	72	9.3
	女	1,120	9.3	12	9.5	194	9.3	402	9.2	339	9.4	143	9.4	30	9.5
	計	3,220	9.4	60	9.7	493	9.4	1,065	9.3	1,035	9.4	465	9.4	102	9.4

その他の血液検査の判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	4,208	(93.4%)	49	374	711	1,101	1,168	666	139
	女	3,326	(95.3%)	73	522	596	882	825	363	65
	計	7,534	(94.2%)	122	896	1,307	1,983	1,993	1,029	204
放置可	男	89	(2.0%)	22	10	8	13	13	17	6
	女	72	(2.1%)	18	7	8	20	15	3	1
	計	161	(2.0%)	40	17	16	33	28	20	7
要経過観察	男	125	(2.8%)	15	5	29	26	22	23	5
	女	58	(1.7%)	9	1	13	15	16	3	1
	計	183	(2.3%)	24	6	42	41	38	26	6
要精密検査	男	83	(1.8%)	0	0	6	20	27	25	5
	女	31	(0.9%)	0	1	4	9	12	5	0
	計	114	(1.4%)	0	1	10	29	39	30	5
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	1	(0.0%)	0	0	0	0	1	0	0
	女	2	(0.1%)	0	0	1	0	1	0	0
	計	3	(0.0%)	0	0	1	0	2	0	0
合 計	男	4,506		86	389	754	1,160	1,231	731	155
	女	3,489		100	531	622	926	869	374	67
	計	7,995		186	920	1,376	2,086	2,100	1,105	222

その他の血液検査の性年齢別陽性率

検査項目	性 別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
C E A	男	1,254	61	4.9	4	0	—	90	6	6.7	389	15	3.9	511	20	3.9	218	17	7.8	42	3	7.1
	女	723	9	1.2	1	0	—	91	0	—	223	1	0.4	312	6	1.9	77	2	2.6	19	0	—
	計	1,977	70	3.5	5	0	—	181	6	3.3	612	16	2.6	823	26	3.2	295	19	6.4	61	3	4.9
R F	男	2,620	111	4.2	352	3	0.9	513	7	1.4	636	24	3.8	583	36	6.2	434	33	7.6	102	8	7.8
	女	2,388	107	4.5	572	10	1.7	492	22	4.5	602	37	6.1	464	30	6.5	214	6	2.8	44	2	4.5
	計	5,008	218	4.4	924	13	1.4	1,005	29	2.9	1,238	61	4.9	1,047	66	6.3	648	39	6.0	146	10	6.8
C P K	男	151	57	37.7	116	49	42.2	18	6	33.3	9	0	—	8	2	25.0	0	0	—	0	0	—
	女	44	27	61.4	40	25	62.5	1	1	100.0	2	0	—	1	1	100.0	0	0	—	0	0	—
	計	195	84	43.1	156	74	47.4	19	7	36.8	11	0	—	9	3	33.3	0	0	—	0	0	—
C A 1 9 I 9	男	837	6	0.7	4	0	—	53	0	—	206	1	0.5	275	2	0.7	250	2	0.8	49	1	2.0
	女	452	4	0.9	1	0	—	28	0	—	120	0	—	169	3	1.8	116	1	0.9	18	0	—
	計	1,289	10	0.8	5	0	—	81	0	—	326	1	0.3	444	5	1.1	366	3	0.8	67	1	1.5
C A 1 2 5	男	2	0	—	0	0	—	0	0	—	1	0	—	1	0	—	0	0	—	0	0	—
	女	535	7	1.3	17	1	5.9	59	2	3.4	160	3	1.9	165	1	0.6	114	0	—	20	0	—
	計	537	7	1.3	17	1	5.9	59	2	3.4	161	3	1.9	166	1	0.6	114	0	—	20	0	—
シ フ ラ	男	332	1	0.3	2	0	—	19	0	—	85	0	—	94	1	1.1	112	0	—	20	0	—
	女	114	0	—	0	0	—	8	0	—	30	0	—	41	0	—	30	0	—	5	0	—
	計	446	1	0.2	2	0	—	27	0	—	115	0	—	135	1	0.7	142	0	—	25	0	—
P r o G R P	男	335	9	2.7	2	0	—	19	0	—	85	1	1.2	95	1	1.1	114	6	5.3	20	1	5.0
	女	116	2	1.7	0	0	—	8	0	—	30	1	3.3	42	0	—	31	1	3.2	5	0	—
	計	451	11	2.4	2	0	—	27	0	—	115	2	1.7	137	1	0.7	145	7	4.8	25	1	4.0

陽性率%

前立腺検査の判定結果

判 定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	4,693	(93.4%)	3	9	82	328	2,806	1,244	221
放置可	0	(0.0%)	0	0	0	0	0	0	0
要経過観察	12	(0.2%)	0	0	0	0	2	9	1
要精密検査	211	(4.2%)	0	0	0	4	89	97	21
要治療	0	(0.0%)	0	0	0	0	0	0	0
治療中	108	(2.1%)	0	0	2	1	27	62	16
合計	5,024		3	9	84	333	2,924	1,412	259

P S A の年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
P S A n g / m L	5,024	1.44	12	0.93	84	1.02	333	1.04	2,924	1.3	1,412	1.75	259	1.95

骨密度検査判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	207	(50.1%)	0	1	5	18	34	99	50
	女	723	(44.6%)	39	15	83	156	264	137	29
	計	930	(45.7%)	39	16	88	174	298	236	79
放置可	男	37	(9.0%)	0	2	7	9	12	7	0
	女	184	(11.4%)	2	4	62	95	21	0	0
	計	221	(10.9%)	2	6	69	104	33	7	0
要経過観察	男	132	(32.0%)	0	1	2	12	15	54	48
	女	521	(32.1%)	0	1	27	68	176	201	48
	計	653	(32.1%)	0	2	29	80	191	255	96
要精密検査	男	33	(8.0%)	0	0	0	6	1	18	8
	女	140	(8.6%)	0	0	5	3	33	69	30
	計	173	(8.5%)	0	0	5	9	34	87	38
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	4	(1.0%)	0	0	0	0	0	2	2
	女	53	(3.3%)	0	0	1	3	10	28	11
	計	57	(2.8%)	0	0	1	3	10	30	13
合計	男	413		0	4	14	45	62	180	108
	女	1,621		41	20	178	325	504	435	118
	計	2,034		41	24	192	370	566	615	226

超音波骨密度検査の性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
若年比較・ %	男	413	94.1	4	103.5	14	98.5	45	95.3	62	96.6	180	93.3	108	92.6
	女	1,621	93.8	61	115.9	178	99.7	325	99.5	504	93.0	435	87.4	118	84.8
	計	2,034	93.9	65	115.1	192	99.6	370	99.0	566	93.4	615	89.1	226	88.6
同年比較・ %	男	413	102.1	4	99.8	14	98.9	45	98.2	62	102.6	180	102.2	108	103.9
	女	1,621	102.4	61	115.6	178	99.8	325	100.3	504	102.4	435	102.9	118	103.7
	計	2,034	102.4	65	114.7	192	99.8	370	100.1	566	102.4	615	102.7	226	103.8
O S I × 1 0 0 万	男	413	2.7	4	3.0	14	2.9	45	2.8	62	2.8	180	2.7	108	2.7
	女	1,621	2.5	61	3.1	178	2.7	325	2.7	504	2.5	435	2.4	118	2.3
	計	2,034	2.6	65	3.1	192	2.7	370	2.7	566	2.5	615	2.5	226	2.5

動脈硬化検査判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	120	(16.2%)	0	2	16	74	23	5	0
	女	115	(22.1%)	0	2	11	51	43	8	0
	計	235	(18.7%)	0	4	27	125	66	13	0
放置可	男	82	(11.1%)	0	0	5	36	29	10	2
	女	75	(14.4%)	0	0	3	19	39	13	1
	計	157	(12.5%)	0	0	8	55	68	23	3
要経過観察	男	488	(66.0%)	0	0	10	101	218	126	33
	女	306	(58.8%)	0	0	1	47	109	120	29
	計	794	(63.1%)	0	0	11	148	327	246	62
要精密検査	男	44	(6.0%)	0	0	0	2	17	13	12
	女	23	(4.4%)	0	0	0	1	1	15	6
	計	67	(5.3%)	0	0	0	3	18	28	18
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	5	(0.7%)	0	0	0	0	0	2	3
	女	1	(0.2%)	0	0	0	0	0	0	1
	計	6	(0.5%)	0	0	0	0	0	2	4
合計	男	739		0	2	31	213	287	156	50
	女	520		0	2	15	118	192	156	37
	計	1,259		0	4	46	331	479	312	87

頸部動脈超音波検査所見

所 見	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
プラーク個数	男	739	(100.0%)	0	2	31	213	287	156	50
	女	520	(100.0%)	0	2	15	118	192	156	37
	計	1,259	(100.0%)	0	4	46	331	479	312	87
頸動脈の内腔狭窄 (50-75%)	男	18	(2.4%)	0	0	0	1	7	6	4
	女	5	(1.0%)	0	0	0	0	2	2	1
	計	23	(1.8%)	0	0	0	1	9	8	5
頸動脈の高度狭窄 (75%以上)	男	3	(0.4%)	0	0	0	0	0	1	2
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	3	(0.2%)	0	0	0	0	0	1	2
総頸動脈内径拡大	男	3	(0.4%)	0	0	0	0	1	1	1
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	3	(0.2%)	0	0	0	0	1	1	1
頸動脈描出不良	男	28	(3.8%)	0	0	0	7	16	3	2
	女	13	(2.5%)	0	0	0	3	3	4	3
	計	41	(3.3%)	0	0	0	10	19	7	5
総頸動脈壁肥厚	男	39	(5.3%)	0	0	0	1	13	14	11
	女	13	(2.5%)	0	0	0	0	4	6	3
	計	52	(4.1%)	0	0	0	1	17	20	14
その他の所見	男	7	(0.9%)	0	0	0	0	2	3	2
	女	1	(0.2%)	0	0	0	0	0	1	0
	計	8	(0.6%)	0	0	0	0	2	4	2
検診者総数	男	739		0	2	31	213	287	156	50
	女	520		0	2	15	118	192	156	37
	計	1,259		0	4	46	331	479	312	87

頸部動脈超音波検査の計測値の性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
平均IMT 右mm	男	739	0.7	2	0.5	31	0.6	213	0.7	287	0.7	156	0.9	50	0.9
	女	520	0.7	2	0.6	15	0.5	118	0.6	192	0.7	156	0.8	37	0.9
	計	1,259	0.7	4	0.5	46	0.6	331	0.6	479	0.7	312	0.8	87	0.9
平均IMT 左mm	男	739	0.8	2	0.6	31	0.6	213	0.7	287	0.8	156	0.9	50	1.0
	女	520	0.7	2	0.5	15	0.6	118	0.6	192	0.7	156	0.8	37	0.9
	計	1,259	0.8	4	0.5	46	0.6	331	0.7	479	0.8	312	0.9	87	1.0
最大IMT 右mm	男	739	1.4	2	0.8	31	1.1	213	1.2	287	1.4	156	1.7	50	2.0
	女	520	1.2	2	0.7	15	0.8	118	1.1	192	1.3	156	1.4	37	1.5
	計	1,259	1.4	4	0.7	46	1.0	331	1.1	479	1.4	312	1.5	87	1.8
最大IMT 左mm	男	739	1.5	2	0.8	31	1.1	213	1.3	287	1.5	156	1.8	50	2.1
	女	520	1.3	2	0.8	15	0.9	118	1.1	192	1.3	156	1.5	37	1.7
	計	1,259	1.4	4	0.8	46	1.1	331	1.2	479	1.4	312	1.6	87	1.9

血圧脈波検査の性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
ABI検査 右	男	732	1.2	2	1.0	31	1.1	212	1.1	284	1.2	155	1.2	48	1.2
	女	508	1.1	2	1.1	14	1.1	117	1.1	188	1.1	151	1.1	36	1.1
	計	1,240	1.1	4	1.1	45	1.1	329	1.1	472	1.1	306	1.1	84	1.2
ABI検査 左	男	732	1.2	2	1.1	31	1.1	212	1.1	284	1.2	155	1.2	48	1.2
	女	508	1.1	2	1.1	14	1.1	117	1.1	188	1.1	151	1.1	36	1.1
	計	1,240	1.1	4	1.1	45	1.1	329	1.1	472	1.1	306	1.1	84	1.2
PWV検査 右cm/s	男	732	1411.2	2	1153.0	31	1221.6	212	1278.9	284	1423.5	155	1524.0	48	1690.9
	女	508	1366.5	2	1222.0	14	1139.4	117	1182.6	188	1314.4	151	1520.1	36	1688.7
	計	1,240	1392.9	4	1187.5	45	1196.0	329	1244.7	472	1380.0	306	1522.1	84	1690.0
PWV検査 左cm/s	男	732	1433.6	2	1159.0	31	1253.1	212	1297.3	284	1444.2	155	1550.1	48	1724.2
	女	508	1398.8	2	1279.5	14	1168.7	117	1212.1	188	1339.3	151	1559.7	36	1737.6
	計	1,240	1419.3	4	1219.3	45	1226.8	329	1267.0	472	1402.4	306	1554.8	84	1730.0

甲状腺検査判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	93	(48.2%)	0	1	9	27	42	12	2
	女	117	(36.1%)	0	4	20	52	33	7	1
	計	210	(40.6%)	0	5	29	79	75	19	3
放置可	男	0	(0.0%)	0	0	0	0	0	0	0
	女	1	(0.3%)	0	0	0	0	1	0	0
	計	1	(0.2%)	0	0	0	0	1	0	0
要経過観察	男	73	(37.8%)	0	1	2	17	23	22	8
	女	137	(42.3%)	0	0	13	42	44	31	7
	計	210	(40.6%)	0	1	15	59	67	53	15
要精密検査	男	27	(14.0%)	0	0	1	3	9	11	3
	女	68	(21.0%)	0	2	3	20	23	19	1
	計	95	(18.4%)	0	2	4	23	32	30	4
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0
	女	1	(0.3%)	0	0	0	1	0	0	0
	計	1	(0.2%)	0	0	0	1	0	0	0
合 計	男	193		0	2	12	47	74	45	13
	女	324		0	6	36	115	101	57	9
	計	517		0	8	48	162	175	102	22

甲状腺超音波検査所見

所 見	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
右葉に甲状腺結節あり	男	79	(44.1%)	0	0	4	7	31	29	8
	女	141	(51.1%)	0	0	10	46	52	28	5
	計	220	(48.4%)	0	0	14	53	83	57	13
左葉に甲状腺結節あり	男	68	(38.0%)	0	0	2	6	24	29	7
	女	138	(50.0%)	0	0	8	44	48	31	7
	計	206	(45.3%)	0	0	10	50	72	60	14
峡部に甲状腺結節あり	男	9	(5.0%)	0	0	0	1	6	1	1
	女	17	(6.2%)	0	0	3	6	4	4	0
	計	26	(5.7%)	0	0	3	7	10	5	1
充実性腫瘍の疑い	男	42	(23.5%)	0	0	1	3	18	18	2
	女	127	(46.0%)	0	0	6	36	50	30	5
	計	169	(37.1%)	0	0	7	39	68	48	7
嚢胞性病変の疑い	男	132	(73.7%)	0	0	5	12	51	48	16
	女	234	(84.8%)	0	0	17	73	81	51	12
	計	366	(80.4%)	0	0	22	85	132	99	28
甲状腺腫大あり	男	2	(1.1%)	0	0	0	0	1	1	0
	女	11	(4.0%)	0	0	1	2	5	3	0
	計	13	(2.9%)	0	0	1	2	6	4	0
その他の所見	男	13	(7.3%)	0	0	0	2	3	7	1
	女	27	(9.8%)	0	0	1	7	15	3	1
	計	40	(8.8%)	0	0	1	9	18	10	2
検診者総数	男	179		0	1	10	27	82	46	13
	女	276		0	4	30	91	99	45	7
	計	455		0	5	40	118	181	91	20

甲状腺機能検査の性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
TSH μIU/mL	男	71	2.1	1	1.7	3	1.7	21	1.6	19	2.2	22	2.6	5	2.4
	女	151	2.3	2	1.1	30	2.4	58	1.9	42	2.0	14	3.3	5	6.8
	計	222	2.3	3	1.3	33	2.3	79	1.8	61	2.1	36	2.9	10	4.6
FT3 pg/mL	男	71	3.2	1	2.2	3	3.2	21	3.4	19	3.1	22	3.2	5	2.9
	女	150	3.0	2	2.8	29	2.9	58	2.9	42	3.0	14	3.0	5	2.7
	計	221	3.0	3	2.6	32	3.0	79	3.1	61	3.1	36	3.1	10	2.8
FT4 ng/dL	男	71	1.3	1	1.1	3	1.4	21	1.3	19	1.2	22	1.2	5	1.1
	女	150	1.2	2	1.4	29	1.2	58	1.2	42	1.2	14	1.2	5	1.2
	計	221	1.2	3	1.3	32	1.2	79	1.2	61	1.2	36	1.2	10	1.1

脳検査判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	321	(48.3%)	0	0	35	124	109	44	9
	女	165	(44.0%)	0	0	8	50	65	38	4
	計	486	(46.7%)	0	0	43	174	174	82	13
放置可	男	234	(35.2%)	0	0	4	36	100	71	23
	女	143	(38.1%)	0	1	3	17	47	44	31
	計	377	(36.3%)	0	1	7	53	147	115	54
要経過観察	男	32	(4.8%)	0	0	0	4	15	8	5
	女	25	(6.7%)	0	0	0	8	5	9	3
	計	57	(5.5%)	0	0	0	12	20	17	8
要精密検査	男	73	(11.0%)	0	0	3	21	28	17	4
	女	36	(9.6%)	0	0	3	5	17	7	4
	計	109	(10.5%)	0	0	6	26	45	24	8
要治療	男	3	(0.5%)	0	0	1	1	1	0	0
	女	2	(0.5%)	0	0	0	1	1	0	0
	計	5	(0.5%)	0	0	1	2	2	0	0
治療中	男	2	(0.3%)	0	0	0	0	1	0	1
	女	4	(1.1%)	0	0	0	1	1	2	0
	計	6	(0.6%)	0	0	0	1	2	2	1
合計	男	665		0	0	43	186	254	140	42
	女	375		0	1	14	82	136	100	42
	計	1,040		0	1	57	268	390	240	84

頭頸部M R I 検査所見

所 見	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
無症候性脳梗塞巣	男	34	(5.1%)	0	0	0	0	9	14	11
	女	22	(5.9%)	0	0	0	1	2	11	8
	計	56	(5.4%)	0	0	0	1	11	25	19
脳内異常陰影	男	6	(0.9%)	0	0	0	2	2	2	0
	女	2	(0.5%)	0	0	0	0	0	1	1
	計	8	(0.8%)	0	0	0	2	2	3	1
中耳炎症所見	男	0	(0.0%)	0	0	0	0	0	0	0
	女	1	(0.3%)	0	0	0	0	0	1	0
	計	1	(0.1%)	0	0	0	0	0	1	0
副鼻腔炎	男	56	(8.4%)	0	0	4	10	22	17	3
	女	22	(5.9%)	0	1	1	7	5	3	5
	計	78	(7.5%)	0	1	5	17	27	20	8
くも膜嚢胞	男	8	(1.2%)	0	0	0	3	2	3	0
	女	5	(1.3%)	0	0	0	1	3	0	1
	計	13	(1.3%)	0	0	0	4	5	3	1
その他の所見	男	23	(3.5%)	0	0	1	3	10	5	4
	女	17	(4.5%)	0	0	1	4	7	2	3
	計	40	(3.8%)	0	0	2	7	17	7	7
検診者総数	男	665		0	0	43	186	254	140	42
	女	375		0	1	14	82	136	100	42
	計	1,040		0	1	57	268	390	240	84

頭頸部M R A 検査所見

所 見	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
脳動脈硬化	男	2	(0.3%)	0	0	0	0	0	1	1
	女	1	(0.3%)	0	0	0	0	0	1	0
	計	3	(0.3%)	0	0	0	0	0	2	1
脳動脈瘤	男	37	(5.6%)	0	0	2	7	16	10	2
	女	17	(4.5%)	0	0	1	5	6	4	1
	計	54	(5.2%)	0	0	3	12	22	14	3
内頸動脈狭窄	男	9	(1.4%)	0	0	0	0	4	2	3
	女	1	(0.3%)	0	0	0	0	1	0	0
	計	10	(1.0%)	0	0	0	0	5	2	3
脳動脈狭窄	男	5	(0.8%)	0	0	0	1	3	0	1
	女	2	(0.5%)	0	0	0	1	1	0	0
	計	7	(0.7%)	0	0	0	2	4	0	1
前大脳動脈	男	0	(0.0%)	0	0	0	0	0	0	0
	女	1	(0.3%)	0	0	0	1	0	0	0
	計	1	(0.1%)	0	0	0	1	0	0	0
中大脳動脈	男	0	(0.0%)	0	0	0	0	0	0	0
	女	1	(0.3%)	0	0	0	1	0	0	0
	計	1	(0.1%)	0	0	0	1	0	0	0
能動脈閉塞	男	3	(0.5%)	0	0	0	1	1	0	1
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	3	(0.3%)	0	0	0	1	1	0	1
内頸動脈蛇行	男	9	(1.4%)	0	0	0	3	1	3	2
	女	14	(3.7%)	0	0	0	0	2	6	6
	計	23	(2.2%)	0	0	0	3	3	9	8
脳底動脈蛇行	男	0	(0.0%)	0	0	0	0	0	0	0
	女	1	(0.3%)	0	0	0	0	0	1	0
	計	1	(0.1%)	0	0	0	0	0	1	0
その他の所見	男	3	(0.5%)	0	0	0	1	0	2	0
	女	4	(1.1%)	0	0	1	1	1	1	0
	計	7	(0.7%)	0	0	1	2	1	3	0
検診者総数	男	665		0	0	43	186	254	140	42
	女	375		0	1	14	82	136	100	42
	計	1,040		0	1	57	268	390	240	84

大脳高次機能検査所見

所 見	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
M M S E (脳の認知機能評価の簡易検査) 低下	男	1	(1.1%)	0	0	0	0	0	0	1
	女	2	(1.7%)	0	0	0	0	0	2	0
	計	3	(1.4%)	0	0	0	0	0	2	1
検診者総数	男	94		0	0	4	11	9	40	30
	女	119		0	0	1	4	9	69	36
	計	213		0	0	5	15	18	109	66

心理検査所見

所 見	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
抑うつ状態	男	15	(16.0%)	0	0	0	5	0	6	4
	女	25	(21.0%)	0	0	1	2	4	10	8
	計	40	(18.8%)	0	0	1	7	4	16	12
検診者総数	男	94		0	0	4	11	9	40	30
	女	119		0	0	1	4	9	69	36
	計	213		0	0	5	15	18	109	66

肥満やせ判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	16,343	(54.2%)	219	2,842	3,579	3,957	3,366	2,071	309
	女	15,795	(63.8%)	158	2,513	3,131	4,383	3,555	1,816	239
	計	32,138	(58.5%)	377	5,355	6,710	8,340	6,921	3,887	548
放置可	男	1,172	(3.9%)	29	321	274	231	165	128	24
	女	4,326	(17.5%)	32	915	977	1,142	914	317	29
	計	5,498	(10.0%)	61	1,236	1,251	1,373	1,079	445	53
要経過観察	男	12,654	(41.9%)	48	1,038	2,230	3,592	3,423	2,049	274
	女	4,642	(18.7%)	26	398	721	1,413	1,254	711	119
	計	17,296	(31.5%)	74	1,436	2,951	5,005	4,677	2,760	393
要精密検査	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
合 計	男	30,169		296	4,201	6,083	7,780	6,954	4,248	607
	女	24,763		216	3,826	4,829	6,938	5,723	2,844	387
	計	54,932		512	8,027	10,912	14,718	12,677	7,092	994

身体計測の性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
身長 cm	男	30,537	170.5	4,618	171.5	6,119	171.8	7,891	171.3	6,981	170.0	4,318	167.5	610	164.7
	女	24,909	157.5	4,073	158.4	4,863	158.6	6,982	158.3	5,749	157.0	2,855	154.2	387	151.5
	計	55,446	164.6	8,691	165.4	10,982	166.0	14,873	165.2	12,730	164.1	7,173	162.2	997	159.6
体重 kg	男	30,755	69.7	4,665	67.6	6,183	70.5	7,949	71.7	7,005	70.2	4,341	67.0	612	63.6
	女	24,962	54.7	4,081	52.6	4,879	54.3	7,002	55.9	5,753	55.5	2,860	54.2	387	53.2
	計	55,717	63.0	8,746	60.6	11,062	63.4	14,951	64.3	12,758	63.6	7,201	61.9	999	59.6
BMI (体格指数)	男	30,537	24.0	4,618	22.9	6,119	23.9	7,891	24.4	6,981	24.3	4,318	23.8	610	23.4
	女	24,909	22.1	4,073	21.0	4,863	21.6	6,982	22.3	5,749	22.5	2,855	22.8	387	23.2
	計	55,446	23.1	8,691	22.0	10,982	22.9	14,873	23.4	12,730	23.5	7,173	23.4	997	23.4
体脂肪率%	男	3,820	21.9	240	18.5	682	20.8	1,108	22.1	1,188	22.7	500	22.9	102	22.3
	女	3,073	30.3	348	28.7	623	28.9	939	30.2	842	31.1	274	32.4	47	33.2
	計	6,893	25.7	588	24.6	1,305	24.7	2,047	25.8	2,030	26.2	774	26.3	149	25.7
腹囲 cm	男	25,798	83.9	2,558	79.1	4,563	82.6	7,404	84.6	6,631	85.2	4,080	84.9	562	84.4
	女	19,905	77.8	1,759	72.1	3,107	75.2	6,461	77.5	5,460	79.5	2,751	81.3	367	83.3
	計	45,703	81.2	4,317	76.2	7,670	79.6	13,865	81.3	12,091	82.6	6,831	83.4	929	83.9

特定健診判定結果

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
該 当	男	3,380	(15.5%)	0	23	222	834	1,279	911	111
	女	495	(3.1%)	0	2	11	114	201	139	28
	計	3,875	(10.3%)	0	25	233	948	1,480	1,050	139
予備群該当	男	3,387	(15.6%)	5	80	456	1,127	1,056	577	86
	女	597	(3.8%)	0	5	39	191	209	136	17
	計	3,984	(10.6%)	5	85	495	1,318	1,265	713	103
非該当	男	14,663	(67.4%)	84	1,056	2,569	4,670	3,780	2,217	287
	女	13,926	(88.4%)	18	550	1,881	5,128	4,181	1,926	242
	計	28,589	(76.2%)	102	1,606	4,450	9,798	7,961	4,143	529
判定不能	男	329	(1.5%)	3	84	69	62	62	31	18
	女	727	(4.6%)	2	204	275	165	59	12	10
	計	1,056	(2.8%)	5	288	344	227	121	43	28
合 計	男	21,759		92	1,243	3,316	6,693	6,177	3,736	502
	女	15,745		20	761	2,206	5,598	4,650	2,213	297
	計	37,504		112	2,004	5,522	12,291	10,827	5,949	799

体力測定 of 性年齢別平均値

検査項目	総数			29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
全身反応時間 m 秒	男	652	336.5	109	310.4	184	344.2	211	338.4	114	338.3	27	352.6	7	395.1
	女	208	382.3	42	334.3	43	395.7	62	410.7	42	374.6	16	385.7	3	363.3
	計	860	347.6	151	317.0	227	354.0	273	354.8	156	348.1	43	364.9	10	385.6
立位体前屈 c m	男	653	2.8	109	6.8	184	3.6	209	1.0	116	1.6	28	-0.1	7	3.0
	女	208	7.1	42	9.5	43	7.1	63	4.1	41	9.2	16	6.8	3	8.3
	計	861	3.8	151	7.6	227	4.2	272	1.7	157	3.6	44	2.4	10	4.6
上体おこし 回	男	624	22.5	108	29.1	175	25.0	204	20.1	107	18.6	23	15.0	7	8.1
	女	203	14.0	40	27.2	42	15.1	61	11.3	41	8.7	16	5.3	3	0.3
	計	827	20.4	148	28.6	217	23.1	265	18.1	148	15.8	39	11.0	10	5.8
閉眼片足立ち 秒	男	584	56.7	42	83.1	179	79.0	211	56.7	116	24.7	29	20.4	7	6.4
	女	170	42.7	2	71.0	44	74.8	63	37.8	42	27.0	16	19.1	3	4.7
	計	754	53.5	44	82.6	223	78.2	274	52.4	158	25.3	45	19.9	10	5.9
最大酸素摂取量 mL/分 / k g	男	549	34.6	42	41.5	171	36.5	200	33.8	103	31.5	27	30.8	6	28.9
	女	161	30.5	2	32.2	41	35.2	61	29.9	40	28.0	15	27.0	2	25.0
	計	710	33.6	44	41.1	212	36.3	261	32.8	143	30.5	42	29.4	8	27.9

V D T 健診管理区分

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	2,070	(76.8%)	11	299	422	655	570	111	2
	女	1,185	(82.6%)	4	286	344	368	161	22	0
	計	3,255	(78.9%)	15	585	766	1,023	731	133	2
要経過観察	男	356	(13.2%)	1	45	39	63	157	51	0
	女	136	(9.5%)	0	23	15	38	49	11	0
	計	492	(11.9%)	1	68	54	101	206	62	0
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
就労以外の原因による異常	男	209	(7.8%)	0	5	30	68	87	19	0
	女	92	(6.4%)	0	12	23	31	21	5	0
	計	301	(7.3%)	0	17	53	99	108	24	0
要二次検査	男	59	(2.2%)	1	15	7	14	11	11	0
	女	21	(1.5%)	1	7	4	6	3	0	0
	計	80	(1.9%)	2	22	11	20	14	11	0
合計	男	2,694		13	364	498	800	825	192	2
	女	1,434		5	328	386	443	234	38	0
	計	4,128		18	692	884	1,243	1,059	230	2

特定化学物質管理区分

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	626	(62.2%)	4	175	216	146	60	23	2
	女	586	(79.1%)	3	181	180	154	59	9	0
	計	1,212	(69.4%)	7	356	396	300	119	32	2
要経過観察	男	226	(22.5%)	3	50	46	54	48	23	2
	女	101	(13.6%)	0	10	26	39	18	8	0
	計	327	(18.7%)	3	60	72	93	66	31	2
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
就労以外の原因による異常	男	100	(9.9%)	0	3	5	21	49	18	4
	女	37	(5.0%)	0	1	0	10	16	9	1
	計	137	(7.8%)	0	4	5	31	65	27	5
要二次検査	男	54	(5.4%)	0	5	11	19	13	6	0
	女	17	(2.3%)	0	5	1	5	5	1	0
	計	71	(4.1%)	0	10	12	24	18	7	0
合計	男	1,006		7	233	278	240	170	70	8
	女	741		3	197	207	208	98	27	1
	計	1,747		10	430	485	448	268	97	9

騒音・高気圧業務健診管理区分

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	269	(58.7%)	22	123	34	72	6	12	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	269	(58.7%)	22	123	34	72	6	12	0
要経過観察	男	189	(41.3%)	8	41	20	61	9	50	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	189	(41.3%)	8	41	20	61	9	50	0
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
就労以外の原因による異常	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要二次検査	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
合計	男	458		30	164	54	133	15	62	0
	女	0		0	0	0	0	0	0	0
	計	458		30	164	54	133	15	62	0

電離放射線健診管理区分

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	27	(96.4%)	0	3	8	6	4	6	0
	女	23	(95.8%)	0	2	7	7	5	2	0
	計	50	(96.2%)	0	5	15	13	9	8	0
要経過観察	男	1	(3.6%)	0	1	0	0	0	0	0
	女	1	(4.2%)	0	0	0	1	0	0	0
	計	2	(3.8%)	0	1	0	1	0	0	0
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
就労以外の原因による異常	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要二次検査	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
合計	男	28		0	4	8	6	4	6	0
	女	24		0	2	7	8	5	2	0
	計	52		0	6	15	14	9	8	0

有機溶剤健診管理区分

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	374	(84.8%)	0	81	121	94	44	33	1
	女	89	(86.4%)	0	14	25	31	10	9	0
	計	463	(85.1%)	0	95	146	125	54	42	1
要経過観察	男	31	(7.0%)	0	7	8	7	3	5	1
	女	9	(8.7%)	0	0	3	2	3	1	0
	計	40	(7.4%)	0	7	11	9	6	6	1
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
就労以外の原因による異常	男	1	(0.2%)	0	0	0	1	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	1	(0.2%)	0	0	0	1	0	0	0
要二次検査	男	35	(7.9%)	0	7	11	8	5	4	0
	女	5	(4.9%)	0	0	2	2	0	1	0
	計	40	(7.4%)	0	7	13	10	5	5	0
合計	男	441		0	95	140	110	52	42	2
	女	103		0	14	30	35	13	11	0
	計	544		0	109	170	145	65	53	2

じん肺・アスベスト健診管理区分

判 定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	325	(96.4%)	13	60	52	72	40	82	6
	女	10	(100.0%)	2	1	1	1	4	1	0
	計	335	(96.5%)	15	61	53	73	44	83	6
要経過観察	男	5	(1.5%)	0	0	1	0	2	1	1
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	5	(1.4%)	0	0	1	0	2	1	1
二次検査後 要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要就労 制限	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
就労により 悪化の可能 性あり	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
就労以外の 原因による 異常	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要二次 検査	男	7	(2.1%)	0	0	1	2	2	2	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	7	(2.0%)	0	0	1	2	2	2	0
合 計	男	337		13	60	54	74	44	85	7
	女	10		2	1	1	1	4	1	0
	計	347		15	61	55	75	48	86	7

精密検査判定者の他医療機関からの回答状況

精査項目	対象者	回答数	回答率	回答結果				
				異常なし	放置可	経過観察	治療中	要治療
視 機 能	3	2	66.7%	2	0	0	0	0
				100.0%	0.0%	0.0%	0.0%	0.0%
肺 機 能	16	8	50.0%	0	3	3	0	2
				0.0%	37.5%	37.5%	0.0%	25.0%
血 圧	976	501	51.3%	27	35	164	15	260
				5.4%	7.0%	32.7%	3.0%	51.9%
脂 質	2,476	1,274	51.5%	211	189	421	44	409
				16.6%	14.8%	33.0%	3.5%	32.1%
糖 尿 病	822	486	59.1%	29	17	184	46	210
				6.0%	3.5%	37.9%	9.5%	43.2%
痛 風	865	501	57.9%	49	26	188	17	221
				9.8%	5.2%	37.5%	3.4%	44.1%
肝機能・血清蛋白	4,554	2,826	62.1%	229	415	1,805	178	199
				8.1%	14.7%	63.9%	6.3%	7.0%
甲 状 腺 検 査	95	85	89.5%	4	19	55	0	7
				4.7%	22.4%	64.7%	0.0%	8.2%
脾 機 能	68	56	82.4%	27	11	16	1	1
				48.2%	19.6%	28.6%	1.8%	1.8%
腎 機 能	527	362	68.7%	73	37	160	60	32
				20.2%	10.2%	44.2%	16.6%	8.8%
貧 血 ・ 血 球 数	718	440	61.3%	21	34	114	18	253
				4.8%	7.7%	25.9%	4.1%	57.5%
電 解 質	3	1	33.3%	1	0	0	0	0
				100.0%	0.0%	0.0%	0.0%	0.0%
そ の 他	114	71	62.3%	14	19	28	2	8
				19.7%	26.8%	39.4%	2.8%	11.3%
便 潜 血	1,463	1,014	69.3%	293	199	164	11	347
				28.9%	19.6%	16.2%	1.1%	34.2%
眼 底 検 査	720	558	77.5%	83	142	204	11	118
				14.9%	25.4%	36.6%	2.0%	21.1%
胸 部 検 査	460	368	80.0%	145	78	104	12	29
				39.4%	21.2%	28.3%	3.3%	7.9%
喀 痰 細 胞 診	1	1	100.0%	0	0	1	0	0
				0.0%	0.0%	100.0%	0.0%	0.0%
心 電 図	265	197	74.3%	15	70	66	6	40
				7.6%	35.5%	33.5%	3.0%	20.3%
上 部 消 化 管	1,318	1,000	75.9%	110	226	217	13	434
				11.0%	22.6%	21.7%	1.3%	43.4%
腹 部 超 音 波	627	483	77.0%	51	118	267	4	43
				10.6%	24.4%	55.3%	0.8%	8.9%
内 科 診 察	54	32	59.3%	3	7	12	1	9
				9.4%	21.9%	37.5%	3.1%	28.1%
乳 房 検 査	490	460	93.9%	152	190	87	4	27
				33.0%	41.3%	18.9%	0.9%	5.9%
婦 人 科 検 査	529	434	82.0%	40	33	261	5	95
				9.2%	7.6%	60.1%	1.2%	21.9%
前 立 腺 検 査	211	169	80.1%	10	8	115	13	23
				5.9%	4.7%	68.0%	7.7%	13.6%
骨 密 度	173	123	71.1%	22	14	26	4	57
				17.9%	11.4%	21.1%	3.3%	46.3%
動 脈 硬 化 検 査	67	53	79.1%	4	8	19	6	16
				7.5%	15.1%	35.8%	11.3%	30.2%
脳 検 査	114	94	82.5%	22	23	40	2	7
				23.4%	24.5%	42.6%	2.1%	7.4%
睡 眠 時 無 呼 吸 検 査	49	35	71.4%	0	3	1	0	31
				0.0%	8.6%	2.9%	0.0%	88.6%
腹 部 検 査	3	3	100.0%	0	1	2	0	0
				0.0%	33.3%	66.7%	0.0%	0.0%
V D T 検 査	80	50	62.5%	17	28	2	1	2
				34.0%	56.0%	4.0%	2.0%	4.0%
肝 炎 C 検 査	1	1	100.0%	1	0	0	0	0
				100.0%	0.0%	0.0%	0.0%	0.0%
深夜・有害業務（－腹囲）	44	6	13.6%	0	0	4	0	2
				0.0%	0.0%	66.7%	0.0%	33.3%
有機・肝機能・代謝物	4	4	100.0%	0	0	4	0	0
				0.0%	0.0%	100.0%	0.0%	0.0%
有機（トル、キシ）	33	7	21.2%	4	0	1	0	2
				57.1%	0.0%	14.3%	0.0%	28.6%
ア ス ベ ス ト	2	2	100.0%	1	1	0	0	0
				50.0%	50.0%	0.0%	0.0%	0.0%
特 定 業 務 簡 易	16	9	56.3%	0	0	5	2	2
				0.0%	0.0%	55.6%	22.2%	22.2%
特定業務簡易（－腹囲）	13	4	30.8%	1	1	1	0	1
				25.0%	25.0%	25.0%	0.0%	25.0%
特 定 業 務	18	2	11.1%	1	0	1	0	0
				50.0%	0.0%	50.0%	0.0%	0.0%
深 夜 ・ 有 害 業 務	12	2	16.7%	0	0	2	0	0
				0.0%	0.0%	100.0%	0.0%	0.0%
じ ん 肺 1	5	5	100.0%	4	1	0	0	0
				80.0%	20.0%	0.0%	0.0%	0.0%
特化物エチルベンゼン	3	1	33.3%	1	0	0	0	0
				100.0%	0.0%	0.0%	0.0%	0.0%
特化物肝機能尿蛋白	5	1	20.0%	1	0	0	0	0
				100.0%	0.0%	0.0%	0.0%	0.0%
特化物・尿中マンデル酸	1	1	100.0%	0	0	1	0	0
				0.0%	0.0%	100.0%	0.0%	0.0%
有機・馬・メ馬・ヘ・眼底	3	3	100.0%	2	0	0	0	1
				66.7%	0.0%	0.0%	0.0%	33.3%
特肝3胸尿ウロ蛋白潜	1	1	100.0%	0	0	1	0	0
				0.0%	0.0%	100.0%	0.0%	0.0%
特 定 業 務 簡 易	9	8	88.9%	3	2	2	0	1
				37.5%	25.0%	25.0%	0.0%	12.5%

市民健診総合判定結果

判 定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
異常なし	男	168	(1.7%)	7	28	16	37	70	10
	女	533	(3.4%)	68	171	93	104	83	14
	計	701	(2.8%)	75	199	109	141	153	24
放置可	男	382	(4.0%)	7	54	44	91	154	32
	女	1,201	(7.7%)	86	193	210	420	253	39
	計	1,583	(6.3%)	93	247	254	511	407	71
要経過観察	男	2,654	(27.5%)	23	156	172	604	1,274	425
	女	4,971	(32.0%)	51	274	503	1,802	1,870	471
	計	7,625	(30.3%)	74	430	675	2,406	3,144	896
要精密検査	男	1,115	(11.6%)	12	93	76	314	461	159
	女	1,552	(10.0%)	25	98	135	609	525	160
	計	2,667	(10.6%)	37	191	211	923	986	319
要治療	男	279	(2.9%)	2	28	24	87	99	39
	女	410	(2.6%)	2	17	35	174	146	36
	計	689	(2.7%)	4	45	59	261	245	75
治療中	男	5,053	(52.4%)	1	43	115	1,054	2,757	1,083
	女	6,885	(44.3%)	3	37	206	1,857	3,472	1,310
	計	11,938	(47.4%)	4	80	321	2,911	6,229	2,393
合 計	男	9,651		52	402	447	2,187	4,815	1,748
	女	15,552		235	790	1,182	4,966	6,349	2,030
	計	25,203		287	1,192	1,629	7,153	11,164	3,778

市民健診メタボ判定結果

判 定	総数			40-49歳	50-59歳	60-69歳	70-74歳
該 当	男	1,284	(22.4%)	65	89	534	596
	女	660	(6.1%)	10	42	301	307
	計	1,944	(11.8%)	75	131	835	903
予備群	男	993	(17.4%)	70	85	386	452
	女	619	(5.7%)	30	62	282	245
	計	1,612	(9.8%)	100	147	668	697
非該当	男	3,441	(60.1%)	267	272	1,264	1,638
	女	9,512	(88.1%)	750	1,078	4,383	3,301
	計	12,953	(78.4%)	1,017	1,350	5,647	4,939
判定不能	男	5	(0.1%)	0	1	1	3
	女	2	(0.0%)	0	0	0	2
	計	7	(0.0%)	0	1	1	5
合 計	男	5,723		402	447	2,185	2,689
	女	10,793		790	1,182	4,966	3,855
	計	16,516		1,192	1,629	7,151	6,544

市民健診肥満判定結果

判 定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
異常なし	男	5,602	(58.0%)	32	185	221	1,057	2,899	1,208
	女	10,625	(68.3%)	157	549	794	3,417	4,334	1,374
	計	16,227	(64.4%)	189	734	1,015	4,474	7,233	2,582
放置可	男	349	(3.6%)	1	15	14	61	156	102
	女	1,577	(10.1%)	47	110	179	500	543	198
	計	1,926	(7.6%)	48	125	193	561	699	300
要経過観察	男	3,700	(38.3%)	19	202	212	1,069	1,760	438
	女	3,350	(21.5%)	31	131	209	1,049	1,472	458
	計	7,050	(28.0%)	50	333	421	2,118	3,232	896
要精密検査	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
合 計	男	9,651		52	402	447	2,187	4,815	1,748
	女	15,552		235	790	1,182	4,966	6,349	2,030
	計	25,203		287	1,192	1,629	7,153	11,164	3,778

市民健診身体計測の性年齢別平均値

検査項目	総数			35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上	
身長 c m	男	9,651	164.25	52	170.84	402	169.97	447	169.05	2,187	166.25	4,815	163.77	1,748	160.36
	女	15,552	151.98	235	157.62	790	157.89	1,182	156.55	4,966	153.43	6,349	150.67	2,030	146.93
	計	25,203	156.68	287	160.01	1,192	161.96	1,629	159.98	7,153	157.35	11,164	156.32	3,778	153.14
体重 k g	男	9,651	63.51	52	68.85	402	70.43	447	68.95	2,187	65.72	4,815	62.93	1,748	59.18
	女	15,552	51.67	235	52.78	790	54.27	1,182	53.58	4,966	52.53	6,349	51.24	2,030	48.65
	計	25,203	56.20	287	55.69	1,192	59.72	1,629	57.80	7,153	56.56	11,164	56.28	3,778	53.52
B M I (体格指数)	男	9,651	23.50	52	23.57	402	24.35	447	24.12	2,187	23.75	4,815	23.43	1,748	22.99
	女	15,552	22.37	235	21.26	790	21.76	1,182	21.87	4,966	22.32	6,349	22.57	2,030	22.52
	計	25,203	22.80	287	21.68	1,192	22.64	1,629	22.49	7,153	22.76	11,164	22.94	3,778	22.74
腹囲 c m	男	5,777	84.52	52	82.02	402	84.99	447	85.27	2,184	84.76	2,686	84.18	6	83.57
	女	11,043	80.31	232	74.63	790	76.65	1,182	78.18	4,966	80.64	3,853	81.61	20	82.39
	計	16,820	81.75	284	75.98	1,192	79.47	1,629	80.13	7,150	81.90	6,539	82.67	26	82.66

市民健診血圧判定結果

判 定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
異常なし	男	2,753	(28.0%)	33	315	232	827	1,112	234
	女	6,442	(40.3%)	229	812	852	2,590	1,674	285
	計	9,195	(35.6%)	262	1,127	1,084	3,417	2,786	519
放置可	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
要経過観察	男	2,659	(27.0%)	8	101	122	757	1,248	423
	女	4,080	(25.6%)	14	92	299	1,586	1,639	450
	計	6,739	(26.1%)	22	193	421	2,343	2,887	873
要精密検査	男	465	(4.7%)	0	12	22	135	197	99
	女	573	(3.6%)	0	6	42	194	237	94
	計	1,038	(4.0%)	0	18	64	329	434	193
要治療	男	121	(1.2%)	0	5	3	41	51	21
	女	127	(0.8%)	1	6	11	38	46	25
	計	248	(1.0%)	1	11	14	79	97	46
治療中	男	3,846	(39.1%)	0	32	65	921	2,044	784
	女	4,746	(29.7%)	1	20	134	1,372	2,271	948
	計	8,592	(33.3%)	1	52	199	2,293	4,315	1,732
合 計	男	9,844		41	465	444	2,681	4,652	1,561
	女	15,968		245	936	1,338	5,780	5,867	1,802
	計	25,812		286	1,401	1,782	8,461	10,519	3,363

市民健診安静時血圧の性年齢別平均値

検査項目	総数			35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上	
安静時血圧・ 最大・ mmHg	男	9,844	135.53	41	120.85	465	123.73	444	127.98	2,681	134.31	4,652	136.32	1,561	141.30
	女	15,968	131.21	245	109.37	936	114.14	1,338	123.21	5,780	129.87	5,867	134.98	1,802	141.00
	計	25,812	132.86	286	111.02	1401	117.32	1,782	124.40	8,461	131.28	10,519	135.57	3,363	141.14
安静時血圧・ 最小・ mmHg	男	9,844	76.55	41	74.73	465	78.29	444	80.26	2,681	79.57	4,652	75.83	1,561	71.98
	女	15,968	73.12	245	66.93	936	69.50	1,338	74.28	5,780	74.33	5,867	72.92	1,802	71.71
	計	25,812	74.43	286	68.05	1401	72.42	1,782	75.77	8,461	75.99	10,519	74.21	3,363	71.84

市民健診肝機能検査判定結果

判 定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
異常なし	男	6,473	(65.9%)	28	246	251	1,652	3,177	1,119
	女	13,343	(83.7%)	230	854	1,098	4,796	4,869	1,496
	計	19,816	(76.9%)	258	1,100	1,349	6,448	8,046	2,615
放置可	男	1,650	(16.8%)	7	81	85	511	753	213
	女	1,440	(9.0%)	9	44	120	528	551	188
	計	3,090	(12.0%)	16	125	205	1,039	1,304	401
要経過観察	男	766	(7.8%)	2	50	37	205	348	124
	女	580	(3.6%)	5	14	47	220	224	70
	計	1,346	(5.2%)	7	64	84	425	572	194
要精密検査	男	765	(7.8%)	3	77	69	264	286	66
	女	408	(2.6%)	1	23	58	161	137	28
	計	1,173	(4.6%)	4	100	127	425	423	94
要治療	男	3	(0.0%)	1	1	0	1	0	0
	女	5	(0.0%)	0	0	0	0	4	1
	計	8	(0.0%)	1	1	0	1	4	1
治療中	男	171	(1.7%)	0	10	2	47	77	35
	女	171	(1.1%)	0	1	14	73	68	15
	計	342	(1.3%)	0	11	16	120	145	50
合 計	男	9,828		41	465	444	2,680	4,641	1,557
	女	15,947		245	936	1,337	5,778	5,853	1,798
	計	25,775		286	1,401	1,781	8,458	10,494	3,355

市民健診肝機能検査の性年齢別平均値

検査項目	総数			35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上	
AST (GOT) U/L	男	9,828	25.68	41	24.12	465	25.52	444	25.35	2,680	25.53	4,641	25.72	1,557	25.98
	女	15,947	23.67	245	18.60	936	19.61	1,337	22.75	5,778	23.57	5,853	24.46	1,798	24.91
	計	25,775	24.43	286	19.39	1,401	21.57	1,781	23.40	8,458	24.19	10,494	25.01	3,355	25.40
ALT (GPT) U/L	男	9,828	22.79	41	30.88	465	31.45	444	27.59	2,680	24.20	4,641	21.71	1,557	19.38
	女	15,947	18.64	245	15.55	936	15.93	1,337	19.81	5,778	19.49	5,853	18.63	1,798	16.87
	計	25,775	20.22	286	17.74	1,401	21.08	1,781	21.75	8,458	20.99	10,494	19.99	3,355	18.04
γ-GT (γ-GTP) U/L	男	9,828	40.82	41	39.51	465	46.04	444	50.80	2,680	46.13	4,641	38.38	1,557	34.59
	女	15,947	24.52	245	17.99	936	22.38	1,337	26.57	5,778	26.14	5,853	23.95	1,798	21.69
	計	25,775	30.74	286	21.07	1,401	30.23	1,781	32.61	8,458	32.47	10,494	30.33	3,355	27.68

市民健診腎機能検査判定結果

判 定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
異常なし	男	5,976	(60.7%)	41	436	365	1,890	2,610	634
	女	11,470	(71.8%)	239	892	1,184	4,586	3,778	791
	計	17,446	(67.6%)	280	1,328	1,549	6,476	6,388	1,425
放置可	男	0	(0.0%)	0	0	0	0	0	0
	女	6	(0.0%)	2	2	2	0	0	0
	計	6	(0.0%)	2	2	2	0	0	0
要経過観察	男	3,153	(32.0%)	0	25	57	563	1,784	724
	女	3,912	(24.5%)	3	33	126	960	1,917	873
	計	7,065	(27.4%)	3	58	183	1,523	3,701	1,597
要精密検査	男	460	(4.7%)	0	1	15	151	130	163
	女	404	(2.5%)	1	5	20	172	93	113
	計	864	(3.3%)	1	6	35	323	223	276
要治療	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
治療中	男	252	(2.6%)	0	3	7	77	126	39
	女	174	(1.1%)	0	4	6	62	77	25
	計	426	(1.7%)	0	7	13	139	203	64
合 計	男	9,841		41	465	444	2,681	4,650	1,560
	女	15,966		245	936	1,338	5,780	5,865	1,802
	計	25,807		286	1,401	1,782	8,461	10,515	3,362

市民健診尿検査の性年齢別陽性率

検査項目	性別	総数			35-39歳			40-49歳			50-59歳			60-69歳			70-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
尿蛋白定性	男	9,805	583	5.9	41	0	—	465	13	2.8	444	21	4.7	2,674	143	5.3	4,631	265	5.7	1,550	141	9.1
	女	15,926	333	2.1	244	6	2.5	933	20	2.1	1,336	26	1.9	5,772	100	1.7	5,851	119	2.0	1,790	62	3.5
	計	25,731	916	3.6	285	6	2.1	1,398	33	2.4	1,780	47	2.6	8,446	243	2.9	10,482	384	3.7	3,340	203	6.1
陽性率%																						

市民健診腎機能検査の性年齢別平均値

検査項目	総数			35-39歳			40-49歳			50-59歳			60-69歳			70-79歳			80歳以上		
クレアチニン・ mg/dL	男	9,828	0.94	41	0.82	465	0.85	444	0.88	2,680	0.91	4,641	0.94	1,557	1.01						
	女	15,947	0.68	245	0.62	936	0.63	1,337	0.66	5,778	0.67	5,853	0.69	1,798	0.75						
	計	25,775	0.78	286	0.65	1,401	0.70	1,781	0.71	8,458	0.74	10,494	0.80	3,355	0.87						

市民健診脂質検査判定結果

判 定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
異常なし	男	3,469	(35.3%)	17	141	113	784	1,695	719
	女	4,461	(28.0%)	167	552	445	1,190	1,483	624
	計	7,930	(30.8%)	184	693	558	1,974	3,178	1,343
放置可	男	2,172	(22.1%)	9	90	108	646	1,035	284
	女	3,504	(22.0%)	40	173	299	1,334	1,238	420
	計	5,676	(22.0%)	49	263	407	1,980	2,273	704
要経過観察	男	2,547	(25.9%)	12	162	148	747	1,145	333
	女	4,011	(25.2%)	25	147	400	1,742	1,355	342
	計	6,558	(25.4%)	37	309	548	2,489	2,500	675
要精密検査	男	403	(4.1%)	3	35	22	115	164	64
	女	660	(4.1%)	13	45	80	286	194	42
	計	1,063	(4.1%)	16	80	102	401	358	106
要治療	男	84	(0.9%)	0	13	15	31	22	3
	女	193	(1.2%)	0	5	28	90	63	7
	計	277	(1.1%)	0	18	43	121	85	10
治療中	男	1,153	(11.7%)	0	24	38	357	580	154
	女	3,118	(19.6%)	0	14	85	1,136	1,520	363
	計	4,271	(16.6%)	0	38	123	1,493	2,100	517
合 計	男	9,828		41	465	444	2,680	4,641	1,557
	女	15,947		245	936	1,337	5,778	5,853	1,798
	計	25,775		286	1,401	1,781	8,458	10,494	3,355

市民健診脂質検査の性年齢別平均値

検査項目	総数			35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上	
中性脂肪 mg / dL	男	9,828	119.74	41	93.66	465	134.59	444	148.11	2,680	127.16	4,641	115.98	1,557	106.36
	女	15,947	101.13	245	68.51	936	75.08	1,337	91.91	5,778	103.38	5,853	105.19	1,798	105.58
	計	25,775	108.23	286	72.12	1,401	94.84	1,781	105.92	8,458	110.92	10,494	109.96	3,355	105.94
HDLコレステロール mg / dL	男	9,828	56.68	41	60.12	465	56.22	444	56.23	2,680	57.07	4,641	56.83	1,557	55.73
	女	15,947	66.50	245	68.90	936	69.53	1,337	71.20	5,778	67.23	5,853	65.02	1,798	63.53
	計	25,775	62.75	286	67.64	1,401	65.11	1,781	67.47	8,458	64.01	10,494	61.40	3,355	59.91
LDLコレステロール mg / dL	男	9,828	115.92	41	124.44	465	125.80	444	125.30	2,680	119.19	4,641	114.55	1,557	108.51
	女	15,947	125.16	245	104.73	936	110.47	1,337	129.41	5,778	131.05	5,853	124.01	1,798	117.20
	計	25,775	121.63	286	107.55	1,401	115.56	1,781	128.39	8,458	127.29	10,494	119.83	3,355	113.17

市民健診糖尿病検査判定結果

判 定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
異常なし	男	3,952	(40.9%)	38	261	223	774	1,900	756
	女	7,505	(48.3%)	187	600	695	2,103	2,864	1,056
	計	11,457	(45.5%)	225	861	918	2,877	4,764	1,812
放置可	男	2,708	(28.1%)	12	92	130	679	1,356	439
	女	5,067	(32.6%)	41	150	363	1,928	2,050	535
	計	7,775	(30.8%)	53	242	493	2,607	3,406	974
要経過観察	男	1,240	(12.8%)	1	26	44	291	651	227
	女	1,562	(10.0%)	6	29	71	530	704	222
	計	2,802	(11.1%)	7	55	115	821	1,355	449
要精密検査	男	265	(2.7%)	0	7	10	62	121	65
	女	247	(1.6%)	1	5	8	70	118	45
	計	512	(2.0%)	1	12	18	132	239	110
要治療	男	217	(2.2%)	1	8	15	66	86	41
	女	126	(0.8%)	0	2	12	33	56	23
	計	343	(1.4%)	1	10	27	99	142	64
治療中	男	1,269	(13.1%)	0	8	25	315	701	220
	女	1,045	(6.7%)	0	4	33	302	557	149
	計	2,314	(9.2%)	0	12	58	617	1,258	369
合 計	男	9,651		52	402	447	2,187	4,815	1,748
	女	15,552		235	790	1,182	4,966	6,349	2,030
	計	25,203		287	1,192	1,629	7,153	11,164	3,778

市民健診糖尿病検査の性年齢別平均値

検査項目	総数			35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上	
血糖 m g / d L	男	9,646	103.97	52	94.15	402	96.25	446	98.91	2,187	104.15	4,814	103.90	1,745	107.29
	女	15,546	97.92	235	88.98	790	89.27	1,182	92.90	4,966	96.84	6,347	99.66	2,026	102.44
	計	25,192	100.23	287	89.92	1,192	91.62	1,628	94.55	7,153	99.08	11,161	101.49	3,771	104.68
H b A 1 c (N G S P) %	男	6,201	5.75	52	5.23	402	5.47	446	5.60	2,184	5.78	2,882	5.80	235	5.85
	女	11,493	5.63	235	5.27	790	5.33	1,182	5.50	4,966	5.63	4,049	5.72	271	5.71
	計	17,694	5.67	287	5.27	1,192	5.38	1,628	5.53	7,150	5.68	6,931	5.75	506	5.77

HbA1cは選択検査として実施されている

市民健診尿糖の性年齢別陽性率

検査項目	性別	総数			35-39歳			40-49歳			50-59歳			60-69歳			70-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
尿糖定性	男	9,629	541	5.6	52	0	—	401	14	3.5	447	19	4.3	2,184	149	6.8	4,808	270	5.6	1,737	89	5.1
	女	15,516	230	1.5	235	1	0.4	790	3	0.4	1,182	16	1.4	4,963	75	1.5	6,340	105	1.7	2,006	30	1.5
	計	25,145	771	3.1	287	1	0.3	1,191	17	1.4	1,629	35	2.1	7,147	224	3.1	11,148	375	3.4	3,743	119	3.2

陽性率%

市民健診貧血・血球数判定結果

判 定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-74歳	80歳以上
異常なし	男	88	(64.2%)	2	10	9	33	34	0
	女	726	(71.6%)	22	75	131	328	170	0
	計	814	(70.7%)	24	85	140	361	204	0
放置可	男	17	(12.4%)	0	6	1	3	7	0
	女	67	(6.6%)	1	8	20	18	20	0
	計	84	(7.3%)	1	14	21	21	27	0
要経過観察	男	12	(8.8%)	0	0	2	6	4	0
	女	139	(13.7%)	3	23	17	56	40	0
	計	151	(13.1%)	3	23	19	62	44	0
要精密検査	男	15	(10.9%)	0	0	0	6	9	0
	女	65	(6.4%)	5	31	11	11	7	0
	計	80	(7.0%)	5	31	11	17	16	0
要治療	男	2	(1.5%)	0	0	0	1	1	0
	女	7	(0.7%)	0	5	0	2	0	0
	計	9	(0.8%)	0	5	0	3	1	0
治療中	男	3	(2.2%)	0	0	1	1	1	0
	女	10	(1.0%)	1	0	5	1	3	0
	計	13	(1.1%)	1	0	6	2	4	0
合 計	男	137		2	16	13	50	56	0
	女	1,014		32	142	184	416	240	0
	計	1,151		34	158	197	466	296	0

市民健診貧血・血球数検査の性年齢別平均値

検査項目	総数			35-39歳		40-49歳		50-59歳		60-69歳		70-74歳		80歳以上	
赤血球数・ 万/ μ L	男	137	461.46	2	495.50	16	510.00	13	462.62	50	450.70	56	455.71	0	0.00
	女	1,014	436.21	32	434.53	142	438.11	184	447.85	416	433.70	240	430.72	0	0.00
	計	1,151	439.21	34	438.12	158	445.39	197	448.83	466	435.52	296	435.45	0	0.00
ヘモグロビン・ g/dL	男	137	14.17	2	15.25	16	15.72	13	14.27	50	13.78	56	14.00	0	0.00
	女	1,014	12.91	32	12.40	142	12.12	184	13.24	416	13.04	240	12.98	0	0.00
	計	1,151	13.06	34	12.56	158	12.49	197	13.30	466	13.12	296	13.17	0	0.00
ヘマトクリット・ %	男	137	42.56	2	44.70	16	46.28	13	42.48	50	41.63	56	42.27	0	0.00
	女	1,014	39.46	32	38.02	142	37.73	184	40.36	416	39.70	240	39.58	0	0.00
	計	1,151	39.83	34	38.41	158	38.60	197	40.50	466	39.91	296	40.09	0	0.00

市民健診心電図判定結果

判 定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
異常なし	男	149	(67.1%)	0	5	8	75	61	0
	女	75	(74.3%)	0	0	4	43	28	0
	計	224	(69.3%)	0	5	12	118	89	0
放置可	男	22	(9.9%)	0	0	1	10	11	0
	女	6	(5.9%)	0	0	0	2	4	0
	計	28	(8.7%)	0	0	1	12	15	0
要経過観察	男	43	(19.4%)	0	1	1	24	17	0
	女	14	(13.9%)	0	0	1	6	7	0
	計	57	(17.6%)	0	1	2	30	24	0
要精密検査	男	1	(0.5%)	0	0	0	0	1	0
	女	2	(2.0%)	0	0	0	1	1	0
	計	3	(0.9%)	0	0	0	1	2	0
要治療	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
治療中	男	7	(3.2%)	0	0	0	5	2	0
	女	4	(4.0%)	0	0	0	1	3	0
	計	11	(3.4%)	0	0	0	6	5	0
合計	男	222		0	6	10	114	92	0
	女	101		0	0	5	53	43	0
	計	323		0	6	15	167	135	0

市民健診安静心電図検査所見

所 見	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-74歳	80歳以上	所 見	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-74歳	80歳以上
洞性徐脈	男	2	(0.9%)	0	0	0	1	1	0	心房粗動	男	1	(0.5%)	0	0	0	0	1	0
	女	0	(0.0%)	0	0	0	0	0	0		女	0	(0.0%)	0	0	0	0	0	0
	計	2	(0.6%)	0	0	0	1	1	0		計	1	(0.3%)	0	0	0	0	1	0
洞性頻脈	男	5	(2.3%)	0	0	2	1	2	0	左房負荷疑い	男	1	(0.5%)	0	0	0	1	0	0
	女	1	(1.0%)	0	0	0	1	0	0		女	1	(1.0%)	0	0	0	1	0	0
	計	6	(1.9%)	0	0	2	2	2	0		計	2	(0.6%)	0	0	0	2	0	0
左軸偏位 (-30°以下)	男	4	(1.8%)	0	0	0	2	2	0	左室肥大疑い	男	6	(2.7%)	0	0	0	3	3	0
	女	1	(1.0%)	0	0	0	0	1	0		女	2	(2.0%)	0	0	0	1	1	0
	計	5	(1.5%)	0	0	0	2	3	0		計	8	(2.5%)	0	0	0	4	4	0
第一度房室ブロック	男	10	(4.5%)	0	0	0	7	3	0	S T 低下	男	1	(0.5%)	0	0	0	1	0	0
	女	2	(2.0%)	0	0	0	1	1	0		女	4	(4.0%)	0	0	0	2	2	0
	計	12	(3.7%)	0	0	0	8	4	0		計	5	(1.5%)	0	0	0	3	2	0
不完全右脚ブロック	男	5	(2.3%)	0	0	0	3	2	0	S T - T 異常	男	4	(1.8%)	0	0	0	1	3	0
	女	0	(0.0%)	0	0	0	0	0	0		女	1	(1.0%)	0	0	0	0	1	0
	計	5	(1.5%)	0	0	0	3	2	0		計	5	(1.5%)	0	0	0	1	4	0
完全右脚ブロック	男	10	(4.5%)	0	0	0	3	7	0	異常Q波の疑い	男	3	(1.4%)	0	0	0	3	0	0
	女	1	(1.0%)	0	0	0	0	1	0		女	1	(1.0%)	0	0	1	0	0	0
	計	11	(3.4%)	0	0	0	3	8	0		計	4	(1.2%)	0	0	1	3	0	0
ヘミブロック	男	3	(1.4%)	0	0	0	1	2	0	陰性T波	男	4	(1.8%)	0	1	1	2	0	0
	女	0	(0.0%)	0	0	0	0	0	0		女	5	(5.0%)	0	0	0	2	3	0
	計	3	(0.9%)	0	0	0	1	2	0		計	9	(2.8%)	0	1	1	4	3	0
完全左脚ブロック	男	1	(0.5%)	0	0	0	1	0	0	T波平低化	男	3	(1.4%)	0	1	0	1	1	0
	女	0	(0.0%)	0	0	0	0	0	0		女	1	(1.0%)	0	0	0	0	1	0
	計	1	(0.3%)	0	0	0	1	0	0		計	4	(1.2%)	0	1	0	1	2	0
右室伝導遅延	男	4	(1.8%)	0	0	0	1	3	0	T波増高	男	1	(0.5%)	0	0	0	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0		女	0	(0.0%)	0	0	0	0	0	0
	計	4	(1.2%)	0	0	0	1	3	0		計	1	(0.3%)	0	0	0	1	0	0
上室性期外収縮	男	4	(1.8%)	0	0	0	2	2	0	Q T 延長	男	1	(0.5%)	0	0	0	0	1	0
	女	2	(2.0%)	0	0	0	1	1	0		女	1	(1.0%)	0	0	0	0	1	0
	計	6	(1.9%)	0	0	0	3	3	0		計	2	(0.6%)	0	0	0	0	2	0
心室性期外収縮	男	7	(3.2%)	0	0	0	5	2	0	その他の所見	男	1	(0.5%)	0	0	0	1	0	0
	女	3	(3.0%)	0	0	0	1	2	0		女	2	(2.0%)	0	0	0	0	2	0
	計	10	(3.1%)	0	0	0	6	4	0		計	3	(0.9%)	0	0	0	1	2	0
心房細動	男	1	(0.5%)	0	0	0	1	0	0	検診者総数	男	222		0	6	10	114	92	0
	女	0	(0.0%)	0	0	0	0	0	0		女	101		0	0	5	53	43	0
	計	1	(0.3%)	0	0	0	1	0	0		計	323		0	6	15	167	135	0

市民健診眼底写真判定結果

判 定	総数			40-49歳	50-59歳	60-69歳	70-74歳
異常なし	男	60	(28.6%)	4	6	30	20
	女	23	(28.0%)	0	1	14	8
	計	83	(28.4%)	4	7	44	28
放置可	男	3	(1.4%)	0	0	2	1
	女	0	(0.0%)	0	0	0	0
	計	3	(1.0%)	0	0	2	1
要経過観察	男	105	(50.0%)	1	2	53	49
	女	35	(42.7%)	0	3	21	11
	計	140	(47.9%)	1	5	74	60
要精密検査	男	38	(18.1%)	0	0	17	21
	女	22	(26.8%)	0	1	12	9
	計	60	(20.5%)	0	1	29	30
要治療	男	0	(0.0%)	0	0	0	0
	女	0	(0.0%)	0	0	0	0
	計	0	(0.0%)	0	0	0	0
治療中	男	4	(1.9%)	1	0	1	2
	女	2	(2.4%)	0	0	2	0
	計	6	(2.1%)	1	0	3	2
合計	男	210		6	8	103	93
	女	82		0	5	49	28
	計	292		6	13	152	121

市民健診眼底検査所見

所 見	総数			40-49歳	50-59歳	60-69歳	70-74歳
細動脈狭細化	男	5	(2.4%)	0	1	2	2
	女	2	(2.4%)	0	0	1	1
	計	7	(2.4%)	0	1	3	3
細動脈口径不同	男	0	(0.0%)	0	0	0	0
	女	1	(1.2%)	0	0	0	1
	計	1	(0.3%)	0	0	0	1
網膜白斑	男	11	(5.2%)	0	0	5	6
	女	3	(3.7%)	0	1	2	0
	計	14	(4.8%)	0	1	7	6
眼底出血の疑い	男	5	(2.4%)	0	0	2	3
	女	2	(2.4%)	0	0	1	1
	計	7	(2.4%)	0	0	3	4
細動脈反射増強	男	38	(18.1%)	0	1	18	19
	女	19	(23.2%)	0	1	9	9
	計	57	(19.5%)	0	2	27	28
動静脈交叉現象	男	40	(19.0%)	1	0	19	20
	女	15	(18.3%)	0	0	9	6
	計	55	(18.8%)	1	0	28	26
斑状出血	男	0	(0.0%)	0	0	0	0
	女	1	(1.2%)	0	0	1	0
	計	1	(0.3%)	0	0	1	0
白内障の疑い	男	87	(41.4%)	1	0	38	48
	女	31	(37.8%)	0	2	19	10
	計	118	(40.4%)	1	2	57	58
視神経乳頭異常の疑い	男	4	(1.9%)	0	0	4	0
	女	2	(2.4%)	0	0	1	1
	計	6	(2.1%)	0	0	5	1
網脈絡膜癒痕巣の疑い	男	1	(0.5%)	0	0	1	0
	女	0	(0.0%)	0	0	0	0
	計	1	(0.3%)	0	0	1	0
瞳孔の開き不十分	男	4	(1.9%)	0	0	1	3
	女	2	(2.4%)	0	0	0	2
	計	6	(2.1%)	0	0	1	5
黄斑部異常の疑い	男	6	(2.9%)	0	0	3	3
	女	2	(2.4%)	0	0	2	0
	計	8	(2.7%)	0	0	5	3
網膜神経線維層欠損の疑い	男	5	(2.4%)	0	0	3	2
	女	4	(4.9%)	0	0	2	2
	計	9	(3.1%)	0	0	5	4
ドルーゼン	男	0	(0.0%)	0	0	0	0
	女	1	(1.2%)	0	0	0	1
	計	1	(0.3%)	0	0	0	1
その他の所見	男	3	(1.4%)	0	0	1	2
	女	1	(1.2%)	0	0	1	0
	計	4	(1.4%)	0	0	2	2
検診者総数	男	210		6	8	103	93
	女	82		0	5	49	28
	計	292		6	13	152	121

結核・肺がん検診判定結果

判 定		総数		40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
異常なし	男	6,017	(66.3%)	367	347	1,848	2,783	672
	女	10,563	(73.2%)	731	1,002	4,141	3,829	860
	計	16,580	(70.6%)	1,098	1,349	5,989	6,612	1,532
異常所見あるも 精査不要	男	2,750	(30.3%)	60	68	572	1,386	664
	女	3,466	(24.0%)	70	184	1,072	1,435	705
	計	6,216	(26.4%)	130	252	1,644	2,821	1,369
要精密検査	結核の疑い	男	0	(0.0%)	0	0	0	0
		女	0	(0.0%)	0	0	0	0
		計	0	(0.0%)	0	0	0	0
	結核以外 の疑い	男	122	(1.3%)	1	8	27	30
		女	129	(0.9%)	1	8	34	26
		計	251	(1.1%)	2	16	61	56
	肺がん の疑い	男	168	(1.9%)	1	6	48	76
		女	266	(1.8%)	2	14	89	129
		計	434	(1.8%)	3	20	137	205
定期的に健診を 要す	男	13	(0.1%)	0	1	3	8	1
	女	7	(0.0%)	0	0	1	5	1
	計	20	(0.1%)	0	1	4	13	2
合計	男	9,070		429	430	2,498	4,309	1,404
	女	14,431		804	1,208	5,337	5,458	1,624
	計	23,501		1,233	1,638	7,835	9,767	3,028

肺がん検診細胞診検査所見

所 見	総数			40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
B 1 (C l a s s I (異常なし))	男	15	(7.3%)	0	1	6	7	1
	女	2	(18.2%)	0	0	0	2	0
	計	17	(7.9%)	0	1	6	9	1
B 2 (C l a s s II (悪性所見なし))	男	189	(92.2%)	0	16	66	101	6
	女	9	(81.8%)	0	2	1	5	1
	計	198	(91.7%)	0	18	67	106	7
C (C l a s s III a)	男	1	(0.5%)	0	0	0	1	0
	女	0	(0.0%)	0	0	0	0	0
	計	1	(0.5%)	0	0	0	1	0
検診者総数	男	205		0	17	72	109	7
	女	11		0	2	1	7	1
	計	216		0	19	73	116	8

結核・肺がん胸部X線検査所見

所 見	総数			40-49歳	50-59歳	60-69歳	70-79歳	80歳以上	所 見	総数			40-49歳	50-59歳	60-69歳	70-79歳	80歳以上		
心陰影拡大	男	177	(1.9%)	1	5	29	92	50	胸水陰影	男	27	(0.3)	0	0	1	17	9		
	女	193	(1.3%)	2	1	47	86	57		女	12	(0.1)	0	1	1	3	7		
	計	370	(1.6%)	3	6	76	178	107		計	39	(0.2)	0	1	2	20	16		
肺門陰影拡大	男	30	(0.3%)	1	0	4	17	8	上葉縮小	男	21	(0.2)	0	1	5	12	3		
	女	35	(0.2%)	0	1	8	18	8		女	13	(0.1)	1	0	3	6	3		
	計	65	(0.3%)	1	1	12	35	16		計	34	(0.1)	1	1	8	18	6		
肺紋理増強	男	5	(0.1%)	0	0	1	3	1	横隔膜高位	男	186	(2.0)	4	5	35	86	56		
	女	4	(0.0%)	0	0	0	1	3		女	164	(1.1)	3	4	44	62	51		
	計	9	(0.0%)	0	0	1	4	4		計	350	(1.5)	7	9	79	148	107		
線状陰影	男	306	(3.4%)	8	9	72	138	79	胸部手術	男	32	(0.4)	0	1	3	22	6		
	女	321	(2.2%)	6	11	109	133	62		女	24	(0.2)	1	1	7	12	3		
	計	627	(2.7%)	14	20	181	271	141		計	56	(0.2)	1	2	10	34	9		
帯状陰影	男	153	(1.7%)	3	5	37	80	28	胸郭形成	男	7	(0.1)	0	0	0	3	4		
	女	163	(1.1%)	2	4	60	69	28		女	6	(0.0)	0	1	0	2	3		
	計	316	(1.3%)	5	9	97	149	56		計	13	(0.1)	0	1	0	5	7		
大動脈蛇行	男	104	(1.1%)	0	1	24	47	32	陳旧性肺結核 の疑い	男	24	(0.3)	0	2	3	9	10		
	女	196	(1.4%)	0	2	30	97	67		女	22	(0.2)	0	1	4	11	6		
	計	300	(1.3%)	0	3	54	144	99		計	46	(0.2)	0	3	7	20	16		
微細斑点状陰影	男	116	(1.3%)	2	0	13	56	45	肺気腫 の疑い	男	324	(3.6)	14	15	91	158	46		
	女	201	(1.4%)	6	8	70	89	28		女	88	(0.6)	7	16	34	24	7		
	計	317	(1.3%)	8	8	83	145	73		計	412	(1.7)	21	31	125	182	53		
心臓手術後	男	31	(0.3%)	0	1	3	17	10	慢性気管支炎 の疑い	男	6	(0.1)	0	0	2	4	0		
	女	23	(0.2%)	0	3	2	11	7		女	3	(0.0)	0	0	1	1	1		
	計	54	(0.2%)	0	4	5	28	17		計	9	(0.0)	0	0	3	5	1		
粒状陰影	男	10	(0.1%)	0	0	2	6	2	気管支拡張症 の疑い	男	14	(0.2)	0	0	1	11	2		
	女	8	(0.1%)	0	0	3	4	1		女	25	(0.2)	0	1	10	8	6		
	計	18	(0.1%)	0	0	5	10	3		計	39	(0.2)	0	1	11	19	8		
結節陰影	男	410	(4.5%)	4	18	93	202	93	間質性肺炎 の疑い	男	128	(1.4)	1	1	16	66	44		
	女	572	(3.9%)	6	26	180	264	96		女	26	(0.2)	0	0	3	16	7		
	計	982	(4.2%)	10	44	273	466	189		計	154	(0.7)	1	1	19	82	51		
円形陰影	男	16	(0.2%)	0	1	4	8	3	塵肺の疑い	男	1	(0.0)	0	0	0	1	0		
	女	37	(0.3%)	0	6	13	12	6		女	0	(0.0)	0	0	0	0	0		
	計	53	(0.2%)	0	7	17	20	9		計	1	(0.0)	0	0	0	1	0		
塊状陰影	男	36	(0.4%)	0	1	8	12	15	胸椎側弯	男	177	(1.9)	4	6	40	80	47		
	女	43	(0.3%)	0	1	14	18	10		女	652	(4.5)	17	41	169	260	165		
	計	79	(0.3%)	0	2	22	30	25		計	829	(3.5)	21	47	209	340	212		
浸潤陰影	男	240	(2.6%)	4	6	37	116	77	キライディ ティ症候群	男	32	(0.4)	0	0	2	17	13		
	女	256	(1.8%)	1	8	61	122	64		女	5	(0.0)	0	0	2	3	0		
	計	496	(2.1%)	5	14	98	238	141		計	37	(0.2)	0	0	4	20	13		
網目状陰影	男	111	(1.2%)	0	0	12	56	43	縦隔腫大	男	6	(0.1)	0	1	1	4	0		
	女	34	(0.2%)	0	0	7	14	13		女	4	(0.0)	0	0	0	2	2		
	計	145	(0.6%)	0	0	19	70	56		計	10	(0.0)	0	1	1	6	2		
石灰化陰影	男	411	(4.5%)	5	6	65	206	129	食道裂孔 ヘルニア	男	23	(0.3)	0	1	7	7	8		
	女	468	(3.2%)	6	9	104	219	130		女	106	(0.7)	0	2	11	49	44		
	計	879	(3.7%)	11	15	169	425	259		計	129	(0.5)	0	3	18	56	52		
空洞陰影	男	5	(0.1%)	0	1	1	2	1	右大動脈弓	男	3	(0.0)	0	0	1	1	1		
	女	13	(0.1%)	0	0	4	8	1		女	6	(0.0)	0	0	2	2	2		
	計	18	(0.1%)	0	1	5	10	2		計	9	(0.0)	0	0	3	3	3		
嚢胞陰影	男	62	(0.7%)	4	7	17	28	6	肺手術後	男	30	(0.3)	2	0	6	14	8		
	女	21	(0.1%)	0	1	7	7	6		女	16	(0.1)	0	0	3	5	8		
	計	83	(0.4%)	4	8	24	35	12		計	46	(0.2)	2	0	9	19	16		
無気肺陰影	男	11	(0.1%)	0	0	1	4	6	炎症後変化	男	147	(1.6)	3	3	30	75	36		
	女	7	(0.0%)	0	0	2	4	1		女	280	(1.9)	10	24	126	91	29		
	計	18	(0.1%)	0	0	3	8	7		計	427	(1.8)	13	27	156	166	65		
気腫様陰影	男	5	(0.1%)	0	0	1	2	2	肋骨癒合	男	2	(0.0)	0	0	0	1	1		
	女	2	(0.0%)	0	0	1	1	0		女	1	(0.0)	0	0	0	0	1		
	計	7	(0.0%)	0	0	2	3	2		計	3	(0.0)	0	0	0	1	2		
胸膜肥厚	男	640	(7.0%)	13	16	139	334	138	サリガラス陰影	男	10	(0.1)	0	1	1	7	1		
	女	841	(5.8%)	16	60	350	299	116		女	9	(0.1)	0	0	2	6	1		
	計	1,481	(6.3%)	29	76	489	633	254		計	19	(0.1)	0	1	3	13	2		
胸膜癒着	男	403	(4.4%)	5	6	78	203	111	その他 (肺所見)	男	57	(0.6)	0	1	15	20	21		
	女	298	(2.1%)	2	10	78	128	80		女	52	(0.4)	1	2	14	20	15		
	計	701	(3.0%)	7	16	156	331	191		計	109	(0.5)	1	3	29	40	36		
									検診者総数	男	9,120		432	432	2,510	4,333	1,413		
											女	14,484		805	1,208	5,355	5,478	1,638	
											計	23,604		1,237	1,640	7,865	9,811	3,051	

市民健診前立腺がん検診判定結果

判 定	総数		50-59歳	60-69歳	70-79歳	80歳以上
異常なし	4,493	(85.6%)	222	1,261	2,383	627
放置可	0	(0.0%)	0	0	0	0
要経過観察	0	(0.0%)	0	0	0	0
要精密検査	430	(8.2%)	4	105	233	88
要治療	0	(0.0%)	0	0	0	0
治療中	327	(6.2%)	3	51	190	83
合計	5,250		229	1,417	2,806	798

市民健診前立腺がん検診P S A の年齢別平均値

検査項目	総数		50-59歳		60-69歳		70-79歳		80歳以上	
P S A ■ n g / m L	5,250	2.03	229	1.22	1,417	1.91	2,806	2.05	798	2.4

児童・生徒を対象とした健診

児童・生徒の腎臓健診受診者の尿所見

検査項目	性別	総 数		
		受診者数	陽性者数	陽性率
尿 糖	男	21,693	26	0.12%
	女	21,232	18	0.08%
	計	42,925	44	0.10%
尿蛋白	男	21,693	348	1.60%
	女	21,232	258	1.22%
	計	42,925	606	1.41%
尿潜血	男	21,693	171	0.79%
	女	21,232	582	2.74%
	計	42,925	753	1.75%

児童・生徒の心臓検査所見 (経過観察者を除く)

判 定		人 数	
心臓の異常	心 房 中 隔 欠 損	9	0.1%
	心 室 中 隔 欠 損	22	0.1%
	肺 動 脈 狭 窄	13	0.1%
	動 脈 管 開 存	4	0.0%
	フ ァ ロ ー 四 徴	0	0.0%
	先 天 性 心 疾 患（位置異常）	0	0.0%
	先 天 性 心 疾 患（その他）	4	0.0%
	大 動 脈 弁 疾 患	4	0.0%
	僧 帽 弁 疾 患	8	0.0%
	三 尖 弁 疾 患	6	0.0%
	心 筋 症	1	0.0%
	虚 血 性 心 疾 患	0	0.0%
	心 臓 手 術 後	84	0.5%
	そ の 他	9	0.1%
計	164	1.0%	
その他の異常	胸 郭 変 形	1	0.0%
	先 天 性 心 疾 患 の 自 然 閉 鎖	48	0.3%
	川 崎 病 後	238	1.5%
	高 血 圧	0	0.0%
	そ の 他	11	0.1%
	計	298	1.8%
受 診 者 数 合 計		16,287	

児童・生徒のすこやか検診（血液検査）結果

	性別	肥 満	血 清 ・ 脂 質				肝機能	貧 血			白 血 球		血小板
		肥満度	総コレステロール	中性脂肪	HDLコレステロール	動脈硬化 指 数	G P T	赤血球数	ヘモグロビン	ヘマトクリット	白 血 球 数		血小板数
											4.3未満	15.1以上	
対 象 者	男	2,242	2,242	2,242	2,242	2,242	2,242	2,242	2,242	2,242	2,242	2,242	2,242
	女	2,211	2,211	2,211	2,211	2,211	2,211	2,211	2,211	2,211	2,211	2,211	2,211
	計	4,453	4,453	4,453	4,453	4,453	4,453	4,453	4,453	4,453	4,453	4,453	4,453
受 診 者	男	1,861	1,861	1,861	1,861	1,861	1,861	1,861	1,861	1,861	1,861	1,861	1,861
	女	1,885	1,885	1,885	1,885	1,885	1,885	1,885	1,885	1,885	1,885	1,885	1,885
	計	3,746	3,746	3,746	3,746	3,746	3,746	3,746	3,746	3,746	3,746	3,746	3,746
要 経 観 察 者 数 (%)	男	185	238	55	97	-	24	6	35	11	-	-	-
		(9.9)	(12.8)	(3.0)	(5.2)	(1.3)	(0.3)	(1.9)	(0.6)				
	女	145	221	42	82	-	12	12	36	5	-	-	-
(7.7)		(11.7)	(2.2)	(4.4)	(0.6)	(0.6)	(1.9)	(0.3)					
計	330	459	97	179	-	36	18	71	16	-	-	-	
	(8.8)	(12.3)	(2.6)	(4.8)	(1.0)	(0.5)	(1.9)	(0.4)					
要 精 密 検 査 数 (%)	男	46	41	21	0	12	44	0	5	6	20	2	2
		(2.5)	(2.2)	(1.1)	(0.0)	(0.6)	(2.4)	(0.0)	(0.3)	(0.3)	(1.1)	(0.1)	(0.1)
	女	41	38	25	0	20	12	0	5	6	24	3	1
(2.2)		(2.0)	(1.3)	(0.0)	(1.1)	(0.6)	(0.0)	(0.3)	(0.3)	(1.3)	(0.2)	(0.1)	
計	87	79	46	0	32	56	0	10	12	44	5	3	
	(2.3)	(2.1)	(1.2)	(0.0)	(0.9)	(1.5)	(0.0)	(0.3)	(0.3)	(1.2)	(0.1)	(0.1)	