

前立腺検査の判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	5,036	(94.1%)	2	11	67	347	2,859	1,425	325
放置可	0	(0.0%)	0	0	0	0	0	0	0
要経過観察	5	(0.1%)	0	0	0	0	4	1	0
要精密検査	179	(3.3%)	0	0	0	4	60	89	26
要治療	0	(0.0%)	0	0	0	0	0	0	0
治療中	134	(2.5%)	0	0	0	2	31	66	35
合計	5,354		2	11	67	353	2,954	1,581	386

PSAの年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
PSA ng/mL	5,354	1.36	13	0.78	67	0.81	353	0.98	2,954	1.2	1,581	1.63	386	1.97

骨密度検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	216 (50.8%)	0	0	9	12	31	100	64
	女	966 (41.5%)	36	11	95	215	355	194	60
	計	1,182 (42.9%)	36	11	104	227	386	294	124
放置可	男	36 (8.5%)	0	3	2	14	11	6	0
	女	248 (10.7%)	0	8	69	146	25	0	0
	計	284 (10.3%)	0	11	71	160	36	6	0
要経過観察	男	144 (33.9%)	0	2	3	8	23	62	46
	女	778 (33.4%)	0	3	31	109	233	272	130
	計	922 (33.5%)	0	5	34	117	256	334	176
要精密検査	男	24 (5.6%)	0	0	0	2	5	10	7
	女	231 (9.9%)	0	0	1	4	46	106	74
	計	255 (9.3%)	0	0	1	6	51	116	81
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	5 (1.2%)	0	0	0	0	0	1	4
	女	105 (4.5%)	0	0	0	1	15	50	39
	計	110 (4.0%)	0	0	0	1	15	51	43
合計	男	425	0	5	14	36	70	179	121
	女	2,328	36	22	196	475	674	622	303
	計	2,753	36	27	210	511	744	801	424

超音波骨密度検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
若年比較・ %	男	425 94.3	5 90.0	14 101.9	36 97.5	70 94.9	179 94.3	121 92.3						
	女	2,328 92.7	58 116.2	196 100.1	475 98.3	674 93.6	622 87.0	303 84.5						
	計	2,753 93.0	63 114.1	210 100.2	511 98.3	744 93.7	801 88.6	424 86.7						
同年比較・ %	男	425 102.6	5 88.4	14 103.1	36 100.3	70 100.6	179 103.2	121 104.0						
	女	2,328 102.2	58 115.9	196 100.2	475 99.3	674 103.1	622 102.4	303 103.0						
	計	2,753 102.3	63 113.7	210 100.4	511 99.3	744 102.9	801 102.6	424 103.3						
OSI×100万	男	425 2.8	5 2.6	14 3.0	36 2.8	70 2.8	179 2.7	121 2.7						
	女	2,328 2.5	58 3.1	196 2.7	475 2.7	674 2.5	622 2.4	303 2.3						
	計	2,753 2.5	63 3.1	210 2.7	511 2.7	744 2.6	801 2.4	424 2.4						