

上部消化管検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	
	男	女								
異常なし	男	13,372	(75.9%)	4	273	2,433	4,614	3,951	1,791	306
	女	7,402	(71.2%)	5	79	1,303	2,768	2,159	900	188
	計	20,774	(74.2%)	9	352	3,736	7,382	6,110	2,691	494
放置可	男	1,445	(8.2%)	0	2	160	453	456	295	79
	女	1,181	(11.4%)	0	1	107	428	414	186	45
	計	2,626	(9.4%)	0	3	267	881	870	481	124
要経過観察	男	2,069	(11.7%)	0	4	228	559	679	459	140
	女	1,330	(12.8%)	0	3	140	432	431	249	75
	計	3,399	(12.1%)	0	7	368	991	1,110	708	215
要精密検査	男	675	(3.8%)	0	9	69	167	209	164	57
	女	459	(4.4%)	0	1	53	127	144	111	23
	計	1,134	(4.0%)	0	10	122	294	353	275	80
要治療	男	35	(0.2%)	0	0	3	9	15	6	2
	女	19	(0.2%)	0	0	2	3	8	5	1
	計	54	(0.2%)	0	0	5	12	23	11	3
治療中	男	20	(0.1%)	0	0	1	3	5	9	2
	女	1	(0.0%)	0	0	0	0	1	0	0
	計	21	(0.1%)	0	0	1	3	6	9	2
合計	男	17,616		4	288	2,894	5,805	5,315	2,724	586
	女	10,392		5	84	1,605	3,758	3,157	1,451	332
	計	28,008		9	372	4,499	9,563	8,472	4,175	918

胃内視鏡検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	
	男	女								
十二指腸潰瘍	男	5	(0.2%)	0	0	0	2	2	1	0
	女	3	(0.2%)	0	0	0	0	2	0	1
	計	8	(0.2%)	0	0	0	2	4	1	1
慢性胃炎	男	322	(15.8%)	0	0	23	80	120	90	9
	女	114	(9.5%)	0	0	5	31	55	17	6
	計	436	(13.4%)	0	0	28	111	175	107	15
食道裂孔ヘルニア	男	516	(25.3%)	0	0	63	178	187	79	9
	女	131	(10.9%)	0	0	13	48	49	18	3
	計	647	(19.9%)	0	0	76	226	236	97	12
十二指腸潰瘍瘢痕	男	57	(2.8%)	0	0	4	14	24	12	3
	女	18	(1.5%)	0	0	1	1	11	2	3
	計	75	(2.3%)	0	0	5	15	35	14	6
萎縮性胃炎	男	213	(10.4%)	0	0	15	47	69	69	13
	女	113	(9.4%)	0	0	6	30	35	36	6
	計	326	(10.0%)	0	0	21	77	104	105	19
逆流性食道炎	男	362	(17.7%)	0	0	37	119	134	68	4
	女	49	(4.1%)	0	0	5	14	21	7	2
	計	411	(12.7%)	0	0	42	133	155	75	6
慢性十二指腸炎	男	1	(0.0%)	0	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	1	(0.0%)	0	1	0	0	0	0	0
びらん性胃炎	男	142	(7.0%)	0	0	18	49	49	21	5
	女	51	(4.2%)	0	0	5	18	14	13	1
	計	193	(5.9%)	0	0	23	67	63	34	6
タコイボびらん	男	1	(0.0%)	0	0	0	1	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	1	0	0	0
憩室	男	9	(0.4%)	0	0	0	0	7	1	1
	女	9	(0.7%)	0	0	1	3	2	2	1
	計	18	(0.6%)	0	0	1	3	9	3	2
胃潰瘍	男	4	(0.2%)	0	0	0	1	1	2	0
	女	2	(0.2%)	0	0	0	0	1	1	0
	計	6	(0.2%)	0	0	0	1	2	3	0
胃潰瘍瘢痕	男	23	(1.1%)	0	0	2	2	11	6	2
	女	10	(0.8%)	0	0	0	3	2	5	0
	計	33	(1.0%)	0	0	2	5	13	11	2
ポリープ	男	428	(21.0%)	0	0	43	130	168	78	9
	女	416	(34.6%)	0	0	46	164	158	45	3
	計	844	(26.0%)	0	0	89	294	326	123	12
粘膜下腫瘍	男	40	(2.0%)	0	0	3	9	18	7	3
	女	20	(1.7%)	0	0	1	7	7	0	5
	計	60	(1.8%)	0	0	4	16	25	7	8
腸上皮化生	男	2	(0.1%)	0	0	0	1	0	1	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	2	(0.1%)	0	0	0	1	0	1	0
その他の所見 (十二指腸所見)	男	167	(8.2%)	0	0	13	49	64	38	3
	女	28	(2.3%)	0	0	1	8	16	2	1
	計	195	(6.0%)	0	0	14	57	80	40	4
その他の所見 (胃所見)	男	495	(24.3%)	0	0	43	132	182	115	23
	女	230	(19.1%)	0	0	21	63	95	42	9
	計	725	(22.3%)	0	0	64	195	277	157	32
その他の所見 (食道所見)	男	157	(7.7%)	0	1	20	47	54	34	1
	女	72	(6.0%)	0	0	10	29	22	11	0
	計	229	(7.1%)	0	1	30	76	76	45	1
検診者総数	男	2,041		0	2	246	669	710	367	47
	女	1,204		0	3	151	456	418	156	20
	計	3,245		0	5	397	1,125	1,128	523	67

胃部X線検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上			
	男	女									男	女										
胃 部	男	13	(0.1%)	0	0	0	1	5	5	2	食 道 部	男	2	(0.0%)	0	0	0	1	0	1	0	
	女	0	(0.0%)	0	0	0	0	0	0	0		女	0	(0.0%)	0	0	0	0	0	0	0	
	計	13	(0.1%)	0	0	0	1	5	5	2		計	2	(0.0%)	0	0	0	1	0	1	0	
伸展不良	男	7	(0.1%)	0	0	0	2	4	1	0	拡張	男	12	(0.1%)	0	0	1	5	5	0	1	
	女	3	(0.0%)	0	0	0	0	0	2	1		女	2	(0.0%)	0	0	0	1	0	0		
	計	10	(0.1%)	0	0	0	2	4	3	1		計	15	(0.1%)	0	0	3	6	5	0	1	
壁硬化	男	32	(0.3%)	0	0	1	12	6	9	4	造影不良	男	1	(0.0%)	0	0	0	0	0	0	1	
	女	6	(0.1%)	0	0	0	2	2	2	0		女	1	(0.0%)	0	0	0	0	0	1		
	計	38	(0.2%)	0	0	1	14	8	11	4		計	2	(0.0%)	0	0	0	0	0	2		
辺縁不整	男	100	(0.9%)	0	0	9	16	33	28	14	狭窄	男	70	(0.6%)	0	0	3	8	16	24	19	
	女	10	(0.1%)	0	0	0	2	2	4	2		食道裂孔ヘルニア	女	13	(0.2%)	0	0	1	2	3	4	3
	計	110	(0.6%)	0	0	9	18	35	32	16		計	83	(0.5%)	0	0	4	10	19	28	22	
変形	男	39	(0.4%)	0	1	3	11	6	11	7	食道炎の疑い	男	42	(0.4%)	0	0	6	11	13	9	3	
	女	12	(0.2%)	0	0	1	0	3	6	2		食道潰瘍の疑い	女	15	(0.2%)	0	0	1	2	5	3	4
	計	51	(0.3%)	0	1	4	11	9	17	9		計	57	(0.3%)	0	0	7	13	18	12	7	
粘膜不整	男	7	(0.1%)	0	0	0	0	4	3	0	食道潰瘍の疑い	男	1	(0.0%)	0	0	0	0	1	0	0	
	女	1	(0.0%)	0	0	1	0	0	0	0		女	0	(0.0%)	0	0	0	0	0	0		
	計	8	(0.0%)	0	0	1	0	4	3	0		計	1	(0.0%)	0	0	0	0	1	0		
ニッシュ	男	23	(0.2%)	0	0	1	4	7	10	1	その他の所見	男	18	(0.2%)	0	0	3	4	1	5	5	
	女	7	(0.1%)	0	0	2	2	2	1	0		レリーフ集中像	女	13	(0.2%)	0	0	0	2	3	6	2
	計	30	(0.2%)	0	0	3	6	9	11	1		計	31	(0.2%)	0	0	3	6	4	11	7	
レリーフ集中像	男	4	(0.0%)	0	0	0	2	1	1	0	十二指腸部	男	229	(2.1%)	0	2	14	63	63	66	21	
	女	2	(0.0%)	0	0	0	0	0	0	2		十二指腸部変形	女	25	(0.4%)	0	0	1	4	8	9	3
	計	6	(0.0%)	0	0	0	2	1	1	2		計	254	(1.4%)	0	2	15	67	71	75	24	
レリーフ異常	男	33	(0.3%)	0	0	5	9	9	6	4	十二指腸潰瘍の疑い	男	9	(0.1%)	0	0	0	5	2	2	0	
	女	13	(0.2%)	0	0	4	3	3	2	1		女	2	(0.0%)	0	0	1	1	0	0		
	計	46	(0.3%)	0	0	9	12	12	8	5		計										