

前立腺検査の判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	4,900	(94.3%)	1	15	60	330	2,674	1,444	376
放置可	0	(0.0%)	0	0	0	0	0	0	0
要経過観察	4	(0.1%)	0	0	0	0	1	2	1
要精密検査	189	(3.6%)	0	1	0	0	66	89	33
要治療	0	(0.0%)	0	0	0	0	0	0	0
治療中	101	(1.9%)	0	0	0	2	27	49	23
合計	5,194		1	16	60	332	2,768	1,584	433

P S A の年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
PSA ng/mL	5,194	1.35	17	1.22	60	0.88	332	0.93	2,768	1.21	1,584	1.57	433	1.87

骨密度検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	208 (50.7%)	0	1	5	15	28	77	82
	女	840 (40.6%)	1	14	84	225	297	163	56
	計	1,048 (42.3%)	1	15	89	240	325	240	138
放置可	男	27 (6.6%)	0	0	3	9	10	5	0
	女	264 (12.8%)	0	7	69	151	37	0	0
	計	291 (11.7%)	0	7	72	160	47	5	0
要経過観察	男	138 (33.7%)	0	2	2	13	25	50	46
	女	653 (31.5%)	0	0	40	80	199	211	123
	計	791 (31.9%)	0	2	42	93	224	261	169
要精密検査	男	35 (8.5%)	0	0	0	3	2	17	13
	女	214 (10.3%)	0	0	0	9	49	89	67
	計	249 (10.0%)	0	0	0	12	51	106	80
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	2 (0.5%)	0	0	0	0	0	1	1
	女	99 (4.8%)	0	0	0	5	14	45	35
	計	101 (4.1%)	0	0	0	5	14	46	36
合計	男	410	0	3	10	40	65	150	142
	女	2,070	1	21	193	470	596	508	281
	計	2,480	1	24	203	510	661	658	423

超音波骨密度検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
若年比較 %	男	410 93.8	3	91.3	10	102.8	40	95.9	65	94.9	150	93.1	142	92.9
	女	2,070 92.5	22	108.3	193	99.1	470	99.3	596	92.8	508	86.8	281	84.8
	計	2,480 92.7	25	106.2	203	99.3	510	99.1	661	93.0	658	88.2	423	87.5
同年比較 %	男	410 102.4	3	88.7	10	103.6	40	98.9	65	100.7	150	102.1	142	104.8
	女	2,070 101.7	22	108.2	193	99.2	470	100.3	596	102.1	508	102.2	281	103.6
	計	2,480 101.8	25	105.9	203	99.5	510	100.2	661	102.0	658	102.2	423	104.0
OSI×100万	男	410 2.7	3	2.7	10	3.0	40	2.8	65	2.8	150	2.7	142	2.7
	女	2,070 2.5	22	2.9	193	2.7	470	2.7	596	2.5	508	2.3	281	2.3
	計	2,480 2.5	25	2.9	203	2.7	510	2.7	661	2.5	658	2.4	423	2.4