

動脈硬化検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	113 (14.9%)	0	2	10	59	34	6	2
	女	100 (19.1%)	0	1	6	49	37	7	0
	計	213 (16.6%)	0	3	16	108	71	13	2
放置可	男	88 (11.6%)	0	0	4	38	45	1	0
	女	85 (16.2%)	0	0	1	37	34	13	0
	計	173 (13.5%)	0	0	5	75	79	14	0
要経過観察	男	494 (65.2%)	0	0	7	101	224	135	27
	女	315 (60.1%)	0	0	4	40	131	119	21
	計	809 (63.1%)	0	0	11	141	355	254	48
要精密検査	男	60 (7.9%)	0	0	0	4	18	26	12
	女	23 (4.4%)	0	0	0	0	2	13	8
	計	83 (6.5%)	0	0	0	4	20	39	20
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	3 (0.4%)	0	0	0	0	0	1	2
	女	1 (0.2%)	0	0	0	0	1	0	0
	計	4 (0.3%)	0	0	0	0	1	1	2
合計	男	758	0	2	21	202	321	169	43
	女	524	0	1	11	126	205	152	29
	計	1,282	0	3	32	328	526	321	72

頸部動脈超音波検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
プラーク個数	男	758 (100.0%)	0	2	21	202	321	169	43
	女	524 (100.0%)	0	1	11	126	205	152	29
	計	1,282 (100.0%)	0	3	32	328	526	321	72
頸動脈の内腔狭窄 (50-75%)	男	18 (2.4%)	0	0	0	1	6	8	3
	女	2 (0.4%)	0	0	0	0	0	2	0
	計	20 (1.6%)	0	0	0	1	6	10	3
総頸動脈内径拡大	男	1 (0.1%)	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	1
頸動脈描出不良	男	35 (4.6%)	0	0	0	11	16	8	0
	女	6 (1.1%)	0	0	0	2	1	3	0
	計	41 (3.2%)	0	0	0	13	17	11	0
不安定プラーク (III b)	男	1 (0.1%)	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	1	0
総頸動脈壁肥厚	男	40 (5.3%)	0	0	0	4	14	15	7
	女	7 (1.3%)	0	0	0	0	2	3	2
	計	47 (3.7%)	0	0	0	4	16	18	9
その他 (頸部超音波所見)	男	3 (0.4%)	0	0	0	1	0	2	0
	女	3 (0.6%)	0	0	0	0	3	0	0
	計	6 (0.5%)	0	0	0	1	3	2	0
検診者総数	男	758	0	2	21	202	321	169	43
	女	524	0	1	11	126	205	152	29
	計	1,282	0	3	32	328	526	321	72

頸部動脈超音波検査の計測値の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
平均IMT 右 mm	男	758	0.8	2	0.5	21	0.6	202	0.7	321	0.8	169	0.9	43	1.0
	女	524	0.7	1	0.5	11	0.6	126	0.6	205	0.7	152	0.8	29	0.8
	計	1,282	0.7	3	0.5	32	0.6	328	0.6	526	0.7	321	0.8	72	0.9
平均IMT 左 mm	男	758	0.8	2	0.5	21	0.6	202	0.7	321	0.8	169	0.9	43	1.0
	女	524	0.7	1	0.5	11	0.7	126	0.6	205	0.7	152	0.8	29	0.9
	計	1,282	0.8	3	0.5	32	0.6	328	0.7	526	0.8	321	0.9	72	1.0
最大IMT 右 mm	男	758	1.4	2	0.7	21	1.1	202	1.2	321	1.4	169	1.7	43	1.9
	女	524	1.2	1	0.9	11	1.1	126	1.1	205	1.2	152	1.4	29	1.6
	計	1,282	1.4	3	0.8	32	1.1	328	1.1	526	1.4	321	1.5	72	1.8
最大IMT 左 mm	男	758	1.5	2	0.8	21	1.0	202	1.2	321	1.5	169	1.7	43	1.9
	女	524	1.3	1	1.0	11	1.1	126	1.1	205	1.3	152	1.5	29	1.6
	計	1,282	1.4	3	0.8	32	1.0	328	1.2	526	1.4	321	1.6	72	1.8

血圧脈波検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
ABI検査 右	男	744	1.2	2	1.1	21	1.2	202	1.1	314	1.2	166	1.2	39	1.2
	女	506	1.1	1	1.1	11	1.1	124	1.1	195	1.1	147	1.1	28	1.1
	計	1,250	1.1	3	1.1	32	1.1	326	1.1	509	1.1	313	1.1	67	1.2
ABI検査 左	男	744	1.1	2	1.1	21	1.1	202	1.1	314	1.2	166	1.1	39	1.2
	女	506	1.1	1	1.1	11	1.1	124	1.1	195	1.1	147	1.1	28	1.1
	計	1,250	1.1	3	1.1	32	1.1	326	1.1	509	1.1	313	1.1	67	1.1
PWV検査 右 cm/s	男	744	1439.4	2	1112.0	21	1309.1	202	1313.9	314	1412.9	166	1580.7	39	1788.1
	女	506	1386.6	1	1060.0	11	1202.7	124	1192.9	195	1357.2	147	1527.0	28	1795.9
	計	1,250	1418.0	3	1094.7	32	1272.5	326	1267.9	509	1391.6	313	1555.5	67	1791.3
PWV検査 左 cm/s	男	744	1428.2	2	1130.5	21	1287.0	202	1296.3	314	1399.3	166	1576.6	39	1804.6
	女	506	1395.3	1	967.0	11	1217.8	124	1201.6	195	1361.7	147	1538.3	28	1821.4
	計	1,250	1414.9	3	1076.0	32	1263.2	326	1260.3	509	1384.9	313	1558.6	67	1811.6