

腹部超音波判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	895 (11.8%)	0	9	12	171	174	182	160	94	56	24	9	3	1	0
	女	1,480 (27.9%)	0	7	21	151	249	282	284	252	141	60	25	7	1	0
	計	2,375 (18.4%)	0	16	33	322	423	464	444	346	197	84	34	10	2	0
問題なし	男	192 (2.5%)	0	1	1	30	37	35	28	15	19	18	7	1	0	0
	女	200 (3.8%)	0	2	1	16	34	43	41	27	20	10	4	2	0	0
	計	392 (3.0%)	0	3	2	46	71	78	69	42	39	28	11	3	0	0
要経過観察	男	6,140 (80.7%)	0	2	13	239	433	678	1,027	1,145	1,079	767	425	246	63	23
	女	3,350 (63.1%)	1	2	6	95	211	356	513	638	580	427	250	214	52	5
	計	9,490 (73.5%)	1	4	19	334	644	1,034	1,540	1,783	1,659	1,194	675	460	115	28
要精密検査	男	364 (4.8%)	0	0	0	8	22	27	57	75	65	46	39	15	7	3
	女	268 (5.0%)	0	0	2	14	16	31	53	45	42	28	22	10	2	3
	計	632 (4.9%)	0	0	2	22	38	58	110	120	107	74	61	25	9	6
要治療	男	3 (0.0%)	0	0	0	0	0	1	0	0	0	2	0	0	0	0
	女	4 (0.1%)	0	0	0	2	1	0	0	0	1	0	0	0	0	0
	計	7 (0.1%)	0	0	0	2	1	1	0	0	1	2	0	0	0	0
治療中	男	16 (0.2%)	0	0	0	0	0	3	0	4	4	2	3	0	0	0
	女	6 (0.1%)	0	0	0	0	0	0	0	1	2	2	0	0	1	0
	計	22 (0.2%)	0	0	0	0	0	3	0	5	6	4	3	0	1	0
合計	男	7,610	0	12	26	448	666	926	1,272	1,333	1,223	859	483	265	71	26
	女	5,308	1	11	30	278	511	712	891	963	786	527	301	233	56	8
	計	12,918	1	23	56	726	1,177	1,638	2,163	2,296	2,009	1,386	784	498	127	34

腹部超音波検査所見（1）

所見		総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
脂肪肝の疑い	男	3,274	(43.0%)	0	2	7	92	222	351	565	658	599	445	204	105	16	8
	女	952	(17.9%)	0	0	1	21	56	84	129	189	193	126	81	60	11	1
	計	4,226	(32.7%)	0	2	8	113	278	435	694	847	792	571	285	165	27	9
肝細胞の疑い	男	1,374	(18.1%)	0	0	0	22	33	104	200	267	289	209	133	89	22	6
	女	1,116	(21.0%)	0	0	0	12	37	93	159	222	220	169	104	76	21	3
	計	2,490	(19.3%)	0	0	0	34	70	197	359	489	509	378	237	165	43	9
肝血管腫の疑い	男	319	(4.2%)	0	0	1	9	29	35	55	63	66	31	14	11	5	0
	女	337	(6.3%)	0	0	1	19	30	43	80	70	45	29	14	4	2	0
	計	656	(5.1%)	0	0	2	28	59	78	135	133	111	60	28	15	7	0
肝占拠性病変の疑い	男	5	(0.1%)	0	0	0	0	0	0	0	2	1	1	0	1	0	0
	女	6	(0.1%)	0	0	0	0	0	2	2	0	1	0	0	0	1	0
	計	11	(0.1%)	0	0	0	0	0	2	2	2	2	1	0	1	1	0
肝内結石の疑い	男	6	(0.1%)	0	0	0	0	0	1	0	1	1	1	1	0	1	0
	女	5	(0.1%)	0	0	0	0	0	0	0	0	0	3	2	0	0	0
	計	11	(0.1%)	0	0	0	0	0	1	0	1	1	4	3	0	1	0
肝内石灰化の疑い	男	62	(0.8%)	0	0	0	1	3	2	12	9	10	13	4	5	2	1
	女	33	(0.6%)	0	0	0	0	0	3	5	4	5	6	5	3	1	1
	計	95	(0.7%)	0	0	0	1	3	5	17	13	15	19	9	8	3	2
肝臓に高エコーのものあり	男	76	(1.0%)	0	0	0	1	1	5	12	9	17	9	9	7	5	1
	女	41	(0.8%)	0	0	0	0	4	2	7	6	9	6	3	2	1	1
	計	117	(0.9%)	0	0	0	1	5	7	19	15	26	15	12	9	6	2
肝腫大	男	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
肝左葉辺縁鈍化	男	2	(0.0%)	0	0	0	0	0	0	0	0	0	2	0	0	0	0
	女	2	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	1	0
	計	4	(0.0%)	0	0	0	0	0	0	0	1	0	2	0	0	1	0
肝内エコー粗粒化	男	4	(0.1%)	0	0	0	0	0	0	0	0	3	0	1	0	0	0
	女	2	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	1	0
	計	6	(0.0%)	0	0	0	0	0	0	0	0	4	0	1	0	1	0
肝表面の不整	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	0	1	0	0	1	0	0	0
慢性肝疾患の疑い	男	7	(0.1%)	0	0	0	0	0	0	0	2	2	1	2	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	7	(0.1%)	0	0	0	0	0	0	0	2	2	1	2	0	0	0
肝臓描出不良	男	240	(3.2%)	0	0	0	7	6	16	30	42	55	36	23	18	6	1
	女	19	(0.4%)	0	0	0	0	1	1	1	5	3	2	3	1	1	1
	計	259	(2.0%)	0	0	0	7	7	17	31	47	58	38	26	19	7	2
肝内胆管拡張の疑い	男	47	(0.6%)	0	0	0	0	0	1	3	7	6	7	12	8	3	0
	女	19	(0.4%)	0	0	0	0	0	0	0	0	5	3	5	5	1	0
	計	66	(0.5%)	0	0	0	0	0	1	3	7	11	10	17	13	4	0
肝外胆管拡張の疑い	男	77	(1.0%)	0	0	0	0	0	0	3	7	9	17	22	15	4	0
	女	57	(1.1%)	0	0	0	0	0	2	2	6	14	4	12	12	4	1
	計	134	(1.0%)	0	0	0	0	0	2	5	13	23	21	34	27	8	1
胆嚢ポリープの疑い	男	1,674	(22.0%)	0	0	2	79	126	206	296	334	303	160	106	45	13	4
	女	761	(14.3%)	1	0	3	26	71	109	143	138	119	66	46	28	10	1
	計	2,435	(18.8%)	1	0	5	105	197	315	439	472	422	226	152	73	23	5
胆石の疑い	男	325	(4.3%)	0	0	0	2	8	15	40	64	74	58	36	18	8	2
	女	205	(3.9%)	0	0	0	6	10	19	24	42	40	30	12	18	4	0
	計	530	(4.1%)	0	0	0	8	18	34	64	106	114	88	48	36	12	2
胆砂・胆泥の疑い	男	56	(0.7%)	0	0	0	1	0	4	6	8	13	10	8	4	0	2
	女	44	(0.8%)	0	0	0	1	0	3	4	8	9	13	2	3	1	0
	計	100	(0.8%)	0	0	0	2	0	7	10	16	22	23	10	7	1	2
胆嚢腺筋腫症の疑い	男	208	(2.7%)	0	0	0	0	3	7	26	44	52	41	16	15	4	0
	女	62	(1.2%)	0	0	0	2	1	4	12	7	15	7	8	5	1	0
	計	270	(2.1%)	0	0	0	2	4	11	38	51	67	48	24	20	5	0
胆嚢壁の肥厚	男	40	(0.5%)	0	0	0	0	3	6	2	12	7	5	4	1	0	0
	女	40	(0.8%)	0	1	0	0	6	2	5	11	6	6	1	2	0	0
	計	80	(0.6%)	0	1	0	0	9	8	7	23	13	11	5	3	0	0
胆嚢壁内結石の疑い	男	210	(2.8%)	0	0	0	2	8	22	43	36	46	25	14	9	2	3
	女	54	(1.0%)	0	0	0	2	4	9	8	7	5	8	5	6	0	0
	計	264	(2.0%)	0	0	0	4	12	31	51	43	51	33	19	15	2	3

腹部超音波検査所見（2）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上		
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計
胆嚢変形	男	3	(0.0%)	0	0	0	0	0	0	2	0	0	0	1	0	0	0	0
	女	1	(0.0%)	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	計	4	(0.0%)	0	0	0	1	0	0	2	0	0	0	1	0	0	0	0
胆嚢腫大	男	11	(0.1%)	0	0	0	0	1	2	0	1	1	4	1	1	0	0	0
	女	7	(0.1%)	0	0	0	0	0	0	2	3	0	2	0	0	0	0	0
	計	18	(0.1%)	0	0	0	0	1	2	0	3	4	4	3	1	0	0	0
胆嚢摘出後	男	246	(3.2%)	0	0	0	1	4	11	27	48	41	53	26	25	7	3	
	女	145	(2.7%)	0	0	0	1	3	7	16	26	34	19	18	18	2	1	
	計	391	(3.0%)	0	0	0	2	7	18	43	74	75	72	44	43	9	4	
胆嚢伸展不良	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
胆嚢描出不良	男	77	(1.0%)	0	0	0	4	4	7	7	8	23	11	8	5	0	0	
	女	12	(0.2%)	0	0	0	0	0	1	2	1	0	2	1	3	1	1	
	計	89	(0.7%)	0	0	0	4	4	8	9	9	23	13	9	8	1	1	
膵管拡張の疑い	男	216	(2.8%)	0	0	0	0	5	11	18	27	52	40	30	20	10	3	
	女	56	(1.1%)	0	0	0	0	0	0	8	4	8	10	13	9	3	1	
	計	272	(2.1%)	0	0	0	0	5	11	26	31	60	50	43	29	13	4	
膵嚢胞の疑い	男	22	(0.3%)	0	0	0	0	0	0	2	4	3	3	4	4	0	2	
	女	54	(1.0%)	0	0	0	0	1	3	4	11	8	10	7	7	3	0	
	計	76	(0.6%)	0	0	0	0	1	3	6	15	11	13	11	11	3	2	
膵占拠性病変の疑い	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
膵臓描出不良	男	4,694	(61.7%)	0	1	11	159	284	482	754	891	855	641	347	195	53	21	
	女	1,313	(24.7%)	0	1	2	33	77	108	186	242	235	166	121	108	29	5	
	計	6,007	(46.5%)	0	2	13	192	361	590	940	1,133	1,090	807	468	303	82	26	
その他 (肝臓・胆嚢・膵臓)	男	104	(1.4%)	0	0	0	1	2	6	14	18	20	18	13	9	3	0	
	女	72	(1.4%)	0	0	0	3	4	11	12	10	12	11	4	3	2	0	
	計	176	(1.4%)	0	0	0	4	6	17	26	28	32	29	17	12	5	0	
腎嚢胞の疑い	男	1,877	(24.7%)	0	0	1	25	64	99	212	313	381	341	228	149	46	18	
	女	669	(12.6%)	0	0	0	13	30	44	79	121	129	90	69	72	19	3	
	計	2,546	(19.7%)	0	0	1	38	94	143	291	434	510	431	297	221	65	21	
腎結石の疑い	男	438	(5.8%)	0	0	0	6	17	32	70	77	104	65	38	19	6	4	
	女	144	(2.7%)	0	0	0	2	7	15	31	24	25	17	9	12	2	0	
	計	582	(4.5%)	0	0	0	8	24	47	101	101	129	82	47	31	8	4	
腎臓に高エコーのものあり	男	1,129	(14.8%)	0	0	3	33	63	88	168	209	219	173	99	51	15	8	
	女	559	(10.5%)	0	0	1	15	24	40	94	122	108	70	50	30	4	1	
	計	1,688	(13.1%)	0	0	4	48	87	128	262	331	327	243	149	81	19	9	
腎血管筋脂肪腫の疑い	男	49	(0.6%)	0	0	0	2	2	3	9	15	9	4	4	1	0	0	
	女	70	(1.3%)	0	0	0	2	3	9	8	23	9	10	4	1	1	0	
	計	119	(0.9%)	0	0	0	4	5	12	17	38	18	14	8	2	1	0	
腎占拠性病変の疑い	男	5	(0.1%)	0	0	0	0	1	1	0	1	1	0	1	0	0	0	
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
	計	6	(0.0%)	0	0	0	0	1	1	0	1	1	0	1	1	0	0	
水腎症の疑い	男	11	(0.1%)	0	0	0	0	0	1	2	2	1	1	3	0	1	0	
	女	3	(0.1%)	0	0	0	0	0	0	0	2	1	0	0	0	0	0	
	計	14	(0.1%)	0	0	0	0	0	1	2	4	2	1	3	0	1	0	
重複腎盂の疑い	男	26	(0.3%)	0	0	0	3	1	1	2	4	5	6	2	1	0	1	
	女	20	(0.4%)	0	0	0	0	1	0	1	6	3	4	3	2	0	0	
	計	46	(0.4%)	0	0	0	3	2	1	3	10	8	10	5	3	0	1	
腎萎縮の疑い	男	12	(0.2%)	0	0	0	0	0	1	0	5	1	3	1	0	1	0	
	女	6	(0.1%)	0	0	0	0	1	0	1	2	2	0	0	0	0	0	
	計	18	(0.1%)	0	0	0	0	1	1	1	7	3	3	1	0	1	0	
腎臓描出不良	男	4	(0.1%)	0	0	0	0	1	0	1	0	1	0	1	0	0	0	
	女	5	(0.1%)	0	0	0	0	0	0	1	1	1	2	1	0	0	0	
	計	9	(0.1%)	0	0	0	0	1	0	1	1	2	2	2	0	0	0	
腎盂・腎杯の拡張	男	52	(0.7%)	0	0	0	1	1	1	7	7	11	9	3	8	2	2	
	女	41	(0.8%)	0	0	0	2	2	3	3	6	6	5	6	5	2	1	
	計	93	(0.7%)	0	0	0	3	3	4	10	13	17	14	9	13	4	3	
その他 (腎臓)	男	81	(1.1%)	0	0	0	1	0	4	7	18	20	13	11	5	2	0	
	女	51	(1.0%)	0	0	0	3	3	2	7	8	12	3	6	5	2	0	
	計	132	(1.0%)	0	0	0	4	3	6	14	26	32	16	17	10	4	0	

腹部超音波検査所見（3）

所見	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
脾腫	男	7 (0.1%)	0	0	0	1	0	1	0	2	1	1	1	0	0	0	0
	女	8 (0.2%)	0	0	1	2	1	2	1	0	1	0	0	0	0	0	0
	計	15 (0.1%)	0	0	1	3	1	3	1	2	2	1	1	0	0	0	0
脾嚢胞の疑い	男	6 (0.1%)	0	0	0	0	0	0	0	3	0	2	0	0	1	0	0
	女	11 (0.2%)	0	0	1	2	2	0	2	1	1	1	1	0	1	0	0
	計	17 (0.1%)	0	0	1	2	2	0	5	1	3	1	0	2	0	0	0
脾臓に高エコーのものあり	男	11 (0.1%)	0	0	0	0	0	0	0	2	1	1	3	1	2	1	0
	女	6 (0.1%)	0	0	0	0	1	0	1	0	0	0	0	1	3	0	0
	計	17 (0.1%)	0	0	0	0	1	0	3	1	1	3	2	5	1	0	0
副脾の疑い	男	248 (3.3%)	0	1	1	28	40	44	40	37	31	15	8	2	1	0	0
	女	248 (4.7%)	0	2	1	19	44	48	51	37	24	12	4	4	2	0	0
	計	496 (3.8%)	0	3	2	47	84	92	91	74	55	27	12	6	3	0	0
脾臓描出不良	男	14 (0.2%)	0	0	0	0	0	0	0	2	3	2	2	3	2	0	0
	女	10 (0.2%)	0	0	0	0	0	0	0	2	0	2	2	3	0	1	0
	計	24 (0.2%)	0	0	0	0	0	0	0	2	5	2	4	5	5	0	1
腹部大動脈石灰化の疑い	男	1,866 (24.5%)	0	0	0	1	5	17	107	241	436	457	329	189	62	22	0
	女	843 (15.9%)	0	0	0	0	4	15	40	72	173	185	138	167	43	6	0
	計	2,709 (21.0%)	0	0	0	1	9	32	147	313	609	642	467	356	105	28	0
腹部大動脈瘤の疑い	男	15 (0.2%)	0	0	0	0	0	1	0	0	2	3	2	5	1	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	15 (0.1%)	0	0	0	0	0	1	0	0	2	3	2	5	1	1	0
脾血管腫の疑い	男	5 (0.1%)	0	0	0	0	0	0	1	2	1	1	0	0	0	0	0
	女	9 (0.2%)	0	0	0	0	1	3	1	2	0	0	1	0	1	0	0
	計	14 (0.1%)	0	0	0	0	1	3	2	4	1	1	1	0	1	0	0
その他 (脾臓・腹部大動脈)	男	47 (0.6%)	0	0	0	0	0	2	3	10	8	6	6	9	3	0	0
	女	27 (0.5%)	0	0	0	1	0	2	9	8	4	0	2	0	1	0	0
	計	74 (0.6%)	0	0	0	1	0	4	12	18	12	6	8	9	4	0	0
検診者総数	男	7,610	0	12	26	448	666	926	1,272	1,333	1,223	859	483	265	71	26	0
	女	5,308	1	11	30	278	511	712	891	963	786	527	301	233	56	8	0
	計	12,918	1	23	56	726	1,177	1,638	2,163	2,296	2,009	1,386	784	498	127	34	0