

市民健診安静心電図検査所見（1）

| 所見 | 総数 | | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 75-79歳 | 80歳以上 |
|------------------|----|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| 洞性徐脈 | 男 | 8 (2.6%) | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 6 | 0 | 0 |
| | 女 | 2 (0.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| | 計 | 10 (1.0%) | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 8 | 0 | 0 |
| 洞性頻脈 | 男 | 7 (2.2%) | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 4 | 0 | 0 |
| | 女 | 13 (1.9%) | 0 | 0 | 2 | 1 | 1 | 1 | 2 | 6 | 0 | 0 |
| | 計 | 20 (2.0%) | 0 | 0 | 2 | 2 | 1 | 2 | 3 | 10 | 0 | 0 |
| 洞性不整脈 | 男 | 1 (0.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| | 女 | 2 (0.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| | 計 | 3 (0.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| 異所性上室調律 | 男 | 6 (1.9%) | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 0 | 0 |
| | 女 | 2 (0.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| | 計 | 8 (0.8%) | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 5 | 0 | 0 |
| 右軸偏位 (100°以上) | 男 | 1 (0.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| | 女 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 計 | 1 (0.1%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 左軸偏位 (-30°以下) | 男 | 15 (4.8%) | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 11 | 0 | 1 |
| | 女 | 19 (2.7%) | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 13 | 0 | 0 |
| | 計 | 34 (3.4%) | 0 | 0 | 0 | 0 | 1 | 2 | 6 | 24 | 0 | 1 |
| 第一度房室ブロック | 男 | 14 (4.5%) | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 12 | 0 | 0 |
| | 女 | 2 (0.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| | 計 | 16 (1.6%) | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 14 | 0 | 0 |
| WPW症候群 | 男 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 女 | 1 (0.1%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| | 計 | 1 (0.1%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 不完全右脚ブロック | 男 | 4 (1.3%) | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 0 |
| | 女 | 13 (1.9%) | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 10 | 0 | 0 |
| | 計 | 17 (1.7%) | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 13 | 0 | 0 |
| 完全右脚ブロック | 男 | 17 (5.4%) | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 13 | 0 | 1 |
| | 女 | 26 (3.7%) | 0 | 0 | 0 | 0 | 0 | 2 | 4 | 20 | 0 | 0 |
| | 計 | 43 (4.3%) | 0 | 0 | 0 | 0 | 0 | 2 | 7 | 33 | 0 | 1 |
| ヘミブロック | 男 | 4 (1.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 |
| | 女 | 10 (1.4%) | 0 | 1 | 1 | 0 | 0 | 0 | 2 | 6 | 0 | 0 |
| | 計 | 14 (1.4%) | 0 | 1 | 1 | 0 | 0 | 0 | 2 | 10 | 0 | 0 |
| 完全左脚ブロック | 男 | 1 (0.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| | 女 | 1 (0.1%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| | 計 | 2 (0.2%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| 右室伝導遅延 | 男 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 女 | 2 (0.3%) | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| | 計 | 2 (0.2%) | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| 上室性期外収縮 | 男 | 12 (3.8%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 10 | 0 | 1 |
| | 女 | 19 (2.7%) | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 13 | 0 | 0 |
| | 計 | 31 (3.1%) | 0 | 0 | 0 | 0 | 0 | 1 | 6 | 23 | 0 | 1 |
| 心室性期外収縮 | 男 | 8 (2.6%) | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 5 | 0 | 1 |
| | 女 | 11 (1.6%) | 1 | 1 | 0 | 0 | 0 | 1 | 3 | 5 | 0 | 0 |
| | 計 | 19 (1.9%) | 1 | 1 | 0 | 0 | 0 | 2 | 4 | 10 | 0 | 1 |
| 心房細動 | 男 | 4 (1.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 0 |
| | 女 | 1 (0.1%) | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| | 計 | 5 (0.5%) | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 0 | 0 |

市民健診安静心電図検査所見（2）

| 所見 | 総数 | | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 75-79歳 | 80歳以上 |
|-------------|----|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| 左房負荷疑い | 男 | 1 (0.3%) | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 女 | 1 (0.1%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| | 計 | 2 (0.2%) | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| 右房負荷疑い | 男 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 女 | 10 (1.4%) | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 7 | 0 | 0 |
| | 計 | 10 (1.0%) | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 7 | 0 | 0 |
| 左室肥大疑い | 男 | 27 (8.7%) | 0 | 0 | 1 | 0 | 0 | 1 | 3 | 22 | 0 | 0 |
| | 女 | 31 (4.4%) | 0 | 0 | 0 | 2 | 1 | 2 | 10 | 15 | 0 | 1 |
| | 計 | 58 (5.7%) | 0 | 0 | 1 | 2 | 1 | 3 | 13 | 37 | 0 | 1 |
| ST低下 | 男 | 1 (0.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| | 女 | 2 (0.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| | 計 | 3 (0.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| ST-T異常 | 男 | 9 (2.9%) | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 0 | 0 |
| | 女 | 30 (4.3%) | 0 | 0 | 0 | 0 | 1 | 2 | 9 | 18 | 0 | 0 |
| | 計 | 39 (3.9%) | 1 | 0 | 0 | 0 | 1 | 2 | 10 | 25 | 0 | 0 |
| 異常Q波 | 男 | 14 (4.5%) | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 9 | 0 | 0 |
| | 女 | 15 (2.2%) | 0 | 0 | 1 | 0 | 1 | 2 | 1 | 10 | 0 | 0 |
| | 計 | 29 (2.9%) | 0 | 0 | 1 | 0 | 2 | 4 | 3 | 19 | 0 | 0 |
| R波増高不良 | 男 | 1 (0.3%) | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| | 女 | 1 (0.1%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| | 計 | 2 (0.2%) | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| 陰性T波 | 男 | 4 (1.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 0 |
| | 女 | 13 (1.9%) | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 9 | 0 | 0 |
| | 計 | 17 (1.7%) | 0 | 0 | 0 | 1 | 0 | 2 | 2 | 12 | 0 | 0 |
| 平低T | 男 | 11 (3.5%) | 1 | 0 | 1 | 0 | 1 | 1 | 0 | 7 | 0 | 0 |
| | 女 | 37 (5.3%) | 0 | 0 | 2 | 0 | 2 | 3 | 4 | 26 | 0 | 0 |
| | 計 | 48 (4.8%) | 1 | 0 | 3 | 0 | 3 | 4 | 4 | 33 | 0 | 0 |
| T波増高 | 男 | 2 (0.6%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| | 女 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 計 | 2 (0.2%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| ST上昇 | 男 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 女 | 1 (0.1%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| | 計 | 1 (0.1%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| QT延長 | 男 | 3 (1.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 |
| | 女 | 3 (0.4%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| | 計 | 6 (0.6%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 0 | 0 |
| 右胸心 | 男 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 女 | 1 (0.1%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| | 計 | 1 (0.1%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 人工ペースメーカー調律 | 男 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 女 | 1 (0.1%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| | 計 | 1 (0.1%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| その他の所見 | 男 | 7 (2.2%) | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 3 | 0 | 0 |
| | 女 | 11 (1.6%) | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 7 | 0 | 0 |
| | 計 | 18 (1.8%) | 0 | 0 | 0 | 0 | 2 | 1 | 5 | 10 | 0 | 0 |
| 検査者総数 | 男 | 312 | 3 | 0 | 4 | 8 | 12 | 26 | 67 | 191 | 0 | 1 |
| | 女 | 697 | 6 | 7 | 15 | 23 | 34 | 53 | 172 | 384 | 1 | 2 |
| | 計 | 1,009 | 9 | 7 | 19 | 31 | 46 | 79 | 239 | 575 | 1 | 3 |

市民健診心電図判定結果

| 判定 | 総数 | | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 75-79歳 | 80歳以上 |
|-------|----|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| | 男 | 女 | | | | | | | | | | |
| 異常なし | 男 | 177 (56.7%) | 1 | 0 | 2 | 6 | 8 | 17 | 47 | 96 | 0 | 0 |
| | 女 | 476 (68.3%) | 5 | 5 | 8 | 19 | 26 | 37 | 127 | 247 | 1 | 1 |
| | 計 | 653 (64.7%) | 6 | 5 | 10 | 25 | 34 | 54 | 174 | 343 | 1 | 1 |
| 問題なし | 男 | 28 (9.0%) | 0 | 0 | 0 | 1 | 1 | 4 | 3 | 19 | 0 | 0 |
| | 女 | 52 (7.5%) | 0 | 1 | 3 | 1 | 1 | 3 | 9 | 34 | 0 | 0 |
| | 計 | 80 (7.9%) | 0 | 1 | 3 | 2 | 2 | 7 | 12 | 53 | 0 | 0 |
| 要経過観察 | 男 | 79 (25.3%) | 2 | 0 | 2 | 0 | 2 | 4 | 13 | 56 | 0 | 0 |
| | 女 | 138 (19.8%) | 0 | 0 | 3 | 3 | 5 | 10 | 29 | 87 | 0 | 1 |
| | 計 | 217 (21.5%) | 2 | 0 | 5 | 3 | 7 | 14 | 42 | 143 | 0 | 1 |
| 要精密検査 | 男 | 7 (2.2%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 1 |
| | 女 | 9 (1.3%) | 0 | 1 | 0 | 0 | 0 | 0 | 4 | 4 | 0 | 0 |
| | 計 | 16 (1.6%) | 0 | 1 | 0 | 0 | 0 | 0 | 4 | 10 | 0 | 1 |
| 要治療 | 男 | 1 (0.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| | 女 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 計 | 1 (0.1%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 治療中 | 男 | 20 (6.4%) | 0 | 0 | 0 | 1 | 1 | 1 | 3 | 14 | 0 | 0 |
| | 女 | 22 (3.2%) | 1 | 0 | 1 | 0 | 2 | 3 | 3 | 12 | 0 | 0 |
| | 計 | 42 (4.2%) | 1 | 0 | 1 | 1 | 3 | 4 | 6 | 26 | 0 | 0 |
| 合計 | 男 | 312 | 3 | 0 | 4 | 8 | 12 | 26 | 67 | 191 | 0 | 1 |
| | 女 | 697 | 6 | 7 | 15 | 23 | 34 | 53 | 172 | 384 | 1 | 2 |
| | 計 | 1,009 | 9 | 7 | 19 | 31 | 46 | 79 | 239 | 575 | 1 | 3 |