

総合判定結果（コース別健診、市民健診）

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
異常なし	男	2,596 (6.9%)	103	431	443	316	271	281	234	153	145	69	54	37	27	32
	女	3,790 (10.1%)	152	537	539	522	431	444	372	254	147	129	97	92	49	25
	計	6,386 (8.5%)	255	968	982	838	702	725	606	407	292	198	151	129	76	57
問題なし	男	3,311 (8.8%)	87	499	627	484	457	371	292	177	118	82	35	43	30	9
	女	4,269 (11.4%)	59	578	582	442	452	539	473	409	230	176	115	114	71	29
	計	7,580 (10.1%)	146	1,077	1,209	926	909	910	765	586	348	258	150	157	101	38
要経過観察	男	13,502 (35.9%)	113	738	1,136	1,237	1,517	1,652	1,920	1,513	1,223	828	539	493	323	270
	女	14,283 (38.2%)	77	667	954	1,055	1,346	1,604	1,923	1,772	1,399	1,089	797	840	464	296
	計	27,785 (37.0%)	190	1,405	2,090	2,292	2,863	3,256	3,843	3,285	2,622	1,917	1,336	1,333	787	566
要精密検査	男	5,952 (15.8%)	25	255	431	490	643	771	876	711	524	419	253	272	154	128
	女	5,452 (14.6%)	25	253	268	360	480	726	863	750	504	427	306	275	114	101
	計	11,404 (15.2%)	50	508	699	850	1,123	1,497	1,739	1,461	1,028	846	559	547	268	229
要治療	男	766 (2.0%)	2	16	34	52	60	86	111	105	78	73	44	46	24	35
	女	435 (1.2%)	0	4	8	15	18	39	66	49	47	49	43	44	22	31
	計	1,201 (1.6%)	2	20	42	67	78	125	177	154	125	122	87	90	46	66
治療中	男	11,520 (30.6%)	0	18	53	98	266	499	1,000	1,374	1,675	1,725	1,420	1,517	978	897
	女	9,172 (24.5%)	1	29	54	59	117	272	526	890	1,055	1,140	1,284	1,725	1,123	897
	計	20,692 (27.6%)	1	47	107	157	383	771	1,526	2,264	2,730	2,865	2,704	3,242	2,101	1,794
合計	男	37,647	330	1,957	2,724	2,677	3,214	3,660	4,433	4,033	3,763	3,196	2,345	2,408	1,536	1,371
	女	37,401	314	2,068	2,405	2,453	2,844	3,624	4,223	4,124	3,382	3,010	2,642	3,090	1,843	1,379
	計	75,048	644	4,025	5,129	5,130	6,058	7,284	8,656	8,157	7,145	6,206	4,987	5,498	3,379	2,750

胸部検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	異常なし	男	26,647 (89.9%)	240	1,425	1,982	2,028	2,439	3,104	3,456	3,128	2,673	2,359	1,705	1,359	503
女		24,495 (91.9%)	171	1,501	1,653	1,602	2,007	2,834	3,286	3,114	2,516	2,065	1,623	1,495	460	168
計		51,142 (90.8%)	411	2,926	3,635	3,630	4,446	5,938	6,742	6,242	5,189	4,424	3,328	2,854	963	414
問題なし	男	2,193 (7.4%)	1	19	35	44	78	139	232	252	292	303	245	288	154	111
	女	1,682 (6.3%)	4	34	41	48	58	109	130	150	234	221	209	265	116	63
	計	3,875 (6.9%)	5	53	76	92	136	248	362	402	526	524	454	553	270	174
要経過観察	男	512 (1.7%)	0	6	6	6	12	36	64	68	97	48	60	63	21	25
	女	233 (0.9%)	0	2	2	5	7	22	21	19	35	26	34	36	13	11
	計	745 (1.3%)	0	8	8	11	19	58	85	87	132	74	94	99	34	36
要精密検査	男	262 (0.9%)	0	2	5	4	10	16	31	19	48	28	34	43	12	10
	女	249 (0.9%)	1	2	2	11	10	18	25	31	26	27	31	42	13	10
	計	511 (0.9%)	1	4	7	15	20	34	56	50	74	55	65	85	25	20
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	22 (0.1%)	0	0	0	0	1	0	1	2	1	7	4	2	2	2
	女	5 (0.0%)	0	0	0	0	0	0	0	2	0	1	1	0	1	0
	計	27 (0.0%)	0	0	0	0	1	0	1	4	1	8	5	2	3	2
合計	男	29,636	241	1,452	2,028	2,082	2,540	3,295	3,784	3,469	3,111	2,745	2,048	1,755	692	394
	女	26,664	176	1,539	1,698	1,666	2,082	2,983	3,462	3,316	2,811	2,340	1,898	1,838	603	252
	計	56,300	417	2,991	3,726	3,748	4,622	6,278	7,246	6,785	5,922	5,085	3,946	3,593	1,295	646

喀痰細胞診検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	B 1 (Class I (異常なし))	男	1 (1.8%)	0	0	0	0	0	0	0	0	0	1	0	0	0
女		3 (17.6%)	0	0	0	0	0	0	0	1	1	0	0	1	0	0
計		4 (5.4%)	0	0	0	0	0	0	0	1	1	1	0	1	0	0
B 2 (Class II (悪性所見なし))	男	56 (98.2%)	0	0	0	0	0	1	1	5	3	7	9	19	7	4
	女	14 (82.4%)	0	0	0	2	1	1	2	3	4	0	0	1	0	0
	計	70 (94.6%)	0	0	0	2	1	2	3	8	7	7	9	20	7	4
検診者総数	男	57	0	0	0	0	0	1	1	5	3	8	9	19	7	4
	女	17	0	0	0	2	1	1	2	4	5	0	0	2	0	0
	計	74	0	0	0	2	1	2	3	9	8	8	9	21	7	4

胸部ヘリカルCT検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
線状陰影	男	35 (3.0%)	0	0	0	0	0	5	8	2	14	1	4	1	0	0
	女	9 (3.1%)	0	0	0	0	1	3	1	1	0	0	2	1	0	0
	計	44 (3.0%)	0	0	0	0	1	8	9	3	14	1	6	2	0	0
帯状陰影	男	24 (2.0%)	0	0	0	0	0	0	4	4	9	4	2	1	0	0
	女	5 (1.7%)	0	0	0	0	0	1	2	1	0	1	0	0	0	0
	計	29 (2.0%)	0	0	0	0	0	1	6	5	9	5	2	1	0	0
結節陰影	男	209 (17.8%)	0	1	2	1	4	13	36	30	64	25	19	12	1	1
	女	50 (17.1%)	0	1	0	0	1	9	7	9	10	0	4	7	1	1
	計	259 (17.7%)	0	2	2	1	5	22	43	39	74	25	23	19	2	2
塊状陰影	男	1 (0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
浸潤陰影	男	28 (2.4%)	0	0	0	0	0	1	5	6	7	5	2	1	0	1
	女	5 (1.7%)	0	0	0	1	0	0	2	0	0	1	1	0	0	0
	計	33 (2.3%)	0	0	0	1	0	1	7	6	7	6	3	1	0	1
網目状陰影	男	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0
石灰化陰影	男	17 (1.4%)	0	0	0	0	0	2	0	4	6	2	1	1	0	1
	女	4 (1.4%)	0	0	0	0	0	2	0	0	0	0	0	2	0	0
	計	21 (1.4%)	0	0	0	0	0	4	0	4	6	2	1	3	0	1
空洞陰影	男	1 (0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
嚢胞陰影	男	160 (13.6%)	0	0	0	0	6	9	28	38	39	21	8	9	1	1
	女	4 (1.4%)	0	0	0	0	0	0	1	1	1	0	0	1	0	0
	計	164 (11.2%)	0	0	0	0	6	9	29	39	40	21	8	10	1	1
気腫性変化	男	14 (1.2%)	0	0	0	0	0	0	2	6	3	2	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	14 (1.0%)	0	0	0	0	0	0	2	6	3	2	0	1	0	0
すりガラス状陰影	男	38 (3.2%)	0	0	0	1	2	2	7	4	13	6	2	0	0	1
	女	12 (4.1%)	0	1	0	0	0	0	3	1	1	1	2	3	0	0
	計	50 (3.4%)	0	1	0	1	2	2	10	5	14	7	4	3	0	1
粒状陰影	男	6 (0.5%)	0	0	0	0	0	0	1	0	0	3	1	1	0	0
	女	1 (0.3%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	計	7 (0.5%)	0	0	0	0	0	0	1	0	0	4	1	1	0	0
胸膜肥厚	男	25 (2.1%)	0	0	0	0	0	2	3	2	4	5	4	4	1	0
	女	17 (5.8%)	0	0	0	0	0	2	1	10	2	0	1	1	0	0
	計	42 (2.9%)	0	0	0	0	0	4	4	12	6	5	5	5	1	0
胸膜癒着	男	9 (0.8%)	0	0	0	0	0	0	1	1	2	2	1	1	1	0
	女	7 (2.4%)	0	0	0	0	0	1	0	0	4	1	1	0	0	0
	計	16 (1.1%)	0	0	0	0	0	1	1	1	6	3	2	1	1	0
肺気腫	男	13 (1.1%)	0	0	0	0	0	0	0	1	3	2	6	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	13 (0.9%)	0	0	0	0	0	0	0	1	3	2	6	1	0	0
その他の所見	男	150 (12.8%)	0	0	2	1	1	10	23	26	38	18	11	15	2	3
	女	23 (7.9%)	0	0	0	0	0	3	2	5	4	2	6	1	0	0
	計	173 (11.8%)	0	0	2	1	1	13	25	31	42	20	17	16	2	3
検診者総数	男	1,174	1	7	14	19	44	99	194	239	284	134	75	50	7	7
	女	292	0	3	1	7	14	33	54	56	55	18	28	18	3	2
	計	1,466	1	10	15	26	58	132	248	295	339	152	103	68	10	9

胸部X線單純檢查所見(1)

所見	總數		19歲以下	20-24歲	25-29歲	30-34歲	35-39歲	40-44歲	45-49歲	50-54歲	55-59歲	60-64歲	65-69歲	70-74歲	75-79歲	80歲以上
	男	女														
肺門陰影擴大	男	11 (0.0%)	0	0	0	2	1	1	1	1	2	1	1	1	0	0
	女	9 (0.0%)	0	0	0	1	0	0	0	0	1	2	1	0	3	1
	計	20 (0.0%)	0	0	0	3	1	1	1	1	3	3	2	1	3	1
線狀陰影	男	201 (0.7%)	0	1	1	3	8	10	26	21	21	26	21	32	20	11
	女	114 (0.4%)	0	0	1	2	1	7	8	7	15	18	16	21	12	6
	計	315 (0.6%)	0	1	2	5	9	17	34	28	36	44	37	53	32	17
帶狀陰影	男	164 (0.6%)	0	0	0	1	6	6	24	12	29	25	21	16	12	12
	女	87 (0.3%)	0	1	0	0	4	5	5	6	10	17	13	15	7	4
	計	251 (0.4%)	0	1	0	1	10	11	29	18	39	42	34	31	19	16
索狀陰影	男	3 (0.0%)	0	0	0	0	0	0	0	1	1	1	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	計	4 (0.0%)	0	0	0	0	0	0	0	1	1	2	0	0	0	0
微細斑点狀陰影	男	18 (0.1%)	0	0	0	0	0	0	0	0	1	1	1	4	4	7
	女	22 (0.1%)	0	0	0	0	0	0	0	0	3	2	6	6	3	2
	計	40 (0.1%)	0	0	0	0	0	0	0	0	4	3	7	10	7	9
粒狀陰影	男	7 (0.0%)	0	0	0	1	0	0	0	3	1	0	0	2	0	0
	女	7 (0.0%)	0	0	0	0	1	0	0	1	0	1	1	1	1	1
	計	14 (0.0%)	0	0	0	1	1	0	0	4	1	1	1	3	1	1
結節陰影	男	250 (0.8%)	0	3	4	3	6	10	28	18	26	32	40	50	17	13
	女	241 (0.9%)	0	2	1	7	9	16	21	32	26	28	36	39	15	9
	計	491 (0.9%)	0	5	5	10	15	26	49	50	52	60	76	89	32	22
凹形陰影	男	6 (0.0%)	0	0	0	0	1	0	0	0	1	0	0	2	0	2
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	7 (0.0%)	0	0	0	0	1	0	0	0	1	0	1	2	0	2
塊狀陰影	男	8 (0.0%)	0	0	0	0	1	1	1	0	2	1	2	0	0	0
	女	9 (0.0%)	0	0	0	1	0	2	0	0	0	1	1	3	1	0
	計	17 (0.0%)	0	0	0	1	1	3	1	0	2	2	3	3	1	0
浸潤陰影	男	99 (0.3%)	0	1	1	0	4	6	12	5	19	8	14	15	6	8
	女	87 (0.3%)	1	1	0	2	3	5	7	5	11	10	15	14	7	6
	計	186 (0.3%)	1	2	1	2	7	11	19	10	30	18	29	29	13	14
網目狀陰影	男	16 (0.1%)	0	0	0	0	0	0	0	1	1	0	1	5	1	7
	女	3 (0.0%)	0	0	0	0	0	0	0	0	0	0	2	0	1	0
	計	19 (0.0%)	0	0	0	0	0	0	0	1	1	0	3	5	2	7
石灰化陰影	男	183 (0.6%)	0	1	0	3	4	14	13	12	10	21	24	41	18	22
	女	141 (0.5%)	0	0	0	1	0	6	12	9	17	18	18	27	20	13
	計	324 (0.6%)	0	1	0	4	4	20	25	21	27	39	42	68	38	35
空洞陰影	男	2 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	女	2 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	1	0
	計	4 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	1	1	1
囊胞陰影	男	124 (0.4%)	0	0	0	0	1	11	15	24	20	27	11	10	4	1
	女	15 (0.1%)	0	0	0	0	0	1	1	3	2	3	2	1	0	2
	計	139 (0.2%)	0	0	0	0	1	12	16	27	22	30	13	11	4	3
無氣肺陰影	男	5 (0.0%)	0	0	0	0	0	1	0	0	2	1	0	1	0	0
	女	5 (0.0%)	0	0	0	0	0	1	0	0	0	1	1	2	0	0
	計	10 (0.0%)	0	0	0	0	0	2	0	0	2	2	1	3	0	0
氣腫樣陰影	男	1 (0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
胸膜肥厚	男	380 (1.3%)	0	0	2	4	6	27	33	34	36	50	49	62	49	28
	女	333 (1.2%)	0	1	0	0	4	9	19	37	50	66	57	64	13	13
	計	713 (1.3%)	0	1	2	4	10	36	52	71	86	116	106	126	62	41
胸膜癒着	男	350 (1.2%)	0	1	0	4	9	17	32	39	35	40	43	52	42	36
	女	271 (1.0%)	0	0	1	5	5	12	13	20	42	47	40	54	21	11
	計	621 (1.1%)	0	1	1	9	14	29	45	59	77	87	83	106	63	47
胸水陰影	男	9 (0.0%)	0	0	0	0	0	0	0	1	0	2	2	2	2	0
	女	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	10 (0.0%)	0	0	0	0	0	0	1	1	0	2	2	2	2	0
上葉縮小	男	2 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0
	女	4 (0.0%)	0	0	0	0	0	0	0	1	0	2	1	0	0	0
	計	6 (0.0%)	0	0	0	0	0	0	0	1	1	3	1	0	0	0
橫隔膜高位	男	139 (0.5%)	0	0	7	2	4	9	11	18	21	14	11	21	12	9
	女	48 (0.2%)	0	0	1	1	3	3	2	2	9	2	8	6	9	2
	計	187 (0.3%)	0	0	8	3	7	12	13	20	30	16	19	27	21	11

胸部×線単純検査所見（２）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計	計	計	計	計	計	計	計	計	計	計	計	計	計
肋骨異常	男	10	(0.0%)	0	0	0	0	0	4	1	0	2	2	1	0	0
	女	2	(0.0%)	0	1	0	0	0	0	1	0	0	0	0	0	0
	計	12	(0.0%)	0	1	0	0	0	4	2	0	2	2	1	0	0
鎖骨異常	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0
漏斗胸	男	3	(0.0%)	0	0	0	0	2	1	0	0	0	0	0	0	0
	女	15	(0.1%)	0	2	0	1	2	0	0	5	4	1	0	0	0
	計	18	(0.0%)	0	2	0	1	4	1	0	5	4	1	0	0	0
胸部手術	男	261	(0.9%)	0	4	7	16	19	22	24	33	29	34	17	29	15
	女	104	(0.4%)	0	3	2	3	3	6	12	12	14	13	8	20	5
	計	365	(0.6%)	0	7	9	19	22	28	36	45	43	47	25	49	20
胸郭形成	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0
陳旧性肺結核の疑い	男	4	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	2	1
	女	3	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	1	0
	計	7	(0.0%)	0	0	0	0	0	0	1	1	0	0	0	3	1
肺気腫の疑い	男	80	(0.3%)	0	0	0	0	1	1	5	4	13	8	12	21	7
	女	10	(0.0%)	0	0	0	0	0	0	0	1	2	4	2	1	0
	計	90	(0.2%)	0	0	0	0	1	1	5	4	14	10	16	23	8
慢性気管支炎の疑い	男	5	(0.0%)	0	0	0	0	0	0	0	2	0	0	1	2	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0
	計	6	(0.0%)	0	0	0	0	0	0	0	2	0	0	2	2	0
気管支拡張症の疑い	男	9	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	5	2
	女	6	(0.0%)	0	0	0	0	0	0	0	1	2	0	1	2	0
	計	15	(0.0%)	0	0	0	0	0	0	1	1	2	0	1	7	2
間質性肺炎の疑い	男	65	(0.2%)	0	0	0	0	0	1	0	2	3	9	12	19	6
	女	17	(0.1%)	0	0	0	0	0	0	0	1	1	2	3	6	2
	計	82	(0.1%)	0	0	0	0	0	1	0	3	4	11	15	25	8
塵肺の疑い	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0
気胸の疑い	男	2	(0.0%)	0	1	0	0	0	0	0	0	0	0	0	1	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.0%)	0	1	0	0	0	0	0	0	0	0	0	1	0
胸椎側弯	男	282	(1.0%)	1	10	18	15	15	21	26	22	31	39	31	32	15
	女	630	(2.4%)	4	27	36	37	35	61	57	47	76	54	64	86	32
	計	912	(1.6%)	5	37	54	52	50	82	83	69	107	93	95	118	47
その他(肺所見)	男	143	(0.5%)	0	2	0	1	5	9	14	14	20	17	18	24	12
	女	108	(0.4%)	0	1	0	4	2	2	7	10	8	8	20	23	13
	計	251	(0.4%)	0	3	0	5	7	11	21	24	28	25	38	47	25
心陰影拡大	男	37	(0.1%)	0	0	2	1	1	1	0	3	3	4	7	8	3
	女	18	(0.1%)	0	0	3	0	0	1	1	1	1	2	2	4	2
	計	55	(0.1%)	0	0	5	1	1	2	1	4	4	6	9	12	5
右胸心	男	1	(0.0%)	0	0	1	0	0	0	0	0	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	1	0	1	0	0	0	0	0	0	0	0
右大動脈弓	男	27	(0.1%)	0	2	1	2	1	1	4	3	4	2	5	1	1
	女	12	(0.0%)	0	0	1	1	1	1	1	2	1	2	1	1	0
	計	39	(0.1%)	0	2	2	3	2	2	5	5	5	4	6	2	1
大動脈	男	2	(0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0
石灰沈着	男	3	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	2	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0
	計	4	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	2	1
大動脈蛇行	男	24	(0.1%)	0	0	0	0	0	0	0	0	3	4	7	5	3
	女	20	(0.1%)	0	0	0	0	0	0	0	0	2	1	1	5	6
	計	44	(0.1%)	0	0	0	0	0	0	0	0	5	5	8	10	9
その他(心所見)	男	7	(0.0%)	0	0	0	0	0	1	0	1	0	1	0	1	3
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	7	(0.0%)	0	0	0	0	0	1	0	1	0	1	0	1	3
検診者総数	男	29,667		241	1,453	2,028	2,084	2,545	3,296	3,794	3,473	3,113	2,746	2,050	1,756	694
	女	26,664		176	1,539	1,698	1,665	2,082	2,984	3,462	3,317	2,811	2,341	1,896	1,838	603
	計	56,331		417	2,992	3,726	3,749	4,627	6,280	7,256	6,790	5,924	5,087	3,946	3,594	1,297



上部消化管検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	12,960 (72.6%)	5	113	138	556	1,781	2,089	2,271	1,923	1,760	1,299	581	335	81	28
	女	7,420 (68.1%)	1	40	50	263	954	1,306	1,385	1,157	971	637	350	237	53	16
	計	20,380 (70.9%)	6	153	188	819	2,735	3,395	3,656	3,080	2,731	1,936	931	572	134	44
問題なし	男	2,095 (11.7%)	0	1	2	39	177	253	393	400	299	253	143	87	32	16
	女	1,543 (14.2%)	0	0	0	28	113	213	300	326	243	159	79	68	7	7
	計	3,638 (12.6%)	0	1	2	67	290	466	693	726	542	412	222	155	39	23
要経過観察	男	2,061 (11.5%)	0	1	2	46	150	200	294	341	363	274	207	130	34	19
	女	1,357 (12.5%)	0	0	0	24	93	178	243	228	209	181	100	75	20	6
	計	3,418 (11.9%)	0	1	2	70	243	378	537	569	572	455	307	205	54	25
要精密検査	男	682 (3.8%)	0	0	6	22	47	97	94	109	108	92	43	42	19	3
	女	557 (5.1%)	0	2	6	18	37	74	101	97	83	68	30	31	6	4
	計	1,239 (4.3%)	0	2	12	40	84	171	195	206	191	160	73	73	25	7
要治療	男	44 (0.2%)	0	0	0	0	3	10	9	7	1	6	5	2	0	1
	女	17 (0.2%)	0	0	0	0	1	2	7	3	2	0	2	0	0	0
	計	61 (0.2%)	0	0	0	0	4	12	16	10	3	6	7	2	0	1
治療中	男	19 (0.1%)	0	0	0	0	0	0	1	4	8	4	0	2	0	0
	女	5 (0.0%)	0	0	0	0	0	1	0	1	0	1	2	0	0	0
	計	24 (0.1%)	0	0	0	0	0	1	1	5	8	5	2	2	0	0
合計	男	17,861	5	115	148	663	2,158	2,649	3,062	2,784	2,539	1,928	979	598	166	67
	女	10,899	1	42	56	333	1,198	1,774	2,036	1,812	1,508	1,046	563	411	86	33
	計	28,760	6	157	204	996	3,356	4,423	5,098	4,596	4,047	2,974	1,542	1,009	252	100

胃内視鏡検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
食道裂孔ヘルニア	男	622 (26.5%)	0	0	0	11	48	95	111	127	114	74	27	13	1	1
	女	159 (11.1%)	0	0	0	5	9	29	31	28	28	17	7	4	1	0
	計	781 (20.7%)	0	0	0	16	57	124	142	155	142	91	34	17	2	1
逆流性食道炎	男	477 (20.3%)	0	0	0	6	28	63	88	112	80	65	28	4	2	1
	女	70 (4.9%)	0	0	0	0	3	14	11	16	9	10	3	3	1	0
	計	547 (14.5%)	0	0	0	6	31	77	99	128	89	75	31	7	3	1
バレット食道	男	34 (1.5%)	0	0	0	0	2	0	5	11	5	5	5	0	1	0
	女	11 (0.8%)	0	0	0	0	2	0	4	3	0	2	0	0	0	0
	計	45 (1.2%)	0	0	0	0	4	0	9	14	5	7	5	0	1	0
その他の所見 (食道所見)	男	96 (4.1%)	0	0	0	3	3	12	22	15	19	12	7	2	1	0
	女	40 (2.8%)	0	0	0	1	5	2	6	11	6	6	3	0	0	0
	計	136 (3.6%)	0	0	0	4	8	14	28	26	25	18	10	2	1	0
慢性胃炎	男	277 (11.8%)	0	0	0	3	15	15	39	70	61	46	16	12	0	0
	女	104 (7.3%)	0	0	0	1	5	9	15	29	22	17	4	2	0	0
	計	381 (10.1%)	0	0	0	4	20	24	54	99	83	63	20	14	0	0
萎縮性胃炎	男	143 (6.1%)	0	0	0	1	9	14	33	20	21	19	17	6	2	1
	女	85 (6.0%)	0	0	0	0	4	6	17	17	13	19	7	2	0	0
	計	228 (6.0%)	0	0	0	1	13	20	50	37	34	38	24	8	2	1
びらん性胃炎	男	122 (5.2%)	0	0	0	1	7	15	25	27	18	23	6	0	0	0
	女	42 (2.9%)	0	0	0	0	0	3	10	12	5	8	4	0	0	0
	計	164 (4.3%)	0	0	0	1	7	18	35	39	23	31	10	0	0	0
タコイボびらん	男	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
胃潰瘍	男	9 (0.4%)	0	0	0	0	0	2	1	2	1	2	1	0	0	0
	女	2 (0.1%)	0	0	0	0	0	1	0	0	0	0	1	0	0	0
	計	11 (0.3%)	0	0	0	0	0	3	1	2	1	2	2	0	0	0
胃潰瘍瘢痕	男	14 (0.6%)	0	0	0	1	1	0	4	4	0	2	0	2	0	0
	女	4 (0.3%)	0	0	0	0	0	1	1	0	0	2	0	0	0	0
	計	18 (0.5%)	0	0	0	1	1	1	5	4	0	4	0	2	0	0
胃底腺ポリープ	男	415 (17.7%)	0	0	0	2	22	52	85	93	68	64	17	10	1	1
	女	461 (32.3%)	0	0	0	5	44	73	100	102	72	40	21	3	1	0
	計	876 (23.2%)	0	0	0	7	66	125	185	195	140	104	38	13	2	1
除菌後胃炎	男	203 (8.7%)	0	0	0	0	8	22	24	43	41	34	24	7	0	0
	女	113 (7.9%)	0	0	0	2	3	10	22	22	18	20	9	7	0	0
	計	316 (8.4%)	0	0	0	2	11	32	46	65	59	54	33	14	0	0
表層性胃炎	男	15 (0.6%)	0	0	0	0	1	0	1	5	4	3	0	0	0	1
	女	14 (1.0%)	0	0	0	0	4	1	2	3	2	1	0	0	1	0
	計	29 (0.8%)	0	0	0	0	5	1	3	8	6	4	0	0	1	1
胃術後	男	6 (0.3%)	0	0	0	0	0	1	0	0	1	2	0	2	0	0
	女	2 (0.1%)	0	0	0	0	0	0	0	0	1	0	0	1	0	0
	計	8 (0.2%)	0	0	0	0	0	1	0	0	2	2	0	3	0	0
その他の所見 (胃所見)	男	388 (16.6%)	0	0	0	2	32	41	68	85	75	48	19	11	6	1
	女	142 (9.9%)	0	0	1	2	10	17	28	29	26	20	8	1	0	0
	計	530 (14.1%)	0	0	1	4	42	58	96	114	101	68	27	12	6	1
十二指腸潰瘍	男	3 (0.1%)	0	0	0	0	0	0	2	1	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3 (0.1%)	0	0	0	0	0	0	2	1	0	0	0	0	0	0
十二指腸潰瘍瘢痕	男	59 (2.5%)	0	0	0	0	5	3	9	13	8	13	4	4	0	0
	女	18 (1.3%)	0	0	0	0	1	0	0	6	4	3	0	4	0	0
	計	77 (2.0%)	0	0	0	0	6	3	9	19	12	16	4	8	0	0
ポリープ	男	183 (7.8%)	0	0	0	3	15	19	36	37	33	29	5	4	1	1
	女	116 (8.1%)	0	0	0	4	8	24	25	27	18	10	0	0	0	0
	計	299 (7.9%)	0	0	0	7	23	43	61	64	51	39	5	4	1	1
憩室	男	5 (0.2%)	0	0	0	0	0	0	1	0	1	1	0	2	0	0
	女	6 (0.4%)	0	0	0	0	1	1	1	1	1	0	0	1	0	0
	計	11 (0.3%)	0	0	0	0	1	1	2	1	2	1	0	3	0	0
粘膜下腫瘍	男	61 (2.6%)	0	0	0	0	3	9	11	16	11	6	3	2	0	0
	女	22 (1.5%)	0	0	0	1	1	0	6	7	1	2	1	3	0	0
	計	83 (2.2%)	0	0	0	1	4	9	17	23	12	8	4	5	0	0
その他の所見 (十二指腸所見)	男	130 (5.5%)	0	0	1	1	7	14	20	29	23	16	15	4	0	0
	女	31 (2.2%)	0	0	0	0	2	1	6	14	3	5	0	0	0	0
	計	161 (4.3%)	0	0	1	1	9	15	26	43	26	21	15	4	0	0
検診者総数	男	2,344	0	0	1	39	202	318	456	493	387	287	107	45	6	3
	女	1,428	0	0	4	31	154	223	299	279	225	142	50	20	1	0
	計	3,772	0	0	5	70	356	541	755	772	612	429	157	65	7	3



胃部X線検査所見(1)

所見		総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
<b>胃 部</b>																	
伸展不良	男	7	(0.1%)	0	0	0	0	0	0	0	2	1	0	0	2	2	0
	女	2	(0.0%)	0	0	0	0	0	0	0	2	0	0	0	0	0	0
	計	9	(0.1%)	0	0	0	0	0	0	0	4	1	0	0	2	2	0
辺縁不整	男	18	(0.2%)	0	0	0	0	2	2	1	2	2	3	3	2	1	0
	女	3	(0.0%)	0	0	0	0	0	1	0	1	1	0	0	0	0	0
	計	21	(0.1%)	0	0	0	0	2	3	1	3	3	3	3	2	1	0
壁硬化	男	5	(0.0%)	0	0	0	0	1	0	0	0	3	0	1	0	0	0
	女	3	(0.0%)	0	0	0	0	0	0	1	0	1	0	0	1	0	0
	計	8	(0.0%)	0	0	0	0	1	0	1	0	4	0	1	1	0	0
変形	男	68	(0.6%)	0	0	0	1	1	4	11	7	10	18	7	4	5	0
	女	6	(0.1%)	0	0	0	0	2	0	1	1	0	0	1	1	0	0
	計	74	(0.4%)	0	0	0	1	3	4	12	8	10	18	8	5	5	0
粘膜不整	男	24	(0.2%)	0	0	0	0	1	3	3	3	6	3	1	3	1	0
	女	10	(0.1%)	0	0	0	1	1	0	4	0	0	0	1	3	0	0
	計	34	(0.2%)	0	0	0	1	2	3	7	3	6	3	2	6	1	0
レリーフ集中像	男	22	(0.2%)	0	0	0	0	2	1	2	4	3	3	6	0	1	0
	女	7	(0.1%)	0	0	0	1	1	2	0	0	1	1	0	1	0	0
	計	29	(0.2%)	0	0	0	1	3	3	2	4	4	4	6	1	1	0
レリーフ異常	男	2	(0.0%)	0	0	0	0	0	0	1	0	0	0	1	0	0	0
	女	2	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	1	0	0
	計	4	(0.0%)	0	0	0	0	0	0	1	0	1	0	1	1	0	0
バリウム斑	男	22	(0.2%)	0	0	0	0	1	4	2	3	7	3	0	0	2	0
	女	9	(0.1%)	0	0	0	0	0	0	0	1	0	3	1	4	0	0
	計	31	(0.2%)	0	0	0	0	1	4	2	4	7	6	1	4	2	0
陰影欠損	男	2	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	2	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	2	0	0
胃炎の疑い	男	1,218	(11.3%)	0	1	1	29	87	112	142	179	164	142	165	122	51	23
	女	473	(6.9%)	0	0	0	3	20	34	49	63	58	88	62	69	20	7
	計	1,691	(9.5%)	0	1	1	32	107	146	191	242	222	230	227	191	71	30
胃潰瘍瘢痕の疑い	男	7	(0.1%)	0	0	0	0	0	0	2	1	1	1	0	0	2	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	7	(0.0%)	0	0	0	0	0	0	2	1	1	1	0	0	2	0
胃潰瘍の疑い	男	22	(0.2%)	0	0	0	1	0	1	3	4	3	5	1	1	3	0
	女	3	(0.0%)	0	0	0	0	1	0	0	0	0	2	0	0	0	0
	計	25	(0.1%)	0	0	0	1	1	1	3	4	3	7	1	1	3	0
粗大皺壁の疑い	男	5	(0.0%)	0	0	0	0	0	0	1	1	1	0	0	2	0	0
	女	6	(0.1%)	0	0	0	1	0	0	1	1	0	1	1	1	0	0
	計	11	(0.1%)	0	0	0	1	0	0	2	2	1	1	1	3	0	0
陥凹性病変の疑い	男	3	(0.0%)	0	0	0	0	0	0	0	2	0	1	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3	(0.0%)	0	0	0	0	0	0	0	2	0	1	0	0	0	0
憩室の疑い	男	51	(0.5%)	0	0	0	2	4	5	9	3	6	7	7	6	2	0
	女	30	(0.4%)	0	0	0	1	2	2	5	3	4	2	3	6	2	0
	計	81	(0.5%)	0	0	0	3	6	7	14	6	10	9	10	12	4	0
術後胃	男	30	(0.3%)	0	0	0	0	0	0	1	3	2	9	3	7	1	4
	女	2	(0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0
	計	32	(0.2%)	0	0	0	0	0	0	1	3	3	10	3	7	1	4
ヒロリ菌感染疑い	男	47	(0.4%)	0	0	0	7	8	11	8	7	3	2	1	0	0	0
	女	26	(0.4%)	0	0	0	4	3	3	5	1	4	2	4	0	0	0
	計	73	(0.4%)	0	0	0	11	11	14	13	8	7	4	5	0	0	0
その他の所見	男	49	(0.5%)	0	0	0	3	1	4	10	6	10	1	7	4	1	2
	女	27	(0.4%)	0	1	0	0	1	2	2	2	3	6	5	3	1	1
	計	76	(0.4%)	0	1	0	3	2	6	12	8	13	7	12	7	2	3

胃部X線検査所見(2)

所見	総数	19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
<b>食道部</b>																
狭窄	男	2 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0	
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	2 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0	
食道裂孔ヘルニア	男	69 (0.6%)	0	0	0	0	0	2	6	9	8	6	12	13	8	5
	女	30 (0.4%)	0	0	0	0	1	0	1	3	6	6	9	4	0	
	計	99 (0.6%)	0	0	0	0	1	2	6	10	11	12	18	22	12	5
食道炎の疑い	男	60 (0.6%)	0	0	0	0	3	8	8	3	9	11	9	7	1	1
	女	15 (0.2%)	0	0	0	0	0	0	1	2	5	3	1	1	2	0
	計	75 (0.4%)	0	0	0	0	3	8	9	5	14	14	10	8	3	1
その他の所見	男	14 (0.1%)	0	0	0	1	0	1	1	3	2	2	2	1	1	0
	女	7 (0.1%)	0	0	0	0	0	2	0	1	0	1	2	1	0	0
	計	21 (0.1%)	0	0	0	1	0	3	1	4	2	3	4	2	1	0
<b>十二指腸部</b>																
十二指腸球部変形	男	213 (2.0%)	0	0	0	6	15	22	32	40	28	31	19	12	6	2
	女	23 (0.3%)	0	0	0	0	2	2	3	2	1	3	5	4	0	1
	計	236 (1.3%)	0	0	0	6	17	24	35	42	29	34	24	16	6	3
ニッシュェ	男	4 (0.0%)	0	0	0	0	1	0	0	1	1	1	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	4 (0.0%)	0	0	0	0	1	0	0	1	1	1	0	0	0	0
十二指腸潰瘍の疑い	男	10 (0.1%)	0	0	0	1	1	1	0	1	2	3	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	10 (0.1%)	0	0	0	1	1	1	0	1	2	3	0	1	0	0
十二指腸潰瘍瘢痕の疑い	男	18 (0.2%)	0	0	0	2	1	1	2	2	2	4	3	1	0	0
	女	2 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0	
	計	20 (0.1%)	0	0	0	2	1	1	2	2	2	5	4	1	0	0
十二指腸憩室の疑い	男	2 (0.0%)	0	0	0	0	0	0	1	0	0	0	1	0	0	0
	女	7 (0.1%)	0	0	0	0	0	1	0	1	0	0	1	3	1	0
	計	9 (0.1%)	0	0	0	0	0	1	1	1	0	0	2	3	1	0
隆起性病変の疑い	男	1,083 (10.0%)	0	1	2	25	113	136	183	167	169	121	85	58	15	8
	女	1,566 (22.7%)	0	0	0	37	105	241	323	292	248	166	79	60	9	6
	計	2,649 (15.0%)	0	1	2	62	218	377	506	459	417	287	164	118	24	14
造影不良	男	21 (0.2%)	0	0	0	1	2	0	8	6	1	3	0	0	0	0
	女	2 (0.0%)	0	0	0	0	0	0	1	0	0	0	1	0	0	0
	計	23 (0.1%)	0	0	0	1	2	0	9	6	1	3	1	0	0	0
その他の所見	男	2 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	1	0	0
検診者総数	男	10,824	3	33	44	507	1,303	1,586	1,796	1,551	1,362	1,110	799	513	155	62
	女	6,888	0	23	18	267	655	1,047	1,162	1,081	961	730	467	370	79	28
	計	17,712	3	56	62	774	1,958	2,633	2,958	2,632	2,323	1,840	1,266	883	234	90

ペブシノゲン検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
ペブシノゲン	男	5,661	133	2.3	1	0	—	79	0	—	98	4	4.1	110	2	1.8	732	11	1.5	926	19	2.1	1,020	16	1.6	949	27	2.8	1,016	24	2.4	609	24	3.9	79	5	6.3	36	1	2.8	5	0	—	1	0	—
	女	3,163	138	4.4	1	0	—	14	0	—	20	1	5.0	12	0	—	436	16	3.7	665	25	3.8	722	26	3.6	582	19	3.3	416	23	5.5	226	20	8.8	43	5	11.6	22	3	13.6	3	0	—	1	0	—
	計	8,824	271	3.1	2	0	—	93	0	—	118	5	4.2	122	2	1.6	1,168	27	2.3	1,591	44	2.8	1,742	42	2.4	1,531	46	3.0	1,432	47	3.3	835	44	5.3	122	10	8.2	58	4	6.9	8	0	—	2	0	—

陽性率%

ヘリコバクターピロリ抗体検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
ヘリコバクターピロリ抗体	男	1,055	211	20.0	1	0	—	4	0	—	8	2	25.0	71	11	15.5	71	18	25.4	252	40	15.9	206	43	20.9	159	34	21.4	152	26	17.1	81	18	22.2	30	10	33.3	15	8	53.3	4	1	25.0	1	0	—
	女	1,285	271	21.1	0	0	—	5	1	20.0	15	5	33.3	55	8	14.5	76	17	22.4	272	36	13.2	242	48	19.8	248	57	23.0	180	36	20.0	142	42	29.6	21	7	33.3	20	8	40.0	4	3	75.0	5	3	60.0
	計	2,340	482	20.6	1	0	—	9	1	11.1	23	7	30.4	126	19	15.1	147	35	23.8	524	76	14.5	448	91	20.3	407	91	22.4	332	62	18.7	223	60	26.9	51	17	33.3	35	16	45.7	8	4	50.0	6	3	50.0

陽性率%

安静心电图検査所見(1)

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女
洞性徐脈	男	614	(2.2%)	5	39	43	46	65	70	78	69	60	58	44	27	7	3
	女	204	(0.9%)	3	5	15	13	13	15	29	36	32	25	8	8	0	2
	計	818	(1.6%)	8	44	58	59	78	85	107	105	92	83	52	35	7	5
洞性頻脈	男	246	(0.9%)	0	11	13	7	14	23	35	42	40	34	14	12	1	0
	女	179	(0.8%)	0	8	10	11	17	17	35	20	20	18	9	8	0	6
	計	425	(0.8%)	0	19	23	18	31	40	70	62	60	52	23	20	1	6
洞性不整脈	男	15	(0.1%)	4	4	0	0	1	2	1	1	1	0	0	0	0	0
	女	12	(0.1%)	5	1	2	0	0	0	0	1	1	2	0	0	0	0
	計	27	(0.1%)	9	5	2	0	1	2	1	2	2	3	0	0	0	0
異所性上室調律	男	60	(0.2%)	3	7	6	7	4	4	9	5	6	2	4	1	2	0
	女	109	(0.5%)	2	15	11	7	10	14	14	13	7	5	4	7	0	0
	計	169	(0.3%)	5	22	17	14	14	18	23	18	13	7	8	8	2	0
移動性調律	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
右軸偏位 (100°以上)	男	267	(1.0%)	5	27	29	31	31	38	32	32	17	8	10	7	0	0
	女	251	(1.1%)	3	25	16	25	31	36	39	28	25	10	8	3	0	2
	計	518	(1.0%)	8	52	45	56	62	74	71	60	42	18	18	10	0	2
左軸偏位 (-30°以下)	男	498	(1.8%)	1	5	23	21	24	34	54	62	80	78	55	53	4	4
	女	229	(1.0%)	0	6	1	10	9	13	39	40	30	21	26	19	4	11
	計	727	(1.4%)	1	11	24	31	33	47	93	102	110	99	81	72	8	15
不定軸	男	25	(0.1%)	0	1	3	1	2	2	3	4	2	2	5	0	0	0
	女	20	(0.1%)	0	1	0	0	3	3	5	3	2	3	0	0	0	0
	計	45	(0.1%)	0	2	3	1	5	5	8	7	4	5	5	0	0	0
第一度房室ブロック	男	302	(1.1%)	0	3	4	10	9	21	17	25	40	48	39	71	8	7
	女	76	(0.3%)	0	1	3	3	4	3	9	12	9	11	2	7	3	9
	計	378	(0.7%)	0	4	7	13	13	24	26	37	49	59	41	78	11	16
第二度房室ブロック	男	5	(0.0%)	0	1	1	0	0	0	1	0	0	1	0	1	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	6	(0.0%)	0	1	1	0	0	0	1	0	1	1	0	1	0	0
第三度房室ブロック	男	2	(0.0%)	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	女	4	(0.0%)	0	0	1	0	0	0	0	1	0	0	1	0	1	
	計	6	(0.0%)	0	1	1	0	0	0	0	1	0	0	1	0	2	
洞機能不全症候群様	男	3	(0.0%)	1	1	0	0	0	0	0	1	0	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	4	(0.0%)	1	1	0	0	0	0	0	2	0	0	0	0	0	0
W P W症候群	男	43	(0.2%)	0	3	4	3	3	9	4	7	2	6	1	0	1	0
	女	20	(0.1%)	1	2	2	1	1	3	3	2	2	0	1	2	0	0
	計	63	(0.1%)	1	5	6	4	4	12	7	9	4	6	2	2	1	0
P Q短縮	男	6	(0.0%)	1	1	1	1	0	1	0	1	0	0	0	0	0	0
	女	8	(0.0%)	0	3	0	1	0	0	1	2	1	0	0	0	0	0
	計	14	(0.0%)	1	4	1	2	0	1	1	3	1	0	0	0	0	0
不完全右脚ブロック	男	857	(3.1%)	9	44	64	62	106	119	104	97	91	84	48	28	1	0
	女	450	(2.0%)	0	11	17	24	35	46	61	61	62	54	39	34	3	3
	計	1,307	(2.6%)	9	55	81	86	141	165	165	158	153	138	87	62	4	3
完全右脚ブロック	男	745	(2.7%)	1	9	15	19	17	47	82	83	117	131	101	100	14	9
	女	258	(1.1%)	0	4	5	5	19	14	25	32	36	35	25	41	4	13
	計	1,003	(2.0%)	1	13	20	24	36	61	107	115	153	166	126	141	18	22
へミブロック	男	149	(0.5%)	0	1	1	1	3	15	7	15	20	33	25	22	3	3
	女	97	(0.4%)	0	0	0	2	2	11	16	11	15	7	11	13	0	9
	計	246	(0.5%)	0	1	1	3	5	26	23	26	35	40	36	35	3	12
完全左脚ブロック	男	14	(0.0%)	0	0	0	0	1	1	1	0	1	5	3	2	0	0
	女	19	(0.1%)	0	0	0	0	0	0	2	2	2	1	3	5	2	2
	計	33	(0.1%)	0	0	0	0	1	1	3	2	3	6	6	7	2	2
右室伝導遅延	男	187	(0.7%)	3	10	7	20	20	20	26	29	16	21	11	4	0	0
	女	92	(0.4%)	1	1	3	4	8	6	17	17	16	11	6	1	1	0
	計	279	(0.5%)	4	11	10	24	28	26	43	46	32	32	17	5	1	0
上室性期外収縮	男	245	(0.9%)	0	4	3	2	10	10	9	30	34	47	39	44	9	4
	女	196	(0.9%)	0	1	8	2	10	18	24	28	26	23	17	26	4	9
	計	441	(0.9%)	0	5	11	4	20	28	33	58	60	70	56	70	13	13
心室性期外収縮	男	448	(1.6%)	2	11	9	17	23	33	39	50	72	68	61	53	7	3
	女	251	(1.1%)	0	6	4	16	13	30	39	38	29	23	23	19	3	8
	計	699	(1.4%)	2	17	13	33	36	63	78	88	101	91	84	72	10	11
心房細動	男	141	(0.5%)	0	0	0	0	3	2	3	13	25	26	39	26	3	1
	女	19	(0.1%)	0	0	0	0	0	0	1	0	1	1	5	5	0	6
	計	160	(0.3%)	0	0	0	0	3	2	4	13	26	27	44	31	3	7
心房粗動	男	3	(0.0%)	0	0	0	0	0	1	0	0	1	0	0	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3	(0.0%)	0	0	0	0	0	1	0	0	1	0	0	1	0	0

安静心電図検査所見（2）

所見	総数	19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
左房負荷疑い	男	100 (0.4%)	0	1	7	7	9	18	12	19	5	7	8	0	0
	女	45 (0.2%)	0	2	1	3	3	5	6	7	5	5	0	7	1
	計	145 (0.3%)	0	3	8	10	10	14	24	19	24	10	7	15	1
右房負荷疑い	男	90 (0.3%)	0	3	1	7	9	13	7	9	19	14	4	4	0
	女	130 (0.6%)	0	1	3	5	10	14	13	28	27	16	8	3	2
	計	220 (0.4%)	0	4	4	12	19	27	20	37	46	30	12	7	2
左室肥大	男	2 (0.0%)	2	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.0%)	2	0	0	0	0	0	0	0	0	0	0	0	0
左室肥大疑い	男	726 (2.6%)	3	14	16	17	24	62	91	109	111	114	87	65	11
	女	193 (0.8%)	1	0	1	0	2	6	9	22	26	34	49	36	4
	計	919 (1.8%)	4	14	17	17	26	68	100	131	137	148	136	101	15
右室肥大疑い	男	19 (0.1%)	0	2	1	5	0	2	2	4	1	2	0	0	0
	女	11 (0.0%)	0	0	0	0	3	1	1	2	2	1	1	0	0
	計	30 (0.1%)	0	2	1	5	3	3	3	6	3	3	1	0	0
陈旧性心筋梗塞	男	6 (0.0%)	0	0	0	0	0	2	0	1	0	3	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	6 (0.0%)	0	0	0	0	0	2	0	1	0	3	0	0	0
陈旧性心筋梗塞疑い	男	8 (0.0%)	0	0	0	0	0	2	1	1	0	2	0	2	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	8 (0.0%)	0	0	0	0	0	2	1	1	0	2	0	2	0
ST低下	男	8 (0.0%)	0	0	0	0	0	0	0	0	3	2	3	0	0
	女	11 (0.0%)	0	0	0	0	0	0	2	2	1	5	0	1	0
	計	19 (0.0%)	0	0	0	0	0	0	2	2	4	7	3	1	0
ST-T異常	男	287 (1.0%)	0	4	9	2	11	15	21	30	43	58	39	48	4
	女	256 (1.1%)	1	8	4	6	11	17	27	32	32	37	36	29	3
	計	543 (1.1%)	1	12	13	8	22	32	48	62	75	95	75	77	7
異常Q波	男	562 (2.0%)	1	8	12	15	28	26	58	84	111	99	63	49	5
	女	318 (1.4%)	0	3	15	11	16	21	38	57	38	35	21	34	6
	計	880 (1.7%)	1	11	27	26	44	47	96	141	149	134	84	83	11
R波増高不良	男	69 (0.2%)	0	3	5	1	4	5	12	7	13	8	6	3	0
	女	132 (0.6%)	1	1	10	5	6	20	31	19	17	11	3	6	0
	計	201 (0.4%)	1	4	15	6	10	25	43	26	30	19	9	9	0
陰性T波	男	202 (0.7%)	1	3	5	3	9	17	24	30	33	34	25	13	5
	女	210 (0.9%)	1	3	4	12	10	23	19	33	29	26	17	20	3
	計	412 (0.8%)	2	6	9	15	19	40	43	63	62	60	42	33	8
平低T	男	594 (2.1%)	0	9	5	10	23	45	91	93	96	90	65	54	11
	女	757 (3.3%)	1	16	30	30	34	41	92	118	111	111	74	67	10
	計	1,351 (2.6%)	1	25	35	40	57	86	183	211	207	201	139	121	21
T波増高	男	87 (0.3%)	2	0	1	2	6	16	6	20	8	12	11	2	1
	女	3 (0.0%)	0	0	0	0	0	0	1	0	1	1	0	0	0
	計	90 (0.2%)	2	0	1	2	6	16	6	21	8	13	12	2	1
ST上昇	男	101 (0.4%)	0	2	3	6	13	13	21	11	8	11	9	3	1
	女	6 (0.0%)	0	0	0	0	0	0	0	2	2	1	1	0	0
	計	107 (0.2%)	0	2	3	6	13	13	21	11	10	13	10	4	1
早期再分極	男	1 (0.0%)	1	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	1	0	0	0	0	0	0	0	0	0	0	0	0
QT延長	男	108 (0.4%)	0	0	1	3	2	3	13	18	21	22	6	19	0
	女	62 (0.3%)	0	1	1	1	3	6	5	7	7	9	8	7	2
	計	170 (0.3%)	0	1	2	4	5	9	18	25	28	31	14	26	2
QT短縮	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0
QT延長・短縮の疑い	男	14 (0.0%)	0	1	1	1	2	1	5	0	1	0	0	2	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	14 (0.0%)	0	1	1	1	2	1	5	0	1	0	0	2	0
低電位差	男	18 (0.1%)	0	0	0	0	0	3	4	3	3	2	3	0	0
	女	18 (0.1%)	0	1	1	1	3	4	1	0	4	3	0	0	0
	計	36 (0.1%)	0	1	1	1	3	7	5	3	7	5	3	0	0
右胸心	男	3 (0.0%)	0	0	0	0	1	0	0	1	0	0	1	0	0
	女	2 (0.0%)	0	0	0	1	1	0	0	0	0	0	0	0	0
	計	5 (0.0%)	0	0	0	1	2	0	0	1	0	0	1	0	0
人工ペースメーカー装着	男	18 (0.1%)	0	0	1	1	1	0	1	3	3	4	2	0	0
	女	5 (0.0%)	0	0	0	0	0	1	0	1	0	0	2	1	0
	計	23 (0.0%)	0	0	1	1	1	1	1	3	4	4	2	2	1
その他の所見	男	394 (1.4%)	0	1	0	3	3	16	35	40	68	98	71	51	5
	女	159 (0.7%)	0	2	0	0	3	6	19	22	20	25	29	25	6
	計	553 (1.1%)	0	3	0	3	6	22	54	62	88	123	100	76	11
検診者総数	男	28,071	231	1,251	1,729	1,906	2,765	3,409	3,930	3,548	3,269	2,830	1,812	1,196	137
	女	23,029	149	1,155	1,364	1,487	2,203	2,858	3,386	3,188	2,665	1,969	1,301	1,073	105
	計	51,100	380	2,406	3,093	3,393	4,968	6,267	7,316	6,736	5,934	4,799	3,113	2,269	242

心電図判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	21,477 (76.6%)	193	1,041	1,473	1,624	2,357	2,825	3,180	2,713	2,349	1,878	1,126	633	64	21
	女	18,970 (82.4%)	129	1,045	1,214	1,317	1,958	2,511	2,847	2,600	2,114	1,500	929	723	54	29
	計	40,447 (79.2%)	322	2,086	2,687	2,941	4,315	5,336	6,027	5,313	4,463	3,378	2,055	1,356	118	50
問題なし	男	2,275 (8.1%)	29	135	167	161	227	281	280	281	239	240	137	84	9	5
	女	1,386 (6.0%)	15	64	70	89	111	145	216	188	177	128	93	68	10	12
	計	3,661 (7.2%)	44	199	237	250	338	426	496	469	416	368	230	152	19	17
要経過観察	男	3,197 (11.4%)	5	65	79	111	156	254	392	435	496	475	344	323	39	23
	女	2,264 (9.8%)	4	40	74	72	124	181	286	348	332	293	214	210	31	55
	計	5,461 (10.7%)	9	105	153	183	280	435	678	783	828	768	558	533	70	78
要精密検査	男	232 (0.8%)	4	6	8	5	15	20	15	29	32	33	29	32	3	1
	女	116 (0.5%)	1	2	6	9	6	10	13	14	12	12	12	16	0	3
	計	348 (0.7%)	5	8	14	14	21	30	28	43	44	45	41	48	3	4
要治療	男	3 (0.0%)	0	0	0	0	0	0	1	0	0	0	2	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3 (0.0%)	0	0	0	0	0	0	1	0	0	0	2	0	0	0
治療中	男	872 (3.1%)	0	4	1	3	9	28	60	88	151	202	172	124	22	8
	女	284 (1.2%)	0	4	0	0	4	10	24	35	28	36	51	55	10	27
	計	1,156 (2.3%)	0	8	1	3	13	38	84	123	179	238	223	179	32	35
合計	男	28,056	231	1,251	1,728	1,904	2,764	3,408	3,928	3,546	3,267	2,828	1,810	1,196	137	58
	女	23,020	149	1,155	1,364	1,487	2,203	2,857	3,386	3,185	2,663	1,969	1,299	1,072	105	126
	計	51,076	380	2,406	3,092	3,391	4,967	6,265	7,314	6,731	5,930	4,797	3,109	2,268	242	184

マスター負荷心電図所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
陽性ST-T の変化 (ダブル)	男	1 (0.5%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	2 (2.4%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0
	計	3 (1.0%)	0	0	0	0	0	0	0	0	2	1	0	0	0	0
疑陽性ST-T の変化 (ダブル)	男	5 (2.4%)	0	0	0	0	0	0	1	0	2	2	0	0	0	0
	女	6 (7.1%)	0	0	0	0	0	2	0	1	1	1	0	1	0	0
	計	11 (3.8%)	0	0	0	0	0	2	1	1	3	3	0	1	0	0
不整脈の出現 (ダブル)	男	14 (6.8%)	0	0	0	0	0	1	1	3	2	5	0	1	0	1
	女	8 (9.5%)	0	0	0	0	1	0	0	2	4	1	0	0	0	0
	計	22 (7.6%)	0	0	0	0	1	1	1	5	6	6	0	1	0	1
その他の所見	男	1 (0.5%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	2 (2.4%)	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	計	3 (1.0%)	0	0	0	0	0	2	0	1	0	0	0	0	0	0
検診者総数	男	205	0	23	14	3	6	18	22	32	52	24	5	4	0	2
	女	84	1	0	0	0	3	16	9	20	21	11	2	1	0	0
	計	289	1	23	14	3	9	34	31	52	73	35	7	5	0	2

自転車エルゴメータ負荷心電図所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
不整脈の出現	男	20 (6.3%)	0	1	1	0	0	2	0	3	5	4	1	3	0	0
	女	8 (4.6%)	0	0	0	1	0	2	0	0	2	1	1	0	0	1
	計	28 (5.7%)	0	1	1	1	0	4	0	3	7	5	2	3	0	1
ST-T の変化	男	15 (4.7%)	0	0	0	3	0	3	1	2	5	0	0	1	0	0
	女	8 (4.6%)	0	0	0	2	1	3	0	0	0	1	0	1	0	0
	計	23 (4.7%)	0	0	0	5	1	6	1	2	5	1	0	2	0	0
血圧の変化	男	118 (37.3%)	0	2	6	14	2	28	8	18	27	7	3	3	0	0
	女	28 (16.2%)	0	0	0	2	0	12	0	5	3	3	1	2	0	0
	計	146 (29.9%)	0	2	6	16	2	40	8	23	30	10	4	5	0	0
検診者総数	男	316	0	24	15	60	6	80	20	32	46	18	6	8	0	1
	女	173	1	0	0	43	3	57	11	22	17	10	5	3	0	1
	計	489	1	24	15	103	9	137	31	54	63	28	11	11	0	2

腹部超音波判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	895 (11.8%)	0	9	12	171	174	182	160	94	56	24	9	3	1	0
	女	1,480 (27.9%)	0	7	21	151	249	282	284	252	141	60	25	7	1	0
	計	2,375 (18.4%)	0	16	33	322	423	464	444	346	197	84	34	10	2	0
問題なし	男	192 (2.5%)	0	1	1	30	37	35	28	15	19	18	7	1	0	0
	女	200 (3.8%)	0	2	1	16	34	43	41	27	20	10	4	2	0	0
	計	392 (3.0%)	0	3	2	46	71	78	69	42	39	28	11	3	0	0
要経過観察	男	6,140 (80.7%)	0	2	13	239	433	678	1,027	1,145	1,079	767	425	246	63	23
	女	3,350 (63.1%)	1	2	6	95	211	356	513	638	580	427	250	214	52	5
	計	9,490 (73.5%)	1	4	19	334	644	1,034	1,540	1,783	1,659	1,194	675	460	115	28
要精密検査	男	364 (4.8%)	0	0	0	8	22	27	57	75	65	46	39	15	7	3
	女	268 (5.0%)	0	0	2	14	16	31	53	45	42	28	22	10	2	3
	計	632 (4.9%)	0	0	2	22	38	58	110	120	107	74	61	25	9	6
要治療	男	3 (0.0%)	0	0	0	0	0	1	0	0	0	2	0	0	0	0
	女	4 (0.1%)	0	0	0	2	1	0	0	0	1	0	0	0	0	0
	計	7 (0.1%)	0	0	0	2	1	1	0	0	1	2	0	0	0	0
治療中	男	16 (0.2%)	0	0	0	0	0	3	0	4	4	2	3	0	0	0
	女	6 (0.1%)	0	0	0	0	0	0	0	1	2	2	0	0	1	0
	計	22 (0.2%)	0	0	0	0	0	3	0	5	6	4	3	0	1	0
合計	男	7,610	0	12	26	448	666	926	1,272	1,333	1,223	859	483	265	71	26
	女	5,308	1	11	30	278	511	712	891	963	786	527	301	233	56	8
	計	12,918	1	23	56	726	1,177	1,638	2,163	2,296	2,009	1,386	784	498	127	34



腹部超音波検査所見（1）

所見		総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
脂肪肝の疑い	男	3,274	(43.0%)	0	2	7	92	222	351	565	658	599	445	204	105	16	8
	女	952	(17.9%)	0	0	1	21	56	84	129	189	193	126	81	60	11	1
	計	4,226	(32.7%)	0	2	8	113	278	435	694	847	792	571	285	165	27	9
肝細胞の疑い	男	1,374	(18.1%)	0	0	0	22	33	104	200	267	289	209	133	89	22	6
	女	1,116	(21.0%)	0	0	0	12	37	93	159	222	220	169	104	76	21	3
	計	2,490	(19.3%)	0	0	0	34	70	197	359	489	509	378	237	165	43	9
肝血管腫の疑い	男	319	(4.2%)	0	0	1	9	29	35	55	63	66	31	14	11	5	0
	女	337	(6.3%)	0	0	1	19	30	43	80	70	45	29	14	4	2	0
	計	656	(5.1%)	0	0	2	28	59	78	135	133	111	60	28	15	7	0
肝占拠性病変の疑い	男	5	(0.1%)	0	0	0	0	0	0	0	2	1	1	0	1	0	0
	女	6	(0.1%)	0	0	0	0	0	2	2	0	1	0	0	0	1	0
	計	11	(0.1%)	0	0	0	0	0	2	2	2	2	1	0	1	1	0
肝内結石の疑い	男	6	(0.1%)	0	0	0	0	0	1	0	1	1	1	1	0	1	0
	女	5	(0.1%)	0	0	0	0	0	0	0	0	0	3	2	0	0	0
	計	11	(0.1%)	0	0	0	0	0	1	0	1	1	4	3	0	1	0
肝内石灰化の疑い	男	62	(0.8%)	0	0	0	1	3	2	12	9	10	13	4	5	2	1
	女	33	(0.6%)	0	0	0	0	0	3	5	4	5	6	5	3	1	1
	計	95	(0.7%)	0	0	0	1	3	5	17	13	15	19	9	8	3	2
肝臓に高エコーのものあり	男	76	(1.0%)	0	0	0	1	1	5	12	9	17	9	9	7	5	1
	女	41	(0.8%)	0	0	0	0	4	2	7	6	9	6	3	2	1	1
	計	117	(0.9%)	0	0	0	1	5	7	19	15	26	15	12	9	6	2
肝腫大	男	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
肝左葉辺縁鈍化	男	2	(0.0%)	0	0	0	0	0	0	0	0	0	2	0	0	0	0
	女	2	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	1	0
	計	4	(0.0%)	0	0	0	0	0	0	0	1	0	2	0	0	1	0
肝内エコー粗粒化	男	4	(0.1%)	0	0	0	0	0	0	0	0	3	0	1	0	0	0
	女	2	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	1	0
	計	6	(0.0%)	0	0	0	0	0	0	0	0	4	0	1	0	1	0
肝表面の不整	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	0	1	0	0	1	0	0	0
慢性肝疾患の疑い	男	7	(0.1%)	0	0	0	0	0	0	0	2	2	1	2	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	7	(0.1%)	0	0	0	0	0	0	0	2	2	1	2	0	0	0
肝臓描出不良	男	240	(3.2%)	0	0	0	7	6	16	30	42	55	36	23	18	6	1
	女	19	(0.4%)	0	0	0	0	1	1	1	5	3	2	3	1	1	1
	計	259	(2.0%)	0	0	0	7	7	17	31	47	58	38	26	19	7	2
肝内胆管拡張の疑い	男	47	(0.6%)	0	0	0	0	0	1	3	7	6	7	12	8	3	0
	女	19	(0.4%)	0	0	0	0	0	0	0	0	5	3	5	5	1	0
	計	66	(0.5%)	0	0	0	0	0	1	3	7	11	10	17	13	4	0
肝外胆管拡張の疑い	男	77	(1.0%)	0	0	0	0	0	0	3	7	9	17	22	15	4	0
	女	57	(1.1%)	0	0	0	0	0	2	2	6	14	4	12	12	4	1
	計	134	(1.0%)	0	0	0	0	0	2	5	13	23	21	34	27	8	1
胆嚢ポリープの疑い	男	1,674	(22.0%)	0	0	2	79	126	206	296	334	303	160	106	45	13	4
	女	761	(14.3%)	1	0	3	26	71	109	143	138	119	66	46	28	10	1
	計	2,435	(18.8%)	1	0	5	105	197	315	439	472	422	226	152	73	23	5
胆石の疑い	男	325	(4.3%)	0	0	0	2	8	15	40	64	74	58	36	18	8	2
	女	205	(3.9%)	0	0	0	6	10	19	24	42	40	30	12	18	4	0
	計	530	(4.1%)	0	0	0	8	18	34	64	106	114	88	48	36	12	2
胆砂・胆泥の疑い	男	56	(0.7%)	0	0	0	1	0	4	6	8	13	10	8	4	0	2
	女	44	(0.8%)	0	0	0	1	0	3	4	8	9	13	2	3	1	0
	計	100	(0.8%)	0	0	0	2	0	7	10	16	22	23	10	7	1	2
胆嚢腺筋腫症の疑い	男	208	(2.7%)	0	0	0	0	3	7	26	44	52	41	16	15	4	0
	女	62	(1.2%)	0	0	0	2	1	4	12	7	15	7	8	5	1	0
	計	270	(2.1%)	0	0	0	2	4	11	38	51	67	48	24	20	5	0
胆嚢壁の肥厚	男	40	(0.5%)	0	0	0	0	3	6	2	12	7	5	4	1	0	0
	女	40	(0.8%)	0	1	0	0	6	2	5	11	6	6	1	2	0	0
	計	80	(0.6%)	0	1	0	0	9	8	7	23	13	11	5	3	0	0
胆嚢壁内結石の疑い	男	210	(2.8%)	0	0	0	2	8	22	43	36	46	25	14	9	2	3
	女	54	(1.0%)	0	0	0	2	4	9	8	7	5	8	5	6	0	0
	計	264	(2.0%)	0	0	0	4	12	31	51	43	51	33	19	15	2	3

腹部超音波検査所見（2）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上		
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計
胆嚢変形	男	3	(0.0%)	0	0	0	0	0	0	2	0	0	0	1	0	0	0	0
	女	1	(0.0%)	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	計	4	(0.0%)	0	0	0	1	0	0	2	0	0	0	1	0	0	0	0
胆嚢腫大	男	11	(0.1%)	0	0	0	0	1	2	0	1	1	4	1	1	0	0	0
	女	7	(0.1%)	0	0	0	0	0	0	2	3	0	2	0	0	0	0	0
	計	18	(0.1%)	0	0	0	0	1	2	0	3	4	4	3	1	0	0	0
胆嚢摘出後	男	246	(3.2%)	0	0	0	1	4	11	27	48	41	53	26	25	7	3	3
	女	145	(2.7%)	0	0	0	1	3	7	16	26	34	19	18	18	2	1	1
	計	391	(3.0%)	0	0	0	2	7	18	43	74	75	72	44	43	9	4	4
胆嚢伸展不良	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
胆嚢描出不良	男	77	(1.0%)	0	0	0	4	4	7	7	8	23	11	8	5	0	0	0
	女	12	(0.2%)	0	0	0	0	0	1	2	1	0	2	1	3	1	1	1
	計	89	(0.7%)	0	0	0	4	4	8	9	9	23	13	9	8	1	1	1
膵管拡張の疑い	男	216	(2.8%)	0	0	0	0	5	11	18	27	52	40	30	20	10	3	3
	女	56	(1.1%)	0	0	0	0	0	0	8	4	8	10	13	9	3	1	1
	計	272	(2.1%)	0	0	0	0	5	11	26	31	60	50	43	29	13	4	4
膵嚢胞の疑い	男	22	(0.3%)	0	0	0	0	0	0	2	4	3	3	4	4	0	2	2
	女	54	(1.0%)	0	0	0	0	1	3	4	11	8	10	7	7	3	0	0
	計	76	(0.6%)	0	0	0	0	1	3	6	15	11	13	11	11	3	2	2
膵占拠性病変の疑い	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
膵臓描出不良	男	4,694	(61.7%)	0	1	11	159	284	482	754	891	855	641	347	195	53	21	21
	女	1,313	(24.7%)	0	1	2	33	77	108	186	242	235	166	121	108	29	5	5
	計	6,007	(46.5%)	0	2	13	192	361	590	940	1,133	1,090	807	468	303	82	26	26
その他 (肝臓・胆嚢・膵臓)	男	104	(1.4%)	0	0	0	1	2	6	14	18	20	18	13	9	3	0	0
	女	72	(1.4%)	0	0	0	3	4	11	12	10	12	11	4	3	2	0	0
	計	176	(1.4%)	0	0	0	4	6	17	26	28	32	29	17	12	5	0	0
腎嚢胞の疑い	男	1,877	(24.7%)	0	0	1	25	64	99	212	313	381	341	228	149	46	18	18
	女	669	(12.6%)	0	0	0	13	30	44	79	121	129	90	69	72	19	3	3
	計	2,546	(19.7%)	0	0	1	38	94	143	291	434	510	431	297	221	65	21	21
腎結石の疑い	男	438	(5.8%)	0	0	0	6	17	32	70	77	104	65	38	19	6	4	4
	女	144	(2.7%)	0	0	0	2	7	15	31	24	25	17	9	12	2	0	0
	計	582	(4.5%)	0	0	0	8	24	47	101	101	129	82	47	31	8	4	4
腎臓に高エコーのものあり	男	1,129	(14.8%)	0	0	3	33	63	88	168	209	219	173	99	51	15	8	8
	女	559	(10.5%)	0	0	1	15	24	40	94	122	108	70	50	30	4	1	1
	計	1,688	(13.1%)	0	0	4	48	87	128	262	331	327	243	149	81	19	9	9
腎血管筋脂肪腫の疑い	男	49	(0.6%)	0	0	0	2	2	3	9	15	9	4	4	1	0	0	0
	女	70	(1.3%)	0	0	0	2	3	9	8	23	9	10	4	1	1	0	0
	計	119	(0.9%)	0	0	0	4	5	12	17	38	18	14	8	2	1	0	0
腎占拠性病変の疑い	男	5	(0.1%)	0	0	0	0	1	1	0	1	1	0	1	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	6	(0.0%)	0	0	0	0	1	1	0	1	1	0	1	1	0	0	0
水腎症の疑い	男	11	(0.1%)	0	0	0	0	0	1	2	2	1	1	3	0	1	0	0
	女	3	(0.1%)	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0
	計	14	(0.1%)	0	0	0	0	0	1	2	4	2	1	3	0	1	0	0
重複腎盂の疑い	男	26	(0.3%)	0	0	0	3	1	1	2	4	5	6	2	1	0	1	1
	女	20	(0.4%)	0	0	0	0	1	0	1	6	3	4	3	2	0	0	0
	計	46	(0.4%)	0	0	0	3	2	1	3	10	8	10	5	3	0	1	1
腎萎縮の疑い	男	12	(0.2%)	0	0	0	0	0	1	0	5	1	3	1	0	1	0	0
	女	6	(0.1%)	0	0	0	0	1	0	1	2	2	0	0	0	0	0	0
	計	18	(0.1%)	0	0	0	0	1	1	1	7	3	3	1	0	1	0	0
腎臓描出不良	男	4	(0.1%)	0	0	0	0	1	0	1	0	1	0	1	0	0	0	0
	女	5	(0.1%)	0	0	0	0	0	0	1	1	1	2	1	0	0	0	0
	計	9	(0.1%)	0	0	0	0	1	0	1	1	2	2	2	0	0	0	0
腎盂・腎杯の拡張	男	52	(0.7%)	0	0	0	1	1	1	7	7	11	9	3	8	2	2	2
	女	41	(0.8%)	0	0	0	2	2	3	3	6	6	5	6	5	2	1	1
	計	93	(0.7%)	0	0	0	3	3	4	10	13	17	14	9	13	4	3	3
その他 (腎臓)	男	81	(1.1%)	0	0	0	1	0	4	7	18	20	13	11	5	2	0	0
	女	51	(1.0%)	0	0	0	3	3	2	7	8	12	3	6	5	2	0	0
	計	132	(1.0%)	0	0	0	4	3	6	14	26	32	16	17	10	4	0	0

腹部超音波検査所見（3）

所見	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
脾腫	男	7 (0.1%)	0	0	0	1	0	1	0	2	1	1	1	0	0	0	0
	女	8 (0.2%)	0	0	1	2	1	2	1	0	1	0	0	0	0	0	0
	計	15 (0.1%)	0	0	1	3	1	3	1	2	2	1	1	0	0	0	0
脾嚢胞の疑い	男	6 (0.1%)	0	0	0	0	0	0	0	3	0	2	0	0	1	0	0
	女	11 (0.2%)	0	0	1	2	2	0	2	1	1	1	1	0	1	0	0
	計	17 (0.1%)	0	0	1	2	2	0	5	1	3	1	0	2	0	0	0
脾臓に高エコーのものあり	男	11 (0.1%)	0	0	0	0	0	0	0	2	1	1	3	1	2	1	0
	女	6 (0.1%)	0	0	0	0	1	0	1	0	0	0	0	1	3	0	0
	計	17 (0.1%)	0	0	0	0	1	0	3	1	1	3	2	5	1	0	0
副脾の疑い	男	248 (3.3%)	0	1	1	28	40	44	40	37	31	15	8	2	1	0	0
	女	248 (4.7%)	0	2	1	19	44	48	51	37	24	12	4	4	2	0	0
	計	496 (3.8%)	0	3	2	47	84	92	91	74	55	27	12	6	3	0	0
脾臓描出不良	男	14 (0.2%)	0	0	0	0	0	0	0	2	3	2	2	3	2	0	0
	女	10 (0.2%)	0	0	0	0	0	0	0	2	0	2	2	3	0	1	0
	計	24 (0.2%)	0	0	0	0	0	0	2	5	2	4	5	5	0	1	0
腹部大動脈石灰化の疑い	男	1,866 (24.5%)	0	0	0	1	5	17	107	241	436	457	329	189	62	22	0
	女	843 (15.9%)	0	0	0	0	4	15	40	72	173	185	138	167	43	6	0
	計	2,709 (21.0%)	0	0	0	1	9	32	147	313	609	642	467	356	105	28	0
腹部大動脈瘤の疑い	男	15 (0.2%)	0	0	0	0	0	1	0	0	2	3	2	5	1	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	15 (0.1%)	0	0	0	0	0	1	0	0	2	3	2	5	1	1	0
脾血管腫の疑い	男	5 (0.1%)	0	0	0	0	0	0	1	2	1	1	0	0	0	0	0
	女	9 (0.2%)	0	0	0	0	1	3	1	2	0	0	1	0	1	0	0
	計	14 (0.1%)	0	0	0	0	1	3	2	4	1	1	1	0	1	0	0
その他 (脾臓・腹部大動脈)	男	47 (0.6%)	0	0	0	0	0	2	3	10	8	6	6	9	3	0	0
	女	27 (0.5%)	0	0	0	1	0	2	9	8	4	0	2	0	1	0	0
	計	74 (0.6%)	0	0	0	1	0	4	12	18	12	6	8	9	4	0	0
検診者総数	男	7,610	0	12	26	448	666	926	1,272	1,333	1,223	859	483	265	71	26	0
	女	5,308	1	11	30	278	511	712	891	963	786	527	301	233	56	8	0
	計	12,918	1	23	56	726	1,177	1,638	2,163	2,296	2,009	1,386	784	498	127	34	0

眼底写真判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	6,060 (55.9%)	1	20	62	514	756	1,006	1,190	1,064	736	450	175	80	3	3
	女	4,494 (62.6%)	1	13	37	325	526	708	923	897	567	307	125	63	2	0
	計	10,554 (58.6%)	2	33	99	839	1,282	1,714	2,113	1,961	1,303	757	300	143	5	3
問題なし	男	95 (0.9%)	0	0	0	0	4	9	17	18	21	15	8	2	0	1
	女	57 (0.8%)	0	0	0	2	1	5	6	9	13	6	7	7	1	0
	計	152 (0.8%)	0	0	0	2	5	14	23	27	34	21	15	9	1	1
要経過観察	男	3,675 (33.9%)	0	0	1	9	40	133	382	582	831	745	498	410	36	8
	女	2,036 (28.3%)	0	0	0	8	22	78	159	294	388	372	324	361	27	3
	計	5,711 (31.7%)	0	0	1	17	62	211	541	876	1,219	1,117	822	771	63	11
要精密検査	男	548 (5.1%)	0	0	1	8	13	28	52	83	69	78	84	124	5	3
	女	343 (4.8%)	0	0	0	2	10	16	18	30	36	61	60	103	7	0
	計	891 (4.9%)	0	0	1	10	23	44	70	113	105	139	144	227	12	3
要治療	男	3 (0.0%)	0	0	0	0	0	0	0	1	1	0	1	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	4 (0.0%)	0	0	0	0	0	0	0	2	1	0	1	0	0	0
治療中	男	458 (4.2%)	0	0	0	2	4	12	42	64	108	105	57	45	14	5
	女	253 (3.5%)	0	0	0	0	4	8	17	46	47	37	39	49	6	0
	計	711 (3.9%)	0	0	0	2	8	20	59	110	155	142	96	94	20	5
合計	男	10,839	1	20	64	533	817	1,188	1,683	1,812	1,766	1,393	823	661	58	20
	女	7,184	1	13	37	337	563	815	1,123	1,277	1,051	783	555	583	43	3
	計	18,023	2	33	101	870	1,380	2,003	2,806	3,089	2,817	2,176	1,378	1,244	101	23

眼底検査所見（1）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
細動脈狭細化	男	89	(0.8%)	0	0	0	0	0	2	6	11	23	19	15	12	1	0
	女	37	(0.5%)	0	0	0	0	1	0	3	9	6	7	5	6	0	0
	計	126	(0.7%)	0	0	0	0	1	2	9	20	29	26	20	18	1	0
細動脈口径不同	男	42	(0.4%)	0	0	0	0	0	2	2	11	13	7	3	4	0	0
	女	27	(0.4%)	0	0	0	0	0	0	5	7	2	8	0	5	0	0
	計	69	(0.4%)	0	0	0	0	0	2	7	18	15	15	3	9	0	0
眼底出血	男	36	(0.3%)	0	0	0	0	2	3	3	8	8	4	2	6	0	0
	女	15	(0.2%)	0	0	0	0	1	1	1	3	4	1	2	2	0	0
	計	51	(0.3%)	0	0	0	0	3	4	4	11	12	5	4	8	0	0
眼底出血の疑い	男	65	(0.6%)	0	0	0	1	1	5	9	17	10	11	4	5	1	1
	女	41	(0.6%)	0	0	0	0	2	1	4	6	7	8	5	8	0	0
	計	106	(0.6%)	0	0	0	1	3	6	13	23	17	19	9	13	1	1
細動脈反射増強	男	1,143	(10.5%)	0	0	0	0	8	30	123	188	282	231	137	135	8	1
	女	760	(10.6%)	0	0	0	0	1	19	61	124	146	162	123	115	9	0
	計	1,903	(10.6%)	0	0	0	0	9	49	184	312	428	393	260	250	17	1
動静脈交叉現象	男	2,166	(20.0%)	0	0	1	3	11	67	201	366	533	442	308	208	20	6
	女	1,105	(15.4%)	0	0	0	1	8	34	82	172	241	203	173	181	9	1
	計	3,271	(18.1%)	0	0	1	4	19	101	283	538	774	645	481	389	29	7
毛細血管瘤 (赤色点)	男	8	(0.1%)	0	0	0	0	0	0	3	2	1	2	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	8	(0.0%)	0	0	0	0	0	0	3	2	1	2	0	0	0	0
新生血管	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
点状出血	男	85	(0.8%)	0	0	0	0	1	7	8	14	23	17	7	8	0	0
	女	12	(0.2%)	0	0	0	0	0	3	2	1	2	2	0	2	0	0
	計	97	(0.5%)	0	0	0	0	1	10	10	15	25	19	7	10	0	0
斑状出血	男	38	(0.4%)	0	0	0	0	0	3	3	9	8	7	4	4	0	0
	女	19	(0.3%)	0	0	0	0	0	1	1	2	2	3	3	6	1	0
	計	57	(0.3%)	0	0	0	0	0	4	4	11	10	10	7	10	1	0
網膜白斑	男	86	(0.8%)	0	0	0	0	1	6	10	14	14	21	10	9	0	1
	女	37	(0.5%)	0	0	0	0	3	2	4	3	3	4	5	13	0	0
	計	123	(0.7%)	0	0	0	0	4	8	14	17	17	25	15	22	0	1
白内障の疑い	男	900	(8.3%)	0	0	0	0	0	5	12	23	84	194	233	304	34	11
	女	649	(9.0%)	0	0	0	1	1	1	6	18	52	115	161	269	23	2
	計	1,549	(8.6%)	0	0	0	1	1	6	18	41	136	309	394	573	57	13

眼底検査所見（2）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
視神経乳頭異常の疑い	男	433	(4.0%)	0	0	1	4	8	26	65	78	84	83	45	28	9	2
	女	193	(2.7%)	0	0	0	1	7	14	19	33	32	33	28	20	6	0
	計	626	(3.5%)	0	0	1	5	15	40	84	111	116	116	73	48	15	2
光凝固後	男	28	(0.3%)	0	0	0	0	0	0	1	4	11	6	5	1	0	0
	女	8	(0.1%)	0	0	0	0	0	1	0	2	1	1	0	2	1	0
	計	36	(0.2%)	0	0	0	0	0	1	1	6	12	7	5	3	1	0
網膜有髄神経繊維の疑い	男	62	(0.6%)	0	0	0	0	4	4	4	14	14	8	11	3	0	0
	女	24	(0.3%)	0	0	0	1	1	4	1	1	8	1	3	4	0	0
	計	86	(0.5%)	0	0	0	1	5	8	5	15	22	9	14	7	0	0
網脈絡膜血管叢の疑い	男	59	(0.5%)	0	0	0	0	2	7	13	4	13	11	3	4	1	1
	女	26	(0.4%)	0	0	0	1	1	3	6	5	2	2	4	2	0	0
	計	85	(0.5%)	0	0	0	1	3	10	19	9	15	13	7	6	1	1
瞳孔の開き不十分	男	170	(1.6%)	0	0	0	3	1	2	3	12	28	39	31	43	8	0
	女	72	(1.0%)	0	0	0	0	2	2	3	5	9	15	14	18	4	0
	計	242	(1.3%)	0	0	0	3	3	4	6	17	37	54	45	61	12	0
黄斑部異常の疑い	男	521	(4.8%)	0	0	0	2	9	25	47	84	106	114	68	58	8	0
	女	214	(3.0%)	0	0	0	2	2	8	10	22	45	42	36	39	6	2
	計	735	(4.1%)	0	0	0	4	11	33	57	106	151	156	104	97	14	2
右眼のみ撮影	男	29	(0.3%)	0	0	0	0	0	1	1	6	5	7	1	8	0	0
	女	8	(0.1%)	0	0	0	0	0	1	0	0	0	1	4	1	1	0
	計	37	(0.2%)	0	0	0	0	0	2	1	6	5	8	5	9	1	0
左眼のみ撮影	男	25	(0.2%)	0	0	0	0	1	0	2	3	3	3	8	4	0	1
	女	7	(0.1%)	0	0	0	0	0	0	0	1	0	3	3	0	0	
	計	32	(0.2%)	0	0	0	0	1	0	2	3	4	3	11	7	0	1
硝子体閃輝融解の疑い	男	30	(0.3%)	0	0	0	0	0	0	2	2	7	6	7	5	1	0
	女	13	(0.2%)	0	0	0	0	0	1	1	0	5	2	2	2	0	0
	計	43	(0.2%)	0	0	0	0	0	1	3	2	12	8	9	7	1	0
網膜神経線維層欠損の疑い	男	440	(4.1%)	0	0	0	5	7	28	59	82	108	84	39	22	5	1
	女	208	(2.9%)	0	0	0	4	6	20	29	39	31	34	27	15	3	0
	計	648	(3.6%)	0	0	0	9	13	48	88	121	139	118	66	37	8	1
ドルーゼン	男	13	(0.1%)	0	0	0	0	0	0	1	0	2	2	2	4	2	0
	女	37	(0.5%)	0	0	0	0	0	0	0	1	2	7	6	17	4	0
	計	50	(0.3%)	0	0	0	0	0	0	1	1	4	9	8	21	6	0
その他の所見	男	163	(1.5%)	0	0	0	4	7	5	27	32	38	23	14	10	1	2
	女	104	(1.4%)	0	0	0	1	4	13	11	19	21	14	13	6	2	0
	計	267	(1.5%)	0	0	0	5	11	18	38	51	59	37	27	16	3	2
検診者総数	男	10,850		1	22	67	534	817	1,189	1,685	1,813	1,767	1,393	823	661	58	20
	女	7,184		1	13	37	337	563	815	1,123	1,277	1,051	783	555	583	43	3
	計	18,034		2	35	104	871	1,380	2,004	2,808	3,090	2,818	2,176	1,378	1,244	101	23

肺機能判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
異常なし	男	1,578 (92.7%)	0	13	27	63	151	180	298	325	266	131	66	37	18	3
	女	945 (94.5%)	0	8	10	53	94	129	179	173	126	74	43	42	13	1
	計	2,523 (93.4%)	0	21	37	116	245	309	477	498	392	205	109	79	31	4
問題なし	男	103 (6.1%)	0	0	1	3	4	6	13	19	16	12	14	11	3	1
	女	48 (4.8%)	0	1	0	1	3	8	3	13	6	5	4	4	0	0
	計	151 (5.6%)	0	1	1	4	7	14	16	32	22	17	18	15	3	1
要経過観察	男	16 (0.9%)	0	0	0	0	0	1	2	3	2	4	2	2	0	0
	女	6 (0.6%)	0	0	0	0	0	1	0	3	1	0	1	0	0	0
	計	22 (0.8%)	0	0	0	0	0	2	2	6	3	4	3	2	0	0
要精密検査	男	5 (0.3%)	0	0	0	0	1	0	0	0	1	0	0	1	2	0
	女	1 (0.1%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	6 (0.2%)	0	0	0	0	1	0	1	0	1	0	0	1	2	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	男	1,702	0	13	28	66	156	187	313	347	285	147	82	51	23	4
	女	1,000	0	9	10	54	97	138	183	189	133	79	48	46	13	1
	計	2,702	0	22	38	120	253	325	496	536	418	226	130	97	36	5

肺機能検査の性年齢別平均値

検査項目	総数	19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
%肺活量	男	1,684 106.4	0 0.0	16 102.1	40 102.6	74 108.5	154 108.4	184 110.6	304 108.5	339 107.5	278 105.5	141 104.9	79 98.5	49 94.9	22 91.5	4 100.5
	女	960 104.3	0 0.0	9 91.7	10 99.9	54 103.7	94 104.3	132 105.9	177 107.3	180 104.6	125 102.9	74 101.1	47 102.7	45 103.0	12 104.7	1 86.0
	計	2,644 105.7	0 0.0	25 98.4	50 102.1	128 106.5	248 106.8	316 108.6	481 108.1	519 106.5	403 104.7	215 103.6	126 100.1	94 98.8	34 96.2	5 97.6
一秒率	男	1,684 80.2	0 0.0	16 85.4	40 84.1	74 84.0	154 81.7	184 81.1	304 80.5	339 79.9	278 79.2	141 78.4	79 78.3	49 77.6	22 76.2	4 75.7
	女	960 81.7	0 0.0	9 85.5	10 82.2	54 86.2	94 83.7	132 83.1	177 81.3	180 81.2	125 81.1	74 80.0	47 79.1	45 78.1	12 77.3	1 91.4
	計	2,644 80.7	0 0.0	25 85.4	50 83.7	128 84.9	248 82.5	316 82.0	481 80.8	519 80.3	403 79.8	215 78.9	126 78.6	94 77.9	34 76.6	5 78.8

聴力判定結果

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	24,783	(85.2%)	237	1,607	2,201	2,340	2,697	3,306	3,631	3,113	2,625	1,896	834	260	29	7
	女	21,306	(93.7%)	148	1,558	1,864	1,790	2,128	2,777	3,186	2,911	2,306	1,545	688	363	40	2
	計	46,089	(88.9%)	385	3,165	4,065	4,130	4,825	6,083	6,817	6,024	4,931	3,441	1,522	623	69	9
問題なし	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	男	4,314	(14.8%)	2	20	31	48	97	216	388	472	668	920	786	533	101	32
	女	1,424	(6.3%)	1	20	26	26	47	66	119	147	208	239	253	217	46	9
	計	5,738	(11.1%)	3	40	57	74	144	282	507	619	876	1,159	1,039	750	147	41
要精密検査	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	男	29,097		239	1,627	2,232	2,388	2,794	3,522	4,019	3,585	3,293	2,816	1,620	793	130	39
	女	22,730		149	1,578	1,890	1,816	2,175	2,843	3,305	3,058	2,514	1,784	941	580	86	11
	計	51,827		388	3,205	4,122	4,204	4,969	6,365	7,324	6,643	5,807	4,600	2,561	1,373	216	50



聴力検査の性年齢別平均値

検査項目	総数		29歳以下		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
聴力・右・ 500Hz dB	男	181	18.7	0	—	3	16.7	6	16.7	17	14.1	23	19.4	34	15.6	58	20.3	25	20.8	7	12.9	4	35.0	2	35.0	2	12.5
	女	84	18.3	0	—	0	—	3	10.0	16	17.5	7	17.1	20	15.5	22	16.8	13	24.6	2	40.0	1	30.0	0	—	0	—
	計	265	18.6	0	—	3	16.7	9	14.4	33	15.8	30	18.8	54	15.6	80	19.3	38	22.1	9	18.9	5	34.0	2	35.0	2	12.5
聴力・右・ 1KHz dB	男	181	15.9	0	—	3	15.0	6	14.2	17	10.0	23	11.7	34	13.8	58	17.2	25	19.6	7	15.7	4	31.3	2	40.0	2	17.5
	女	84	15.4	0	—	0	—	3	8.3	16	11.6	7	12.9	20	13.3	22	15.9	13	23.1	2	25.0	1	30.0	0	—	0	—
	計	265	15.8	0	—	3	15.0	9	12.2	33	10.8	30	12.0	54	13.6	80	16.9	38	20.8	9	17.8	5	31.0	2	40.0	2	17.5
聴力・右・ 2KHz dB	男	181	17.5	0	—	3	11.7	6	13.3	17	10.6	23	13.9	34	15.0	58	19.0	25	22.0	7	18.6	4	30.0	2	35.0	2	40.0
	女	84	17.6	0	—	0	—	3	15.0	16	11.9	7	12.1	20	16.3	22	19.8	13	23.9	2	37.5	1	15.0	0	—	0	—
	計	265	17.6	0	—	3	11.7	9	13.9	33	11.2	30	13.5	54	15.5	80	19.2	38	22.6	9	22.8	5	27.0	2	35.0	2	40.0
聴力・右・ 4KHz dB	男	181	22.3	0	—	3	20.0	6	14.2	17	13.2	23	15.7	34	15.9	58	24.1	25	33.8	7	22.9	4	45.0	2	52.5	2	40.0
	女	84	13.9	0	—	0	—	3	5.0	16	6.6	7	5.7	20	13.8	22	18.9	13	18.1	2	35.0	1	15.0	0	—	0	—
	計	265	19.6	0	—	3	20.0	9	11.1	33	10.0	30	13.3	54	15.1	80	22.6	38	28.4	9	25.6	5	39.0	2	52.5	2	40.0
聴力・左・ 500Hz dB	男	181	16.9	0	—	3	16.7	6	17.5	17	14.7	23	17.8	34	14.6	58	16.5	25	19.4	7	13.6	4	23.8	2	42.5	2	15.0
	女	84	19.0	0	—	0	—	3	10.0	16	13.4	7	20.7	20	16.0	22	19.8	13	27.7	2	25.0	1	40.0	0	—	0	—
	計	265	17.6	0	—	3	16.7	9	15.0	33	14.1	30	18.5	54	15.1	80	17.4	38	22.2	9	16.1	5	27.0	2	42.5	2	15.0
聴力・左・ 1KHz dB	男	181	15.6	0	—	3	15.0	6	13.3	17	12.1	23	13.7	34	14.3	58	16.5	25	19.4	7	14.3	4	13.8	2	30.0	2	15.0
	女	84	14.4	0	—	0	—	3	10.0	16	7.5	7	14.3	20	13.0	22	15.9	13	21.5	2	17.5	1	30.0	0	—	0	—
	計	265	15.2	0	—	3	15.0	9	12.2	33	9.9	30	13.8	54	13.8	80	16.3	38	20.1	9	15.0	5	17.0	2	30.0	2	15.0
聴力・左・ 2KHz dB	男	181	17.5	0	—	3	13.3	6	14.2	17	9.4	23	13.0	34	16.0	58	18.5	25	23.8	7	20.0	4	18.8	2	37.5	2	37.5
	女	84	16.4	0	—	0	—	3	8.3	16	9.4	7	13.6	20	14.5	22	20.7	13	22.7	2	20.0	1	25.0	0	—	0	—
	計	265	17.1	0	—	3	13.3	9	12.2	33	9.4	30	13.2	54	15.5	80	19.1	38	23.4	9	20.0	5	20.0	2	37.5	2	37.5
聴力・左・ 4KHz dB	男	181	24.0	0	—	3	26.7	6	11.7	17	12.9	23	15.9	34	22.1	58	25.5	25	32.2	7	32.1	4	37.5	2	60.0	2	35.0
	女	84	14.5	0	—	0	—	3	1.7	16	6.6	7	2.9	20	16.3	22	20.7	13	20.0	2	15.0	1	20.0	0	—	0	—
	計	265	21.0	0	—	3	26.7	9	8.3	33	9.9	30	12.8	54	19.9	80	24.2	38	28.0	9	28.3	5	34.0	2	60.0	2	35.0

精密聴力検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	
精密聴力・右 250Hz dB	男	297	30.4	18	30.6	72	30.4	36	28.5	52	28.8	19	28.2	11	31.8	70	31.3	6	30.0	6	36.7	7	42.1	0	—	0	—	0	—	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	297	30.4	18	30.6	72	30.4	36	28.5	52	28.8	19	28.2	11	31.8	70	31.3	6	30.0	6	36.7	7	42.1	0	—	0	—	0	—	0	—
精密聴力・右 500Hz dB	男	297	25.5	18	26.1	72	25.8	36	22.8	52	24.1	19	23.7	11	28.2	70	26.1	6	23.3	6	30.0	7	37.1	0	—	0	—	0	—	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	297	25.5	18	26.1	72	25.8	36	22.8	52	24.1	19	23.7	11	28.2	70	26.1	6	23.3	6	30.0	7	37.1	0	—	0	—	0	—	0	—
精密聴力・右 1KHz dB	男	297	16.4	18	15.3	72	14.2	36	13.9	52	14.8	19	16.1	11	19.1	70	19.3	6	17.5	6	20.8	7	30.7	0	—	0	—	0	—	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	297	16.4	18	15.3	72	14.2	36	13.9	52	14.8	19	16.1	11	19.1	70	19.3	6	17.5	6	20.8	7	30.7	0	—	0	—	0	—	0	—
精密聴力・右 2KHz dB	男	297	16.0	18	14.7	72	12.9	36	10.3	52	13.6	19	15.3	11	17.7	70	21.1	6	24.2	6	20.8	7	37.1	0	—	0	—	0	—	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	297	16.0	18	14.7	72	12.9	36	10.3	52	13.6	19	15.3	11	17.7	70	21.1	6	24.2	6	20.8	7	37.1	0	—	0	—	0	—	0	—
精密聴力・右 4KHz dB	男	297	13.5	18	7.5	72	6.3	36	6.7	52	9.6	19	15.0	11	16.8	70	23.7	6	18.3	6	22.5	7	42.9	0	—	0	—	0	—	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	297	13.5	18	7.5	72	6.3	36	6.7	52	9.6	19	15.0	11	16.8	70	23.7	6	18.3	6	22.5	7	42.9	0	—	0	—	0	—	0	—
精密聴力・右 8KHz dB	男	297	14.7	18	9.7	72	8.7	36	10.3	52	8.9	19	13.7	11	14.1	70	23.9	6	20.0	6	40.8	7	41.4	0	—	0	—	0	—	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	297	14.7	18	9.7	72	8.7	36	10.3	52	8.9	19	13.7	11	14.1	70	23.9	6	20.0	6	40.8	7	41.4	0	—	0	—	0	—	0	—
精密聴力・左 250Hz dB	男	297	29.5	18	30.6	72	28.8	36	27.8	52	27.6	19	28.2	11	34.6	70	29.8	6	33.3	6	37.5	7	40.0	0	—	0	—	0	—	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	297	29.5	18	30.6	72	28.8	36	27.8	52	27.6	19	28.2	11	34.6	70	29.8	6	33.3	6	37.5	7	40.0	0	—	0	—	0	—	0	—
精密聴力・左 500Hz dB	男	297	24.9	18	25.8	72	25.0	36	21.7	52	23.3	19	23.4	11	30.0	70	25.1	6	27.5	6	30.0	7	39.3	0	—	0	—	0	—	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	297	24.9	18	25.8	72	25.0	36	21.7	52	23.3	19	23.4	11	30.0	70	25.1	6	27.5	6	30.0	7	39.3	0	—	0	—	0	—	0	—
精密聴力・左 1KHz dB	男	297	15.2	18	12.2	72	12.9	36	13.2	52	14.5	19	15.5	11	20.5	70	17.0	6	17.5	6	20.0	7	26.4	0	—	0	—	0	—	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	297	15.2	18	12.2	72	12.9	36	13.2	52	14.5	19	15.5	11	20.5	70	17.0	6	17.5	6	20.0	7	26.4	0	—	0	—	0	—	0	—
精密聴力・左 2KHz dB	男	297	14.2	18	9.7	72	11.1	36	11.3	52	12.1	19	14.2	11	16.8	70	18.6	6	22.5	6	17.5	7	32.1	0	—	0	—	0	—	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	297	14.2	18	9.7	72	11.1	36	11.3	52	12.1	19	14.2	11	16.8	70	18.6	6	22.5	6	17.5	7	32.1	0	—	0	—	0	—	0	—
精密聴力・左 4KHz dB	男	297	13.9	18	5.3	72	5.1	36	7.5	52	8.6	19	17.4	11	19.1	70	26.5	6	25.8	6	17.5	7	43.6	0	—	0	—	0	—	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	297	13.9	18	5.3	72	5.1	36	7.5	52	8.6	19	17.4	11	19.1	70	26.5	6	25.8	6	17.5	7	43.6	0	—	0	—	0	—	0	—
精密聴力・左 8KHz dB	男	297	14.9	18	6.1	72	6.7	36	8.2	52	9.3	19	20.3	11	20.0	70	26.3	6	25.0	6	28.3	7	39.3	0	—	0	—	0	—	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	297	14.9	18	6.1	72	6.7	36	8.2	52	9.3	19	20.3	11	20.0	70	26.3	6	25.0	6	28.3	7	39.3	0	—	0	—	0	—	0	—

血圧判定結果

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	17,816	(53.2%)	241	1,644	2,195	2,075	2,244	2,338	2,207	1,574	1,241	865	530	406	171	85
	女	20,944	(69.6%)	204	1,790	2,134	1,952	2,319	2,735	2,810	2,334	1,800	1,253	786	580	165	82
	計	38,760	(61.0%)	445	3,434	4,329	4,027	4,563	5,073	5,017	3,908	3,041	2,118	1,316	986	336	167
問題なし	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	男	8,450	(25.2%)	30	255	381	518	674	913	1,240	1,170	999	837	595	509	198	131
	女	5,021	(16.7%)	6	55	69	122	223	405	686	751	688	606	568	579	190	73
	計	13,471	(21.2%)	36	310	450	640	897	1,318	1,926	1,921	1,687	1,443	1,163	1,088	388	204
要精密検査	男	931	(2.8%)	0	3	10	22	67	112	151	156	126	116	79	51	27	11
	女	430	(1.4%)	0	0	3	6	14	27	64	64	52	59	49	55	24	13
	計	1,361	(2.1%)	0	3	13	28	81	139	215	220	178	175	128	106	51	24
要治療	男	192	(0.6%)	0	0	6	7	11	18	45	39	25	21	11	7	0	2
	女	77	(0.3%)	0	0	2	1	8	11	12	11	6	12	5	7	2	0
	計	269	(0.4%)	0	0	8	8	19	29	57	50	31	33	16	14	2	2
治療中	男	6,091	(18.2%)	1	3	3	28	72	219	495	773	993	1,136	917	870	360	221
	女	3,615	(12.0%)	0	0	1	4	28	93	226	410	488	553	582	736	280	214
	計	9,706	(15.3%)	1	3	4	32	100	312	721	1,183	1,481	1,689	1,499	1,606	640	435
合計	男	33,480		272	1,905	2,595	2,650	3,068	3,600	4,138	3,712	3,384	2,975	2,132	1,843	756	450
	女	30,087		210	1,845	2,209	2,085	2,592	3,271	3,798	3,570	3,034	2,483	1,990	1,957	661	382
	計	63,567		482	3,750	4,804	4,735	5,660	6,871	7,936	7,282	6,418	5,458	4,122	3,800	1,417	832

血圧（安静時・負荷時）の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	
安静時血圧・最大 mmHg	男	33,901	127.0	289	120.7	1,984	120.5	2,645	120.9	2,721	121.9	3,096	123.0	3,628	124.3	4,213	126.3	3,727	128.6	3,394	129.7	2,994	132.0	2,149	134.2	1,854	134.8	756	134.8	451	136.4
	女	30,221	120.3	212	112.2	1,856	111.6	2,221	110.6	2,100	111.2	2,608	113.6	3,292	115.8	3,811	119.5	3,584	121.8	3,047	123.8	2,488	127.0	1,996	130.5	1,963	133.1	661	134.7	382	135.0
	計	64,122	123.8	501	117.1	3,840	116.2	4,866	116.2	4,821	117.2	5,704	118.7	6,920	120.3	8,024	123.1	7,311	125.3	6,441	126.9	5,482	129.7	4,145	132.4	3,817	133.9	1,417	134.8	833	135.8
安静時血圧・最小 mmHg	男	33,901	78.7	289	66.4	1,984	68.8	2,645	71.4	2,721	73.9	3,096	76.5	3,628	78.7	4,213	81.2	3,727	83.0	3,394	82.8	2,994	82.8	2,149	82.3	1,854	80.6	756	78.2	451	76.8
	女	30,221	73.5	212	67.3	1,856	67.3	2,221	67.7	2,100	68.6	2,608	70.6	3,292	72.0	3,811	74.3	3,584	76.0	3,047	76.5	2,488	77.6	1,996	77.4	1,963	77.0	661	76.5	382	74.3
	計	64,122	76.3	501	66.8	3,840	68.1	4,866	69.7	4,821	71.6	5,704	73.8	6,920	75.5	8,024	78.0	7,311	79.6	6,441	79.8	5,482	80.4	4,145	80.0	3,817	78.8	1,417	77.4	833	75.7

眼圧検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	
眼圧・右 mmHg	男	4,154	14.9	0	0.0	2	15.0	4	15.8	386	15.4	435	15.1	495	15.1	692	14.8	719	15.0	727	14.7	437	14.7	197	14.3	51	14.3	5	14.0	4	13.3
	女	2,882	14.9	0	0.0	0	0.0	3	14.7	233	15.3	297	15.1	382	14.9	506	15.1	577	14.9	497	14.7	272	14.8	75	14.7	37	14.2	3	14.7	0	0.0
	計	7,036	14.9	0	0.0	2	15.0	7	15.3	619	15.3	732	15.1	877	15.0	1,198	15.0	1,296	15.0	1,224	14.7	709	14.7	272	14.4	88	14.3	8	14.3	4	13.3
眼圧・左 mmHg	男	4,153	15.1	0	0.0	2	15.0	4	14.8	386	15.4	436	15.2	496	15.2	692	15.1	719	15.3	724	15.0	438	15.0	196	14.5	51	15.0	5	13.4	4	15.3
	女	2,881	15.2	0	0.0	0	0.0	3	13.7	233	15.1	297	15.3	382	15.1	506	15.4	577	15.3	497	15.1	271	15.1	75	14.9	37	14.6	3	14.3	0	0.0
	計	7,034	15.1	0	0.0	2	15.0	7	14.3	619	15.3	733	15.2	878	15.2	1,198	15.2	1,296	15.3	1,221	15.0	709	15.0	271	14.6	88	14.8	8	13.8	4	15.3

内科診察判定結果

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	25,114	(98.3%)	131	887	1,040	1,069	2,181	3,186	3,722	3,425	3,148	2,707	1,883	1,623	96	16
	女	21,931	(97.5%)	52	692	804	818	1,857	2,750	3,349	3,134	2,725	2,176	1,727	1,777	60	10
	計	47,045	(97.9%)	183	1,579	1,844	1,887	4,038	5,936	7,071	6,559	5,873	4,883	3,610	3,400	156	26
問題なし	男	13	(0.1%)	0	0	1	0	3	2	1	3	1	0	1	1	0	0
	女	16	(0.1%)	0	0	1	2	0	5	1	3	1	1	2	0	0	0
	計	29	(0.1%)	0	0	2	2	3	7	2	6	2	1	3	1	0	0
要経過観察	男	223	(0.9%)	0	2	4	4	13	18	27	30	28	28	37	28	2	2
	女	394	(1.8%)	0	1	7	8	40	55	72	72	45	47	31	14	2	0
	計	617	(1.3%)	0	3	11	12	53	73	99	102	73	75	68	42	4	2
要精密検査	男	91	(0.4%)	2	2	1	1	2	8	6	12	15	12	10	18	1	1
	女	85	(0.4%)	0	1	4	2	8	7	9	14	1	18	10	10	1	0
	計	176	(0.4%)	2	3	5	3	10	15	15	26	16	30	20	28	2	1
要治療	男	2	(0.0%)	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	0	0	0	1	1	0	0	0
治療中	男	118	(0.5%)	1	3	0	0	5	5	3	8	16	22	26	28	1	0
	女	64	(0.3%)	0	1	2	1	7	9	9	8	4	2	8	13	0	0
	計	182	(0.4%)	1	4	2	1	12	14	12	16	20	24	34	41	1	0
合計	男	25,561		134	894	1,046	1,074	2,204	3,219	3,759	3,478	3,208	2,770	1,958	1,698	100	19
	女	22,490		52	695	818	831	1,912	2,826	3,440	3,231	2,776	2,244	1,778	1,814	63	10
	計	48,051		186	1,589	1,864	1,905	4,116	6,045	7,199	6,709	5,984	5,014	3,736	3,512	163	29

内科診察検査所見（1）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
眼瞼結膜充血あり	男	4	(0.0%)	0	1	0	0	0	0	0	0	2	1	0	0	0	0
	女	9	(0.0%)	0	0	1	0	0	2	5	1	0	0	0	0	0	0
	計	13	(0.0%)	0	1	1	0	0	2	5	1	2	1	0	0	0	0
眼球結膜黄斑あり	男	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
頸部リンパ節腫脹	男	12	(0.0%)	0	0	1	1	0	1	0	2	1	3	2	0	1	0
	女	11	(0.0%)	0	0	0	0	0	0	1	1	2	4	1	1	1	0
	計	23	(0.0%)	0	0	1	1	0	1	1	3	3	7	3	1	2	0
甲状腺腫大	男	13	(0.1%)	1	1	0	1	1	3	1	1	1	1	2	0	0	0
	女	161	(0.7%)	0	2	9	9	24	31	21	21	15	11	12	6	0	0
	計	174	(0.4%)	1	3	9	10	25	34	22	22	16	12	14	6	0	0
胸郭変形	男	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
心拍不整	男	164	(0.6%)	0	0	0	1	5	9	2	15	26	24	35	45	1	1
	女	42	(0.2%)	0	1	1	1	1	2	5	2	3	6	11	9	0	0
	計	206	(0.4%)	0	1	1	2	6	11	7	17	29	30	46	54	1	1
収縮期雑音	男	71	(0.3%)	1	2	4	1	1	6	5	7	4	13	11	16	0	0
	女	55	(0.2%)	0	1	1	1	2	3	3	9	1	13	8	11	2	0
	計	126	(0.3%)	1	3	5	2	3	9	8	16	5	26	19	27	2	0
拡張期雑音	男	11	(0.0%)	0	1	0	1	0	1	1	1	1	2	1	2	0	0
	女	3	(0.0%)	0	0	0	2	0	0	1	0	0	0	0	0	0	0
	計	14	(0.0%)	0	1	0	3	0	1	2	1	1	2	1	2	0	0
連続性雑音	男	1	(0.0%)	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	1	0	0	0	0	0	0	0	0	0
乾性ラ音	男	3	(0.0%)	0	0	0	0	0	0	0	0	0	1	1	0	1	0
	女	4	(0.0%)	0	0	0	0	0	0	0	0	1	1	1	1	0	0
	計	7	(0.0%)	0	0	0	0	0	0	0	0	1	2	2	1	1	0
湿性ラ音	男	3	(0.0%)	0	0	0	0	1	0	0	0	0	0	2	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3	(0.0%)	0	0	0	0	1	0	0	0	0	0	2	0	0	0
腹部圧痛	男	79	(0.3%)	0	0	0	0	10	10	19	17	11	5	6	1	0	0
	女	180	(0.8%)	0	0	1	0	23	28	37	39	25	19	7	1	0	0
	計	259	(0.5%)	0	0	1	0	33	38	56	56	36	24	13	2	0	0
腹部腫痛触知	男	2	(0.0%)	0	0	0	0	0	0	1	0	0	0	1	0	0	0
	女	26	(0.1%)	0	0	0	0	0	4	11	9	1	1	0	0	0	0
	計	28	(0.1%)	0	0	0	0	0	4	12	9	1	1	1	0	0	0
下肢静脈痛	男	9	(0.0%)	0	0	0	0	0	1	0	1	0	4	3	0	0	0
	女	13	(0.1%)	0	0	0	0	0	0	1	4	1	1	4	2	0	0
	計	22	(0.0%)	0	0	0	0	0	1	1	5	1	5	7	2	0	0
関節変形	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
関節腫脹	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
知覚異常	男	2	(0.0%)	0	1	0	0	0	0	1	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.0%)	0	1	0	0	0	0	1	0	0	0	0	0	0	0

内科診察検査所見（2）

所見	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
浮腫	男	8	(0.0%)	0	0	0	0	0	0	1	1	2	1	1	1	0	1
	女	13	(0.1%)	0	0	0	0	0	2	4	3	0	2	2	0	0	0
	計	21	(0.0%)	0	0	0	0	0	2	5	4	2	3	3	1	0	1
黄色腫	男	1	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
術創あり	男	3	(0.0%)	0	0	0	0	1	0	0	0	0	0	1	1	0	0
	女	7	(0.0%)	0	0	0	0	0	1	0	2	1	1	2	0	0	0
	計	10	(0.0%)	0	0	0	0	1	1	0	2	1	1	3	1	0	0
心雑音あり	男	33	(0.1%)	1	1	0	0	0	0	3	5	4	7	3	8	0	1
	女	17	(0.1%)	0	0	1	0	3	0	2	2	0	4	1	4	0	0
	計	50	(0.1%)	1	1	1	0	3	0	5	7	4	11	4	12	0	1
肺雑音あり	男	12	(0.0%)	0	0	0	0	0	0	1	1	2	1	4	2	1	0
	女	8	(0.0%)	0	0	0	0	1	1	1	1	0	2	1	1	0	0
	計	20	(0.0%)	0	0	0	0	1	1	2	2	2	3	5	3	1	0
皮膚の異常	男	4	(0.0%)	0	1	0	0	1	0	1	0	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	4	(0.0%)	0	1	0	0	1	0	1	0	1	0	0	0	0	0
水晶体混濁	男	1	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
爪の異常	男	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	2	(0.0%)	0	0	0	0	0	0	1	0	0	1	0	0	0	0
	計	3	(0.0%)	0	0	0	0	0	0	1	0	1	1	0	0	0	0
皮膚・粘膜の異常	男	1	(0.0%)	0	0	0	1	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	1	0	0	0	0	0	0	0	0	0	0
結膜・角膜の異常	男	1	(0.0%)	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	1	0	0	0	0	0	0	0	0	0	0	0	0	0
軽度の腰痛症状	男	5	(0.0%)	0	0	0	0	1	1	0	0	1	0	1	1	0	0
	女	25	(0.1%)	0	0	0	0	2	5	5	4	3	4	2	0	0	0
	計	30	(0.1%)	0	0	0	0	3	6	5	4	4	4	3	1	0	0
中等度の腰痛症状	男	5	(0.0%)	0	0	0	0	3	0	1	0	1	0	0	0	0	0
	女	7	(0.0%)	0	0	0	0	0	2	1	2	2	0	0	0	0	0
	計	12	(0.0%)	0	0	0	0	3	2	2	2	3	0	0	0	0	0
前屈制限・前屈時疼痛	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
後屈制限・後屈時疼痛	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	3	(0.0%)	0	0	0	0	0	3	0	0	0	0	0	0	0	0
	計	3	(0.0%)	0	0	0	0	0	3	0	0	0	0	0	0	0	0
下肢しびれ・知覚異常	男	2	(0.0%)	0	0	0	0	2	0	0	0	0	0	0	0	0	0
	女	2	(0.0%)	0	0	0	0	0	0	0	1	1	0	0	0	0	0
	計	4	(0.0%)	0	0	0	0	2	0	0	1	1	0	0	0	0	0
その他の所見	男	27	(0.1%)	0	1	1	1	3	3	2	2	6	4	4	0	0	0
	女	17	(0.1%)	0	0	1	0	1	2	2	4	1	3	1	2	0	0
	計	44	(0.1%)	0	1	2	1	4	5	4	6	7	7	5	2	0	0
検査者総数	男	25,561		134	894	1,046	1,074	2,204	3,219	3,759	3,478	3,208	2,770	1,958	1,698	100	19
	女	22,490		52	695	818	831	1,912	2,826	3,440	3,231	2,776	2,244	1,778	1,814	63	10
	計	48,051		186	1,589	1,864	1,905	4,116	6,045	7,199	6,709	5,984	5,014	3,736	3,512	163	29

乳房判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
異常なし	11,030	(80.6%)	5	210	364	538	822	1,403	1,589	1,592	1,421	1,144	827	829	215	71
問題なし	602	(4.4%)	0	1	5	26	35	77	101	102	92	68	41	35	16	3
要経過観察	1,471	(10.8%)	0	50	134	190	286	192	234	168	103	58	36	17	3	0
要精密検査	557	(4.1%)	0	7	7	15	31	92	108	92	70	45	32	41	15	2
要治療	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	19	(0.1%)	0	0	0	0	1	1	5	5	3	2	1	1	0	0
合計	13,679		5	268	510	769	1,175	1,765	2,037	1,959	1,689	1,317	937	923	249	76

乳房触診所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
乳腺症の疑い	10	(3.0%)	0	0	0	0	1	2	3	2	1	1	0	0	0	0
良性乳腺腫瘍	1	(0.3%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
良性乳腺腫瘍の疑い	4	(1.2%)	0	0	0	0	0	2	1	0	0	0	0	1	0	0
乳腺腫瘍の疑い	3	(0.9%)	0	0	0	0	0	0	3	0	0	0	0	0	0	0
手術後	1	(0.3%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
術創あり	2	(0.6%)	0	0	0	0	0	0	1	1	0	0	0	0	0	0
検診者総数	328		0	3	5	14	29	41	58	41	52	37	26	18	4	0



## マンモグラフィー検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
		(%)														
カテゴリー1	9,686	(90.0%)	0	16	38	136	377	1,374	1,641	1,624	1,410	1,140	813	830	216	71
カテゴリー2	572	(5.3%)	0	1	0	8	17	80	115	102	91	67	44	30	15	2
カテゴリー3	489	(4.5%)	0	1	3	7	16	82	95	84	69	44	32	40	14	2
カテゴリー4	15	(0.1%)	0	0	0	0	0	2	1	4	5	1	1	1	0	0
カテゴリー5	3	(0.0%)	0	0	0	0	0	0	0	1	0	1	0	0	1	0
腫瘍	284	(2.6%)	0	0	0	2	5	44	64	47	39	34	15	22	9	3
石灰化	490	(4.6%)	0	1	0	8	18	84	94	96	72	55	28	19	15	0
非対称性	358	(3.3%)	0	1	3	3	12	43	62	58	61	38	36	31	8	2
構築の乱れ	26	(0.2%)	0	0	0	1	0	4	3	6	8	1	0	2	1	0
その他の所見	17	(0.2%)	0	0	0	1	0	2	3	2	3	1	2	2	1	0
検診者総数	10,765		0	18	41	151	410	1,538	1,852	1,815	1,575	1,253	890	901	246	75

乳房超音波検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
カテゴリー1	2,967	(65.5%)	5	197	332	435	543	296	309	287	208	148	122	70	13	2
カテゴリー2	1,486	(32.8%)	0	49	137	209	305	191	235	166	92	52	32	16	2	0
カテゴリー3	73	(1.6%)	0	7	6	9	16	12	14	5	3	1	0	0	0	0
カテゴリー5	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
嚢胞	1,269	(28.0%)	0	43	114	158	249	169	224	153	79	43	23	13	1	0
濃縮嚢胞	21	(0.5%)	0	0	0	0	3	3	6	3	4	0	2	0	0	0
混合性病変	9	(0.2%)	0	0	0	1	3	0	3	2	0	0	0	0	0	0
充実性病変	42	(0.9%)	0	0	3	7	9	7	9	6	0	1	0	0	0	0
乳腺内低エコー域	9	(0.2%)	0	0	1	0	1	1	3	2	1	0	0	0	0	0
乳管拡張	175	(3.9%)	0	0	16	52	55	22	10	7	4	7	1	1	0	0
線維腺腫の疑い	145	(3.2%)	0	10	11	21	35	25	21	9	9	3	1	0	0	0
線維腺腫	89	(2.0%)	0	3	12	10	14	11	20	10	6	2	1	0	0	0
粗大高エコー	19	(0.4%)	0	0	0	1	2	2	3	2	3	0	3	2	1	0
その他の所見	138	(3.0%)	0	1	6	24	26	14	20	14	11	6	6	10	0	0
検診者総数	4,527		5	253	475	653	864	500	558	458	303	201	154	86	15	2

婦人科判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
		(%)														
異常なし	11,037	(88.2%)	9	367	533	693	981	1,351	1,513	1,514	1,402	1,076	730	651	173	44
問題なし	645	(5.2%)	0	8	14	30	30	71	102	82	85	81	53	66	17	6
要経過観察	415	(3.3%)	1	20	21	42	38	71	91	69	26	19	7	7	2	1
要精密検査	404	(3.2%)	0	18	35	33	40	58	78	66	31	21	8	13	1	2
要治療	9	(0.1%)	0	0	0	1	0	2	3	1	1	0	0	1	0	0
治療中	2	(0.0%)	0	0	1	0	0	0	0	0	0	0	1	0	0	0
合計	12,512		10	413	604	799	1,089	1,553	1,787	1,732	1,545	1,197	799	738	193	53

子宮頸部細胞診検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
		(%)														
NILM (異常なし)	12,252	(97.9%)	10	398	573	772	1,056	1,515	1,747	1,703	1,527	1,184	794	730	192	51
トリコモナス	6	(0.0%)	0	1	0	2	0	1	1	0	1	0	0	0	0	0
カンジダ	198	(1.6%)	1	22	23	32	28	37	35	11	1	4	2	1	1	0
ASC-US	188	(1.5%)	0	13	26	21	22	30	24	23	10	9	5	4	1	0
ASC-H	29	(0.2%)	0	0	1	4	6	2	7	1	4	1	0	2	0	1
LSIL	16	(0.1%)	0	2	2	0	1	2	2	3	2	2	0	0	0	0
HSIL	21	(0.2%)	0	0	2	2	3	3	5	1	2	1	0	1	0	1
SCC	5	(0.0%)	0	0	0	0	1	1	1	1	0	0	0	1	0	0
AGC	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
その他の所見	10	(0.1%)	0	0	0	0	1	3	1	3	1	0	0	1	0	0
検診者総数	12,512		10	413	604	799	1,089	1,553	1,787	1,732	1,545	1,197	799	738	193	53

H P V 検査所見

所 見	総数	19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
陰性	137 (90.1%)	0	0	2	44	40	13	13	11	5	7	2	0	0	0
陽性	15 (9.9%)	0	0	2	4	6	0	2	0	0	1	0	0	0	0
16型 陰性	147 (96.7%)	0	0	3	46	44	13	15	11	5	8	2	0	0	0
16型 陽性	5 (3.3%)	0	0	1	2	2	0	0	0	0	0	0	0	0	0
18型 陰性	150 (98.7%)	0	0	3	48	45	13	15	11	5	8	2	0	0	0
18型 陽性	2 (1.3%)	0	0	1	0	1	0	0	0	0	0	0	0	0	0
その他の ハイリスク型陰性	141 (92.8%)	0	0	2	45	43	13	13	11	5	7	2	0	0	0
その他の ハイリスク型陽性	11 (7.2%)	0	0	2	3	3	0	2	0	0	1	0	0	0	0
検診者総数	152	0	0	4	48	46	13	15	11	5	8	2	0	0	0

婦人科診察検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
外陰炎	2	(0.0%)	0	0	0	0	0	0	1	0	1	0	0	0	0	0
外陰炎疑い	2	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	1	0	0
膣炎疑い	1	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
萎縮性膣炎	29	(0.2%)	0	0	0	0	0	0	0	2	3	10	3	8	1	2
カンジダ	2	(0.0%)	0	0	1	1	0	0	0	0	0	0	0	0	0	0
カンジダ疑い	2	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	2	0	0
バルトリン腺異常	2	(0.0%)	0	0	0	0	0	1	0	0	0	1	0	0	0	0
バルトリン腺異常疑い	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
子宮膣部びらん	195	(1.6%)	0	8	14	28	28	46	44	19	6	0	2	0	0	0
子宮膣部びらん疑い	2	(0.0%)	0	0	0	0	0	0	1	0	1	0	0	0	0	0
頸管粘膜ポリープ	136	(1.1%)	0	0	1	3	7	15	35	33	20	15	3	4	0	0
頸管粘膜ポリープ疑い	40	(0.3%)	0	0	0	0	1	5	9	13	6	5	0	1	0	0
子宮頸部腫瘍	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
子宮頸部腫瘍疑い	3	(0.0%)	0	0	0	0	0	0	3	0	0	0	0	0	0	0
子宮体部腫瘍	166	(1.3%)	0	0	1	2	4	32	45	52	18	7	3	2	0	0
子宮体部腫瘍疑い	72	(0.6%)	0	0	1	4	4	13	28	9	7	2	3	1	0	0
良性卵巣腫瘍	2	(0.0%)	0	0	0	1	1	0	0	0	0	0	0	0	0	0
良性卵巣腫瘍疑い	1	(0.0%)	0	0	0	1	0	0	0	0	0	0	0	0	0	0
卵巣腫瘍	1	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
卵巣腫瘍疑い	7	(0.1%)	0	0	1	0	0	2	0	2	1	0	1	0	0	0
子宮下垂	25	(0.2%)	0	0	0	0	0	0	2	3	3	1	7	5	2	2
子宮下垂疑い	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
子宮全摘後	28	(0.2%)	0	0	0	0	0	1	3	2	7	8	2	4	1	0
子宮術後	304	(2.4%)	0	0	0	0	1	11	37	41	49	56	38	52	15	4
その他の所見	11	(0.1%)	0	0	0	2	0	3	0	2	3	1	0	0	0	0
検診者総数	12,512		10	413	604	799	1,089	1,553	1,787	1,732	1,545	1,197	799	738	193	53

便潜血判定結果

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
異常なし	男	20,034	(95.1%)	3	38	63	587	1,953	2,820	3,302	3,055	2,823	2,350	1,445	1,064	340	191
	女	16,247	(96.1%)	0	50	60	440	1,584	2,248	2,740	2,556	2,200	1,678	1,193	1,079	300	119
	計	36,281	(95.6%)	3	88	123	1,027	3,537	5,068	6,042	5,611	5,023	4,028	2,638	2,143	640	310
問題なし	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	男	20	(0.1%)	0	0	0	1	2	2	5	3	1	3	1	2	0	0
	女	4	(0.0%)	0	0	0	0	0	2	1	0	1	0	0	0	0	0
	計	24	(0.1%)	0	0	0	1	2	4	6	3	2	3	1	2	0	0
要精密検査	男	988	(4.7%)	0	2	3	20	84	99	122	142	143	135	102	86	36	14
	女	638	(3.8%)	0	7	3	25	71	97	97	83	82	59	46	42	18	8
	計	1,626	(4.3%)	0	9	6	45	155	196	219	225	225	194	148	128	54	22
要治療	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	24	(0.1%)	0	0	0	0	2	6	4	4	6	1	0	1	0	0
	女	10	(0.1%)	0	0	0	0	2	0	0	4	1	2	1	0	0	0
	計	34	(0.1%)	0	0	0	0	4	6	4	8	7	3	1	1	0	0
合計	男	21,066		3	40	66	608	2,041	2,927	3,433	3,204	2,973	2,489	1,548	1,153	376	205
	女	16,899		0	57	63	465	1,657	2,347	2,838	2,643	2,284	1,739	1,240	1,121	318	127
	計	37,965		3	97	129	1,073	3,698	5,274	6,271	5,847	5,257	4,228	2,788	2,274	694	332

便潜血検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率									
便潜血法(一)	男	168	4	2.4	0	0	—	5	0	—	5	0	—	7	0	—	11	0	—	20	0	—	20	0	—	17	0	—	13	0	—	23	1	4.3	24	1	4.2	23	2	8.7	0	0	—	0	0	—
	女	302	8	2.6	0	0	—	0	0	—	0	0	—	11	0	—	30	1	3.3	36	1	2.8	42	1	2.4	31	1	3.2	40	1	2.5	46	1	2.2	34	1	2.9	29	1	3.4	3	0	—	0	0	—
	計	470	12	2.6	0	0	—	5	0	—	5	0	—	18	0	—	41	1	2.4	56	1	1.8	62	1	1.6	48	1	2.1	53	1	1.9	69	2	2.9	58	2	3.4	52	3	5.8	3	0	—	0	0	—
便潜血法(二)	男	20,898	1,027	4.9	3	0	—	35	2	5.7	61	3	4.9	601	21	3.5	2,030	88	4.3	2,907	107	3.7	3,413	131	3.8	3,187	148	4.6	2,960	150	5.1	2,466	138	5.6	1,524	102	6.7	1,130	87	7.7	376	36	9.6	205	14	6.8
	女	16,597	643	3.9	0	0	—	57	7	12.3	63	3	4.8	454	25	5.5	1,627	72	4.4	2,311	98	4.2	2,796	97	3.5	2,612	86	3.3	2,244	83	3.7	1,693	59	3.5	1,206	46	3.8	1,092	41	3.8	315	18	5.7	127	8	6.3
	計	37,495	1,670	4.5	3	0	—	92	9	9.8	124	6	4.8	1,055	46	4.4	3,657	160	4.4	5,218	205	3.9	6,209	228	3.7	5,799	234	4.0	5,204	233	4.5	4,159	197	4.7	2,730	148	5.4	2,222	128	5.8	691	54	7.8	332	22	6.6

脂質検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	
異常なし	男	10,743	(33.5%)	170	955	1,140	1,037	1,034	1,128	1,094	939	853	774	596	593	249	181		
	女	12,597	(43.3%)	117	1,163	1,349	1,240	1,488	1,843	1,744	1,247	721	556	411	426	148	144		
	計	23,340	(38.1%)	287	2,118	2,489	2,277	2,522	2,971	2,838	2,186	1,574	1,330	1,007	1,019	397	325		
問題なし	男	7,661	(23.9%)	35	305	544	583	790	881	1,033	852	769	689	521	403	176	80		
	女	5,874	(20.2%)	19	219	307	357	491	648	896	819	686	491	390	351	136	64		
	計	13,535	(22.1%)	54	524	851	940	1,281	1,529	1,929	1,671	1,455	1,180	911	754	312	144		
要経過観察	男	8,542	(26.6%)	33	306	517	678	841	1,090	1,221	1,140	887	715	478	403	146	87		
	女	6,372	(21.9%)	22	226	315	274	396	530	806	975	896	736	519	458	135	84		
	計	14,914	(24.4%)	55	532	832	952	1,237	1,620	2,027	2,115	1,783	1,451	997	861	281	171		
要精密検査	男	1,528	(4.8%)	3	63	119	104	157	179	268	189	142	136	63	71	22	12		
	女	1,048	(3.6%)	10	68	60	80	80	91	134	136	122	113	81	53	16	4		
	計	2,576	(4.2%)	13	131	179	184	237	270	402	325	264	249	144	124	38	16		
要治療	男	302	(0.9%)	0	11	19	22	26	49	58	41	34	19	9	8	4	2		
	女	269	(0.9%)	0	1	8	8	12	12	32	50	48	47	28	16	6	1		
	計	571	(0.9%)	0	12	27	30	38	61	90	91	82	66	37	24	10	3		
治療中	男	3,328	(10.4%)	0	1	14	16	64	156	338	480	639	577	447	352	156	88		
	女	2,937	(10.1%)	0	2	6	4	15	53	120	269	489	496	544	635	220	84		
	計	6,265	(10.2%)	0	3	20	20	79	209	458	749	1,128	1,073	991	987	376	172		
合計	男	32,104		241	1,641	2,353	2,440	2,912	3,483	4,012	3,641	3,324	2,910	2,114	1,830	753	450		
	女	29,097		168	1,679	2,045	1,963	2,482	3,177	3,732	3,496	2,962	2,439	1,973	1,939	661	381		
	計	61,201		409	3,320	4,398	4,403	5,394	6,660	7,744	7,137	6,286	5,349	4,087	3,769	1,414	831		

脂質検査の性年齢別平均値

検査項目	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上															
総コレステロール mg/dL	男	22,016	200.5	133	170.6	837	179.0	1,273	188.6	1,399	195.4	2,342	200.2	2,828	204.2	3,242	206.0	2,936	205.5	2,655	204.0	2,261	201.0	1,310	198.4	660	194.6	101	187.0	39	174.3
	女	16,238	205.1	102	186.8	674	183.0	896	187.3	999	189.6	1,757	192.2	2,198	195.7	2,633	203.9	2,409	217.1	1,952	222.3	1,351	222.6	693	216.9	441	210.0	67	203.4	66	173.9
	計	38,254	202.4	235	177.6	1,511	180.8	2,169	188.1	2,398	193.0	4,099	196.8	5,026	200.4	5,875	205.1	5,345	210.8	4,607	211.8	3,612	209.1	2,003	204.8	1,101	200.8	168	193.6	105	174.0
中性脂肪 mg/dL	男	32,121	112.7	241	67.9	1,641	76.9	2,356	94.5	2,442	100.7	2,913	108.3	3,484	117.6	4,014	123.4	3,643	129.3	3,326	120.8	2,912	119.5	2,116	113.7	1,830	110.1	753	105.6	450	104.1
	女	29,110	79.7	169	57.3	1,680	59.7	2,045	63.3	1,964	67.8	2,482	69.8	3,178	71.0	3,732	77.9	3,499	84.4	2,964	88.9	2,439	90.5	1,975	93.6	1,941	97.9	661	96.9	381	103.1
	計	61,231	97.0	410	63.5	3,321	68.2	4,401	80.0	4,406	86.0	5,395	90.6	6,662	95.4	7,746	101.5	7,142	107.3	6,290	105.8	5,351	106.3	4,091	104.0	3,771	103.8	1,414	101.5	831	103.7
HDLコレステロール mg/dL	男	32,120	57.0	241	57.1	1,640	56.3	2,356	55.8	2,442	55.8	2,913	56.2	3,484	56.8	4,014	56.6	3,643	56.7	3,326	58.4	2,912	58.3	2,116	58.3	1,830	57.7	753	57.4	450	57.0
	女	29,110	68.3	169	67.1	1,680	66.4	2,045	66.8	1,964	66.4	2,482	66.8	3,178	67.6	3,732	68.6	3,499	70.9	2,964	71.2	2,439	70.1	1,975	68.4	1,941	66.6	661	65.8	381	60.4
	計	61,230	62.4	410	61.2	3,320	61.4	4,401	60.9	4,406	60.5	5,395	61.1	6,662	62.0	7,746	62.4	7,142	63.7	6,290	64.5	5,351	63.7	4,091	63.2	3,771	62.3	1,414	61.3	831	58.6
LDLコレステロール mg/dL	男	32,115	121.1	241	100.7	1,640	108.7	2,356	115.7	2,439	120.4	2,912	124.3	3,484	125.4	4,014	127.4	3,642	125.8	3,326	123.6	2,912	120.0	2,116	117.2	1,830	115.1	753	113.5	450	107.5
	女	29,109	118.3	169	101.1	1,680	101.0	2,045	103.7	1,964	106.3	2,482	109.8	3,178	111.7	3,732	119.0	3,498	126.8	2,964	130.8	2,439	131.3	1,975	127.5	1,941	123.7	661	120.8	381	111.5
	計	61,224	119.8	410	100.9	3,320	104.8	4,401	110.1	4,403	114.1	5,394	117.6	6,662	118.9	7,746	123.3	7,140	126.3	6,290	127.0	5,351	125.2	4,091	122.2	3,771	119.5	1,414	116.9	831	109.3

糖尿病判定結果

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
異常なし	男	21,619	(64.6%)	266	1,811	2,391	2,367	2,540	2,729	2,726	2,091	1,685	1,354	827	550	180	102
	女	21,556	(71.6%)	221	1,781	2,119	1,940	2,298	2,740	2,974	2,511	1,855	1,343	854	641	170	109
	計	43,175	(67.9%)	487	3,592	4,510	4,307	4,838	5,469	5,700	4,602	3,540	2,697	1,681	1,191	350	211
問題なし	男	6,511	(19.4%)	15	70	166	226	383	600	913	927	873	729	579	597	277	156
	女	5,686	(18.9%)	5	50	70	114	240	417	615	772	805	733	700	758	264	143
	計	12,197	(19.2%)	20	120	236	340	623	1,017	1,528	1,699	1,678	1,462	1,279	1,355	541	299
要経過観察	男	2,222	(6.6%)	0	7	21	35	58	111	208	304	344	341	302	276	132	83
	女	1,574	(5.2%)	1	5	7	12	30	71	106	160	202	220	232	309	139	80
	計	3,796	(6.0%)	1	12	28	47	88	182	314	464	546	561	534	585	271	163
要精密検査	男	341	(1.0%)	0	1	4	3	13	22	38	53	43	53	37	33	21	20
	女	184	(0.6%)	0	1	1	2	2	4	17	14	25	22	21	44	19	12
	計	525	(0.8%)	0	2	5	5	15	26	55	67	68	75	58	77	40	32
要治療	男	411	(1.2%)	0	2	10	8	30	33	59	54	53	46	35	43	25	13
	女	139	(0.5%)	0	1	1	5	5	12	11	18	17	11	13	24	10	11
	計	550	(0.9%)	0	3	11	13	35	45	70	72	70	57	48	67	35	24
治療中	男	2,383	(7.1%)	0	6	4	13	44	106	195	284	387	451	352	342	121	78
	女	969	(3.2%)	0	6	11	12	17	26	74	95	130	154	168	181	63	32
	計	3,352	(5.3%)	0	12	15	25	61	132	269	379	517	605	520	523	184	110
合計	男	33,487		281	1,897	2,596	2,652	3,068	3,601	4,139	3,713	3,385	2,974	2,132	1,841	756	452
	女	30,108		227	1,844	2,209	2,085	2,592	3,270	3,797	3,570	3,034	2,483	1,988	1,957	665	387
	計	63,595		508	3,741	4,805	4,737	5,660	6,871	7,936	7,283	6,419	5,457	4,120	3,798	1,421	839

糖負荷試験判定結果

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
正常型	男	114	(73.1%)	0	0	0	2	5	13	18	23	34	7	6	4	1	1
	女	67	(81.7%)	0	0	0	0	3	13	6	17	14	11	2	1	0	0
	計	181	(76.1%)	0	0	0	2	8	26	24	40	48	18	8	5	1	1
境界型	男	39	(25.0%)	0	0	0	1	1	0	2	9	12	12	1	0	0	1
	女	12	(14.6%)	0	0	0	0	0	3	1	2	4	2	0	0	0	0
	計	51	(21.4%)	0	0	0	1	1	3	3	11	16	14	1	0	0	1
糖尿病型	男	3	(1.9%)	0	0	0	0	0	1	0	1	0	1	0	0	0	0
	女	3	(3.7%)	0	0	0	0	0	0	0	1	2	0	0	0	0	0
	計	6	(2.5%)	0	0	0	0	0	1	0	2	2	1	0	0	0	0
合計	男	156		0	0	0	3	6	14	20	33	46	20	7	4	1	2
	女	82		0	0	0	0	3	16	7	20	20	13	2	1	0	0
	計	238		0	0	0	3	9	30	27	53	66	33	9	5	1	2



糖尿病検査の性年齢別平均値

検査項目		総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
		男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
血糖 mg/dL	男	32,126	97.4	241	88.0	1,641	87.8	2,356	88.8	2,443	90.2	2,914	92.4	3,485	94.4	4,015	96.9	3,644	99.6	3,327	101.4	2,912	104.1	2,115	105.0	1,830	105.9	753	103.8	450	106.0
	女	29,104	91.5	169	86.0	1,680	85.6	2,045	85.6	1,963	86.4	2,481	87.5	3,178	89.2	3,729	90.0	3,498	92.0	2,963	94.3	2,439	95.6	1,975	97.3	1,942	98.7	661	100.0	381	104.5
	計	61,230	94.6	410	87.2	3,321	86.7	4,401	87.3	4,406	88.5	5,395	90.2	6,663	91.9	7,744	93.6	7,142	95.9	6,290	98.0	5,351	100.2	4,090	101.3	3,772	102.2	1,414	102.0	831	105.3
HbA1c (NGSP) %	男	17,721	5.6	75	5.2	627	5.2	1,038	5.2	1,152	5.3	1,268	5.4	1,866	5.4	2,302	5.5	2,208	5.6	2,181	5.7	1,466	5.8	1,066	5.8	1,325	5.9	718	5.9	429	6.0
	女	15,556	5.5	33	5.2	457	5.2	730	5.2	710	5.3	1,038	5.3	1,651	5.4	1,981	5.4	1,849	5.5	1,670	5.6	1,424	5.7	1,418	5.7	1,655	5.8	631	5.9	309	5.8
	計	33,277	5.6	108	5.2	1,084	5.2	1,768	5.2	1,862	5.3	2,306	5.3	3,517	5.4	4,283	5.5	4,057	5.6	3,851	5.6	2,890	5.7	2,484	5.8	2,980	5.8	1,349	5.9	738	5.9

尿糖の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率									
尿糖定性	男	33,880	1,593	4.7	298	0	—	1,975	8	0.4	2,645	18	0.7	2,722	16	0.6	3,096	60	1.9	3,628	105	2.9	4,212	181	4.3	3,722	213	5.7	3,389	276	8.1	2,990	270	9.0	2,148	174	8.1	1,850	175	9.5	756	47	6.2	449	50	11.1
	女	30,213	467	1.5	229	2	0.9	1,854	6	0.3	2,220	10	0.5	2,100	9	0.4	2,607	15	0.6	3,290	26	0.8	3,808	57	1.5	3,582	62	1.7	3,047	71	2.3	2,487	70	2.8	1,994	55	2.8	1,960	65	3.3	659	12	1.8	376	7	1.9
	計	64,093	2,060	3.2	527	2	0.4	3,829	14	0.4	4,865	28	0.6	4,822	25	0.5	5,703	75	1.3	6,918	131	1.9	8,020	238	3.0	7,304	275	3.8	6,436	347	5.4	5,477	340	6.2	4,142	229	5.5	3,810	240	6.3	1,415	59	4.2	825	57	6.9

陽性率%

痛風判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	17,990 (71.5%)	101	781	1,204	1,260	1,893	2,236	2,586	2,278	2,108	1,851	1,047	540	75	30
	女	18,950 (97.7%)	107	1,025	1,347	1,242	2,041	2,504	2,958	2,714	2,241	1,483	720	449	64	55
	計	36,940 (82.9%)	208	1,806	2,551	2,502	3,934	4,740	5,544	4,992	4,349	3,334	1,767	989	139	85
問題なし	男	3,579 (14.2%)	22	141	258	290	427	490	557	485	388	278	168	63	8	4
	女	258 (1.3%)	0	8	6	11	15	20	47	54	41	29	10	11	1	5
	計	3,837 (8.6%)	22	149	264	301	442	510	604	539	429	307	178	74	9	9
要経過観察	男	1,424 (5.7%)	2	49	101	96	176	234	231	196	145	114	56	18	5	1
	女	136 (0.7%)	0	9	14	17	19	13	18	21	12	8	2	1	0	2
	計	1,560 (3.5%)	2	58	115	113	195	247	249	217	157	122	58	19	5	3
要精密検査	男	314 (1.2%)	0	12	31	36	57	46	44	30	30	17	5	4	2	0
	女	8 (0.0%)	0	0	2	1	2	0	1	0	1	0	1	0	0	0
	計	322 (0.7%)	0	12	33	37	59	46	45	30	31	17	6	4	2	0
要治療	男	83 (0.3%)	1	5	11	13	13	8	11	14	4	3	0	0	0	0
	女	5 (0.0%)	0	0	0	0	1	0	1	0	0	0	0	0	0	3
	計	88 (0.2%)	1	5	11	13	14	8	12	14	4	3	0	0	0	3
治療中	男	1,787 (7.1%)	0	3	10	36	60	119	225	315	379	355	191	72	17	5
	女	48 (0.2%)	0	0	1	1	2	2	3	7	9	12	5	3	2	1
	計	1,835 (4.1%)	0	3	11	37	62	121	228	322	388	367	196	75	19	6
合計	男	25,177	126	991	1,615	1,731	2,626	3,133	3,654	3,318	3,054	2,618	1,467	697	107	40
	女	19,405	107	1,042	1,370	1,272	2,080	2,539	3,028	2,796	2,304	1,532	738	464	67	66
	計	44,582	233	2,033	2,985	3,003	4,706	5,672	6,682	6,114	5,358	4,150	2,205	1,161	174	106

尿酸の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
尿酸 mg/dL	男	25,177	6.2	126	6.2	991	6.2	1,615	6.3	1,731	6.3	2,626	6.3	3,133	6.3	3,654	6.2	3,318	6.2	3,054	6.1	2,618	6.0	1,467	6.0	697	5.8	107	5.7	40	5.6
	女	19,405	4.6	107	4.4	1,042	4.5	1,370	4.3	1,272	4.4	2,080	4.4	2,539	4.4	3,028	4.5	2,796	4.7	2,304	4.8	1,532	4.8	738	4.8	464	4.9	67	5.0	66	5.2
	計	44,582	5.5	233	5.4	2,033	5.3	2,985	5.4	3,003	5.5	4,706	5.5	5,672	5.4	6,682	5.5	6,114	5.5	5,358	5.6	4,150	5.6	2,205	5.6	1,161	5.5	174	5.4	106	5.3

肝機能・血清蛋白判定結果

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
異常なし	男	15,679	(47.8%)	174	1,018	1,249	1,251	1,424	1,522	1,781	1,487	1,440	1,315	1,109	1,134	498	277
	女	21,784	(73.8%)	225	1,434	1,648	1,555	1,924	2,526	2,796	2,395	1,944	1,693	1,461	1,516	477	190
	計	37,463	(60.1%)	399	2,452	2,897	2,806	3,348	4,048	4,577	3,882	3,384	3,008	2,570	2,650	975	467
問題なし	男	7,723	(23.6%)	33	359	591	614	683	881	969	921	883	747	503	367	113	59
	女	4,186	(14.2%)	20	205	282	252	361	437	570	566	525	393	257	217	74	27
	計	11,909	(19.1%)	53	564	873	866	1,044	1,318	1,539	1,487	1,408	1,140	760	584	187	86
要経過観察	男	4,550	(13.9%)	26	175	267	288	382	525	616	603	520	458	294	197	106	93
	女	2,259	(7.7%)	5	51	111	124	149	160	238	325	328	223	151	132	86	176
	計	6,809	(10.9%)	31	226	378	412	531	685	854	928	848	681	445	329	192	269
要精密検査	男	4,145	(12.6%)	28	180	336	362	453	565	634	566	405	307	147	111	29	22
	女	996	(3.4%)	3	24	38	56	82	86	121	199	139	95	72	40	22	19
	計	5,141	(8.3%)	31	204	374	418	535	651	755	765	544	402	219	151	51	41
要治療	男	46	(0.1%)	0	6	11	8	8	4	2	1	3	1	2	0	0	0
	女	15	(0.1%)	0	1	3	2	1	1	0	1	2	3	1	0	0	0
	計	61	(0.1%)	0	7	14	10	9	5	2	2	5	4	3	0	0	0
治療中	男	648	(2.0%)	0	2	7	19	32	48	94	106	116	114	66	29	8	7
	女	270	(0.9%)	0	1	2	4	10	15	27	41	43	37	34	39	11	6
	計	918	(1.5%)	0	3	9	23	42	63	121	147	159	151	100	68	19	13
合計	男	32,791		261	1,740	2,461	2,542	2,982	3,545	4,096	3,684	3,367	2,942	2,121	1,838	754	458
	女	29,510		253	1,716	2,084	1,993	2,527	3,225	3,752	3,527	2,981	2,444	1,976	1,944	670	418
	計	62,301		514	3,456	4,545	4,535	5,509	6,770	7,848	7,211	6,348	5,386	4,097	3,782	1,424	876

肝炎ウイルス検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率									
H B S 抗原	男	2,890	14	0.5	44	0	—	105	0	—	129	0	—	213	0	—	310	1	0.3	321	0	—	424	1	0.2	384	8	2.1	494	0	—	270	1	0.4	141	1	0.7	43	2	4.7	8	0	—	4	0	—
	女	2,220	5	0.2	135	0	—	104	0	—	95	0	—	166	0	—	248	1	0.4	313	1	0.3	316	0	—	304	1	0.3	280	2	0.7	151	0	—	62	0	—	38	0	—	6	0	—	2	0	—
	計	5,110	19	0.4	179	0	—	209	0	—	224	0	—	379	0	—	558	2	0.4	634	1	0.2	740	1	0.1	688	9	1.3	774	2	0.3	421	1	0.2	203	1	0.5	81	2	2.5	14	0	—	6	0	—
H C V 抗体の検出	男	1,329	10	0.8	9	0	—	68	0	—	101	1	1.0	61	1	1.6	178	1	0.6	105	0	—	178	0	0.0	155	2	1.3	209	2	1.0	142	2	1.4	85	1	1.2	29	0	—	5	0	—	4	0	—
	女	1,182	13	1.1	3	0	—	96	1	1.0	75	1	1.3	61	1	1.6	175	1	0.6	158	0	—	163	2	1.2	166	3	1.8	146	2	1.4	69	1	1.4	37	0	—	27	1	3.7	3	0	—	3	0	—
	計	2,511	23	0.9	12	0	—	164	1	0.6	176	2	1.1	122	2	1.6	353	2	0.6	263	0	—	341	2	0.6	321	5	1.6	355	4	1.1	211	3	1.4	122	1	0.8	56	1	1.8	8	0	—	7	0	—

肝機能・血清蛋白検査の性年齢別平均値(1)

検査項目	総数	19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上			
総ビリルビン mg/dL	男	14,374	1.0	66	1.1	736	1.1	1,283	1.1	1,306	1.1	1,395	1.1	1,628	1.1	1,946	1.0	1,904	1.0	1,852	1.0	1,322	1.0	580	1.0	268	1.0	59	0.9	29	0.8
	女	10,044	0.9	41	1.0	685	0.9	1,004	0.9	845	0.9	1,008	0.9	1,246	0.9	1,505	0.9	1,401	0.9	1,097	0.9	627	0.9	277	0.9	216	0.9	53	0.9	39	0.6
	計	24,418	1.0	107	1.0	1,421	1.0	2,287	1.0	2,151	1.0	2,403	1.0	2,874	1.0	3,451	1.0	3,305	1.0	2,949	1.0	1,949	1.0	857	1.0	484	1.0	112	0.9	68	0.7
AST (GOT) U/L	男	32,242	25.4	242	23.2	1,666	24.0	2,380	24.7	2,459	25.0	2,919	25.6	3,493	25.3	4,024	25.8	3,650	25.7	3,332	25.8	2,914	25.8	2,118	25.4	1,833	25.5	754	25.4	458	25.6
	女	29,178	21.3	169	18.3	1,681	18.5	2,046	18.7	1,970	18.8	2,487	19.4	3,179	19.4	3,732	20.2	3,504	22.6	2,964	23.4	2,441	23.6	1,976	24.2	1,942	24.0	669	24.2	418	24.2
	計	61,420	23.5	411	21.2	3,347	21.2	4,426	21.9	4,429	22.3	5,406	22.7	6,672	22.5	7,756	23.1	7,154	24.2	6,296	24.7	5,355	24.8	4,094	24.8	3,775	24.7	1,423	24.8	876	25.0
ALT (GPT) U/L	男	32,242	29.7	242	25.9	1,666	28.7	2,380	32.3	2,459	33.2	2,919	33.2	3,493	32.2	4,024	32.0	3,650	30.6	3,332	28.5	2,914	27.0	2,118	24.9	1,833	24.1	754	21.9	458	20.5
	女	29,178	18.8	169	14.6	1,681	15.1	2,046	15.8	1,970	16.7	2,487	17.1	3,179	17.2	3,732	18.3	3,504	21.1	2,964	21.7	2,441	21.6	1,976	21.1	1,942	20.1	669	19.1	418	16.8
	計	61,420	24.6	411	21.3	3,347	21.9	4,426	24.7	4,429	25.8	5,406	25.8	6,672	25.0	7,756	25.4	7,154	25.9	6,296	25.3	5,355	24.5	4,094	23.1	3,775	22.0	1,423	20.6	876	18.8
アルブミン U/L	男	23,122	73.5	99	88.7	861	74.5	1,404	72.8	1,520	71.7	2,467	72.8	2,912	73.3	3,406	74.0	3,055	73.7	2,817	73.0	2,420	73.5	1,370	74.7	647	74.0	99	74.7	45	89.4
	女	16,761	67.3	41	70.8	741	59.3	1,049	58.0	994	59.9	1,829	59.0	2,234	57.9	2,732	61.1	2,485	74.2	2,051	79.3	1,373	79.1	639	80.3	408	79.3	66	81.2	119	97.2
	計	39,883	70.9	140	83.4	1,602	67.5	2,453	66.5	2,514	67.1	4,296	66.9	5,146	66.6	6,138	68.2	5,540	73.9	4,868	75.6	3,793	75.5	2,009	76.5	1,055	76.1	165	77.3	164	95.1
コリンエステラーゼ U/L	男	5,178	365.5	9	366.9	236	356.8	487	365.4	497	370.0	429	375.0	543	368.5	713	376.8	685	370.7	755	362.7	549	353.5	194	344.4	64	322.5	7	259.4	10	236.1
	女	4,124	321.0	4	283.0	245	289.3	471	288.9	359	298.1	397	303.2	448	306.0	657	315.1	575	343.8	531	366.7	283	363.9	70	372.1	37	358.1	10	251.8	37	200.2
	計	9,302	345.7	13	341.1	481	322.4	958	327.8	856	339.8	826	340.5	991	339.8	1,370	347.2	1,260	358.5	1,286	364.3	832	357.0	264	351.8	101	335.6	17	254.9	47	207.9
LDH U/L	男	13,290	180.8	59	189.3	650	179.6	1,135	178.1	1,151	175.4	1,264	175.9	1,509	178.4	1,835	180.1	1,807	182.3	1,760	183.7	1,256	185.3	543	187.8	245	191.7	56	200.0	20	192.5
	女	9,140	175.5	35	178.0	576	162.2	936	159.8	758	160.9	967	164.0	1,150	167.0	1,387	173.6	1,263	185.8	990	194.3	577	194.5	252	201.6	203	204.8	44	211.5	2	202.0
	計	22,430	178.7	94	185.1	1,226	171.4	2,071	169.8	1,909	169.6	2,231	170.7	2,659	173.5	3,222	177.3	3,070	183.7	2,750	187.5	1,833	188.2	795	192.2	448	197.6	100	205.0	22	193.4
γ-GT (γ-GTP) U/L	男	32,211	44.7	242	22.4	1,654	26.8	2,374	32.2	2,452	37.9	2,915	42.1	3,492	47.0	4,023	51.0	3,650	53.6	3,332	52.1	2,914	51.4	2,118	46.8	1,833	39.1	754	33.1	458	31.2
	女	29,062	23.8	168	15.3	1,630	15.9	2,034	17.4	1,946	18.5	2,474	20.3	3,169	21.9	3,727	23.8	3,504	29.0	2,964	29.2	2,441	29.0	1,976	26.5	1,942	25.2	669	23.3	418	21.2
	計	61,273	34.8	410	19.5	3,284	21.4	4,408	25.4	4,398	29.3	5,389	32.1	6,661	35.1	7,750	37.9	7,154	41.6	6,296	41.3	5,355	41.2	4,094	37.0	3,775	31.9	1,423	28.5	876	26.4
LAP U/L	男	3,273	56.3	0	—	2	56.0	9	52.6	186	56.6	297	56.4	399	57.2	583	57.0	638	57.3	626	55.3	306	55.7	139	53.5	63	54.6	12	55.2	13	49.9
	女	1,919	50.6	0	—	1	51.0	5	63.6	109	52.7	190	49.2	257	47.1	338	46.5	360	51.7	330	53.6	186	52.8	74	52.4	60	56.5	8	54.1	1	53.0
	計	5,192	54.2	0	—	3	54.3	14	56.5	295	55.2	487	53.6	656	53.3	921	53.1	998	55.3	956	54.7	492	54.6	213	53.1	123	55.5	20	54.8	14	50.1
総蛋白 g/dL	男	15,147	7.2	108	7.5	855	7.4	1,383	7.5	1,402	7.4	1,455	7.3	1,688	7.2	2,077	7.2	1,967	7.1	1,886	7.1	1,350	7.1	596	7.2	273	7.1	62	7.0	45	6.9
	女	10,596	7.2	95	7.4	707	7.4	1,023	7.3	881	7.3	1,059	7.2	1,295	7.2	1,546	7.1	1,446	7.2	1,155	7.2	659	7.1	291	7.2	223	7.1	63	7.0	153	6.6
	計	25,743	7.2	203	7.5	1,562	7.4	2,406	7.4	2,283	7.3	2,514	7.2	2,983	7.2	3,623	7.2	3,413	7.2	3,041	7.1	2,009	7.1	887	7.2	496	7.1	125	7.0	198	6.7

肝機能・血清蛋白検査の性年齢別平均値(2)

検査項目		総数	19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
アルブミン g/dL	男	15,323	4.5	77	4.9	742	4.9	1,268	4.8	1,292	4.7	1,387	4.7	1,613	4.6	1,923	4.5	1,893	4.5	1,845	4.4	1,302	4.4	562	4.4	261	4.2	714	4.2	444	4.1
	女	11,124	4.4	95	4.7	695	4.6	1,015	4.5	861	4.4	1,020	4.4	1,247	4.4	1,507	4.3	1,407	4.3	1,101	4.4	627	4.4	275	4.3	222	4.3	638	4.2	414	3.9
	計	26,447	4.5	172	4.8	1,437	4.8	2,283	4.7	2,153	4.6	2,407	4.6	2,860	4.5	3,430	4.4	3,300	4.4	2,946	4.4	1,929	4.4	837	4.3	483	4.3	1,352	4.2	858	4.0
A/G比	男	5,147	1.7	25	1.9	201	1.9	328	1.8	393	1.8	432	1.8	583	1.7	800	1.7	782	1.7	766	1.6	503	1.6	196	1.6	99	1.5	17	1.4	22	1.4
	女	4,009	1.6	61	1.8	206	1.7	250	1.6	298	1.6	340	1.6	461	1.6	684	1.5	618	1.6	545	1.6	288	1.6	121	1.5	81	1.5	18	1.3	38	1.1
	計	9,156	1.7	86	1.9	407	1.8	578	1.7	691	1.7	772	1.7	1,044	1.7	1,484	1.6	1,400	1.6	1,311	1.6	791	1.6	317	1.5	180	1.5	35	1.4	60	1.2
蛋白分画 アルブミン %	男	12	63.6	0	—	0	—	0	—	2	63.0	0	—	3	64.0	3	65.3	2	61.4	1	62.1	1	64.9	0	—	0	—	0	—	0	—
	女	4	59.6	0	—	0	—	0	—	0	—	1	55.3	1	60.2	0	—	1	61.8	0	—	0	—	0	—	0	—	1	61.1	0	—
	計	16	62.6	0	—	0	—	0	—	2	63.0	1	55.3	4	63.1	3	65.3	3	61.5	1	62.1	1	64.9	0	—	0	—	1	61.1	0	—
蛋白分画 α1-グロブリン %	男	12	3.2	0	—	0	—	0	—	2	2.8	0	—	3	3.0	3	3.4	2	3.7	1	3.6	1	3.3	0	—	0	—	0	—	0	—
	女	4	3.2	0	—	0	—	0	—	0	0.0	1	3.3	1	3.0	0	—	1	3.4	0	—	0	—	0	—	0	—	1	3.2	0	—
	計	16	3.2	0	—	0	—	0	—	2	2.8	1	3.3	4	3.0	3	3.4	3	3.6	1	3.6	1	3.3	0	—	0	—	1	3.2	0	—
蛋白分画 α2-グロブリン %	男	12	8.2	0	—	0	—	0	—	2	8.1	0	0.0	3	7.4	3	8.4	2	8.2	1	9.1	1	9.3	0	—	0	—	0	—	0	—
	女	4	8.5	0	—	0	—	0	—	0	—	1	8.0	1	7.9	0	—	1	9.6	0	—	0	—	0	—	0	—	1	8.5	0	—
	計	16	8.3	0	—	0	—	0	—	2	8.1	1	8.0	4	7.5	3	8.4	3	8.7	1	9.1	1	9.3	0	—	0	—	1	8.5	0	—
蛋白分画 γ-グロブリン %	男	12	14.2	0	—	0	—	0	—	2	16.2	0	—	3	14.5	3	12.4	2	15.3	1	14.2	1	12.3	0	—	0	—	0	—	0	—
	女	4	17.7	0	—	0	—	0	—	0	—	1	23.5	1	16.9	0	—	1	15.1	0	—	0	—	0	—	0	—	1	15.4	0	—
	計	16	15.1	0	—	0	—	0	—	2	16.2	1	23.5	4	15.1	3	12.4	3	15.2	1	14.2	1	12.3	0	—	0	—	1	15.4	0	—
蛋白分画 β1-グロブリン %	男	12	5.8	0	—	0	—	0	—	2	4.9	0	—	3	5.8	3	6.2	2	6.6	1	6.0	1	5.2	0	—	0	—	0	—	0	—
	女	4	6.2	0	—	0	—	0	—	0	0.0	1	6.1	1	6.7	0	—	1	5.7	0	—	0	—	0	—	0	—	1	6.4	0	—
	計	16	5.9	0	—	0	—	0	—	2	4.9	1	6.1	4	6.0	3	6.2	3	6.3	1	6.0	1	5.2	0	—	0	—	1	6.4	0	—
蛋白分画 β2-グロブリン %	男	12	4.9	0	—	0	—	0	—	2	5.1	0	0.0	3	5.3	3	4.3	2	5.0	1	5.0	1	5.0	0	—	0	—	0	—	0	—
	女	4	4.7	0	—	0	—	0	—	0	—	1	3.8	1	5.3	0	—	1	4.4	0	—	0	—	0	—	0	—	1	5.4	0	—
	計	16	4.9	0	—	0	—	0	—	2	5.1	1	3.8	4	5.3	3	4.3	3	4.8	1	5.0	1	5.0	0	—	0	—	1	5.4	0	—
αフェトプロテ イン定量 ng/mL	男	1,098	3.5	0	—	1	1.6	3	9.5	64	2.6	83	2.6	146	3.6	186	3.4	188	3.6	158	3.7	117	3.6	84	3.8	56	3.5	6	3.1	6	3.2
	女	437	4.5	0	—	0	—	2	1.8	21	8.9	24	8.7	50	3.1	68	3.4	86	4.0	71	4.1	54	5.1	35	5.0	18	4.3	6	4.0	2	3.2
	計	1,535	3.8	0	—	1	1.6	5	6.4	85	4.2	107	4.0	196	3.5	254	3.4	274	3.7	229	3.8	171	4.1	119	4.2	74	3.7	12	3.6	8	3.2

貧血・血球数判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	22,890	(78.6%)	192	1,311	1,911	1,997	2,361	2,750	3,056	2,684	2,492	2,138	1,252	634	87	25
	女	17,208	(70.3%)	137	1,264	1,495	1,330	1,562	1,832	2,185	2,287	2,090	1,492	854	551	77	52
	計	40,098	(74.8%)	329	2,575	3,406	3,327	3,923	4,582	5,241	4,971	4,582	3,630	2,106	1,185	164	77
問題なし	男	3,932	(13.5%)	43	281	353	346	385	437	565	527	422	306	174	84	7	2
	女	1,817	(7.4%)	13	113	123	94	148	182	241	325	248	177	71	64	10	8
	計	5,749	(10.7%)	56	394	476	440	533	619	806	852	670	483	245	148	17	10
要経過観察	男	1,516	(5.2%)	5	33	55	51	97	149	193	209	209	222	160	89	22	22
	女	3,471	(14.2%)	22	223	311	398	440	494	543	314	227	176	137	108	13	65
	計	4,987	(9.3%)	27	256	366	449	537	643	736	523	436	398	297	197	35	87
要精密検査	男	668	(2.3%)	1	16	38	44	61	75	91	89	86	81	39	27	9	11
	女	1,543	(6.3%)	4	89	111	121	190	294	352	183	74	47	26	22	5	25
	計	2,211	(4.1%)	5	105	149	165	251	369	443	272	160	128	65	49	14	36
要治療	男	18	(0.1%)	0	1	0	1	0	1	2	1	3	1	2	2	1	3
	女	50	(0.2%)	0	0	2	4	6	14	13	8	1	0	0	0	0	2
	計	68	(0.1%)	0	1	2	5	6	15	15	9	4	1	2	2	1	5
治療中	男	94	(0.3%)	0	1	0	1	3	6	2	13	26	21	9	6	5	1
	女	392	(1.6%)	0	8	15	24	31	83	92	86	19	11	8	7	0	8
	計	486	(0.9%)	0	9	15	25	34	89	94	99	45	32	17	13	5	9
合計	男	29,118		241	1,643	2,357	2,440	2,907	3,418	3,909	3,523	3,238	2,769	1,636	842	131	64
	女	24,481		176	1,697	2,057	1,971	2,377	2,899	3,426	3,203	2,659	1,903	1,096	752	105	160
	計	53,599		417	3,340	4,414	4,411	5,284	6,317	7,335	6,726	5,897	4,672	2,732	1,594	236	224

貧血・血球数検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
赤血球数 万/ $\mu$ L	男	29,173	491.4	241	516.4	1,653	514.6	2,368	513.1	2,450	506.4	2,913	501.5	3,421	495.7	3,915	491.5	3,527	486.7	3,241	479.3	2,771	474.1	1,637	469.1	842	461.9	131	447.4	63	409.6
	女	24,492	438.7	177	447.4	1,698	445.8	2,059	441.1	1,972	436.4	2,377	436.1	2,900	435.1	3,426	437.0	3,205	442.7	2,660	442.9	1,903	440.0	1,097	435.0	753	433.8	105	425.8	160	383.4
	計	53,665	467.4	418	487.2	3,351	479.7	4,427	479.6	4,422	475.2	5,290	472.1	6,321	467.9	7,341	466.1	6,732	465.7	5,901	462.9	4,674	460.2	2,734	455.4	1,595	448.6	236	437.8	223	390.8
ヘモグロビン g/dL	男	29,174	15.0	241	15.5	1,653	15.4	2,368	15.3	2,450	15.2	2,913	15.1	3,421	15.1	3,915	15.0	3,527	15.0	3,241	14.9	2,771	14.8	1,637	14.6	842	14.4	131	14.0	64	12.8
	女	24,492	12.9	177	13.1	1,698	13.1	2,059	12.9	1,972	12.7	2,377	12.7	2,900	12.6	3,426	12.7	3,205	13.1	2,660	13.3	1,903	13.3	1,097	13.1	753	13.1	105	12.9	160	11.8
	計	53,666	14.1	418	14.5	3,351	14.2	4,427	14.2	4,422	14.1	5,290	14.0	6,321	14.0	7,341	14.0	6,732	14.1	5,901	14.1	4,674	14.1	2,734	14.0	1,595	13.8	236	13.5	224	12.1
ヘマトクリット %	男	27,535	44.3	199	45.2	1,415	45.1	2,164	45.1	2,273	44.7	2,781	44.7	3,242	44.5	3,751	44.5	3,343	44.3	3,070	44.0	2,689	43.8	1,598	43.5	820	43.1	129	41.7	61	38.2
	女	23,127	39.2	151	39.3	1,338	39.4	1,835	39.0	1,782	38.5	2,270	38.6	2,768	38.4	3,322	38.7	3,106	39.8	2,597	40.2	1,872	40.1	1,081	39.8	741	39.8	104	39.3	160	36.1
	計	50,662	42.0	350	42.6	2,753	42.3	3,999	42.3	4,055	42.0	5,051	41.9	6,010	41.7	7,073	41.8	6,449	42.1	5,667	42.3	4,561	42.3	2,679	42.0	1,561	41.5	233	40.7	221	36.7
MCV fL	男	3,846	90.9	8	89.1	46	87.8	71	88.3	240	88.5	363	89.3	471	89.9	663	90.7	709	91.3	692	91.8	343	92.7	150	92.9	55	93.2	14	94.5	21	93.3
	女	2,574	89.9	2	88.8	31	88.6	30	89.8	150	88.9	251	88.5	345	89.1	459	88.7	473	89.8	411	91.2	241	91.8	84	91.8	44	91.9	15	94.3	38	95.9
	計	6,420	90.5	10	89.0	77	88.1	101	88.7	390	88.7	614	89.0	816	89.6	1,122	89.9	1,182	90.7	1,103	91.6	584	92.3	234	92.5	99	92.6	29	94.4	59	95.0
MCH pg	男	3,837	30.7	8	30.0	46	29.7	70	30.0	238	30.1	361	30.2	471	30.4	662	30.6	708	30.8	691	31.0	343	31.2	149	31.0	55	30.9	14	31.5	21	30.7
	女	2,564	29.6	2	29.9	29	29.3	29	30.0	148	29.4	249	29.2	345	29.2	458	29.0	471	29.5	411	30.1	241	30.2	84	30.2	44	29.9	15	30.7	38	31.4
	計	6,401	30.2	10	30.0	75	29.5	99	30.0	386	29.8	610	29.8	816	29.9	1,120	30.0	1,179	30.3	1,102	30.6	584	30.8	233	30.7	99	30.5	29	31.1	59	31.2
MCHC %	男	3,830	33.7	8	33.7	46	33.8	70	33.9	238	34.0	361	33.9	471	33.8	658	33.8	706	33.7	690	33.7	343	33.6	149	33.4	55	33.2	14	33.4	21	32.9
	女	2,563	32.8	2	33.6	29	33.1	29	33.3	147	33.0	249	32.9	345	32.8	458	32.7	471	32.8	411	33.0	241	32.9	84	32.9	44	32.5	15	32.6	38	32.8
	計	6,393	33.4	10	33.7	75	33.5	99	33.8	385	33.6	610	33.5	816	33.4	1,116	33.3	1,177	33.4	1,101	33.4	584	33.3	233	33.2	99	32.9	29	33.0	59	32.8
血清鉄 $\mu$ g/dL	男	4,117	114.4	39	107.6	138	117.0	130	108.3	314	115.1	365	116.4	468	118.0	718	113.7	706	115.8	671	113.1	340	110.4	150	114.7	52	116.2	12	112.9	14	96.6
	女	2,309	100.6	2	100.5	19	89.2	25	90.1	143	98.5	221	100.4	330	100.6	420	96.1	455	100.3	371	105.6	201	104.7	72	105.2	39	100.6	10	94.6	1	90.0
	計	6,426	109.5	41	107.2	157	113.6	155	105.3	457	109.9	586	110.3	798	110.8	1,138	107.2	1,161	109.7	1,042	110.4	541	108.3	222	111.6	91	109.5	22	104.6	15	96.1
白血球数 千/ $\mu$ L	男	25,232	5.9	147	6.0	1,027	5.9	1,662	5.9	1,756	5.7	2,606	5.8	3,116	5.9	3,615	5.9	3,312	5.9	3,048	5.9	2,620	5.9	1,468	5.8	700	5.7	108	5.7	47	6.0
	女	19,617	5.6	118	6.6	1,076	6.3	1,406	6.2	1,310	6.1	2,083	5.9	2,526	5.7	3,030	5.6	2,797	5.3	2,303	5.1	1,537	5.2	753	5.3	483	5.4	76	5.6	119	6.1
	計	44,849	5.8	265	6.3	2,103	6.1	3,068	6.0	3,066	5.9	4,689	5.8	5,642	5.8	6,645	5.8	6,109	5.7	5,351	5.6	4,157	5.6	2,221	5.7	1,183	5.6	184	5.6	166	6.1
血小板数 万/ $\mu$ L	男	8,209	24.0	26	24.4	256	24.6	479	24.7	633	24.6	732	25.2	934	25.0	1,227	24.8	1,275	24.5	1,159	23.2	785	22.2	411	21.9	200	20.9	56	21.1	36	21.6
	女	6,322	25.1	8	26.1	234	26.4	387	25.3	392	25.7	611	25.6	763	25.9	938	26.5	1,001	25.4	852	24.2	522	23.7	247	23.1	198	22.8	53	23.2	116	21.5
	計	14,531	24.5	34	24.8	490	25.5	866	25.0	1,025	25.0	1,343	25.4	1,697	25.4	2,165	25.5	2,276	24.9	2,011	23.6	1,307	22.8	658	22.3	398	21.9	109	22.1	152	21.5

炎症反応判定結果

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
異常なし	男	3,230	(94.1%)	5	19	21	187	299	399	574	627	635	276	121	45	10	12
	女	1,724	(92.5%)	1	1	4	103	184	250	320	319	286	161	54	31	9	1
	計	4,954	(93.6%)	6	20	25	290	483	649	894	946	921	437	175	76	19	13
問題なし	男	164	(4.8%)	0	1	1	11	16	17	35	34	15	19	10	3	1	1
	女	117	(6.3%)	0	0	1	6	9	15	27	30	14	11	3	1	0	0
	計	281	(5.3%)	0	1	2	17	25	32	62	64	29	30	13	4	1	1
要経過観察	男	9	(0.3%)	0	0	0	0	2	2	1	0	2	1	1	0	0	0
	女	3	(0.2%)	0	0	0	0	0	0	2	0	1	0	0	0	0	0
	計	12	(0.2%)	0	0	0	0	2	2	3	0	3	1	1	0	0	0
要精密検査	男	28	(0.8%)	0	0	1	2	1	3	3	8	6	3	0	0	1	0
	女	19	(1.0%)	0	0	0	2	3	1	1	8	1	0	1	2	0	0
	計	47	(0.9%)	0	0	1	4	4	4	4	16	7	3	1	2	1	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	1	(0.0%)	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	1	0	0	0	0	0	0	0	0	0
合計	男	3,432		5	20	23	200	319	421	613	669	658	299	132	48	12	13
	女	1,863		1	1	5	111	196	266	350	357	302	172	58	34	9	1
	計	5,295		6	21	28	311	515	687	963	1,026	960	471	190	82	21	14

炎症反応検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率									
CRP	男	3,431	201	5.9	5	0	—	20	1	5.0	23	2	8.7	200	13	6.5	319	20	6.3	421	21	5.0	613	39	6.4	669	42	6.3	658	23	3.5	298	23	7.7	132	11	8.3	48	3	6.3	12	2	16.7	13	1	7.7
	女	1,863	137	7.4	1	0	—	1	0	—	5	1	20.0	111	8	7.2	196	12	6.1	266	16	6.0	350	28	8.0	357	38	10.6	302	16	5.3	172	11	6.4	58	4	6.9	34	3	8.8	9	0	—	1	0	—
	計	5,294	338	6.4	6	0	—	21	1	4.8	28	3	10.7	311	21	6.8	515	32	6.2	687	37	5.4	963	67	7.0	1,026	80	7.8	960	39	4.1	470	34	7.2	190	15	7.9	82	6	7.3	21	2	9.5	14	1	7.1
血沈1時間	男	10	1	10.0	0	0	—	0	0	—	0	0	—	0	0	—	1	0	—	2	1	50.0	1	0	—	1	0	—	1	0	—	3	0	—	0	0	—	1	0	—	0	0	—	0	0	—
	女	4	2	50.0	0	0	—	0	0	—	0	0	—	0	0	—	1	0	—	1	0	—	2	2	100.0	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—
	計	14	3	21.4	0	0	—	0	0	—	0	0	—	0	0	—	2	0	—	3	1	33.3	3	2	66.7	1	0	—	1	0	—	3	0	—	0	0	—	1	0	—	0	0	—	0	0	—



腎機能判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	24,816 (74.1%)	247	1,621	2,229	2,315	2,628	2,978	3,238	2,654	2,216	1,830	1,272	1,036	385	167
	女	22,012 (73.0%)	165	1,466	1,762	1,692	1,993	2,506	2,738	2,511	2,141	1,743	1,437	1,297	391	170
	計	46,828 (73.6%)	412	3,087	3,991	4,007	4,621	5,484	5,976	5,165	4,357	3,573	2,709	2,333	776	337
問題なし	男	2,754 (8.2%)	25	208	276	235	266	318	355	328	250	225	142	90	21	15
	女	3,131 (10.4%)	45	269	332	265	360	396	516	355	244	157	87	56	19	30
	計	5,885 (9.2%)	70	477	608	500	626	714	871	683	494	382	229	146	40	45
要経過観察	男	4,815 (14.4%)	8	53	72	78	143	247	458	625	750	769	567	579	276	190
	女	4,292 (14.2%)	10	80	88	93	193	316	459	621	568	512	424	527	227	174
	計	9,107 (14.3%)	18	133	160	171	336	563	917	1,246	1,318	1,281	991	1,106	503	364
要精密検査	男	542 (1.6%)	1	10	12	10	18	36	44	45	86	77	65	54	31	53
	女	433 (1.4%)	6	22	19	23	36	38	60	41	44	38	23	33	21	29
	計	975 (1.5%)	7	32	31	33	54	74	104	86	130	115	88	87	52	82
要治療	男	2 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	計	3 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	2
治療中	男	561 (1.7%)	0	5	7	13	13	21	43	60	82	73	86	82	44	32
	女	274 (0.9%)	1	6	8	12	10	14	24	41	37	33	18	44	12	14
	計	835 (1.3%)	1	11	15	25	23	35	67	101	119	106	104	126	56	46
合計	男	33,490	281	1,897	2,596	2,651	3,068	3,600	4,138	3,712	3,384	2,974	2,132	1,842	757	458
	女	30,143	227	1,843	2,209	2,085	2,592	3,270	3,797	3,569	3,034	2,483	1,989	1,957	670	418
	計	63,633	508	3,740	4,805	4,736	5,660	6,870	7,935	7,281	6,418	5,457	4,121	3,799	1,427	876



脾機能判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	13,041 (90.4%)	77	686	1,116	1,185	1,234	1,480	1,862	1,793	1,707	1,150	479	212	42	18
	女	8,193 (89.2%)	32	538	876	691	879	1,042	1,259	1,105	876	497	201	162	33	2
	計	21,234 (89.9%)	109	1,224	1,992	1,876	2,113	2,522	3,121	2,898	2,583	1,647	680	374	75	20
問題なし	男	348 (2.4%)	1	13	22	27	30	46	62	63	43	29	6	6	0	0
	女	168 (1.8%)	0	8	12	8	18	20	32	40	11	5	12	1	1	0
	計	516 (2.2%)	1	21	34	35	48	66	94	103	54	34	18	7	1	0
要経過観察	男	972 (6.7%)	6	32	68	63	63	100	121	118	155	130	67	33	14	2
	女	790 (8.6%)	3	38	59	61	72	89	104	125	99	61	30	39	10	0
	計	1,762 (7.5%)	9	70	127	124	135	189	225	243	254	191	97	72	24	2
要精密検査	男	50 (0.3%)	0	3	3	1	3	9	6	3	10	5	7	0	0	0
	女	32 (0.3%)	0	0	2	0	3	4	5	4	4	4	5	1	0	0
	計	82 (0.3%)	0	3	5	1	6	13	11	7	14	9	12	1	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	8 (0.1%)	0	0	1	0	0	0	0	1	2	3	1	0	0	0
	女	6 (0.1%)	0	0	0	1	1	1	1	0	1	1	0	0	0	0
	計	14 (0.1%)	0	0	1	1	1	1	1	1	3	4	1	0	0	0
合計	男	14,419	84	734	1,210	1,276	1,330	1,635	2,051	1,978	1,917	1,317	560	251	56	20
	女	9,189	35	584	949	761	973	1,156	1,401	1,274	991	568	248	203	44	2
	計	23,608	119	1,318	2,159	2,037	2,303	2,791	3,452	3,252	2,908	1,885	808	454	100	22

脾機能の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
血清アマラーゼ U/L	男	14,419	77.1	84	77.4	734	75.3	1,210	74.9	1,276	74.5	1,330	74.9	1,635	75.7	2,051	75.7	1,978	75.7	1,917	79.0	1,317	81.1	560	86.3	251	85.3	56	100.4	20	84.2
	女	9,189	80.6	35	82.7	584	79.8	949	79.3	761	80.3	973	78.2	1,156	80.0	1,401	78.5	1,274	80.2	991	82.3	568	86.0	248	85.2	203	90.9	44	89.3	2	79.0
	計	23,608	78.4	119	78.9	1,318	77.3	2,159	76.8	2,037	76.7	2,303	76.3	2,791	77.5	3,452	76.8	3,252	77.4	2,908	80.1	1,885	82.5	808	85.9	454	87.8	100	95.5	22	83.7

電解質判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	2,354 (91.4%)	4	19	26	115	188	264	438	452	412	231	114	60	12	19
	女	1,195 (84.9%)	0	1	4	61	116	156	224	172	151	114	58	52	18	68
	計	3,549 (89.1%)	4	20	30	176	304	420	662	624	563	345	172	112	30	87
問題なし	男	132 (5.1%)	2	4	2	7	10	9	23	17	30	12	7	2	2	5
	女	139 (9.9%)	0	0	0	7	10	10	13	27	33	16	6	6	1	10
	計	271 (6.8%)	2	4	2	14	20	19	36	44	63	28	13	8	3	15
要経過観察	男	87 (3.4%)	0	0	0	1	5	7	14	21	19	7	5	1	1	6
	女	72 (5.1%)	0	0	1	1	2	7	10	12	11	2	1	2	2	21
	計	159 (4.0%)	0	0	1	2	7	14	24	33	30	9	6	3	3	27
要精密検査	男	2 (0.1%)	0	0	0	0	0	1	0	0	0	0	0	1	0	0
	女	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	計	3 (0.1%)	0	0	0	0	0	1	0	0	0	0	0	1	1	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	男	2,575	6	23	28	123	203	281	475	490	461	250	126	64	15	30
	女	1,407	0	1	5	69	128	173	247	211	195	132	65	60	22	99
	計	3,982	6	24	33	192	331	454	722	701	656	382	191	124	37	129



その他の血液検査判定結果

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	4,387	(94.7%)	23	104	148	272	379	511	740	728	620	414	260	152	23	13
	女	2,965	(95.1%)	59	119	91	177	257	359	463	479	411	277	155	97	18	3
	計	7,352	(94.8%)	82	223	239	449	636	870	1,203	1,207	1,031	691	415	249	41	16
問題なし	男	76	(1.6%)	0	2	8	1	2	8	6	15	12	13	5	3	1	0
	女	42	(1.3%)	0	1	0	5	2	6	6	5	8	5	3	0	1	0
	計	118	(1.5%)	0	3	8	6	4	14	12	20	20	18	8	3	2	0
要経過観察	男	114	(2.5%)	2	9	7	18	5	15	12	7	14	11	4	8	1	1
	女	64	(2.1%)	1	1	0	0	6	3	10	16	8	9	3	4	1	2
	計	178	(2.3%)	3	10	7	18	11	18	22	23	22	20	7	12	2	3
要精密検査	男	57	(1.2%)	0	0	0	0	2	1	6	11	18	5	8	4	0	2
	女	44	(1.4%)	0	0	0	2	3	7	6	12	4	3	5	2	0	0
	計	101	(1.3%)	0	0	0	2	5	8	12	23	22	8	13	6	0	2
要治療	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	4	(0.1%)	0	0	0	0	0	0	0	0	4	0	0	0	0	0
	計	4	(0.1%)	0	0	0	0	0	0	0	0	4	0	0	0	0	0
合計	男	4,634		25	115	163	291	388	535	764	761	664	443	277	167	25	16
	女	3,119		60	121	91	184	268	375	485	512	431	298	166	103	20	5
	計	7,753		85	236	254	475	656	910	1,249	1,273	1,095	741	443	270	45	21

その他の血液検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
CEA	男	1,294	30	2.3	0	0	—	0	0	—	5	0	—	49	0	—	72	1	1.4	144	1	0.7	219	4	1.8	248	4	1.6	258	10	3.9	147	6	4.1	83	1	1.2	54	3	5.6	10	0	—	5	0	—
	女	851	5	0.6	0	0	—	0	0	—	6	0	—	29	0	—	66	0	—	107	0	—	144	0	—	208	1	0.5	143	1	0.7	82	1	1.2	35	1	2.9	22	1	4.5	6	0	—	3	0	—
	計	2,145	35	1.6	0	0	—	0	0	—	11	0	—	78	0	—	138	1	0.7	251	1	0.4	363	4	1.1	456	5	1.1	401	11	2.7	229	7	3.1	118	2	1.7	76	4	5.3	16	0	—	8	0	—
RF	男	2,717	120	4.4	18	0	—	93	1	1.1	137	3	2.2	177	0	0.0	249	3	1.2	300	10	3.3	451	13	2.9	438	25	5.7	329	28	8.5	265	23	8.7	157	8	5.1	75	5	6.7	14	1	7.1	14	0	—
	女	1,810	98	5.4	60	1	1.7	116	1	0.9	80	0	—	126	5	4.0	168	7	4.2	206	9	4.4	292	15	5.1	243	19	7.8	218	16	7.3	158	17	10.8	82	5	6.1	52	2	3.8	8	1	12.5	1	0	—
	計	4,527	218	4.8	78	1	1.3	209	2	1.0	217	3	1.4	303	5	1.7	417	10	2.4	506	19	3.8	743	28	3.8	681	44	6.5	547	44	8.0	423	40	9.5	239	13	5.4	127	7	5.5	22	2	9.1	15	0	—
CPK	男	87	34	39.1	6	2	33.3	21	10	47.6	19	12	63.2	16	5	31.3	7	0	—	7	2	28.6	6	2	33.3	3	0	—	1	1	100.0	1	0	—	0	0	—	0	0	—	0	0	—	0	0	—
	女	6	0	—	0	0	—	0	0	—	0	0	—	1	0	—	1	0	—	1	0	—	0	0	—	2	0	—	0	0	—	0	0	—	0	0	—	1	0	—	0	0	—	0	0	—
	計	93	34	36.6	6	2	33.3	21	10	47.6	19	12	63.2	17	5	29.4	8	0	—	8	2	25.0	6	2	33.3	5	0	—	1	1	100.0	1	0	—	0	0	—	1	0	—	0	0	—	0	0	—
CA19-9	男	947	8	0.8	0	0	—	1	0	—	6	0	—	16	0	—	29	0	—	80	0	—	156	0	—	160	1	0.6	145	3	2.1	145	0	—	116	4	3.4	77	0	—	10	0	—	6	0	—
	女	586	12	2.0	0	0	—	0	0	—	5	0	—	7	0	—	26	0	0.0	55	2	3.6	95	1	1.1	117	3	2.6	93	1	1.1	88	1	1.1	62	3	4.8	29	1	3.4	7	0	—	2	0	—
	計	1,533	20	1.3	0	0	—	1	0	—	11	0	—	23	0	—	55	0	0.0	135	2	1.5	251	1	0.4	277	4	1.4	238	4	1.7	233	1	0.4	178	7	3.9	106	1	0.9	17	0	—	8	0	—
CA125	男	2	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	1	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—
	女	686	17	2.5	0	0	—	3	0	—	12	0	—	21	2	9.5	44	2	4.5	86	4	4.7	111	4	3.6	127	2	1.6	98	1	1.0	82	1	1.2	53	1	1.9	40	0	0.0	7	0	—	2	0	—
	計	688	17	2.5	0	0	—	3	0	—	12	0	—	21	2	9.5	44	2	4.5	86	4	4.7	111	4	3.6	127	2	1.6	99	1	1.0	82	1	1.2	53	1	1.9	40	0	—	8	0	—	2	0	—
シフラ	男	323	6	1.9	0	0	—	0	0	—	1	0	—	7	0	—	6	0	—	20	0	—	68	0	—	57	0	—	48	1	2.1	44	0	0.0	36	3	8.3	26	1	3.8	5	0	—	5	1	20.0
	女	110	1	0.9	0	0	—	0	0	—	1	0	—	1	0	—	2	0	—	11	0	—	12	0	—	26	0	—	16	0	—	22	1	4.5	10	0	0.0	7	0	0.0	1	0	—	1	0	—
	計	433	7	1.6	0	0	—	0	0	—	2	0	—	8	0	—	8	0	—	31	0	—	80	0	—	83	0	—	64	1	1.6	66	1	1.5	46	3	6.5	33	1	3.0	6	0	—	6	1	16.7
PROGRP	男	322	3	0.9	0	0	—	0	0	—	1	0	—	7	0	—	6	0	—	21	0	—	68	0	—	57	0	—	47	0	—	41	0	—	37	0	—	26	1	3.8	5	0	—	6	2	33.3
	女	108	1	0.9	0	0	—	0	0	—	0	0	—	1	0	—	2	0	—	10	0	—	12	0	—	26	1	3.8	16	0	—	22	0	—	10	0	—	7	0	—	1	0	—	1	0	—
	計	430	4	0.9	0	0	—	0	0	—	1	0	—	8	0	—	8	0	—	31	0	—	80	0	—	83	1	1.2	63	0	—	63	0	—	47	0	—	33	1	3.0	6	0	—	7	2	28.6
HbA1c	男	240	12	5.0	0	0	—	0	0	—	0	0	—	5	0	—	12	0	—	22	0	—	46	0	—	39	0	0.0	25	2	8.0	41	2	4.9	19	2	10.5	22	5	22.7	6	1	16.7	3	0	—
	女	200	14	7.0	0	0	—	0	0	—	0	0	—	5	0	—	11	0	—	24	1	4.2	26	0	—	27	4	14.8	33	2	6.1	24	1	4.2	23	1	4.3	21	2	9.5	3	1	33.3	3	2	66.7
	計	440	26	5.9	0	0	—	0	0	—	0	0	—	10	0	—	23	0	—	46	1	2.2	72	0	—	66	4	6.1	58	4	6.9	65	3	4.6	42	3	7.1	43	7	16.3	9	2	22.2	6	2	33.3

その他の血液検査検査の性年齢別平均値

検査項目		総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
CEA ng/mL	男	1,294	2.0	0	0.0	0	0.0	5	1.8	49	1.9	72	1.7	144	1.7	219	1.8	248	1.8	258	2.0	147	2.6	83	2.1	54	2.5	10	2.6	5	2.7
	女	851	1.4	0	0.0	0	0.0	6	0.6	29	1.0	66	1.0	107	1.1	144	1.2	208	1.5	143	1.7	82	1.9	35	2.0	22	2.1	6	2.3	3	2.0
	計	2,145	1.8	0	0.0	0	0.0	11	1.1	78	1.6	138	1.4	251	1.5	363	1.6	456	1.6	401	1.9	229	2.3	118	2.1	76	2.4	16	2.5	8	2.4
RF IU/mL	男	2,717	13.0	18	10.0	93	10.7	137	11.1	177	10.2	249	10.7	300	11.5	451	11.7	438	14.4	329	15.6	265	17.0	157	12.8	75	13.4	14	12.2	14	10.4
	女	1,810	14.5	60	11.1	116	10.6	80	10.5	126	11.3	168	12.8	206	12.4	292	12.9	243	17.5	218	13.6	158	28.2	82	13.2	52	15.6	8	14.1	1	10.0
	計	4,527	13.6	78	10.8	209	10.7	217	10.9	303	10.7	417	11.6	506	11.9	743	12.2	681	15.5	547	14.8	423	21.2	239	12.9	127	14.3	22	12.9	15	10.3
CPK U/L	男	87	276.3	6	336.3	21	337.9	19	343.6	16	267.4	7	146.3	7	196.6	6	180.3	3	153.3	1	41.0	1	137.0	0	0.0	0	0.0	0	0.0	0	0.0
	女	6	91.5	0	0.0	0	0.0	0	0.0	1	78.0	1	81.0	1	84.0	0	0.0	2	113.5	0	0.0	0	0.0	0	0.0	1	79.0	0	0.0	0	0.0
	計	93	264.4	6	336.3	21	337.9	19	343.6	17	256.3	8	138.1	8	182.5	6	180.3	5	137.4	1	41.0	1	137.0	0	0.0	1	79.0	0	0.0	0	0.0
CA19-9 U/mL	男	947	9.3	0	0.0	1	9.0	6	7.0	16	7.2	29	7.6	80	7.0	156	7.2	160	8.3	145	10.5	145	9.7	116	12.1	77	11.6	10	11.2	6	14.3
	女	586	10.5	0	0.0	0	0.0	5	8.6	7	8.1	26	8.0	55	14.2	95	9.8	117	9.2	93	9.8	88	9.7	62	13.4	29	13.4	7	12.0	2	7.5
	計	1,533	9.8	0	0.0	1	9.0	11	7.7	23	7.5	55	7.8	135	10.0	251	8.2	277	8.7	238	10.2	233	9.7	178	12.5	106	12.1	17	11.5	8	12.6
CA125 U/mL	男	2	16.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	12.0	0	0.0	0	0.0	0	0.0	1	21.0	0	0.0
	女	686	12.7	0	0.0	3	11.3	12	13.6	21	15.2	44	18.6	86	16.0	111	14.2	127	11.3	98	10.9	82	10.4	53	10.7	40	10.0	7	13.0	2	11.0
	計	688	12.7	0	0.0	3	11.3	12	13.6	21	15.2	44	18.6	86	16.0	111	14.2	127	11.3	99	10.9	82	10.4	53	10.7	40	10.0	8	14.0	2	11.0
シフラ ng/mL	男	323	1.2	0	0.0	0	0.0	1	1.1	7	1.2	6	0.8	20	1.2	68	1.1	57	1.1	48	1.2	44	1.3	36	1.5	26	1.5	5	1.5	5	2.3
	女	110	1.1	0	0.0	0	0.0	1	0.9	1	0.5	2	0.7	11	0.8	12	0.8	26	1.0	16	0.9	22	1.8	10	1.3	7	1.3	1	1.0	1	1.2
	計	433	1.2	0	0.0	0	0.0	2	1.0	8	1.1	8	0.8	31	1.1	80	1.0	83	1.1	64	1.1	66	1.5	46	1.5	33	1.5	6	1.4	6	2.2
ProGRP pg/mL	男	322	43.0	0	0.0	0	0.0	1	41.9	7	40.4	6	33.3	21	42.0	68	38.0	57	41.5	47	41.9	41	44.4	37	47.1	26	49.1	5	51.4	6	70.1
	女	108	43.9	0	0.0	0	0.0	0	0.0	1	48.0	2	38.6	10	38.9	12	44.0	26	43.0	16	47.1	22	46.1	10	41.1	7	45.0	1	43.5	1	39.6
	計	430	43.2	0	0.0	0	0.0	1	41.9	8	41.4	8	34.6	31	41.0	80	38.9	83	42.0	63	43.2	63	45.0	47	45.9	33	48.2	6	50.1	7	65.7
NT-proBNP pg/mL	男	240	87.0	0	0.0	0	0.0	0	0.0	5	19.0	12	21.3	22	19.9	46	22.7	39	28.2	25	214.5	41	53.7	19	423.3	22	70.6	6	75.8	3	109.0
	女	200	55.1	0	0.0	0	0.0	0	0.0	5	33.0	11	51.4	24	50.6	26	37.5	27	60.9	33	51.6	24	53.2	23	53.7	21	67.8	3	123.0	3	151.0
	計	440	72.5	0	0.0	0	0.0	0	0.0	10	26.0	23	35.7	46	35.9	72	28.1	66	41.6	58	121.8	65	53.5	42	220.9	43	69.2	9	91.6	6	130.0



前立腺検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
異常なし	6,666	(93.4%)	0	3	7	21	48	104	217	1,363	1,378	1,134	871	911	387	222
問題なし	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	10	(0.1%)	0	0	0	0	0	0	0	2	0	4	1	1	1	1
要精密検査	333	(4.7%)	0	0	0	0	0	1	4	22	41	43	70	85	33	34
要治療	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	127	(1.8%)	0	0	0	1	0	1	2	11	23	30	24	22	8	5
合計	7,136		0	3	7	22	48	106	223	1,398	1,442	1,211	966	1,019	429	262

PSA検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
PSA ng/mL	7,136	1.52	0	0	3	0.67	7	0.99	22	0.94	48	0.91	106	0.89	223	1.04	1,398	1.11	1,442	1.31	1,211	1.48	966	1.9	1,019	1.95	429	1.94	262	2.13

骨密度検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	202 (50.4%)	0	0	2	3	11	5	12	15	11	27	44	50	18	4
	女	1,115 (35.7%)	0	6	5	30	52	107	164	233	188	129	104	90	6	1
	計	1,317 (37.4%)	0	6	7	33	63	112	176	248	199	156	148	140	24	5
問題なし	男	35 (8.7%)	0	0	0	3	4	4	5	7	4	6	2	0	0	0
	女	362 (11.6%)	0	2	4	21	44	115	113	63	0	0	0	0	0	0
	計	397 (11.3%)	0	2	4	24	48	119	118	70	4	6	2	0	0	0
要経過観察	男	130 (32.4%)	0	0	0	2	2	7	10	8	11	10	26	34	16	4
	女	1,191 (38.1%)	0	0	1	10	27	73	64	139	195	210	227	220	21	4
	計	1,321 (37.5%)	0	0	1	12	29	80	74	147	206	220	253	254	37	8
要精密検査	男	29 (7.2%)	0	0	0	0	0	1	2	0	2	5	7	6	6	0
	女	320 (10.2%)	0	0	0	0	1	6	2	16	42	75	82	82	11	3
	計	349 (9.9%)	0	0	0	0	1	7	4	16	44	80	89	88	17	3
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	5 (1.2%)	0	0	0	0	0	0	0	0	0	0	1	2	1	1
	女	136 (4.4%)	0	0	0	0	0	2	2	5	10	17	38	47	13	2
	計	141 (4.0%)	0	0	0	0	0	2	2	5	10	17	39	49	14	3
合計	男	401	0	0	2	8	17	17	29	30	28	48	80	92	41	9
	女	3,124	0	8	10	61	124	303	345	456	435	431	451	439	51	10
	計	3,525	0	8	12	69	141	320	374	486	463	479	531	531	92	19

超音波骨密度検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
若年比較%	男	401	93.9	0	0.0	0	0.0	2	112.5	8	99.5	17	102.3	17	95.2	29	95.7	30	96.9	28	92.2	48	93.7	80	92.7	92	93.0	41	90.9	9	89.0
	女	3,124	91.2	0	0.0	8	107.3	10	101.0	61	100.0	124	99.8	303	97.1	345	99.3	456	95.2	435	90.3	431	86.8	451	85.4	439	85.2	51	83.0	10	80.8
	計	3,525	91.5	0	0.0	8	107.3	12	102.9	69	100.0	141	100.1	320	97.0	374	99.0	486	95.3	463	90.4	479	87.5	531	86.5	531	86.5	92	86.5	19	84.7
同年比較%	男	401	102.2	0	0.0	0	0.0	2	109.5	8	99.9	17	103.7	17	97.5	29	99.0	30	101.8	28	98.2	48	101.5	80	102.2	92	104.1	41	104.8	9	104.1
	女	3,124	101.3	0	0.0	8	107.4	10	100.8	61	100.4	124	99.8	303	97.1	345	100.7	456	101.8	435	102.0	431	100.9	451	101.6	439	103.6	51	104.8	10	104.4
	計	3,525	101.4	0	0.0	8	107.4	12	102.3	69	100.4	141	100.3	320	97.1	374	100.6	486	101.8	463	101.8	479	101.0	531	101.7	531	103.7	92	104.8	19	104.3
OSI×100%	男	401	2.7	0	0.0	0	0.0	2	3.3	8	2.9	17	3.0	17	2.8	29	2.8	30	2.8	28	2.7	48	2.7	80	2.7	92	2.7	41	2.6	9	2.6
	女	3,124	2.5	0	0.0	8	2.9	10	2.7	61	2.7	124	2.7	303	2.6	345	2.7	456	2.6	435	2.4	431	2.3	451	2.3	439	2.3	51	2.2	10	2.2
	計	3,525	2.5	0	0.0	8	2.9	12	2.8	69	2.7	141	2.7	320	2.6	374	2.7	486	2.6	463	2.5	479	2.4	531	2.4	531	2.4	92	2.4	19	2.4

動脈硬化検査判定結果

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
異常なし	男	186	(14.6%)	0	1	2	9	12	32	47	42	31	6	2	2	0	0
	女	193	(21.4%)	0	0	1	9	11	31	50	41	28	10	7	5	0	0
	計	379	(17.4%)	0	1	3	18	23	63	97	83	59	16	9	7	0	0
問題なし	男	176	(13.8%)	0	0	0	1	3	12	36	53	38	20	9	3	1	0
	女	191	(21.2%)	0	0	0	2	0	9	36	39	44	26	19	16	0	0
	計	367	(16.9%)	0	0	0	3	3	21	72	92	82	46	28	19	1	0
要経過観察	男	844	(66.0%)	0	0	1	1	9	37	89	172	213	142	92	76	9	3
	女	484	(53.8%)	0	0	0	0	1	10	41	74	99	92	84	67	11	5
	計	1,328	(61.0%)	0	0	1	1	10	47	130	246	312	234	176	143	20	8
要精密検査	男	69	(5.4%)	0	0	0	0	0	1	2	11	12	19	8	14	0	2
	女	30	(3.3%)	0	0	0	0	0	0	0	1	2	7	5	10	5	0
	計	99	(4.5%)	0	0	0	0	0	1	2	12	14	26	13	24	5	2
要治療	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	3	(0.2%)	0	0	0	0	0	0	0	0	1	0	0	1	1	0
	女	2	(0.2%)	0	0	0	0	0	0	0	0	1	0	0	1	0	0
	計	5	(0.2%)	0	0	0	0	0	0	0	0	2	0	0	2	1	0
合計	男	1,278		0	1	3	11	24	82	174	278	295	187	111	96	11	5
	女	900		0	0	1	11	12	50	127	155	174	135	115	99	16	5
	計	2,178		0	1	4	22	36	132	301	433	469	322	226	195	27	10

頸部動脈超音波検査所見

所見	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
プラーク個数	男	1,277	(100.0%)	0	1	3	11	24	82	174	277	295	187	111	96	11	5
	女	900	(100.0%)	0	0	1	11	12	50	127	155	174	135	115	99	16	5
	計	2,177	(100.0%)	0	1	4	22	36	132	301	432	469	322	226	195	27	10
頸動脈の内腔狭窄あり (面積狭窄率50~75%)	男	22	(1.7%)	0	0	0	0	0	0	0	2	2	7	3	6	0	2
	女	3	(0.3%)	0	0	0	0	0	0	0	0	0	1	1	1	0	0
	計	25	(1.1%)	0	0	0	0	0	0	0	2	2	8	4	7	0	2
頸動脈の高度狭窄あり (面積狭窄率75%以上)	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.1%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
総頸動脈内径拡大	男	2	(0.2%)	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	1
頸動脈描出不良	男	49	(3.8%)	0	0	1	0	1	3	6	10	8	13	4	3	0	0
	女	13	(1.4%)	0	0	0	0	0	2	2	4	2	0	1	2	0	0
	計	62	(2.8%)	0	0	1	0	1	5	8	14	10	13	5	5	0	0
低輝度不均質型プラークあり	男	1	(0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
総頸動脈壁肥厚	男	45	(3.5%)	0	0	0	0	0	0	2	5	9	8	10	8	3	0
	女	11	(1.2%)	0	0	0	0	0	0	0	3	1	0	2	2	0	3
	計	56	(2.6%)	0	0	0	0	0	0	2	8	10	8	12	10	3	3
その他の所見	男	2	(0.2%)	0	0	0	0	0	0	1	0	0	0	1	0	0	0
	女	3	(0.3%)	0	0	0	0	0	0	0	0	2	0	0	1	0	0
	計	5	(0.2%)	0	0	0	0	0	0	1	0	2	0	1	1	0	0
検診者総数	男	1,277		0	1	3	11	24	82	174	277	295	187	111	96	11	5
	女	900		0	0	1	11	12	50	127	155	174	135	115	99	16	5
	計	2,177		0	1	4	22	36	132	301	432	469	322	226	195	27	10

頰部動脈超音波検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
平均IMT 右 mm	男	1,277	0.8	0	0.0	1	0.5	3	0.5	11	0.6	24	0.6	82	0.6	174	0.7	277	0.7	295	0.8	187	0.8	111	0.9	96	0.9	11	0.9	5	1.0
	女	900	0.7	0	0.0	0	0.0	1	0.5	11	0.5	12	0.6	50	0.6	127	0.6	155	0.7	174	0.7	135	0.7	115	0.8	99	0.8	16	0.9	5	1.1
	計	2,177	0.7	0	0.0	1	0.5	4	0.5	22	0.6	36	0.6	132	0.6	301	0.7	432	0.7	469	0.7	322	0.8	226	0.8	195	0.9	27	0.9	10	1.1
平均IMT 左 mm	男	1,277	0.8	0	0.0	1	0.5	3	0.6	11	0.6	24	0.6	82	0.7	174	0.7	277	0.8	295	0.8	187	0.9	111	0.9	96	0.9	11	1.0	5	1.2
	女	900	0.7	0	0.0	0	0.0	1	0.5	11	0.5	12	0.5	50	0.6	127	0.7	155	0.7	174	0.7	135	0.8	115	0.8	99	0.8	16	0.9	5	1.1
	計	2,177	0.8	0	0.0	1	0.5	4	0.5	22	0.6	36	0.6	132	0.6	301	0.7	432	0.7	469	0.8	322	0.8	226	0.9	195	0.9	27	1.0	10	1.2
最大IMT 右 mm	男	1,277	1.4	0	0.0	1	0.8	3	0.8	11	0.9	24	1.0	82	1.2	174	1.2	277	1.3	295	1.4	187	1.6	111	1.7	96	1.8	11	2.0	5	2.8
	女	900	1.3	0	0.0	0	0.0	1	0.6	11	0.9	12	0.8	50	1.0	127	1.1	155	1.2	174	1.3	135	1.4	115	1.4	99	1.4	16	1.5	5	1.9
	計	2,177	1.4	0	0.0	1	0.8	4	0.8	22	0.9	36	0.9	132	1.1	301	1.2	432	1.3	469	1.4	322	1.5	226	1.5	195	1.6	27	1.7	10	2.3
最大IMT 左 mm	男	1,277	1.5	0	0.0	1	0.7	3	0.8	11	0.9	24	1.0	82	1.1	174	1.3	277	1.4	295	1.5	187	1.6	111	1.7	96	2.0	11	2.0	5	2.5
	女	900	1.3	0	0.0	0	0.0	1	0.6	11	0.9	12	0.9	50	1.0	127	1.1	155	1.3	174	1.3	135	1.5	115	1.5	99	1.5	16	1.6	5	1.7
	計	2,177	1.4	0	0.0	1	0.7	4	0.8	22	0.9	36	1.0	132	1.1	301	1.2	432	1.3	469	1.4	322	1.5	226	1.6	195	1.8	27	1.8	10	2.1

血圧脈波検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
ABI検査 右	男	723	1.1	0	0.0	1	1.1	1	1.3	5	1.1	16	1.1	62	1.1	109	1.1	169	1.2	143	1.2	102	1.2	53	1.2	50	1.2	7	1.1	5	1.2
	女	527	1.1	0	0.0	0	0.0	1	1.1	3	1.1	7	1.1	36	1.1	75	1.1	98	1.1	90	1.1	81	1.1	71	1.1	52	1.1	12	1.1	1	1.1
	計	1,250	1.1	0	0.0	1	1.1	2	1.2	8	1.1	23	1.1	98	1.1	184	1.1	267	1.1	233	1.1	183	1.1	124	1.1	102	1.1	19	1.1	6	1.2
ABI検査 左	男	723	1.1	0	0.0	1	1.1	1	1.3	5	1.1	16	1.1	62	1.1	109	1.1	169	1.1	143	1.1	102	1.2	53	1.2	50	1.2	7	1.1	5	1.2
	女	527	1.1	0	0.0	0	0.0	1	1.1	3	1.0	7	1.1	36	1.1	75	1.1	98	1.1	90	1.1	81	1.1	71	1.1	52	1.1	12	1.1	1	1.1
	計	1,250	1.1	0	0.0	1	1.1	2	1.2	8	1.1	23	1.1	98	1.1	184	1.1	267	1.1	233	1.1	183	1.1	124	1.1	102	1.1	19	1.1	6	1.2
PWV検査 右 cm/s	男	723	1438.8	0	0.0	1	1070.0	1	1260.0	5	1289.2	16	1298.9	62	1327.0	109	1332.2	169	1375.3	143	1462.9	102	1507.9	53	1607.1	50	1627.4	7	1665.0	5	1917.4
	女	527	1407.0	0	0.0	0	0.0	1	1041.0	3	1000.7	7	1182.7	36	1144.5	75	1232.5	98	1317.5	90	1350.0	81	1504.3	71	1544.2	52	1698.3	12	1935.6	1	1885.0
	計	1,250	1425.4	0	0.0	1	1070.0	2	1150.5	8	1181.0	23	1263.5	98	1260.0	184	1291.6	267	1354.0	233	1419.3	183	1506.3	124	1571.1	102	1663.5	19	1835.9	6	1912.0
PWV検査 左 cm/s	男	723	1442.3	0	0.0	1	1131.0	1	1419.0	5	1271.0	16	1317.2	62	1315.7	109	1330.3	169	1375.8	143	1473.4	102	1511.3	53	1598.3	50	1660.0	7	1640.6	5	1938.2
	女	527	1420.4	0	0.0	0	0.0	1	1081.0	3	1034.0	7	1180.6	36	1159.0	75	1243.8	98	1332.1	90	1361.2	81	1519.4	71	1565.9	52	1706.4	12	1941.8	1	1781.0
	計	1,250	1433.1	0	0.0	1	1131.0	2	1250.0	8	1182.1	23	1275.6	98	1258.2	184	1295.1	267	1359.7	233	1430.1	183	1514.9	124	1579.7	102	1683.7	19	1830.8	6	1912.0

甲状腺判定結果

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
異常なし	男	89	(46.4%)	0	0	1	3	2	12	12	31	3	16	4	4	1	0
	女	122	(33.1%)	0	1	3	5	16	18	20	27	14	11	5	2	0	0
	計	211	(37.6%)	0	1	4	8	18	30	32	58	17	27	9	6	1	0
問題なし	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	男	79	(41.1%)	0	0	0	1	1	5	7	23	11	15	7	6	1	2
	女	177	(48.0%)	0	0	2	3	7	15	36	32	23	25	20	10	3	1
	計	256	(45.6%)	0	0	2	4	8	20	43	55	34	40	27	16	4	3
要精密検査	男	24	(12.5%)	0	0	1	0	0	3	1	11	2	2	1	2	1	0
	女	68	(18.4%)	0	0	2	1	4	9	8	7	14	5	12	5	1	0
	計	92	(16.4%)	0	0	3	1	4	12	9	18	16	7	13	7	2	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	2	(0.5%)	0	0	0	0	0	0	1	0	1	0	0	0	0	0
	計	2	(0.4%)	0	0	0	0	0	0	1	0	1	0	0	0	0	0
合計	男	192		0	0	2	4	3	20	20	65	16	33	12	12	3	2
	女	369		0	1	7	9	27	42	64	67	51	42	37	17	4	1
	計	561		0	1	9	13	30	62	84	132	67	75	49	29	7	3

甲状腺機能検査検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
TSH μU/mL	男	71	1.8	0	0.0	0	0.0	2	1.7	3	1.7	2	1.7	12	1.5	9	1.5	10	2.2	5	1.2	16	2.2	6	1.7	5	1.9	1	2.5	0	0.0
	女	175	2.0	0	0.0	0	0.0	5	1.8	6	1.3	19	1.7	28	2.1	34	1.8	30	2.1	14	2.1	17	2.0	14	2.2	5	3.6	2	0.9	1	2.0
	計	246	1.9	0	0.0	0	0.0	7	1.8	9	1.5	21	1.7	40	1.9	43	1.7	40	2.1	19	1.9	33	2.1	20	2.1	10	2.7	3	1.5	1	2.0
FT3 pg/mL	男	71	3.2	0	0.0	0	0.0	2	3.8	3	3.2	2	3.2	12	3.2	9	3.4	10	3.3	5	3.6	16	3.0	6	3.1	5	3.2	1	2.9	0	0.0
	女	174	3.0	0	0.0	0	0.0	5	2.9	6	3.0	19	3.0	27	3.2	34	2.7	30	2.9	14	3.2	17	2.8	14	3.2	5	2.6	2	3.0	1	2.6
	計	245	3.0	0	0.0	0	0.0	7	3.2	9	3.1	21	3.0	39	3.2	43	2.9	40	3.0	19	3.3	33	2.9	20	3.1	10	2.9	3	3.0	1	2.6
FT4 ng/dL	男	71	1.3	0	0.0	0	0.0	2	1.4	3	1.4	2	1.4	12	1.4	9	1.4	10	1.3	5	1.4	16	1.2	6	1.2	5	1.3	1	1.0	0	0.0
	女	174	1.2	0	0.0	0	0.0	5	1.2	6	1.2	19	1.3	27	1.2	34	1.2	30	1.2	14	1.2	17	1.2	14	1.3	5	1.1	2	1.3	1	1.3
	計	245	1.3	0	0.0	0	0.0	7	1.2	9	1.3	21	1.3	39	1.3	43	1.3	40	1.3	19	1.3	33	1.2	20	1.3	10	1.2	3	1.2	1	1.3

甲状腺超音波検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
右葉に甲状腺結節あり	男	73 (44.0%)	0	0	0	1	1	6	7	24	7	11	5	7	2	2
	女	164 (51.1%)	0	0	2	3	6	16	28	24	24	20	24	12	4	1
	計	237 (48.7%)	0	0	2	4	7	22	35	48	31	31	29	19	6	3
左葉に甲状腺結節あり	男	69 (41.6%)	0	0	1	1	1	5	7	22	10	10	3	6	2	1
	女	178 (55.5%)	0	0	3	4	6	17	35	25	26	20	27	11	4	0
	計	247 (50.7%)	0	0	4	5	7	22	42	47	36	30	30	17	6	1
峡部に甲状腺結節あり	男	10 (6.0%)	0	0	0	0	0	1	1	4	2	0	0	1	1	0
	女	24 (7.5%)	0	0	0	1	1	1	4	3	3	3	4	4	0	0
	計	34 (7.0%)	0	0	0	1	1	2	5	7	5	3	4	5	1	0
充実性腫瘍の疑い	男	41 (24.7%)	0	0	1	0	0	3	2	16	6	3	2	7	1	0
	女	116 (36.1%)	0	0	2	3	4	7	23	15	19	13	19	9	2	0
	計	157 (32.2%)	0	0	3	3	4	10	25	31	25	16	21	16	3	0
嚢胞性病変の疑い	男	127 (76.5%)	0	0	1	2	2	10	13	40	15	19	7	11	4	3
	女	313 (97.5%)	0	0	3	5	12	33	58	43	42	38	49	21	8	1
	計	440 (90.3%)	0	0	4	7	14	43	71	83	57	57	56	32	12	4
甲状腺腫大あり	男	4 (2.4%)	0	0	0	0	0	0	1	2	0	1	0	0	0	0
	女	13 (4.0%)	0	0	0	1	0	2	0	2	2	3	3	0	0	0
	計	17 (3.5%)	0	0	0	1	0	2	1	4	2	4	3	0	0	0
その他の所見	男	10 (6.0%)	0	0	0	0	0	1	1	6	0	0	2	0	0	0
	女	40 (12.5%)	0	0	0	0	2	3	2	9	7	8	7	2	0	0
	計	50 (10.3%)	0	0	0	0	2	4	3	15	7	8	9	2	0	0
検診者総数	男	166	0	0	1	1	3	12	17	60	15	29	12	11	3	2
	女	321	0	1	6	8	19	36	56	58	46	36	34	16	4	1
	計	487	0	1	7	9	22	48	73	118	61	65	46	27	7	3

脳検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	489 (72.7%)	0	0	1	6	8	21	83	108	132	64	37	28	1	0
	女	289 (68.6%)	0	0	0	7	4	15	54	53	69	32	28	25	1	1
	計	778 (71.1%)	0	0	1	13	12	36	137	161	201	96	65	53	2	1
問題なし	男	96 (14.3%)	0	0	0	1	1	1	12	10	27	16	15	10	2	1
	女	73 (17.3%)	0	0	0	1	1	0	3	6	15	12	15	17	1	2
	計	169 (15.4%)	0	0	0	2	2	1	15	16	42	28	30	27	3	3
要経過観察	男	39 (5.8%)	0	0	0	0	0	4	3	7	9	5	5	5	1	0
	女	19 (4.5%)	0	0	0	0	0	0	3	1	4	4	1	4	1	1
	計	58 (5.3%)	0	0	0	0	0	4	6	8	13	9	6	9	2	1
要精密検査	男	32 (4.8%)	0	0	1	0	1	0	5	9	10	2	1	3	0	0
	女	38 (9.0%)	0	0	0	0	0	2	8	7	7	8	1	5	0	0
	計	70 (6.4%)	0	0	1	0	1	2	13	16	17	10	2	8	0	0
要治療	男	16 (2.4%)	0	0	0	0	0	0	1	3	4	2	4	2	0	0
	女	2 (0.5%)	0	0	0	0	0	0	0	1	1	0	0	0	0	0
	計	18 (1.6%)	0	0	0	0	0	0	1	4	5	2	4	2	0	0
治療中	男	1 (0.1%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
合計	男	673	0	0	2	7	10	26	105	137	182	89	62	48	4	1
	女	421	0	0	0	8	5	17	68	68	96	56	45	51	3	4
	計	1,094	0	0	2	15	15	43	173	205	278	145	107	99	7	5

心理検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
抑うつ状態	男	13 (16.7%)	0	0	0	1	0	2	5	0	1	0	2	2	0	0
	女	14 (19.2%)	0	0	0	0	1	0	2	1	1	1	3	5	0	0
	計	27 (17.9%)	0	0	0	1	1	2	7	1	2	1	5	7	0	0
検診者総数	男	78	0	0	0	2	0	2	16	10	2	5	19	21	0	1
	女	73	0	0	0	2	1	1	6	3	4	9	15	31	1	0
	計	151	0	0	0	4	1	3	22	13	6	14	34	52	1	1

頭部MRI検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
無症候性脳梗塞巣	男	59	(8.8%)	0	0	0	0	0	0	1	4	13	11	13	14	2	1
	女	50	(11.9%)	0	0	0	0	0	0	0	2	10	9	11	16	0	2
	計	109	(10.0%)	0	0	0	0	0	0	1	6	23	20	24	30	2	3
脳内異常陰影	男	8	(1.2%)	0	0	1	0	0	1	2	0	1	2	0	1	0	0
	女	4	(1.0%)	0	0	0	0	0	1	1	1	1	1	0	0	0	0
	計	12	(1.1%)	0	0	1	0	0	1	3	1	2	3	0	1	0	0
中耳炎症所見	男	1	(0.1%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	女	1	(0.2%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	2	(0.2%)	0	0	0	0	0	0	0	0	1	0	0	1	0	0
副鼻腔炎	男	44	(6.5%)	0	0	0	0	0	2	8	10	11	5	5	3	0	0
	女	14	(3.3%)	0	0	0	0	0	0	1	2	6	3	0	1	1	0
	計	58	(5.3%)	0	0	0	0	0	2	9	12	17	8	5	4	1	0
硬膜下水腫	男	1	(0.1%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.1%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
くも膜嚢胞	男	11	(1.6%)	0	0	0	0	1	0	0	1	6	2	1	0	0	0
	女	5	(1.2%)	0	0	0	0	0	0	1	2	1	0	0	1	0	0
	計	16	(1.5%)	0	0	0	0	1	0	1	3	7	2	1	1	0	0
海綿状血管腫	男	5	(0.7%)	0	0	0	0	0	1	1	0	3	0	0	0	0	0
	女	2	(0.5%)	0	0	0	0	0	0	1	0	0	1	0	0	0	0
	計	7	(0.6%)	0	0	0	0	0	1	2	0	3	1	0	0	0	0
微小脳出血	男	2	(0.3%)	0	0	0	0	0	0	1	0	0	0	1	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.2%)	0	0	0	0	0	0	1	0	0	0	1	0	0	0
その他の所見	男	19	(2.8%)	0	0	0	0	0	1	5	2	5	2	3	1	0	0
	女	11	(2.6%)	0	0	0	0	0	0	3	2	1	0	0	4	1	0
	計	30	(2.7%)	0	0	0	0	0	1	8	4	6	2	3	5	1	0
検診者総数	男	673		0	0	2	7	10	26	105	137	182	89	62	48	4	1
	女	421		0	0	0	8	5	17	68	68	96	56	45	51	3	4
	計	1,094		0	0	2	15	15	43	173	205	278	145	107	99	7	5



頭頸部MRA検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
脳動脈硬化	男	1	(0.1%)	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	女	1	(0.2%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	2	(0.2%)	0	0	0	0	0	0	0	0	0	0	1	0	0	1
脳動脈瘤	男	21	(3.1%)	0	0	0	0	0	2	8	5	2	2	2	2	0	0
	女	24	(5.7%)	0	0	0	0	2	4	2	7	5	0	4	0	0	0
	計	45	(4.1%)	0	0	0	0	2	6	10	12	7	2	6	0	0	0
脳動脈狭窄	男	9	(1.3%)	0	0	0	0	1	0	1	2	1	1	1	2	0	0
	女	4	(1.0%)	0	0	0	0	0	0	0	0	0	3	0	0	0	1
	計	13	(1.2%)	0	0	0	0	1	0	1	2	1	4	1	2	0	1
脳動脈閉塞	男	3	(0.4%)	0	0	0	0	0	0	2	1	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3	(0.3%)	0	0	0	0	0	0	2	1	0	0	0	0	0	0
内頸動脈蛇行	男	22	(3.3%)	0	0	0	0	0	1	2	5	7	4	1	1	1	1
	女	15	(3.6%)	0	0	0	1	0	0	1	1	3	2	2	4	0	1
	計	37	(3.4%)	0	0	0	1	0	0	2	3	8	9	6	5	1	2
遺残性三又動脈	男	1	(0.1%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.1%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
頭部内頸動脈狭窄	男	7	(1.0%)	0	0	0	0	0	0	1	1	0	0	4	1	0	0
	女	2	(0.5%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0
	計	9	(0.8%)	0	0	0	0	0	0	1	1	1	1	4	1	0	0
頭部内頸動脈閉塞	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.2%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	1	(0.1%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
硬膜動静脈瘻	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.2%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	1	(0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
遺残性舌下神経動脈	男	1	(0.1%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.1%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
その他の所見	男	3	(0.4%)	0	0	0	0	0	0	1	2	0	0	0	0	0	0
	女	7	(1.7%)	0	0	0	0	0	2	4	1	0	0	0	0	0	0
	計	10	(0.9%)	0	0	0	0	0	2	5	3	0	0	0	0	0	0
検診者総数	男	673		0	0	2	7	10	26	105	137	182	89	62	48	4	1
	女	421		0	0	0	8	5	17	68	68	96	56	45	51	3	4
	計	1,094		0	0	2	15	15	43	173	205	278	145	107	99	7	5

肥満やせ判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	17,667	(52.8%)	201	1,286	1,630	1,524	1,762	1,923	2,001	1,699	1,561	1,406	990	906	483	295
	女	18,971	(63.3%)	160	1,229	1,489	1,306	1,622	2,108	2,329	2,105	1,832	1,543	1,310	1,284	464	190
	計	36,638	(57.8%)	361	2,515	3,119	2,830	3,384	4,031	4,330	3,804	3,393	2,949	2,300	2,190	947	485
問題なし	男	1,280	(3.8%)	24	178	152	122	131	131	107	83	88	94	57	58	29	26
	女	4,800	(16.0%)	24	414	468	450	485	495	559	607	485	350	194	194	54	21
	計	6,080	(9.6%)	48	592	620	572	616	626	666	690	573	444	251	252	83	47
要経過観察	男	14,508	(43.4%)	46	436	813	1,004	1,175	1,546	2,030	1,930	1,735	1,475	1,085	879	241	113
	女	6,190	(20.7%)	26	203	252	329	485	668	910	858	717	590	486	476	133	57
	計	20,698	(32.6%)	72	639	1,065	1,333	1,660	2,214	2,940	2,788	2,452	2,065	1,571	1,355	374	170
要精密検査	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	男	33,455		271	1,900	2,595	2,650	3,068	3,600	4,138	3,712	3,384	2,975	2,132	1,843	753	434
	女	29,961		210	1,846	2,209	2,085	2,592	3,271	3,798	3,570	3,034	2,483	1,990	1,954	651	268
	計	63,416		481	3,746	4,804	4,735	5,660	6,871	7,936	7,282	6,418	5,458	4,122	3,797	1,404	702

身体計測検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
身長 c m	男	33,847	170.2	288	170.3	1,976	171.2	2,633	171.5	2,712	171.8	3,093	171.9	3,628	171.7	4,212	171.3	3,727	170.8	3,394	170.0	2,993	168.9	2,149	167.4	1,854	165.6	753	163.7	435	162.3
	女	30,095	157.1	212	157.6	1,857	158.0	2,221	158.5	2,100	158.5	2,608	158.6	3,292	158.7	3,811	158.4	3,584	158.0	3,047	157.0	2,488	156.0	1,996	154.1	1,960	152.3	651	150.8	268	148.5
	計	63,942	164.0	500	165.0	3,833	164.8	4,854	165.6	4,812	166.0	5,701	165.8	6,920	165.5	8,023	165.2	7,311	164.5	6,441	163.9	5,481	163.1	4,145	161.0	3,814	158.8	1,404	157.7	703	157.0
体重 k g	男	34,043	69.8	288	64.8	1,994	66.7	2,662	69.3	2,745	70.9	3,118	71.0	3,646	71.6	4,235	72.6	3,746	72.3	3,403	70.6	3,006	68.9	2,156	67.1	1,856	64.7	753	62.9	435	61.0
	女	30,131	54.9	212	54.1	1,859	52.2	2,227	53.0	2,103	54.9	2,612	55.7	3,297	56.2	3,813	57.0	3,592	56.3	3,049	55.5	2,490	54.8	1,998	53.6	1,960	52.4	651	51.4	268	49.9
	計	64,174	62.8	500	60.3	3,853	59.7	4,889	61.9	4,848	63.9	5,730	64.0	6,943	64.3	8,048	65.2	7,338	64.5	6,452	63.5	5,496	62.5	4,154	60.6	3,816	58.4	1,404	57.6	703	56.8
BMI (体格指数)	男	33,847	24.1	288	22.3	1,976	22.8	2,633	23.6	2,712	24.0	3,093	24.0	3,628	24.2	4,212	24.7	3,727	24.8	3,394	24.4	2,993	24.1	2,149	23.9	1,854	23.6	753	23.5	435	23.1
	女	30,095	22.3	212	21.8	1,857	20.9	2,221	21.1	2,100	21.8	2,608	22.1	3,292	22.3	3,811	22.7	3,584	22.6	3,047	22.5	2,488	22.5	1,996	22.6	1,960	22.6	651	22.6	268	22.6
	計	63,942	23.2	500	22.1	3,833	21.9	4,854	22.4	4,812	23.0	5,701	23.2	6,920	23.3	8,023	23.8	7,311	23.7	6,441	23.5	5,481	23.4	4,145	23.3	3,814	23.1	1,404	23.1	703	22.9
体脂肪率 %	男	3,738	22.6	8	17.8	62	18.9	69	20.3	222	20.3	325	21.6	454	22.1	665	22.9	678	23.3	665	23.1	328	23.0	152	23.8	84	23.1	14	22.9	12	21.8
	女	2,340	31.5	2	25.3	15	29.4	27	30.6	151	30.0	217	29.4	328	30.6	426	31.7	450	32.2	373	32.4	194	31.5	90	33.3	58	34.9	7	34.1	2	24.9
	計	6,078	26.0	10	19.3	77	21.0	96	23.2	373	24.2	542	24.7	782	25.7	1,091	26.3	1,128	26.8	1,038	26.4	522	26.2	242	27.3	142	27.9	21	26.7	14	22.3
腹囲 c m	男	30,364	84.0	210	74.9	1,490	77.5	2,118	80.7	2,243	82.3	2,800	82.8	3,456	83.8	4,091	85.2	3,619	86.0	3,306	85.7	2,920	85.3	2,112	85.2	1,833	84.5	128	84.6	38	87.2
	女	25,878	78.1	102	69.8	1,141	70.9	1,453	72.7	1,421	74.8	2,158	76.2	3,088	76.9	3,666	78.4	3,439	79.3	2,946	80.0	2,437	80.4	1,978	81.1	1,950	81.8	89	82.5	10	80.1
	計	56,242	81.3	312	73.3	2,631	74.6	3,571	77.4	3,664	79.4	4,958	79.9	6,544	80.6	7,757	82.0	7,058	82.7	6,252	83.0	5,357	83.1	4,090	83.2	3,783	83.1	217	83.7	48	85.7

特定健診判定結果

判 定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
該当	男	4,378	(17.5%)	0	8	31	50	210	363	603	670	712	693	542	465	23	8
	女	870	(4.1%)	0	0	4	8	17	51	91	136	151	130	126	149	6	1
	計	5,248	(11.3%)	0	8	35	58	227	414	694	806	863	823	668	614	29	9
予備群 該当	男	3,778	(15.1%)	1	31	76	147	290	461	622	579	500	459	325	261	21	5
	女	965	(4.5%)	0	1	7	15	64	96	155	163	134	123	97	106	3	1
	計	4,743	(10.2%)	1	32	83	162	354	557	777	742	634	582	422	367	24	6
非該当	男	15,366	(61.6%)	79	523	741	849	1,667	2,153	2,202	1,859	1,671	1,491	1,072	992	54	13
	女	18,034	(84.1%)	30	311	459	525	1,492	2,418	2,908	2,676	2,269	1,868	1,495	1,531	49	3
	計	33,400	(72.0%)	109	834	1,200	1,374	3,159	4,571	5,110	4,535	3,940	3,359	2,567	2,523	103	16
判定不能	男	1,440	(5.8%)	4	53	64	53	45	45	28	36	35	34	15	8	625	395
	女	1,576	(7.3%)	1	102	150	116	127	80	69	56	34	16	4	3	561	257
	計	3,016	(6.5%)	5	155	214	169	172	125	97	92	69	50	19	11	1,186	652
合計	男	24,962		84	615	912	1,099	2,212	3,022	3,455	3,144	2,918	2,677	1,954	1,726	723	421
	女	21,445		31	414	620	664	1,700	2,645	3,223	3,031	2,588	2,137	1,722	1,789	619	262
	計	46,407		115	1,029	1,532	1,763	3,912	5,667	6,678	6,175	5,506	4,814	3,676	3,515	1,342	683

体力測定検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
全身反応時間 m秒	男	320	348.3	0	0.0	24	320.7	15	325.5	61	354.2	6	363.8	79	350.1	22	351.0	32	340.4	46	350.7	19	363.8	6	339.2	9	375.7	0	0.0	1	348.0
	女	176	390.4	1	380.0	0	0.0	0	0.0	43	403.5	3	412.7	59	392.1	11	368.2	22	376.8	19	358.2	9	387.2	5	407.2	3	510.0	0	0.0	1	416.0
	計	496	363.2	1	380.0	24	320.7	15	325.5	104	374.6	9	380.1	138	368.0	33	356.7	54	355.2	65	352.9	28	371.3	11	370.1	12	409.3	0	0.0	2	382.0
立位体前屈 c m	男	318	1.5	0	0.0	24	4.4	15	5.6	61	1.5	6	-4.3	77	1.2	22	1.0	33	1.8	46	0.9	18	-0.8	6	-2.0	9	2.7	0	0.0	1	-5.5
	女	175	4.8	1	9.5	0	0.0	0	0.0	43	5.0	3	6.2	57	3.6	11	2.1	22	5.1	19	5.5	10	6.7	5	8.0	3	6.7	0	0.0	1	22.5
	計	493	2.6	1	9.5	24	4.4	15	5.6	104	3.0	9	-0.8	134	2.2	33	1.3	55	3.1	65	2.2	28	1.9	11	2.6	12	3.7	0	0.0	2	8.5
上体おこし 回	男	308	18.5	0	0.0	24	25.7	15	26.5	60	19.7	6	16.8	77	18.5	20	16.5	33	17.7	42	15.7	15	15.3	6	12.2	9	11.7	0	0.0	1	9.0
	女	173	10.7	1	12.0	0	0.0	0	0.0	43	12.8	3	6.0	57	11.2	11	12.0	22	10.8	18	8.7	9	6.9	5	7.6	3	0.0	0	0.0	1	0.0
	計	481	15.7	1	12.0	24	25.7	15	26.5	103	16.8	9	13.2	134	15.4	31	14.9	55	14.9	60	13.6	24	12.2	11	10.1	12	8.8	0	0.0	2	4.5
閉眼片足立ち 秒	男	322	55.5	0	0.0	24	94.6	15	83.9	61	89.2	6	54.8	80	68.4	22	23.6	33	29.2	46	25.4	19	14.1	6	11.0	9	11.9	0	0.0	1	18.0
	女	176	44.1	1	32.0	0	0.0	0	0.0	43	69.7	3	30.7	58	50.0	11	24.1	22	40.5	19	17.2	10	15.3	5	14.2	3	11.7	0	0.0	1	4.0
	計	498	51.5	1	32.0	24	94.6	15	83.9	104	81.1	9	46.8	138	60.7	33	23.8	55	33.7	65	23.0	29	14.5	11	12.5	12	11.8	0	0.0	2	11.0
最大酸素摂取量 m L / 分 / k g	男	308	33.1	0	0.0	24	41.2	15	37.3	58	34.3	6	32.7	80	33.1	20	31.1	30	30.3	43	30.6	18	29.4	5	31.4	8	30.1	0	0.0	1	36.5
	女	169	29.0	1	33.7	0	0.0	0	0.0	43	30.1	3	29.6	55	29.5	11	30.8	22	28.4	17	27.3	10	25.1	4	25.9	2	27.0	0	0.0	1	18.0
	計	477	31.6	1	33.7	24	41.2	15	37.3	101	32.5	9	31.7	135	31.6	31	31.0	52	29.5	60	29.7	28	27.9	9	28.9	10	29.5	0	0.0	2	27.3





精密検査判定者の他医療機関からの回答状況

精査項目	対象者	回答数	回答率	回答結果				
				異常なし	問題なし	経過観察	治療中	要治療
視 機 能	117	82	70.1%	20	21	32	1	8
				24.4%	25.6%	39.0%	1.2%	9.8%
肺 機 能	6	5	83.3%	1	2	0	2	0
				20.0%	40.0%	0.0%	40.0%	0.0%
血 圧	1,630	884	54.2%	49	53	308	37	437
				5.5%	6.0%	34.8%	4.2%	49.4%
脂 質	3,147	1,674	53.2%	173	197	632	91	581
				10.3%	11.8%	37.8%	5.4%	34.7%
糖 尿 病	1,075	639	59.4%	27	28	242	90	252
				4.2%	4.4%	37.9%	14.1%	39.4%
痛 風	410	242	59.0%	10	12	82	9	129
				4.1%	5.0%	33.9%	3.7%	53.3%
肝機能・血清蛋白	5,202	3,105	59.7%	275	426	1,986	187	231
				8.9%	13.7%	64.0%	6.0%	7.4%
甲 状 腺 検 査	92	81	88.0%	2	18	51	1	9
				2.5%	22.2%	63.0%	1.2%	11.1%
脾 機 能	82	70	85.4%	20	25	23	1	1
				28.6%	35.7%	32.9%	1.4%	1.4%
腎 機 能	978	671	68.6%	108	130	266	107	60
				16.1%	19.4%	39.6%	15.9%	8.9%
貧 血 ・ 血 球 数	2,279	1,351	59.3%	375	242	353	38	343
				27.8%	17.9%	26.1%	2.8%	25.4%
炎 症 反 応	47	35	74.5%	19	4	9	1	2
				54.3%	11.4%	25.7%	2.9%	5.7%
電 解 質	3	2	66.7%	0	0	0	0	2
				0.0%	0.0%	0.0%	0.0%	100.0%
そ の 他	101	74	73.3%	19	16	31	3	5
				25.7%	21.6%	41.9%	4.1%	6.8%
便 潜 血	1,626	1,098	67.5%	237	208	231	9	413
				21.6%	18.9%	21.0%	0.8%	37.6%
眼 底 検 査	895	636	71.1%	72	183	218	22	141
				11.3%	28.8%	34.3%	3.5%	22.2%
胸 部 検 査	511	416	81.4%	154	91	117	17	37
				37.0%	21.9%	28.1%	4.1%	8.9%
心 電 図	351	241	68.7%	23	75	82	8	53
				9.5%	31.1%	34.0%	3.3%	22.0%
上 部 消 化 管	1,300	1,004	77.2%	94	235	206	10	459
				9.4%	23.4%	20.5%	1.0%	45.7%
腹 部 超 音 波	639	477	74.6%	46	116	283	6	26
				9.6%	24.3%	59.3%	1.3%	5.5%
内 科 診 察	178	126	70.8%	24	27	50	2	23
				19.0%	21.4%	39.7%	1.6%	18.3%
乳 房 検 査	557	519	93.2%	219	180	81	5	34
				42.2%	34.7%	15.6%	1.0%	6.6%
婦 人 科 検 査	413	340	82.3%	16	28	206	3	87
				4.7%	8.2%	60.6%	0.9%	25.6%
前 立 腺 検 査	333	264	79.3%	16	17	169	18	44
				6.1%	6.4%	64.0%	6.8%	16.7%
骨 密 度	349	220	63.0%	27	20	80	8	85
				12.3%	9.1%	36.4%	3.6%	38.6%
動 脈 硬 化 検 査	99	75	75.8%	4	9	29	16	17
				5.3%	12.0%	38.7%	21.3%	22.7%
脳 検 査	88	77	87.5%	21	13	32	1	10
				27.3%	16.9%	41.6%	1.3%	13.0%
睡 眠 時 無 呼 吸 検 査	39	26	66.7%	1	2	5	0	18
				3.8%	7.7%	19.2%	0.0%	69.2%
情 報 機 器 作 業 検 査	86	59	68.6%	18	38	2	0	1
				30.5%	64.4%	3.4%	0.0%	1.7%
肝 炎 B 検 査 ②	2	1	50.0%	0	0	1	0	0
				0.0%	0.0%	100.0%	0.0%	0.0%
有 機 基 本	1	1	100.0%	0	0	0	1	0
				0.0%	0.0%	0.0%	100.0%	0.0%
電 離 放 射 線	10	2	20.0%	0	1	0	0	1
				0.0%	50.0%	0.0%	0.0%	50.0%
深 夜 ・ 有 害 業 務 (一 腹 囲)	1	0	0.0%	0	0	0	0	0
				0.0%	0.0%	0.0%	0.0%	0.0%
レ ー ザ ー	1	1	100.0%	0	1	0	0	0
				0.0%	100.0%	0.0%	0.0%	0.0%
特 定 業 務 (一 腹 囲)	1	0	0.0%	0	0	0	0	0
				0.0%	0.0%	0.0%	0.0%	0.0%
有 機 総 合	1	0	0.0%	0	0	0	0	0
				0.0%	0.0%	0.0%	0.0%	0.0%
特 化 物 肝 機 能	6	3	50.0%	0	0	2	0	1
				0.0%	0.0%	66.7%	0.0%	33.3%
有 機 (ト ル、キ シ)	2	0	0.0%	0	0	0	0	0
				0.0%	0.0%	0.0%	0.0%	0.0%
腰 痛 健 診	2	0	0.0%	0	0	0	0	0
				0.0%	0.0%	0.0%	0.0%	0.0%
特 定 業 務 簡 易	1	0	0.0%	0	0	0	0	0
				0.0%	0.0%	0.0%	0.0%	0.0%
特 定 業 務	11	0	0.0%	0	0	0	0	0
				0.0%	0.0%	0.0%	0.0%	0.0%
深 夜 ・ 有 害 業 務	1	0	0.0%	0	0	0	0	0
				0.0%	0.0%	0.0%	0.0%	0.0%
じ ん 肺 ①	4	2	50.0%	0	1	1	0	0
				0.0%	50.0%	50.0%	0.0%	0.0%
特 化 物 肝 機 能 尿 蛋 白	1	0	0.0%	0	0	0	0	0
				0.0%	0.0%	0.0%	0.0%	0.0%
特 化 物 ・ ス チ レ ン	1	0	0.0%	0	0	0	0	0
				0.0%	0.0%	0.0%	0.0%	0.0%



市民健診総合判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
異常なし	男	97 (4.2%)	2	2	3	6	3	5	19	30	15	12
	女	127 (3.3%)	24	23	17	12	11	12	10	13	4	1
	計	224 (3.6%)	26	25	20	18	14	17	29	43	19	13
問題なし	男	58 (2.5%)	2	3	4	3	6	5	4	12	10	9
	女	276 (7.1%)	18	15	26	19	25	37	42	46	35	13
	計	334 (5.4%)	20	18	30	22	31	42	46	58	45	22
要経過観察	男	516 (22.5%)	7	13	17	10	15	21	51	130	119	133
	女	1,196 (30.8%)	19	25	33	43	61	73	191	341	223	187
	計	1,712 (27.7%)	26	38	50	53	76	94	242	471	342	320
要精密検査	男	308 (13.4%)	6	2	9	8	4	10	37	75	72	85
	女	325 (8.4%)	5	8	8	16	10	15	44	85	64	70
	計	633 (10.2%)	11	10	17	24	14	25	81	160	136	155
要治療	男	56 (2.4%)	1	1	0	1	2	1	7	22	7	14
	女	92 (2.4%)	0	0	1	2	7	4	12	27	22	17
	計	148 (2.4%)	1	1	1	3	9	5	19	49	29	31
治療中	男	1,261 (54.9%)	1	0	4	7	22	27	104	309	327	460
	女	1,866 (48.1%)	4	3	11	25	37	73	233	552	445	483
	計	3,127 (50.6%)	5	3	15	32	59	100	337	861	772	943
合計	男	2,296	19	21	37	35	52	69	222	578	550	713
	女	3,882	70	74	96	117	151	214	532	1,064	793	771
	計	6,178	89	95	133	152	203	283	754	1,642	1,343	1,484

市民健診メタボ判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
該当	男	218 (9.8%)	1	1	5	5	14	19	41	132	0	0
	女	132 (3.4%)	0	1	5	1	6	3	32	83	0	1
	計	350 (5.7%)	1	2	10	6	20	22	73	215	0	1
予備群該当	男	165 (7.4%)	4	3	7	6	10	9	32	91	0	3
	女	118 (3.0%)	3	4	6	9	11	7	27	51	0	0
	計	283 (4.6%)	7	7	13	15	21	16	59	142	0	3
非該当	男	603 (27.2%)	14	17	23	20	26	36	134	330	2	1
	女	2,068 (53.4%)	66	66	82	107	131	204	471	930	5	6
	計	2,671 (43.9%)	80	83	105	127	157	240	605	1,260	7	7
判定不能	男	1,231 (55.5%)	0	0	0	0	0	0	1	3	532	695
	女	1,555 (40.1%)	1	0	0	0	0	0	2	0	788	764
	計	2,786 (45.7%)	1	0	0	0	0	0	3	3	1,320	1,459
合計	男	2,217	19	21	35	31	50	64	208	556	534	699
	女	3,873	70	71	93	117	148	214	532	1,064	793	771
	計	6,090	89	92	128	148	198	278	740	1,620	1,327	1,470

市民健診肥満判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	1,324 (59.7%)	10	12	14	14	18	28	107	299	355	467
	女	2,642 (68.2%)	48	47	53	71	81	143	369	703	586	541
	計	3,966 (65.1%)	58	59	67	85	99	171	476	1,002	941	1,008
問題なし	男	97 (4.4%)	0	1	2	1	1	2	10	13	24	43
	女	458 (11.8%)	8	9	15	24	38	32	59	127	67	79
	計	555 (9.1%)	8	10	17	25	39	34	69	140	91	122
要経過観察	男	796 (35.9%)	9	8	19	16	31	34	91	244	155	189
	女	773 (20.0%)	14	15	25	22	29	39	104	234	140	151
	計	1,569 (25.8%)	23	23	44	38	60	73	195	478	295	340
要精密検査	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
合計	男	2,217	19	21	35	31	50	64	208	556	534	699
	女	3,873	70	71	93	117	148	214	532	1,064	793	771
	計	6,090	89	92	128	148	198	278	740	1,620	1,327	1,470

市民健診身体計測検査の性年齢別平均値

検査項目		総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
身長 c m	男	2,217	164.1	19	171.9	21	172.2	35	169.9	31	167.1	50	169.1	64	167.6	208	166.8	556	165.2	534	163.3	699	161.3
	女	3,873	151.7	70	158.2	71	158.7	93	157.3	117	156.6	148	156.2	214	155.4	532	153.5	1,064	151.7	793	149.8	771	147.8
	計	6,090	156.2	89	161.1	92	161.8	128	160.8	148	158.8	198	159.4	278	158.2	740	157.3	1,620	156.4	1,327	155.2	1,470	154.2
体重 k g	男	2,217	63.1	19	71.2	21	68.2	35	71.7	31	67.9	50	70.5	64	67.2	208	65.0	556	63.9	534	62.8	699	60.2
	女	3,873	51.2	70	54.8	71	56.4	93	55.9	117	53.4	148	53.6	214	52.6	532	52.4	1,064	51.1	793	50.1	771	49.0
	計	6,090	55.5	89	58.3	92	59.1	128	60.2	148	56.4	198	57.9	278	56.0	740	55.9	1,620	55.5	1,327	55.2	1,470	54.3
B M I (体格指数)	男	2,217	23.4	19	24.1	21	23.0	35	24.7	31	24.2	50	24.6	64	24.0	208	23.3	556	23.4	534	23.5	699	23.1
	女	3,873	22.2	70	21.9	71	22.4	93	22.6	117	21.8	148	22.0	214	21.8	532	22.2	1,064	22.2	793	22.3	771	22.4
	計	6,090	22.7	89	22.3	92	22.5	128	23.2	148	22.3	198	22.7	278	22.3	740	22.5	1,620	22.6	1,327	22.8	1,470	22.7
腹囲 c m	男	986	84.2	19	85.3	21	80.7	35	86.4	31	85.1	50	88.2	64	84.9	207	83.6	553	84.0	2	74.5	4	91.3
	女	2,319	79.9	70	76.3	71	77.9	93	78.8	117	76.6	148	78.3	214	78.7	530	80.6	1,064	80.8	5	78.7	7	85.7
	計	3,305	81.2	89	78.2	92	78.6	128	80.9	148	78.4	198	80.8	278	80.1	737	81.5	1,617	81.9	7	77.5	11	87.8

市民健診血圧判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	異常なし	男	458 (20.7%)	15	17	24	17	19	23	57	110	84
	女	1,219 (31.5%)	67	61	71	78	91	113	161	289	169	119
	計	1,677 (27.5%)	82	78	95	95	110	136	218	399	253	211
問題なし	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
要経過観察	男	603 (27.2%)	4	4	8	9	14	18	57	171	146	172
	女	1,107 (28.6%)	3	9	14	23	32	49	196	331	239	211
	計	1,710 (28.1%)	7	13	22	32	46	67	253	502	385	383
要精密検査	男	124 (5.6%)	0	0	0	0	0	5	11	30	36	42
	女	174 (4.5%)	0	0	2	3	4	9	20	49	38	49
	計	298 (4.9%)	0	0	2	3	4	14	31	79	74	91
要治療	男	24 (1.1%)	0	0	0	1	1	1	3	9	5	4
	女	31 (0.8%)	0	0	0	0	1	0	2	8	13	7
	計	55 (0.9%)	0	0	0	1	2	1	5	17	18	11
治療中	男	1,008 (45.5%)	0	0	3	4	16	17	80	236	263	389
	女	1,342 (34.7%)	0	1	6	13	20	43	153	387	334	385
	計	2,350 (38.6%)	0	1	9	17	36	60	233	623	597	774
合計	男	2,217	19	21	35	31	50	64	208	556	534	699
	女	3,873	70	71	93	117	148	214	532	1,064	793	771
	計	6,090	89	92	128	148	198	278	740	1,620	1,327	1,470

市民健診血圧（安静時・負荷時）検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	安静時血圧・最大mmHg	男	2,217	138.8	19	123.4	21	119.5	35	121.6	31	126.8	50	130.3	64	136.0	208	135.9	556	139.4	534	141.2	699
	女	3,873	135.4	70	109.4	71	114.7	93	118.5	117	121.5	148	126.0	214	129.2	532	134.6	1,064	137.2	793	138.8	771	142.0
	計	6,090	136.6	89	112.4	92	115.8	128	119.3	148	122.6	198	127.1	278	130.7	740	135.0	1,620	137.9	1,327	139.8	1,470	141.3
安静時血圧・最小mmHg	男	2,217	74.7	19	73.6	21	70.3	35	76.2	31	79.4	50	78.3	64	81.0	208	77.7	556	76.2	534	74.8	699	71.7
	女	3,873	73.3	70	66.6	71	69.5	93	72.0	117	73.4	148	74.0	214	74.9	532	74.5	1,064	73.9	793	73.4	771	72.0
	計	6,090	73.8	89	68.1	92	69.7	128	73.2	148	74.7	198	75.1	278	76.3	740	75.4	1,620	74.7	1,327	74.0	1,470	71.9

市民健診肝機能・血清蛋白判定結果

判定	総数			35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計										
異常なし	男	1,462	(65.7%)	6	13	17	13	27	42	130	391	374	449
	女	3,165	(81.5%)	67	69	76	96	126	175	445	883	638	590
	計	4,627	(75.8%)	73	82	93	109	153	217	575	1,274	1,012	1,039
問題なし	男	322	(14.5%)	7	4	11	8	11	12	31	80	68	90
	女	318	(8.2%)	1	1	6	10	10	24	48	105	61	52
	計	640	(10.5%)	8	5	17	18	21	36	79	185	129	142
要経過観察	男	254	(11.4%)	0	4	3	3	5	5	23	41	57	113
	女	254	(6.5%)	0	2	6	2	5	11	17	42	73	96
	計	508	(8.3%)	0	6	9	5	10	16	40	83	130	209
要精密検査	男	155	(7.0%)	6	0	6	7	7	5	22	39	28	35
	女	97	(2.5%)	2	2	6	6	7	2	18	25	11	18
	計	252	(4.1%)	8	2	12	13	14	7	40	64	39	53
要治療	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	1	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	1	0
治療中	男	31	(1.4%)	0	0	0	1	0	0	4	7	7	12
	女	47	(1.2%)	0	0	2	3	3	2	4	9	9	15
	計	78	(1.3%)	0	0	2	4	3	2	8	16	16	27
合計	男	2,224		19	21	37	32	50	64	210	558	534	699
	女	3,882		70	74	96	117	151	214	532	1,064	793	771
	計	6,106		89	95	133	149	201	278	742	1,622	1,327	1,470

市民健診肝機能・血清蛋白検査の性年齢別平均値

検査項目	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上											
	男	女																					
AST (GOT) U/L	男	2,217	25.7	19	24.2	21	24.7	35	24.8	31	28.1	50	25.4	64	24.1	208	26.9	556	24.9	534	25.3	699	26.6
	女	3,873	24.2	70	18.2	71	18.9	93	21.6	117	25.7	148	23.9	214	23.2	532	24.1	1,064	24.4	793	24.6	771	25.0
	計	6,090	24.8	89	19.4	92	20.3	128	22.5	148	26.2	198	24.3	278	23.4	740	24.9	1,620	24.6	1,327	24.9	1,470	25.7
ALT (GPT) U/L	男	2,217	22.5	19	31.6	21	27.3	35	30.2	31	32.4	50	27.9	64	25.0	208	25.5	556	22.7	534	20.7	699	21.1
	女	3,873	19.3	70	15.5	71	16.4	93	20.7	117	20.7	148	21.3	214	20.3	532	21.1	1,064	19.6	793	18.8	771	17.7
	計	6,090	20.5	89	18.9	92	18.9	128	23.3	148	23.1	198	23.0	278	21.4	740	22.4	1,620	20.7	1,327	19.5	1,470	19.3
γ-GT (γ-GTP) U/L	男	2,217	37.1	19	55.9	21	30.5	35	46.9	31	50.4	50	46.6	64	44.2	208	44.7	556	37.7	534	35.4	699	32.8
	女	3,873	24.3	70	18.0	71	19.9	93	28.3	117	34.0	148	26.1	214	26.7	532	27.3	1,064	24.9	793	21.8	771	22.1
	計	6,090	29.0	89	26.1	92	22.4	128	33.4	148	37.5	198	31.3	278	30.7	740	32.2	1,620	29.3	1,327	27.2	1,470	27.2
アルブミン g/dL	男	1,237	4.2	0	—	0	—	0	—	0	—	0	—	0	—	1	4.6	3	4.1	534	4.3	699	4.2
	女	1,566	4.2	0	—	0	—	0	—	0	—	0	—	0	—	2	4.5	0	0.0	793	4.3	771	4.2
	計	2,803	4.2	0	—	0	—	0	—	0	—	0	—	0	—	3	4.5	3	4.1	1,327	4.3	1,470	4.2

市民健診腎機能判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	1,127 (50.8%)	19	19	31	25	35	43	129	321	244	261
	女	2,437 (62.9%)	65	64	84	93	118	169	396	703	431	314
	計	3,564 (58.5%)	84	83	115	118	153	212	525	1,024	675	575
問題なし	男	54 (2.4%)	0	1	1	4	3	1	4	17	9	14
	女	61 (1.6%)	4	3	4	2	2	1	4	16	13	12
	計	115 (1.9%)	4	4	5	6	5	2	8	33	22	26
要経過観察	男	766 (34.6%)	0	1	1	2	7	15	59	177	220	284
	女	1,131 (29.2%)	1	3	4	16	26	33	116	305	293	334
	計	1,897 (31.1%)	1	4	5	18	33	48	175	482	513	618
要精密検査	男	161 (7.3%)	0	0	1	0	1	1	9	20	36	93
	女	150 (3.9%)	0	1	0	1	0	3	4	22	42	77
	計	311 (5.1%)	0	1	1	1	1	4	13	42	78	170
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	男	109 (4.9%)	0	0	1	0	4	4	7	21	25	47
	女	94 (2.4%)	0	0	1	5	2	8	12	18	14	34
	計	203 (3.3%)	0	0	2	5	6	12	19	39	39	81
合計	男	2,217	19	21	35	31	50	64	208	556	534	699
	女	3,873	70	71	93	117	148	214	532	1,064	793	771
	計	6,090	89	92	128	148	198	278	740	1,620	1,327	1,470

市民健診尿検査の性年齢別陽性率

検査項目	性別	総数			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率			
尿蛋白定性	男	2,217	256	11.5	19	0	—	21	1	4.8	35	2	5.7	31	5	16.1	50	8	16.0	64	7	10.9	208	21	10.1	556	49	8.8	534	57	10.7	699	106	15.2
	女	3,867	180	4.7	70	4	5.7	71	5	7.0	93	6	6.5	116	7	6.0	148	3	2.0	214	6	2.8	532	13	2.4	1,064	35	3.3	793	34	4.3	766	67	8.7
	計	6,084	436	7.2	89	4	4.5	92	6	6.5	128	8	6.3	147	12	8.2	198	11	5.6	278	13	4.7	740	34	4.6	1,620	84	5.2	1,327	91	6.9	1,465	173	11.8

陽性率%

市民健診腎機能検査の性年齢別平均値

検査項目	性別	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
クレアチニン mg/dL	男	2,217	1.0	19	0.9	21	0.8	35	0.9	31	0.8	50	0.9	64	0.9	208	0.9	556	0.9	534	1.0	699	1.0
	女	3,873	0.7	70	0.6	71	0.6	93	0.7	117	0.8	148	0.7	214	0.7	532	0.7	1,064	0.7	793	0.7	771	0.8
	計	6,090	0.8	89	0.7	92	0.7	128	0.7	148	0.8	198	0.7	278	0.7	740	0.7	1,620	0.8	1,327	0.8	1,470	0.9

市民健診脂質判定結果

判定	総数			35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計										
異常なし	男	780	(35.2%)	4	5	7	8	15	9	68	187	180	297
	女	1,000	(25.8%)	47	37	44	47	46	51	101	217	189	221
	計	1,780	(29.2%)	51	42	51	55	61	60	169	404	369	518
問題なし	男	475	(21.4%)	5	6	8	7	15	25	41	118	127	123
	女	851	(22.0%)	9	20	27	26	28	53	126	214	174	174
	計	1,326	(21.8%)	14	26	35	33	43	78	167	332	301	297
要経過観察	男	471	(21.2%)	8	8	16	5	12	18	59	129	99	117
	女	942	(24.3%)	11	12	15	25	43	56	149	298	176	157
	計	1,413	(23.2%)	19	20	31	30	55	74	208	427	275	274
要精密検査	男	135	(6.1%)	1	2	4	5	2	3	15	25	31	47
	女	132	(3.4%)	2	2	4	9	8	9	25	33	21	19
	計	267	(4.4%)	3	4	8	14	10	12	40	58	52	66
要治療	男	14	(0.6%)	1	0	0	0	2	0	2	5	2	2
	女	53	(1.4%)	0	0	0	2	7	4	8	16	11	5
	計	67	(1.1%)	1	0	0	2	9	4	10	21	13	7
治療中	男	342	(15.4%)	0	0	0	6	4	9	23	92	95	113
	女	895	(23.1%)	1	0	3	8	16	41	123	286	222	195
	計	1,237	(20.3%)	1	0	3	14	20	50	146	378	317	308
合計	男	2,217		19	21	35	31	50	64	208	556	534	699
	女	3,873		70	71	93	117	148	214	532	1,064	793	771
	計	6,090		89	92	128	148	198	278	740	1,620	1,327	1,470

市民健診脂質検査の性年齢別平均値

検査項目	総数			35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
	男	女	計	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
中性脂肪 mg/dL	男	2,217	108.7	19	133.7	21	96.1	35	121.7	31	168.9	50	148.0	64	132.6	208	117.9	556	111.9	534	102.9	699	99.1
	女	3,873	98.2	70	70.9	71	76.5	93	81.2	117	87.0	148	94.8	214	97.4	532	100.8	1,064	100.9	793	98.3	771	101.5
	計	6,090	102.0	89	84.3	92	81.0	128	92.3	148	104.2	198	108.3	278	105.5	740	105.6	1,620	104.7	1,327	100.2	1,470	100.4
HDLコレステロール mg/dL	男	2,217	57.2	19	59.5	21	56.1	35	54.1	31	55.9	50	56.0	64	56.4	208	57.6	556	57.3	534	57.9	699	56.7
	女	3,873	67.2	70	64.9	71	67.0	93	68.0	117	74.3	148	73.6	214	69.9	532	68.2	1,064	66.8	793	66.5	771	64.8
	計	6,090	63.5	89	63.8	92	64.5	128	64.2	148	70.4	198	69.1	278	66.8	740	65.2	1,620	63.6	1,327	63.1	1,470	60.9
LDLコレステロール mg/dL	男	2,217	115.2	19	132.4	21	121.5	35	138.4	31	123.7	50	129.1	64	132.0	208	122.5	556	118.3	534	114.7	699	106.2
	女	3,873	126.1	70	105.9	71	108.8	93	116.8	117	126.7	148	133.0	214	130.3	532	131.8	1,064	128.7	793	125.7	771	120.9
	計	6,090	122.1	89	111.5	92	111.7	128	122.7	148	126.1	198	132.0	278	130.7	740	129.2	1,620	125.1	1,327	121.3	1,470	113.9



市民健診糖尿病判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	748 (33.7%)	14	18	25	24	25	23	78	196	145	200
	女	1,482 (38.3%)	59	64	75	66	83	97	223	371	241	203
	計	2,230 (36.6%)	73	82	100	90	108	120	301	567	386	403
問題なし	男	706 (31.8%)	4	2	8	5	17	22	61	175	195	217
	女	1,486 (38.4%)	10	5	12	45	53	83	202	427	333	316
	計	2,192 (36.0%)	14	7	20	50	70	105	263	602	528	533
要経過観察	男	299 (13.5%)	0	0	0	0	3	10	28	68	79	111
	女	511 (13.2%)	1	0	3	3	6	17	63	145	119	154
	計	810 (13.3%)	1	0	3	3	9	27	91	213	198	265
要精密検査	男	70 (3.2%)	0	0	0	1	1	1	8	14	17	28
	女	61 (1.6%)	0	0	0	1	1	1	4	17	14	23
	計	131 (2.2%)	0	0	0	2	2	2	12	31	31	51
要治療	男	54 (2.4%)	0	1	0	0	0	1	5	13	9	25
	女	43 (1.1%)	0	0	1	0	0	0	3	11	17	11
	計	97 (1.6%)	0	1	1	0	0	1	8	24	26	36
治療中	男	340 (15.3%)	1	0	2	1	4	7	28	90	89	118
	女	290 (7.5%)	0	2	2	2	5	16	37	93	69	64
	計	630 (10.3%)	1	2	4	3	9	23	65	183	158	182
合計	男	2,217	19	21	35	31	50	64	208	556	534	699
	女	3,873	70	71	93	117	148	214	532	1,064	793	771
	計	6,090	89	92	128	148	198	278	740	1,620	1,327	1,470

市民健診糖尿病検査の性年齢別平均値

検査項目		総数		35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		男	女	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率			
血糖 mg/dL	男	2,217	104.6	19	95.5	21	89.6	35	93.5	31	94.1	50	96.5	64	101.3	208	103.5	556	103.0	534	105.3	699	108.4										
	女	3,873	98.4	70	87.4	71	87.8	93	90.4	117	90.6	148	93.3	214	96.1	532	97.0	1,064	98.9	793	99.9	771	102.7										
	計	6,090	100.6	89	89.1	92	88.2	128	91.2	148	91.3	198	94.1	278	97.3	740	98.8	1,620	100.3	1,327	102.0	1,470	105.4										
HbA1c (NGSP) %	男	2,217	5.8	19	5.5	21	5.3	35	5.4	31	5.4	50	5.4	64	5.6	208	5.8	556	5.8	534	5.8	699	5.9										
	女	3,873	5.7	70	5.3	71	5.3	93	5.4	117	5.4	148	5.5	214	5.6	532	5.7	1,064	5.7	793	5.8	771	5.8										
	計	6,090	5.7	89	5.3	92	5.3	128	5.4	148	5.4	198	5.5	278	5.6	740	5.7	1,620	5.7	1,327	5.8	1,470	5.8										

HbA1cは選択検査として実施されている

市民健診尿糖検査の性年齢別陽性率

検査項目	性別	総数		35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上			
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
尿糖定性	男	2,217	140	6.3	19	1	5.3	21	0	—	35	2	5.7	31	1	3.2	50	3	6.0	64	5	7.8	208	15	7.2	556	43	7.7	534	33	6.2	699	37	5.3
	女	3,867	75	1.9	70	1	1.4	71	0	—	93	3	3.2	116	1	0.9	148	2	1.4	214	4	1.9	532	15	2.8	1,064	16	1.5	793	19	2.4	766	14	1.8
	計	6,084	215	3.5	89	2	2.2	92	0	—	128	5	3.9	147	2	1.4	198	5	2.5	278	9	3.2	740	30	4.1	1,620	59	3.6	1,327	52	3.9	1,465	51	3.5

陽性率%

市民健診貧血・血球数判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	12 (75.0%)	1	1	0	2	1	2	2	3	0	0
	女	131 (72.4%)	12	5	6	17	13	12	26	40	0	0
	計	143 (72.6%)	13	6	6	19	14	14	28	43	0	0
問題なし	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	8 (4.4%)	0	0	0	1	2	0	1	4	0	0
	計	8 (4.1%)	0	0	0	1	2	0	1	4	0	0
要経過観察	男	3 (18.8%)	0	0	1	0	0	0	1	1	0	0
	女	26 (14.4%)	1	3	4	3	0	0	6	9	0	0
	計	29 (14.7%)	1	3	5	3	0	0	7	10	0	0
要精密検査	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	9 (5.0%)	1	3	0	2	0	0	2	1	0	0
	計	9 (4.6%)	1	3	0	2	0	0	2	1	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	男	1 (6.3%)	0	0	0	0	1	0	0	0	0	0
	女	7 (3.9%)	2	0	1	1	0	1	0	2	0	0
	計	8 (4.1%)	2	0	1	1	1	1	0	2	0	0
合計	男	16	1	1	1	2	2	2	3	4	0	0
	女	181	16	11	11	24	15	13	35	56	0	0
	計	197	17	12	12	26	17	15	38	60	0	0

市民健診貧血・血球数検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
赤血球数 方/μL	男	16	452.9	1	580.0	1	495.0	1	388.0	2	468.0	2	492.5	2	430.0	3	423.7	4	433.0	0	0.0	0	0.0
	女	181	432.2	16	416.0	11	431.2	11	418.9	24	452.4	15	442.5	13	442.5	35	425.0	56	430.2	0	0.0	0	0.0
	計	197	433.8	17	425.7	12	436.5	12	416.3	26	453.6	17	448.4	15	440.8	38	424.9	60	430.4	0	0.0	0	0.0
ヘモグロビン g/dL	男	16	14.0	1	16.3	1	14.9	1	12.2	2	14.5	2	14.4	2	14.0	3	13.6	4	13.6	0	0.0	0	0.0
	女	181	12.8	16	12.6	11	11.9	11	12.4	24	12.8	15	13.4	13	13.2	35	12.6	56	13.0	0	0.0	0	0.0
	計	197	12.9	17	12.8	12	12.2	12	12.4	26	13.0	17	13.6	15	13.3	38	12.7	60	13.0	0	0.0	0	0.0
ヘマトクリット %	男	16	41.8	1	49.5	1	44.2	1	36.8	2	43.5	2	43.8	2	40.3	3	40.1	4	40.5	0	0.0	0	0.0
	女	181	39.2	16	38.3	11	36.8	11	37.6	24	39.6	15	40.6	13	40.1	35	38.7	56	39.7	0	0.0	0	0.0
	計	197	39.4	17	38.9	12	37.4	12	37.6	26	39.9	17	41.0	15	40.1	38	38.8	60	39.8	0	0.0	0	0.0

市民健診安静心電図検査所見（1）

所見	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
洞性徐脈	男	8 (2.6%)	0	0	0	1	1	0	0	6	0	0
	女	2 (0.3%)	0	0	0	0	0	0	0	2	0	0
	計	10 (1.0%)	0	0	0	1	1	0	0	8	0	0
洞性頻脈	男	7 (2.2%)	0	0	0	1	0	1	1	4	0	0
	女	13 (1.9%)	0	0	2	1	1	1	2	6	0	0
	計	20 (2.0%)	0	0	2	2	1	2	3	10	0	0
洞性不整脈	男	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
	女	2 (0.3%)	0	0	0	0	0	0	0	2	0	0
	計	3 (0.3%)	0	0	0	0	0	0	0	3	0	0
異所性上室調律	男	6 (1.9%)	0	0	0	0	0	1	1	4	0	0
	女	2 (0.3%)	0	0	0	0	0	0	1	1	0	0
	計	8 (0.8%)	0	0	0	0	0	1	2	5	0	0
右軸偏位 (100°以上)	男	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	1	0	0
左軸偏位 (-30°以下)	男	15 (4.8%)	0	0	0	0	0	1	2	11	0	1
	女	19 (2.7%)	0	0	0	0	1	1	4	13	0	0
	計	34 (3.4%)	0	0	0	0	1	2	6	24	0	1
第一度房室ブロック	男	14 (4.5%)	0	0	0	0	0	0	2	12	0	0
	女	2 (0.3%)	0	0	0	0	0	0	0	2	0	0
	計	16 (1.6%)	0	0	0	0	0	0	2	14	0	0
WPW症候群	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.1%)	0	0	0	0	0	0	1	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	1	0	0	0
不完全右脚ブロック	男	4 (1.3%)	0	0	0	0	0	1	0	3	0	0
	女	13 (1.9%)	0	0	0	0	1	0	2	10	0	0
	計	17 (1.7%)	0	0	0	0	1	1	2	13	0	0
完全右脚ブロック	男	17 (5.4%)	0	0	0	0	0	0	3	13	0	1
	女	26 (3.7%)	0	0	0	0	0	2	4	20	0	0
	計	43 (4.3%)	0	0	0	0	0	2	7	33	0	1
ヘミブロック	男	4 (1.3%)	0	0	0	0	0	0	0	4	0	0
	女	10 (1.4%)	0	1	1	0	0	0	2	6	0	0
	計	14 (1.4%)	0	1	1	0	0	0	2	10	0	0
完全左脚ブロック	男	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
	女	1 (0.1%)	0	0	0	0	0	0	1	0	0	0
	計	2 (0.2%)	0	0	0	0	0	0	1	1	0	0
右室伝導遅延	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	2 (0.3%)	0	0	0	0	0	1	1	0	0	0
	計	2 (0.2%)	0	0	0	0	0	1	1	0	0	0
上室性期外収縮	男	12 (3.8%)	0	0	0	0	0	0	1	10	0	1
	女	19 (2.7%)	0	0	0	0	0	1	5	13	0	0
	計	31 (3.1%)	0	0	0	0	0	1	6	23	0	1
心室性期外収縮	男	8 (2.6%)	0	0	0	0	0	1	1	5	0	1
	女	11 (1.6%)	1	1	0	0	0	1	3	5	0	0
	計	19 (1.9%)	1	1	0	0	0	2	4	10	0	1
心房細動	男	4 (1.3%)	0	0	0	0	0	0	1	3	0	0
	女	1 (0.1%)	0	0	0	0	0	1	0	0	0	0
	計	5 (0.5%)	0	0	0	0	0	1	1	3	0	0

市民健診安静心電図検査所見（2）

所見	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
左房負荷疑い	男	1 (0.3%)	0	0	0	0	1	0	0	0	0	0
	女	1 (0.1%)	0	0	0	0	0	0	1	0	0	0
	計	2 (0.2%)	0	0	0	0	1	0	1	0	0	0
右房負荷疑い	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	10 (1.4%)	0	0	0	0	1	0	2	7	0	0
	計	10 (1.0%)	0	0	0	0	1	0	2	7	0	0
左室肥大疑い	男	27 (8.7%)	0	0	1	0	0	1	3	22	0	0
	女	31 (4.4%)	0	0	0	2	1	2	10	15	0	1
	計	58 (5.7%)	0	0	1	2	1	3	13	37	0	1
ST低下	男	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
	女	2 (0.3%)	0	0	0	0	0	0	0	2	0	0
	計	3 (0.3%)	0	0	0	0	0	0	0	3	0	0
ST-T異常	男	9 (2.9%)	1	0	0	0	0	0	1	7	0	0
	女	30 (4.3%)	0	0	0	0	1	2	9	18	0	0
	計	39 (3.9%)	1	0	0	0	1	2	10	25	0	0
異常Q波	男	14 (4.5%)	0	0	0	0	1	2	2	9	0	0
	女	15 (2.2%)	0	0	1	0	1	2	1	10	0	0
	計	29 (2.9%)	0	0	1	0	2	4	3	19	0	0
R波増高不良	男	1 (0.3%)	0	0	0	0	0	1	0	0	0	0
	女	1 (0.1%)	0	0	0	0	0	0	1	0	0	0
	計	2 (0.2%)	0	0	0	0	0	1	1	0	0	0
陰性T波	男	4 (1.3%)	0	0	0	0	0	0	1	3	0	0
	女	13 (1.9%)	0	0	0	1	0	2	1	9	0	0
	計	17 (1.7%)	0	0	0	1	0	2	2	12	0	0
平低T	男	11 (3.5%)	1	0	1	0	1	1	0	7	0	0
	女	37 (5.3%)	0	0	2	0	2	3	4	26	0	0
	計	48 (4.8%)	1	0	3	0	3	4	4	33	0	0
T波増高	男	2 (0.6%)	0	0	0	0	0	0	0	2	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	0	0	0	2	0	0
ST上昇	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.1%)	0	0	0	0	0	0	0	1	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	1	0	0
QT延長	男	3 (1.0%)	0	0	0	0	0	0	1	2	0	0
	女	3 (0.4%)	0	0	0	0	0	0	0	3	0	0
	計	6 (0.6%)	0	0	0	0	0	0	1	5	0	0
右胸心	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.1%)	0	0	0	0	0	0	0	1	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	1	0	0
人工ペースメーカー調律	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.1%)	0	0	0	0	0	0	0	1	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	1	0	0
その他の所見	男	7 (2.2%)	0	0	0	0	1	0	3	3	0	0
	女	11 (1.6%)	0	0	0	0	1	1	2	7	0	0
	計	18 (1.8%)	0	0	0	0	2	1	5	10	0	0
検査者総数	男	312	3	0	4	8	12	26	67	191	0	1
	女	697	6	7	15	23	34	53	172	384	1	2
	計	1,009	9	7	19	31	46	79	239	575	1	3

市民健診心電図判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	177 (56.7%)	1	0	2	6	8	17	47	96	0	0
	女	476 (68.3%)	5	5	8	19	26	37	127	247	1	1
	計	653 (64.7%)	6	5	10	25	34	54	174	343	1	1
問題なし	男	28 (9.0%)	0	0	0	1	1	4	3	19	0	0
	女	52 (7.5%)	0	1	3	1	1	3	9	34	0	0
	計	80 (7.9%)	0	1	3	2	2	7	12	53	0	0
要経過観察	男	79 (25.3%)	2	0	2	0	2	4	13	56	0	0
	女	138 (19.8%)	0	0	3	3	5	10	29	87	0	1
	計	217 (21.5%)	2	0	5	3	7	14	42	143	0	1
要精密検査	男	7 (2.2%)	0	0	0	0	0	0	0	6	0	1
	女	9 (1.3%)	0	1	0	0	0	0	4	4	0	0
	計	16 (1.6%)	0	1	0	0	0	0	4	10	0	1
要治療	男	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	1	0	0
治療中	男	20 (6.4%)	0	0	0	1	1	1	3	14	0	0
	女	22 (3.2%)	1	0	1	0	2	3	3	12	0	0
	計	42 (4.2%)	1	0	1	1	3	4	6	26	0	0
合計	男	312	3	0	4	8	12	26	67	191	0	1
	女	697	6	7	15	23	34	53	172	384	1	2
	計	1,009	9	7	19	31	46	79	239	575	1	3

市民健診眼底写真判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	59 (19.9%)	1	0	3	5	5	4	16	25	0	0
	女	147 (26.4%)	2	4	5	7	15	17	47	50	0	0
	計	206 (24.1%)	3	4	8	12	20	21	63	75	0	0
問題なし	男	1 (0.3%)	0	0	0	0	0	0	1	0	0	0
	女	3 (0.5%)	0	0	0	0	0	0	0	3	0	0
	計	4 (0.5%)	0	0	0	0	0	0	1	3	0	0
要経過観察	男	193 (65.0%)	0	0	1	1	7	18	37	128	0	1
	女	322 (57.8%)	0	0	2	7	6	17	84	206	0	0
	計	515 (60.3%)	0	0	3	8	13	35	121	334	0	1
要精密検査	男	39 (13.1%)	0	0	0	0	1	3	12	23	0	0
	女	76 (13.6%)	0	0	0	2	1	6	12	53	1	1
	計	115 (13.5%)	0	0	0	2	2	9	24	76	1	1
要治療	男	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	1	0	0
治療中	男	4 (1.3%)	0	0	0	0	0	0	1	3	0	0
	女	9 (1.6%)	0	0	0	0	0	1	0	8	0	0
	計	13 (1.5%)	0	0	0	0	0	1	1	11	0	0
合計	男	297	1	0	4	6	13	25	67	180	0	1
	女	557	2	4	7	16	22	41	143	320	1	1
	計	854	3	4	11	22	35	66	210	500	1	2

市民健診眼底検査所見

所見	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
細動脈狭細化	男	3 (1.0%)	0	0	0	0	0	0	2	1	0	0
	女	8 (1.4%)	0	0	0	0	0	0	3	5	0	0
	計	11 (1.3%)	0	0	0	0	0	0	5	6	0	0
細動脈口径不同	男	2 (0.7%)	0	0	0	0	0	0	0	2	0	0
	女	11 (2.0%)	0	0	0	0	0	0	6	5	0	0
	計	13 (1.5%)	0	0	0	0	0	0	6	7	0	0
網膜白斑	男	5 (1.7%)	0	0	0	0	0	1	2	2	0	0
	女	13 (2.3%)	0	0	0	0	0	0	4	9	0	0
	計	18 (2.1%)	0	0	0	0	0	1	6	11	0	0
眼底出血	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	2 (0.4%)	0	0	0	1	0	0	0	1	0	0
	計	2 (0.2%)	0	0	0	1	0	0	0	1	0	0
眼底出血の疑い	男	7 (2.4%)	0	0	0	0	0	1	3	3	0	0
	女	8 (1.4%)	0	0	0	0	0	1	1	5	0	1
	計	15 (1.8%)	0	0	0	0	0	2	4	8	0	1
細動脈反射増強	男	74 (24.9%)	0	0	0	0	1	3	24	46	0	0
	女	136 (24.4%)	0	0	1	3	4	11	28	89	0	0
	計	210 (24.6%)	0	0	1	3	5	14	52	135	0	0
動静脈交叉現象	男	113 (38.0%)	0	0	1	1	7	13	24	67	0	0
	女	161 (28.9%)	0	0	1	6	4	7	46	96	1	0
	計	274 (32.1%)	0	0	2	7	11	20	70	163	1	0
点状出血	男	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	1	0	0
斑状出血	男	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
	女	2 (0.4%)	0	0	0	0	0	0	0	2	0	0
	計	3 (0.4%)	0	0	0	0	0	0	0	3	0	0
白内障の疑い	男	79 (26.6%)	0	0	0	0	0	0	13	66	0	0
	女	150 (26.9%)	0	0	0	0	1	6	27	115	1	0
	計	229 (26.8%)	0	0	0	0	1	6	40	181	1	0
視神経乳頭異常の疑い	男	5 (1.7%)	0	0	0	0	0	1	3	1	0	0
	女	14 (2.5%)	0	0	0	0	0	0	4	10	0	0
	計	19 (2.2%)	0	0	0	0	0	1	7	11	0	0
網脈絡膜痕癢の疑い	男	2 (0.7%)	0	0	0	0	0	1	1	0	0	0
	女	1 (0.2%)	0	0	0	0	0	0	1	0	0	0
	計	3 (0.4%)	0	0	0	0	0	1	2	0	0	0
瞳孔の開き不十分	男	18 (6.1%)	0	0	0	0	0	3	1	13	0	1
	女	28 (5.0%)	0	0	0	0	1	2	6	19	0	0
	計	46 (5.4%)	0	0	0	0	1	5	7	32	0	1
黄斑部異常の疑い	男	11 (3.7%)	0	0	0	0	1	1	1	8	0	0
	女	14 (2.5%)	0	0	0	0	0	2	7	5	0	0
	計	25 (2.9%)	0	0	0	0	1	3	8	13	0	0
硝子体閃輝融解の疑い	男	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
	女	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
	計	2 (0.2%)	0	0	0	0	0	0	0	2	0	0
網膜神経線維層欠損の疑い	男	6 (2.0%)	0	0	0	0	1	0	0	5	0	0
	女	8 (1.4%)	0	0	0	0	0	1	1	6	0	0
	計	14 (1.6%)	0	0	0	0	1	1	1	11	0	0
ドルーゼン	男	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
	女	6 (1.1%)	0	0	0	0	0	1	0	5	0	0
	計	7 (0.8%)	0	0	0	0	0	1	0	6	0	0
その他の所見	男	3 (1.0%)	0	0	0	0	0	1	1	1	0	0
	女	5 (0.9%)	0	0	0	1	0	0	0	4	0	0
	計	8 (0.9%)	0	0	0	1	0	1	1	5	0	0
検査者総数	男	297	1	0	4	6	13	25	67	180	0	1
	女	557	2	4	7	16	22	41	143	320	1	1
	計	854	3	4	11	22	35	66	210	500	1	2



市民健診結核・肺がん胸部X線判定結果

判定		総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
異常なし	男	1,375	(64.9%)	0	17	31	26	37	42	152	392	327	351	
	女	2,644	(74.1%)	0	69	82	100	121	162	389	766	524	431	
	計	4,019	(70.7%)	0	86	113	126	158	204	541	1,158	851	782	
異常所見あるも 精査不要	男	549	(25.9%)	0	1	2	5	9	12	35	105	141	239	
	女	698	(19.6%)	0	0	6	4	12	32	74	198	166	206	
	計	1,247	(21.9%)	0	1	8	9	21	44	109	303	307	445	
要精密検査	結核の疑い	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	
		女	1	(0.0%)	0	0	0	0	0	0	0	0	1	
		計	1	(0.0%)	0	0	0	0	0	0	0	0	1	
	結核以外の疑い	男	38	(1.8%)	0	0	0	0	2	2	3	10	9	12
		女	41	(1.1%)	0	1	1	0	1	2	5	5	8	18
		計	79	(1.4%)	0	1	1	0	3	4	8	15	17	30
	肺がんの疑い	男	107	(5.0%)	0	1	3	2	1	6	13	27	23	31
		女	147	(4.1%)	0	2	2	7	1	12	31	34	26	32
		計	254	(4.5%)	0	3	5	9	2	18	44	61	49	63
定期的に健診を要す	男	49	(2.3%)	0	1	1	0	1	0	2	12	10	22	
	女	33	(0.9%)	0	1	0	1	1	0	1	9	7	13	
	計	82	(1.4%)	0	2	1	1	2	0	3	21	17	35	
治療中	男	2	(0.1%)	0	0	0	0	0	0	1	0	0	1	
	女	2	(0.1%)	0	0	0	0	0	0	1	1	0	0	
	計	4	(0.1%)	0	0	0	0	0	0	2	1	0	1	
合計	男	2,120		0	20	37	33	50	62	206	546	510	656	
	女	3,566		0	73	91	112	136	208	501	1,013	732	700	
	計	5,686		0	93	128	145	186	270	707	1,559	1,242	1,356	

市民健診肺がん検診喀痰細胞診検査所見

所見		総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
B1 (Class I (異常なし))	男	4	(8.5%)	0	0	0	0	0	0	0	2	1	1
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
	計	4	(7.8%)	0	0	0	0	0	0	0	2	1	1
B2 (Class II (悪性所見なし))	男	42	(89.4%)	0	0	0	0	0	1	8	15	9	9
	女	4	(100.0%)	0	0	0	0	1	1	0	1	0	1
	計	46	(90.2%)	0	0	0	0	1	2	8	16	9	10
C (Class IIIa)	男	1	(2.1%)	0	0	0	0	0	0	0	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
	計	1	(2.0%)	0	0	0	0	0	0	0	1	0	0
検診者総数	男	47		0	0	0	0	0	1	8	18	10	10
	女	4		0	0	0	0	1	1	0	1	0	1
	計	51		0	0	0	0	1	2	8	19	10	11

市民健診結核・肺がん胸部X線検査所見（1）

所見	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
心陰影拡大	男	43 (2.0%)	0	0	1	0	1	1	2	4	12	22
	女	54 (1.5%)	0	0	1	0	1	0	3	14	10	25
	計	97 (1.7%)	0	0	2	0	2	1	5	18	22	47
肺門陰影拡大	男	10 (0.5%)	0	0	1	1	0	0	0	2	3	3
	女	16 (0.4%)	0	0	0	0	0	0	2	3	7	4
	計	26 (0.5%)	0	0	1	1	0	0	2	5	10	7
肺紋理増強	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	1	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	1	0	0
線状陰影	男	62 (2.9%)	0	0	0	0	1	0	4	16	17	24
	女	75 (2.1%)	0	0	0	1	0	2	13	23	15	21
	計	137 (2.4%)	0	0	0	1	1	2	17	39	32	45
帯状陰影	男	47 (2.2%)	0	0	0	1	1	2	0	14	8	21
	女	56 (1.6%)	0	1	1	1	2	5	4	10	12	20
	計	103 (1.8%)	0	1	1	2	3	7	4	24	20	41
大動脈蛇行	男	20 (0.9%)	0	0	0	0	1	0	2	2	5	10
	女	36 (1.0%)	0	0	0	0	0	1	1	9	7	18
	計	56 (1.0%)	0	0	0	0	1	1	3	11	12	28
微細斑点状陰影	男	27 (1.3%)	0	0	0	0	0	2	1	5	5	14
	女	37 (1.0%)	0	0	0	1	0	2	7	9	10	8
	計	64 (1.1%)	0	0	0	1	0	4	8	14	15	22
粒状陰影	男	3 (0.1%)	0	0	0	0	0	0	2	1	0	0
	女	8 (0.2%)	0	0	0	0	0	1	1	1	3	2
	計	11 (0.2%)	0	0	0	0	0	1	3	2	3	2
結節陰影	男	132 (6.2%)	0	0	1	2	2	4	13	34	30	46
	女	175 (4.9%)	0	3	2	6	1	14	26	45	36	42
	計	307 (5.4%)	0	3	3	8	3	18	39	79	66	88
円形陰影	男	5 (0.2%)	0	0	0	0	0	0	2	1	2	0
	女	4 (0.1%)	0	0	1	0	1	0	1	0	1	0
	計	9 (0.2%)	0	0	1	0	1	0	3	1	3	0
塊状陰影	男	11 (0.5%)	0	0	1	1	0	0	0	1	4	4
	女	20 (0.6%)	0	0	0	0	0	2	7	3	3	5
	計	31 (0.5%)	0	0	1	1	0	2	7	4	7	9
浸潤陰影	男	88 (4.2%)	0	1	1	0	2	2	5	21	17	39
	女	82 (2.3%)	0	0	0	0	1	3	10	19	16	33
	計	170 (3.0%)	0	1	1	0	3	5	15	40	33	72
網目状陰影	男	32 (1.5%)	0	0	1	0	0	0	1	6	6	18
	女	11 (0.3%)	0	0	0	0	0	0	1	3	1	6
	計	43 (0.8%)	0	0	1	0	0	0	2	9	7	24
石灰化陰影	男	87 (4.1%)	0	0	0	0	0	1	3	17	21	45
	女	109 (3.1%)	0	0	0	0	0	2	5	29	33	40
	計	196 (3.4%)	0	0	0	0	0	3	8	46	54	85
空洞陰影	男	1 (0.0%)	0	0	0	0	1	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	1	0	0
	計	2 (0.0%)	0	0	0	0	1	0	0	1	0	0
囊胞陰影	男	15 (0.7%)	0	1	0	0	1	1	0	6	1	5
	女	4 (0.1%)	0	0	0	0	0	0	1	1	0	2
	計	19 (0.3%)	0	1	0	0	1	1	1	7	1	7
無気肺陰影	男	2 (0.1%)	0	0	0	0	0	0	0	0	2	0
	女	5 (0.1%)	0	0	0	0	0	0	2	1	2	0
	計	7 (0.1%)	0	0	0	0	0	0	2	1	4	0
胸膜肥厚	男	124 (5.8%)	0	0	0	2	2	1	7	29	34	49
	女	151 (4.2%)	0	0	1	1	3	13	24	48	27	34
	計	275 (4.8%)	0	0	1	3	5	14	31	77	61	83
胸膜癒着	男	96 (4.5%)	0	0	0	0	3	1	8	15	25	44
	女	66 (1.9%)	0	0	1	0	1	1	3	17	18	25
	計	162 (2.8%)	0	0	1	0	4	2	11	32	43	69
胸水陰影	男	16 (0.8%)	0	0	0	0	0	0	2	1	6	7
	女	5 (0.1%)	0	0	0	0	1	0	1	1	1	1
	計	21 (0.4%)	0	0	0	0	1	0	3	2	7	8

市民健診結核・肺がん胸部X線検査所見（2）

所見	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
上葉縮小	男	9 (0.4%)	0	1	0	0	0	0	0	4	2	2
	女	3 (0.1%)	0	0	0	0	0	1	1	1	0	0
	計	12 (0.2%)	0	1	0	0	0	1	1	5	2	2
横隔膜高位	男	42 (2.0%)	0	0	0	0	0	1	2	8	8	23
	女	31 (0.9%)	0	0	0	0	0	0	1	10	3	17
	計	73 (1.3%)	0	0	0	0	0	1	3	18	11	40
胸部手術	男	38 (1.8%)	0	0	1	0	1	2	2	9	11	12
	女	20 (0.6%)	0	0	0	0	0	1	1	6	3	9
	計	58 (1.0%)	0	0	1	0	1	3	3	15	14	21
胸郭形成	男	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0
	計	2 (0.0%)	0	0	0	0	0	0	0	0	1	1
陈旧性肺結核の疑い	男	6 (0.3%)	0	1	0	0	0	0	0	2	1	2
	女	4 (0.1%)	0	0	0	0	0	0	0	1	2	1
	計	10 (0.2%)	0	1	0	0	0	0	0	3	3	3
肺気腫の疑い	男	66 (3.1%)	0	0	0	1	1	1	10	15	20	18
	女	13 (0.4%)	0	0	0	0	0	3	4	4	1	1
	計	79 (1.4%)	0	0	0	1	1	4	14	19	21	19
慢性気管支炎の疑い	男	2 (0.1%)	0	0	0	0	0	0	0	1	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	1	0	1
気管支拡張症の疑い	男	3 (0.1%)	0	0	0	0	0	0	0	1	1	1
	女	7 (0.2%)	0	0	0	0	0	0	1	4	1	1
	計	10 (0.2%)	0	0	0	0	0	0	1	5	2	2
間質性肺炎の疑い	男	30 (1.4%)	0	0	0	0	0	1	1	7	8	13
	女	9 (0.3%)	0	0	0	0	0	0	0	2	1	6
	計	39 (0.7%)	0	0	0	0	0	1	1	9	9	19
胸椎側弯	男	37 (1.7%)	0	1	1	0	0	1	3	3	9	19
	女	148 (4.2%)	0	0	3	2	6	6	15	35	39	42
	計	185 (3.3%)	0	1	4	2	6	7	18	38	48	61
キライディティ症候群	男	16 (0.8%)	0	0	0	0	0	0	1	3	6	6
	女	2 (0.1%)	0	0	0	0	0	0	1	1	0	0
	計	18 (0.3%)	0	0	0	0	0	0	2	4	6	6
縦隔腫大	男	3 (0.1%)	0	0	0	0	1	0	0	0	0	2
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	3 (0.1%)	0	0	0	0	1	0	0	0	0	2
横隔膜ヘルニア	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
食道裂孔ヘルニア	男	8 (0.4%)	0	0	0	1	0	0	1	0	0	6
	女	31 (0.9%)	0	0	0	0	0	0	0	6	8	17
	計	39 (0.7%)	0	0	0	1	0	0	1	6	8	23
右大動脈弓	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	2 (0.1%)	0	0	0	0	0	0	2	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	2	0	0	0
炎症後変化	男	16 (0.8%)	0	0	0	1	1	1	1	1	5	6
	女	29 (0.8%)	0	0	0	0	0	2	4	12	4	7
	計	45 (0.8%)	0	0	0	1	1	3	5	13	9	13
肋骨癒合	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	1	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	1	0	0
すりガラス陰影	男	1 (0.0%)	0	0	0	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	1	0	0
その他の所見	男	10 (0.5%)	0	0	0	0	1	1	2	2	2	2
	女	6 (0.2%)	0	0	0	0	0	0	0	2	4	0
	計	16 (0.3%)	0	0	0	0	1	1	2	4	6	2
検査者総数	男	2,120	0	20	37	33	50	62	206	546	510	656
	女	3,566	0	73	91	112	136	208	501	1,013	732	700
	計	5,686	0	93	128	145	186	270	707	1,559	1,242	1,356

市民健診前立腺がん検診判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
異常なし	1,310	(89.7%)	0	0	0	28	35	51	157	355	321	363
問題なし	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
要経過観察	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
要精密検査	150	(10.3%)	0	0	0	0	0	2	12	46	41	49
要治療	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
合計	1,460		0	0	0	28	35	53	169	401	362	412

市民健診前立腺がん検診PSA検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値
PSA ng/mL	1,460	3.84	0	0	0	0	0	0	28	0.9	35	1.22	53	1.37	169	1.93	401	2.18	362	2.1	412	8.52

児童・生徒を対象とした健診

児童・生徒の腎臓健診受診者の尿所見

検査項目	性別	総 数		
		受診者数	陽性者数	陽性率
		尿蛋白	男	21,607
	女	21,210	173	0.8%
	計	42,817	471	1.1%
尿 糖	男	21,607	32	0.1%
	女	21,210	28	0.1%
	計	42,817	60	0.1%
尿潜血	男	21,607	106	0.5%
	女	21,210	456	2.1%
	計	42,817	562	1.3%

児童・生徒の心臓検査所見 (経過観察者を除く)

判 定		人 数	
心臓の異常	心房中隔欠損	12	0.1%
	心室中隔欠損	44	0.3%
	肺動脈狭窄	15	0.1%
	動脈管開存	3	0.0%
	ファロー四徴	0	0.0%
	先天性心疾患(位置異常)	0	0.0%
	先天性心疾患(その他)	17	0.1%
	大動脈弁疾患	6	0.0%
	僧帽弁疾患	12	0.1%
	三尖弁疾患	12	0.1%
	心筋症	0	0.0%
	虚血性心疾患	0	0.0%
	心臓手術後	72	0.5%
	その他	10	0.1%
計	203	1.3%	
その他の異常	胸郭変形	2	0.0%
	先天性心疾患の自然閉鎖	30	0.2%
	川崎病後	81	0.5%
	高血圧	0	0.0%
	その他	26	0.2%
計	139	0.9%	
受診者数合計		15,430	

判 定		人 数	
心電図の異常	右室肥大	0	0.0%
	左室肥大	6	0.0%
	心筋障害	0	0.0%
	洞性頻脈	0	0.0%
	洞性徐脈	4	0.0%
	上室性期外収縮	53	0.3%
	心室性期外収縮	24	0.2%
	上室性・心室性期外収縮	0	0.0%
	第1度房室ブロック	16	0.1%
	第2度房室ブロック	4	0.0%
	房室解離	0	0.0%
	完全右脚ブロック	33	0.2%
	不完全右脚ブロック	121	0.8%
	ヘミブロック	1	0.0%
W P W 症候群	15	0.1%	
P Q 短縮・L G L 症候群	0	0.0%	
Q T 延長症候群	7	0.0%	
その他	56	0.4%	
計	340	2.2%	

X線検査の異常心拡大	1	0.0%
------------	---	------

児童・生徒のすこやか検診(血液検査)結果

	性別	肥満度	血 清 ・ 脂 質				肝機能 G P T	貧 血			白 血 球		血小板
			総コレステロール	中性脂肪	HDLコレステロール	動脈硬化 指 数		赤血球数	ヘモグロビン	ヘマトクリット	白血球数		
											4.3未満	15.1以上	
対象者	男	2,266	2,266	2,266	2,266	2,266	2,266	2,266	2,266	2,266	2,266	2,266	2,266
	女	2,219	2,219	2,219	2,219	2,219	2,219	2,219	2,219	2,219	2,219	2,219	2,219
	計	4,485	4,485	4,485	4,485	4,485	4,485	4,485	4,485	4,485	4,485	4,485	4,485
	受診者	男	1,922	1,922	1,922	1,922	1,922	1,922	1,922	1,922	1,922	1,922	1,922
	女	1,939	1,939	1,939	1,939	1,939	1,939	1,939	1,939	1,939	1,939	1,939	1,939
	計	3,861	3,861	3,861	3,861	3,861	3,861	3,861	3,861	3,861	3,861	3,861	3,861
要経過 観察者数 (%)	男	194 (10.1)	248 (12.9)	50 (2.6)	70 (3.6)	-	65 (3.4)	3 (0.2)	61 (3.2)	29 (1.5)	-	-	-
	女	162 (8.4)	222 (11.4)	40 (2.1)	70 (3.6)	-	21 (1.1)	10 (0.5)	63 (3.2)	17 (0.9)	-	-	-
	計	356 (9.2)	470 (12.2)	90 (2.3)	140 (3.6)	-	86 (2.2)	13 (0.3)	124 (3.2)	46 (1.2)	-	-	-
	要精密 検査数 (%)	男	78 (4.1)	46 (2.4)	20 (1.0)	0 (0.0)	9 (0.5)	63 (3.3)	0 (0.0)	4 (0.2)	8 (0.4)	28 (1.5)	0 (0.0)
	女	31 (1.6)	45 (2.3)	17 (0.9)	0 (0.0)	22 (1.1)	10 (0.5)	0 (0.0)	5 (0.3)	5 (0.3)	26 (1.3)	2 (0.1)	3 (0.2)
	計	109 (2.8)	91 (2.4)	37 (1.0)	0 (0.0)	31 (0.8)	73 (1.9)	0 (0.0)	9 (0.2)	13 (0.3)	54 (1.4)	2 (0.1)	4 (0.1)

人間ドックコース受診者の総合判定結果

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
問題なし	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	3	(3.6%)	0	0	0	0	0	0	1	2	0	0	0	0	0	0
	計	3	(1.1%)	0	0	0	0	0	0	1	2	0	0	0	0	0	0
要経過観察	男	56	(30.9%)	0	0	0	1	4	7	8	12	16	8	0	0	0	0
	女	34	(40.5%)	0	0	0	0	2	8	2	9	9	2	1	1	0	0
	計	90	(34.0%)	0	0	0	1	6	15	10	21	25	10	1	1	0	0
要精密検査	男	42	(23.2%)	0	0	0	2	1	6	8	12	7	3	1	2	0	0
	女	26	(31.0%)	0	0	0	0	1	6	4	6	4	4	1	0	0	0
	計	68	(25.7%)	0	0	0	2	2	12	12	18	11	7	2	2	0	0
要治療	男	6	(3.3%)	0	0	0	0	0	1	0	1	2	1	0	0	0	1
	女	7	(8.3%)	0	0	0	0	0	0	0	3	3	1	0	0	0	0
	計	13	(4.9%)	0	0	0	0	0	1	0	4	5	2	0	0	0	1
治療中	男	77	(42.5%)	0	0	0	0	1	3	7	9	33	13	6	2	2	1
	女	14	(16.7%)	0	0	0	0	0	2	0	0	6	6	0	0	0	0
	計	91	(34.3%)	0	0	0	0	1	5	7	9	39	19	6	2	2	1
合計	男	181		0	0	0	3	6	17	23	34	58	25	7	4	2	2
	女	84		0	0	0	0	3	16	7	20	22	13	2	1	0	0
	計	265		0	0	0	3	9	33	30	54	80	38	9	5	2	2