

上部消化管検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	12,343	(71.8%)	4	38	71	436	1,689	1,919	2,183	1,882	1,723	1,288	602	371	108	29
	女	7,525	(68.4%)	1	40	104	340	1,021	1,238	1,379	1,190	908	647	336	233	72	16
	計	19,868	(70.5%)	5	78	175	776	2,710	3,157	3,562	3,072	2,631	1,935	938	604	180	45
問題なし	男	2,228	(13.0%)	1	1	2	41	183	263	428	419	332	277	143	91	35	12
	女	1,715	(15.6%)	0	0	3	33	121	229	337	341	258	205	94	69	16	9
	計	3,943	(14.0%)	1	1	5	74	304	492	765	760	590	482	237	160	51	21
要経過観察	男	2,080	(12.1%)	1	1	1	20	131	224	277	352	347	322	195	141	50	18
	女	1,330	(12.1%)	0	0	1	15	83	172	225	233	207	172	124	68	19	11
	計	3,410	(12.1%)	1	1	2	35	214	396	502	585	554	494	319	209	69	29
要精密検査	男	491	(2.9%)	0	0	4	17	46	56	71	77	79	59	34	32	11	5
	女	408	(3.7%)	1	5	7	32	36	50	62	51	62	44	25	25	6	2
	計	899	(3.2%)	1	5	11	49	82	106	133	128	141	103	59	57	17	7
要治療	男	45	(0.3%)	0	0	0	1	5	4	8	15	4	4	4	0	0	0
	女	16	(0.1%)	0	0	0	0	3	0	3	1	4	3	2	0	0	0
	計	61	(0.2%)	0	0	0	1	8	4	11	16	8	7	6	0	0	0
治療中	男	15	(0.1%)	0	0	0	0	0	0	3	3	3	1	3	1	0	1
	女	4	(0.0%)	0	0	0	0	0	1	0	0	0	1	1	1	0	0
	計	19	(0.1%)	0	0	0	0	0	1	3	3	3	2	4	2	0	1
合計	男	17,202		6	40	78	515	2,054	2,466	2,970	2,748	2,488	1,951	981	636	204	65
	女	10,998		2	45	115	420	1,264	1,690	2,006	1,816	1,439	1,072	582	396	113	38
	計	28,200		8	85	193	935	3,318	4,156	4,976	4,564	3,927	3,023	1,563	1,032	317	103

胃内視鏡検査所見（1）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
食道裂孔ヘルニア	男	641	(26.0%)	0	0	0	4	51	88	124	133	104	95	27	14	0	1
	女	164	(10.3%)	0	0	0	4	4	27	36	32	24	21	7	8	0	1
	計	805	(19.8%)	0	0	0	8	55	115	160	165	128	116	34	22	0	2
逆流性食道炎	男	283	(11.5%)	0	0	0	3	13	36	45	68	58	40	14	6	0	0
	女	49	(3.1%)	0	0	0	0	2	3	9	11	10	5	6	2	0	1
	計	332	(8.2%)	0	0	0	3	15	39	54	79	68	45	20	8	0	1
バレット食道	男	51	(2.1%)	0	0	0	1	2	1	9	13	11	9	5	0	0	0
	女	10	(0.6%)	0	0	0	0	1	0	3	3	0	0	1	1	1	0
	計	61	(1.5%)	0	0	0	1	3	1	12	16	11	9	6	1	1	0
胃食道逆流症 (GERD)	男	194	(7.9%)	0	0	0	1	15	27	39	40	37	23	9	2	0	1
	女	51	(3.2%)	0	0	0	3	3	10	13	12	5	5	0	0	0	0
	計	245	(6.0%)	0	0	0	4	18	37	52	52	42	28	9	2	0	1
その他の所見 (食道所見)	男	150	(6.1%)	0	0	0	1	10	17	29	26	31	28	6	2	0	0
	女	39	(2.4%)	0	0	0	0	1	6	8	6	10	6	2	0	0	0
	計	189	(4.6%)	0	0	0	1	11	23	37	32	41	34	8	2	0	0
慢性胃炎	男	7	(0.3%)	0	0	0	0	2	0	1	0	0	3	1	0	0	0
	女	10	(0.6%)	0	0	1	0	1	1	2	0	2	2	0	0	0	0
	計	17	(0.4%)	0	0	1	0	3	1	2	2	0	5	3	0	0	0
萎縮性胃炎	男	121	(4.9%)	0	0	0	2	12	20	12	28	13	17	11	6	0	0
	女	63	(3.9%)	0	0	0	0	8	5	8	9	12	13	4	4	0	0
	計	184	(4.5%)	0	0	0	2	20	25	20	37	25	30	15	10	0	0
びらん性胃炎	男	166	(6.7%)	0	0	0	2	11	25	29	30	33	21	7	7	0	1
	女	83	(5.2%)	0	0	0	2	7	11	18	17	12	6	9	1	0	0
	計	249	(6.1%)	0	0	0	4	18	36	47	47	45	27	16	8	0	1
タコイボびらん	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
胃潰瘍	男	8	(0.3%)	0	0	0	0	1	1	5	0	1	0	0	0	0	0
	女	2	(0.1%)	0	0	0	0	0	0	0	0	0	2	0	0	0	0
	計	10	(0.2%)	0	0	0	0	1	1	5	0	1	2	0	0	0	0
胃潰瘍瘢痕	男	25	(1.0%)	0	0	0	0	0	0	3	5	5	8	1	2	1	0
	女	11	(0.7%)	0	0	0	0	1	0	3	2	0	5	0	0	0	0
	計	36	(0.9%)	0	0	0	0	1	0	6	7	5	13	1	2	1	0
胃底腺ポリープ	男	700	(28.3%)	0	0	0	10	44	78	143	145	122	108	28	19	1	2
	女	670	(42.0%)	0	0	1	15	52	99	151	149	102	71	24	6	0	0
	計	1,370	(33.7%)	0	0	1	25	96	177	294	294	224	179	52	25	1	2
除菌後胃炎	男	262	(10.6%)	0	0	0	0	10	24	42	47	51	46	24	17	0	1
	女	148	(9.3%)	0	0	0	2	4	9	30	27	28	27	17	4	0	0
	計	410	(10.1%)	0	0	0	2	14	33	72	74	79	73	41	21	0	1
表層性胃炎	男	21	(0.9%)	0	0	0	0	1	1	3	7	6	3	0	0	0	0
	女	20	(1.3%)	0	0	0	1	2	1	4	4	3	2	3	0	0	0
	計	41	(1.0%)	0	0	0	1	3	2	7	11	9	5	3	0	0	0

胃内視鏡検査所見（2）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
胃術後	男	4 (0.2%)	0	0	0	0	0	0	1	1	0	1	0	1	0	0
	女	3 (0.2%)	0	0	0	0	0	0	0	1	1	0	0	1	0	0
	計	7 (0.2%)	0	0	0	0	0	0	1	2	1	1	0	2	0	0
慢性活動性胃炎	男	61 (2.5%)	0	0	0	1	8	3	8	9	15	10	5	2	0	0
	女	24 (1.5%)	0	0	0	1	2	1	7	6	4	3	0	0	0	0
	計	85 (2.1%)	0	0	0	2	10	4	15	15	19	13	5	2	0	0
慢性非活動性胃炎	男	122 (4.9%)	0	0	0	0	3	13	14	27	24	28	6	4	2	1
	女	44 (2.8%)	0	0	0	1	4	4	4	11	9	7	1	2	1	0
	計	166 (4.1%)	0	0	0	1	7	17	18	38	33	35	7	6	3	1
良性びらん	男	40 (1.6%)	0	0	0	2	3	2	9	12	7	4	1	0	0	0
	女	15 (0.9%)	0	0	0	1	0	2	6	3	2	1	0	0	0	0
	計	55 (1.4%)	0	0	0	3	3	4	15	15	9	5	1	0	0	0
過形成性ポリープ	男	11 (0.4%)	0	0	0	0	2	0	1	3	3	2	0	0	0	0
	女	5 (0.3%)	0	0	0	0	1	0	0	1	1	2	0	0	0	0
	計	16 (0.4%)	0	0	0	0	3	0	1	4	4	4	0	0	0	0
その他の所見 (胃所見)	男	420 (17.0%)	0	0	0	4	31	41	56	92	76	81	22	13	1	3
	女	177 (11.1%)	0	0	0	2	11	18	37	35	38	26	7	2	1	0
	計	597 (14.7%)	0	0	0	6	42	59	93	127	114	107	29	15	2	3
十二指腸潰瘍	男	4 (0.2%)	0	0	0	0	0	0	1	2	1	0	0	0	0	0
	女	1 (0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	5 (0.1%)	0	0	0	0	0	0	1	2	2	0	0	0	0	0
十二指腸潰瘍瘢痕	男	58 (2.3%)	0	0	0	0	1	6	12	8	12	8	7	4	0	0
	女	20 (1.3%)	0	0	0	0	1	1	3	7	3	2	2	1	0	0
	計	78 (1.9%)	0	0	0	0	2	7	15	15	15	10	9	5	0	0
ポリープ	男	33 (1.3%)	0	0	0	0	4	0	4	9	6	8	2	0	0	0
	女	22 (1.4%)	0	0	0	0	2	3	5	5	1	4	1	1	0	0
	計	55 (1.4%)	0	0	0	0	6	3	9	14	7	12	3	1	0	0
憩室	男	11 (0.4%)	0	0	0	0	0	0	2	2	4	1	1	0	1	0
	女	5 (0.3%)	0	0	0	0	0	0	4	0	0	0	0	1	0	0
	計	16 (0.4%)	0	0	0	0	0	0	6	2	4	1	1	1	1	0
粘膜下腫瘍	男	60 (2.4%)	0	0	0	0	4	3	11	12	11	11	5	3	0	0
	女	18 (1.1%)	0	0	0	0	2	4	3	4	1	2	2	0	0	0
	計	78 (1.9%)	0	0	0	0	6	7	14	16	12	13	7	3	0	0
十二指腸炎	男	50 (2.0%)	0	0	0	2	2	6	5	17	5	10	2	1	0	0
	女	4 (0.3%)	0	0	0	0	1	0	1	0	2	0	0	0	0	0
	計	54 (1.3%)	0	0	0	2	3	6	6	17	7	10	2	1	0	0
Brunner 腺過形成	男	7 (0.3%)	0	0	0	0	0	0	1	3	1	2	0	0	0	0
	女	3 (0.2%)	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	計	10 (0.2%)	0	0	0	0	0	0	1	3	4	2	0	0	0	0
その他の所見 (十二指腸所見)	男	77 (3.1%)	0	0	0	0	5	4	12	25	16	12	3	0	0	0
	女	18 (1.1%)	0	0	0	0	1	1	6	3	3	3	1	0	0	0
	計	95 (2.3%)	0	0	0	0	6	5	18	28	19	15	4	0	0	0
検診者総数	男	2,470	0	1	0	30	219	315	473	511	412	334	112	55	4	4
	女	1,595	0	0	5	41	167	227	350	327	229	161	63	23	1	1
	計	4,065	0	1	5	71	386	542	823	838	641	495	175	78	5	5

胃部×線検査所見（1）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
胃 部																	
伸展不良	男	4	(0.0%)	0	0	0	0	0	0	1	1	0	1	0	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	4	(0.0%)	0	0	0	0	0	0	1	1	0	1	0	1	0	0
辺縁不整	男	15	(0.1%)	0	0	0	0	1	1	1	1	4	2	2	3	0	0
	女	3	(0.0%)	0	0	0	0	1	0	0	0	0	0	0	2	0	0
	計	18	(0.1%)	0	0	0	0	2	1	1	1	4	2	2	5	0	0
壁硬化	男	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
変形	男	57	(0.5%)	0	0	0	2	5	4	8	7	3	6	12	6	4	0
	女	7	(0.1%)	0	0	0	0	1	1	0	1	0	0	2	2	0	0
	計	64	(0.4%)	0	0	0	2	6	5	8	8	3	6	14	8	4	0
粘膜不整	男	14	(0.1%)	0	0	0	0	1	1	1	2	2	2	1	1	2	1
	女	12	(0.2%)	0	0	0	1	1	0	0	1	2	3	2	1	1	0
	計	26	(0.2%)	0	0	0	1	2	1	1	3	4	5	3	2	3	1
ニッシェ	男	2	(0.0%)	0	0	0	0	0	0	0	2	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	0	2	0	0	0	0	0	0
レリーフ集中像	男	9	(0.1%)	0	0	0	0	1	1	1	2	2	2	0	0	0	0
	女	5	(0.1%)	0	0	0	0	1	0	0	1	2	0	1	0	0	0
	計	14	(0.1%)	0	0	0	0	2	1	1	3	4	2	1	0	0	0
レリーフ異常	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	2	(0.0%)	0	0	0	0	0	0	0	2	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	0	2	0	0	0	0	0	0
バリウム斑	男	13	(0.1%)	0	0	0	0	0	1	0	5	3	1	2	0	1	0
	女	3	(0.0%)	0	0	0	0	0	0	1	1	1	0	0	0	0	0
	計	16	(0.1%)	0	0	0	0	0	1	1	6	4	1	2	0	1	0
胃炎の疑い	男	1,226	(11.7%)	1	1	0	15	76	107	163	183	164	161	159	120	61	15
	女	531	(7.9%)	0	0	1	5	22	43	60	59	76	86	77	74	18	10
	計	1,757	(10.2%)	1	1	1	20	98	150	223	242	240	247	236	194	79	25
胃潰瘍瘢痕の疑い	男	5	(0.0%)	0	0	0	0	0	0	0	0	1	1	1	0	2	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	5	(0.0%)	0	0	0	0	0	0	0	0	1	1	1	0	2	0
胃潰瘍の疑い	男	23	(0.2%)	0	0	0	2	3	2	6	5	2	0	1	2	0	0
	女	4	(0.1%)	0	0	0	0	1	0	0	1	0	0	1	1	0	0
	計	27	(0.2%)	0	0	0	2	4	2	6	6	2	0	2	3	0	0
粗大皺壁の疑い	男	4	(0.0%)	1	0	0	0	0	1	0	1	0	0	0	1	0	0
	女	6	(0.1%)	0	0	0	0	0	1	0	0	0	1	1	2	1	0
	計	10	(0.1%)	1	0	0	0	0	2	0	1	0	1	1	3	1	0
陥凹性病変の疑い	男	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
憩室の疑い	男	41	(0.4%)	0	0	0	0	6	2	7	2	7	4	5	4	2	2
	女	27	(0.4%)	0	0	0	0	1	3	4	4	5	4	3	2	0	1
	計	68	(0.4%)	0	0	0	0	7	5	11	6	12	8	8	6	2	3
術後胃	男	23	(0.2%)	0	0	0	0	0	1	0	3	0	5	3	6	2	3
	女	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	24	(0.1%)	0	0	0	0	0	1	0	3	0	6	3	6	2	3
ヒロリ菌感染疑い	男	30	(0.3%)	0	0	1	5	9	4	5	2	2	0	1	1	0	0
	女	19	(0.3%)	0	0	1	4	1	5	3	1	1	2	1	0	0	0
	計	49	(0.3%)	0	0	2	9	10	9	8	3	3	2	2	1	0	0
その他の異常	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
その他の所見	男	61	(0.6%)	1	0	0	1	1	8	9	16	11	2	5	4	2	1
	女	34	(0.5%)	0	0	0	0	1	3	6	1	6	3	7	7	0	0
	計	95	(0.6%)	1	0	0	1	2	11	15	17	17	5	12	11	2	1

胃部X線検査所見(2)

所見		総数	19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
食道部																	
食道裂孔ヘルニア	男	83	(0.8%)	0	0	0	0	0	4	6	9	13	17	11	10	4	9
	女	32	(0.5%)	0	0	0	0	0	0	2	1	0	4	11	8	5	1
	計	115	(0.7%)	0	0	0	0	0	4	8	10	13	21	22	18	9	10
食道炎の疑い	男	68	(0.6%)	0	0	0	0	2	8	11	8	7	13	7	6	5	1
	女	16	(0.2%)	0	0	0	0	0	1	1	3	2	0	3	4	1	1
	計	84	(0.5%)	0	0	0	0	2	9	12	11	9	13	10	10	6	2
食道潰瘍の疑い	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
その他の所見	男	17	(0.2%)	0	0	0	0	0	0	1	5	5	1	1	2	2	0
	女	6	(0.1%)	0	0	0	0	0	0	0	3	0	0	0	2	1	0
	計	23	(0.1%)	0	0	0	0	0	0	1	8	5	1	1	4	3	0
十二指腸部																	
十二指腸球部変形	男	233	(2.2%)	0	0	2	4	16	24	41	40	29	36	20	10	7	4
	女	23	(0.3%)	0	0	0	0	0	4	3	2	3	1	3	6	1	0
	計	256	(1.5%)	0	0	2	4	16	28	44	42	32	37	23	16	8	4
陰影欠損	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
十二指腸潰瘍の疑い	男	9	(0.1%)	0	0	1	1	0	1	0	2	2	2	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	9	(0.1%)	0	0	1	1	0	1	0	2	2	2	0	0	0	0
十二指腸潰瘍瘢痕の疑い	男	11	(0.1%)	0	0	0	1	1	1	5	1	0	1	1	0	0	0
	女	2	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	1	0	0
	計	13	(0.1%)	0	0	0	1	1	1	6	1	0	1	1	1	0	0
十二指腸憩室の疑い	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	8	(0.1%)	0	0	0	0	0	0	1	1	3	0	3	0	0	0
	計	8	(0.0%)	0	0	0	0	0	0	1	1	3	0	3	0	0	0
隆起性病変の疑い	男	1,057	(10.1%)	0	1	1	28	95	143	173	162	173	114	72	63	23	9
	女	1,454	(21.7%)	0	0	1	29	99	212	268	282	226	170	93	51	15	8
	計	2,511	(14.6%)	0	1	2	57	194	355	441	444	399	284	165	114	38	17
造影不良	男	17	(0.2%)	0	0	0	1	3	5	3	3	2	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	17	(0.1%)	0	0	0	1	3	5	3	3	2	0	0	0	0	0
その他の所見	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
検診者総数	男	10,509		6	34	67	465	1,253	1,454	1,713	1,524	1,331	1,088	780	541	196	57
	女	6,710		1	15	50	256	635	973	1,135	1,055	896	730	474	347	109	34
	計	17,219		7	49	117	721	1,888	2,427	2,848	2,579	2,227	1,818	1,254	888	305	91