

心電図判定結果

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	21,100	(74.8%)	193	1,066	1,524	1,533	2,335	2,662	3,124	2,733	2,246	1,850	1,097	635	78	24
	女	19,261	(80.3%)	157	1,137	1,281	1,381	1,903	2,466	2,905	2,662	2,071	1,593	913	694	68	30
	計	40,361	(77.3%)	350	2,203	2,805	2,914	4,238	5,128	6,029	5,395	4,317	3,443	2,010	1,329	146	54
問題なし	男	2,220	(7.9%)	34	148	171	173	231	263	286	231	245	199	131	89	16	3
	女	1,424	(5.9%)	14	81	79	77	137	142	209	176	202	138	78	73	9	9
	計	3,644	(7.0%)	48	229	250	250	368	405	495	407	447	337	209	162	25	12
要経過観察	男	3,776	(13.4%)	11	104	106	148	200	304	466	487	586	560	379	333	62	30
	女	2,899	(12.1%)	8	61	89	109	175	269	348	447	399	354	304	239	31	66
	計	6,675	(12.8%)	19	165	195	257	375	573	814	934	985	914	683	572	93	96
要精密検査	男	205	(0.7%)	0	5	4	5	12	17	21	23	26	38	25	24	3	2
	女	114	(0.5%)	0	5	1	1	4	8	10	17	14	20	13	15	1	5
	計	319	(0.6%)	0	10	5	6	16	25	31	40	40	58	38	39	4	7
要治療	男	2	(0.0%)	0	0	0	0	0	0	1	0	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	1	0	1	0	0	0	0	0
治療中	男	896	(3.2%)	0	4	0	2	11	32	48	89	170	201	170	128	28	13
	女	296	(1.2%)	0	5	2	2	3	8	25	35	36	41	42	56	16	25
	計	1,192	(2.3%)	0	9	2	4	14	40	73	124	206	242	212	184	44	38
合計	男	28,199		238	1,327	1,805	1,861	2,789	3,278	3,946	3,563	3,274	2,848	1,802	1,209	187	72
	女	23,994		179	1,289	1,452	1,570	2,222	2,893	3,497	3,337	2,722	2,146	1,350	1,077	125	135
	計	52,193		417	2,616	3,257	3,431	5,011	6,171	7,443	6,900	5,996	4,994	3,152	2,286	312	207

マスター負荷心電図検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	陽性ST-T の変化 (ダブル)	男	1 (0.7%)	0	0	0	0	0	0	1	0	0	0	0	0	0
女		4 (5.1%)	0	0	0	0	0	0	1	0	2	1	0	0	0	0
計		5 (2.3%)	0	0	0	0	0	0	2	0	2	1	0	0	0	0
疑陽性ST-T の変化 (ダブル)	男	4 (2.9%)	0	1	0	0	0	0	0	0	2	1	0	0	0	0
	女	7 (9.0%)	0	0	0	0	1	0	0	1	2	2	1	0	0	0
	計	11 (5.1%)	0	1	0	0	1	0	0	1	4	3	1	0	0	0
不整脈の出現 (ダブル)	男	13 (9.6%)	0	0	0	0	0	2	1	3	3	4	0	0	0	0
	女	7 (9.0%)	0	0	0	0	0	0	1	2	2	2	0	0	0	0
	計	20 (9.3%)	0	0	0	0	0	2	2	5	5	6	0	0	0	0
検診者総数	男	136	0	20	8	1	2	10	11	25	28	21	5	3	1	1
	女	78	0	0	0	1	6	12	8	21	19	8	3	0	0	0
	計	214	0	20	8	2	8	22	19	46	47	29	8	3	1	1

自転車エルゴメータ負荷心電図検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	不整脈の出現	男	21 (8.1%)	0	0	0	2	0	5	0	2	4	5	0	1	0
女		10 (5.3%)	0	0	0	1	0	1	0	0	3	1	3	1	0	0
計		31 (6.9%)	0	0	0	3	0	6	0	2	7	6	3	2	0	2
ST-T の変化	男	15 (5.8%)	0	2	1	1	0	3	0	3	2	1	0	0	1	1
	女	16 (8.5%)	0	0	0	8	0	4	0	1	1	1	1	0	0	0
	計	31 (6.9%)	0	2	1	9	0	7	0	4	3	2	1	0	1	1
血圧の変化	男	106 (40.9%)	0	5	3	17	1	33	5	14	13	7	3	3	2	0
	女	37 (19.7%)	0	0	0	3	0	8	1	6	11	5	2	1	0	0
	計	143 (32.0%)	0	5	3	20	1	41	6	20	24	12	5	4	2	0
検診者総数	男	259	0	21	8	62	2	78	10	25	20	16	5	6	3	3
	女	188	0	0	1	48	5	59	9	21	21	10	7	6	1	0
	計	447	0	21	9	110	7	137	19	46	41	26	12	12	4	3

安静心电图検査所見(1)

所見	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
洞性徐脈	男	719	(2.5%)	12	46	51	58	73	86	66	71	84	63	58	39	10	2
	女	233	(1.0%)	3	13	18	6	20	22	25	37	36	23	20	8	1	1
	計	952	(1.8%)	15	59	69	64	93	108	91	108	120	86	78	47	11	3
洞性頻脈	男	225	(0.8%)	1	7	10	15	8	18	41	38	40	22	13	11	0	1
	女	167	(0.7%)	0	11	10	6	15	15	33	20	22	14	12	6	1	2
	計	392	(0.8%)	1	18	20	21	23	33	74	58	62	36	25	17	1	3
洞性不整脈	男	21	(0.1%)	1	6	3	1	0	3	1	0	1	0	4	1	0	0
	女	11	(0.0%)	2	1	1	2	1	1	1	0	1	0	0	1	0	0
	計	32	(0.1%)	3	7	4	3	1	4	2	0	2	0	4	2	0	0
右軸偏位 (100°以上)	男	263	(0.9%)	9	29	36	29	30	32	30	22	15	14	12	5	0	0
	女	293	(1.2%)	4	23	24	31	37	37	50	27	29	13	10	5	1	2
	計	556	(1.1%)	13	52	60	60	67	69	80	49	44	27	22	10	1	2
左軸偏位 (-30°以下)	男	532	(1.9%)	1	7	17	20	28	35	67	63	95	82	51	55	7	4
	女	264	(1.1%)	1	5	7	9	18	16	45	53	33	22	23	23	2	7
	計	796	(1.5%)	2	12	24	29	46	51	112	116	128	104	74	78	9	11
不定軸	男	29	(0.1%)	0	1	2	4	4	3	1	4	3	3	4	0	0	0
	女	28	(0.1%)	0	2	1	2	5	3	6	2	4	2	0	0	1	0
	計	57	(0.1%)	0	3	3	6	9	6	7	6	7	5	4	0	1	0
第一度房室ブロック	男	306	(1.1%)	0	7	7	7	11	11	26	18	41	53	52	54	13	6
	女	104	(0.4%)	0	2	4	1	3	7	8	11	19	12	10	8	2	17
	計	410	(0.8%)	0	9	11	8	14	18	34	29	60	65	62	62	15	23
第二度房室ブロック	男	8	(0.0%)	0	0	2	0	1	0	2	1	0	1	0	1	0	0
	女	6	(0.0%)	0	0	0	0	0	1	1	1	1	1	1	0	0	0
	計	14	(0.0%)	0	0	2	0	1	1	3	2	1	2	1	1	0	0
房線不全伝導群	男	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
WPW症候群	男	45	(0.2%)	1	4	1	3	3	10	5	3	6	6	3	0	0	0
	女	23	(0.1%)	1	1	2	2	2	2	3	2	2	2	2	2	0	0
	計	68	(0.1%)	2	5	3	5	5	12	8	5	8	8	5	2	0	0
PQ短縮	男	10	(0.0%)	2	2	2	0	1	1	0	0	1	0	0	1	0	0
	女	22	(0.1%)	0	4	3	3	1	3	3	2	1	2	0	0	0	0
	計	32	(0.1%)	2	6	5	3	2	4	3	2	2	2	0	1	0	0
不完全右脚ブロック	男	729	(2.6%)	3	53	53	57	95	92	99	67	64	64	47	28	5	2
	女	314	(1.3%)	2	10	14	10	20	21	43	39	54	41	23	33	2	2
	計	1,043	(2.0%)	5	63	67	67	115	113	142	106	118	105	70	61	7	4
完全右脚ブロック	男	756	(2.7%)	0	5	11	14	26	50	87	82	109	133	105	109	15	10
	女	280	(1.2%)	0	1	6	4	20	15	29	35	44	33	38	39	5	11
	計	1,036	(2.0%)	0	6	17	18	46	65	116	117	153	166	143	148	20	21
完全左脚ブロック	男	16	(0.1%)	0	0	0	0	0	1	1	0	5	1	5	2	0	1
	女	18	(0.1%)	0	0	0	0	0	0	0	4	1	3	3	4	1	2
	計	34	(0.1%)	0	0	0	0	0	1	1	4	6	4	8	6	1	3
上室性期外収縮	男	239	(0.8%)	1	3	3	8	8	17	11	18	35	31	44	41	14	5
	女	222	(0.9%)	1	6	4	5	9	26	24	30	26	33	23	23	2	10
	計	461	(0.9%)	2	9	7	13	17	43	35	48	61	64	67	64	16	15
心室性期外収縮	男	428	(1.5%)	1	8	2	14	24	26	47	43	69	78	62	43	5	6
	女	276	(1.1%)	1	9	8	4	17	34	41	45	31	27	26	21	2	10
	計	704	(1.3%)	2	17	10	18	41	60	88	88	100	105	88	64	7	16
心房細動	男	135	(0.5%)	0	0	0	0	3	2	5	9	31	27	28	26	2	2
	女	20	(0.1%)	0	0	0	0	0	1	0	0	1	2	4	5	0	7
	計	155	(0.3%)	0	0	0	0	3	3	5	9	32	29	32	31	2	9

安静心电图検査所見（2）

所見	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
心房粗動	男	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
ST低下	男	4	(0.0%)	0	0	0	0	0	0	0	0	1	1	0	2	0	0
	女	6	(0.0%)	0	0	0	0	0	0	0	0	2	1	1	2	0	0
	計	10	(0.0%)	0	0	0	0	0	0	0	0	3	2	1	4	0	0
ST-T異常	男	304	(1.1%)	0	5	6	4	7	21	27	27	45	61	46	37	11	7
	女	256	(1.1%)	0	6	10	6	7	24	18	33	33	38	37	28	5	11
	計	560	(1.1%)	0	11	16	10	14	45	45	60	78	99	83	65	16	18
異常Q波	男	543	(1.9%)	1	8	13	19	25	18	52	73	107	120	51	38	13	5
	女	313	(1.3%)	0	5	9	15	16	28	43	48	43	33	25	21	5	22
	計	856	(1.6%)	1	13	22	34	41	46	95	121	150	153	76	59	18	27
R波増高不良	男	98	(0.3%)	0	4	7	5	7	5	16	6	18	14	7	8	1	0
	女	267	(1.1%)	1	11	12	18	31	44	48	44	26	14	7	5	1	5
	計	365	(0.7%)	1	15	19	23	38	49	64	50	44	28	14	13	2	5
陰性T波	男	191	(0.7%)	1	4	5	5	12	19	24	34	23	24	23	11	5	1
	女	226	(0.9%)	3	15	6	10	13	23	21	34	22	30	21	19	1	8
	計	417	(0.8%)	4	19	11	15	25	42	45	68	45	54	44	30	6	9
平低T	男	749	(2.7%)	0	9	7	13	34	64	91	125	125	110	73	75	17	6
	女	1,073	(4.5%)	3	23	29	44	60	73	125	185	141	147	122	86	9	26
	計	1,822	(3.5%)	3	32	36	57	94	137	216	310	266	257	195	161	26	32
T波増高	男	123	(0.4%)	3	9	6	5	10	15	12	13	17	16	11	6	0	0
	女	3	(0.0%)	0	0	0	0	0	0	0	1	0	1	0	1	0	0
	計	126	(0.2%)	3	9	6	5	10	15	12	14	17	17	11	7	0	0
ST上昇	男	101	(0.4%)	0	6	4	4	19	15	15	11	6	11	7	3	0	0
	女	10	(0.0%)	0	0	1	0	0	0	2	1	1	2	1	2	0	0
	計	111	(0.2%)	0	6	5	4	19	15	17	12	7	13	8	5	0	0
早期再分極	男	1	(0.0%)	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.0%)	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.0%)	2	0	0	0	0	0	0	0	0	0	0	0	0	0
QT延長	男	92	(0.3%)	0	0	0	0	5	7	9	11	22	20	8	8	1	1
	女	70	(0.3%)	0	0	1	0	3	2	8	8	9	7	15	10	0	7
	計	162	(0.3%)	0	0	1	0	8	9	17	19	31	27	23	18	1	8
低電位差	男	3	(0.0%)	0	0	0	0	0	0	1	1	1	0	0	0	0	0
	女	25	(0.1%)	0	1	2	0	3	2	4	5	5	1	1	1	0	0
	計	28	(0.1%)	0	1	2	0	3	2	5	6	6	1	1	1	0	0
右胸心	男	4	(0.0%)	0	0	0	0	2	0	0	0	1	0	0	1	0	0
	女	3	(0.0%)	0	1	0	1	1	0	0	0	0	0	0	0	0	0
	計	7	(0.0%)	0	1	0	1	3	0	0	0	1	0	0	1	0	0
入ベースメーター因律	男	20	(0.1%)	0	0	0	0	1	0	1	2	3	8	2	0	1	2
	女	7	(0.0%)	0	1	1	0	0	1	0	0	0	0	0	2	1	1
	計	27	(0.1%)	0	1	1	0	1	1	1	2	3	8	2	2	2	3
Ⅲ、○VfのQ波	男	86	(0.3%)	0	0	4	1	3	6	16	13	11	10	11	8	2	1
	女	37	(0.2%)	0	0	0	0	1	5	3	2	6	9	5	5	1	0
	計	123	(0.2%)	0	0	4	1	4	11	19	15	17	19	16	13	3	1
左室高電位	男	1,057	(3.7%)	6	58	46	55	58	92	131	143	144	143	89	75	12	5
	女	284	(1.2%)	0	1	3	2	3	9	20	36	48	45	50	56	6	5
	計	1,341	(2.6%)	6	59	49	57	61	101	151	179	192	188	139	131	18	10
右室高電位	男	14	(0.0%)	0	2	1	3	0	1	2	1	0	4	0	0	0	0
	女	5	(0.0%)	0	0	0	0	1	1	0	2	0	0	1	0	0	0
	計	19	(0.0%)	0	2	1	3	1	2	2	3	0	4	1	0	0	0

安静心電図検査所見（3）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
ブルグダ型ST上昇 coved型	男	6 (0.0%)	0	1	0	1	1	1	1	0	1	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	6 (0.0%)	0	1	0	1	1	1	1	1	0	1	0	0	0	0
ブルグダ型ST上昇 saddle back型	男	10 (0.0%)	0	0	0	1	0	1	5	0	1	0	0	2	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	10 (0.0%)	0	0	0	1	0	1	5	0	1	0	0	2	0	0
完全房室ブロック	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	2 (0.0%)	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	計	2 (0.0%)	0	0	1	0	0	0	0	0	0	0	0	0	0	1
RSRパターン	男	290 (1.0%)	1	9	13	15	22	34	43	41	41	41	23	7	0	0
	女	265 (1.1%)	1	8	9	10	26	26	33	30	56	29	18	16	1	2
	計	555 (1.1%)	2	17	22	25	48	60	76	71	97	70	41	23	1	2
左脚前枝ブロック	男	137 (0.5%)	0	0	0	2	4	16	10	11	19	24	19	21	9	2
	女	106 (0.4%)	0	1	2	1	6	7	14	12	15	18	9	12	3	6
	計	243 (0.5%)	0	1	2	3	10	23	24	23	34	42	28	33	12	8
左脚後枝ブロック	男	2 (0.0%)	0	1	1	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.0%)	0	1	1	0	0	0	0	0	0	0	0	0	0	0
冠状静脈洞調律	男	33 (0.1%)	4	4	2	3	0	4	4	6	0	2	2	2	0	0
	女	64 (0.3%)	1	5	2	6	9	6	10	5	8	5	6	1	0	0
	計	97 (0.2%)	5	9	4	9	9	10	14	11	8	7	8	3	0	0
確定できない不整脈	男	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
右房性P (拡大)	男	94 (0.3%)	1	1	2	4	9	13	11	14	18	14	5	2	0	0
	女	147 (0.6%)	0	4	3	0	12	14	18	25	33	20	11	5	2	0
	計	241 (0.5%)	1	5	5	4	21	27	29	39	51	34	16	7	2	0
左房性P (拡大)	男	93 (0.3%)	0	3	5	6	7	13	15	10	14	9	4	7	0	0
	女	49 (0.2%)	0	1	4	4	3	2	8	5	7	6	3	4	2	0
	計	142 (0.3%)	0	4	9	10	10	15	23	15	21	15	7	11	2	0
その他 (安静心電図所見)	男	425 (1.5%)	3	3	1	5	6	13	31	45	86	93	84	46	7	2
	女	187 (0.8%)	12	5	2	1	5	8	20	26	21	22	25	27	8	5
	計	612 (1.2%)	15	8	3	6	11	21	51	71	107	115	109	73	15	7
検診者総数	男	28,212	238	1,327	1,805	1,862	2,791	3,278	3,948	3,564	3,277	2,848	1,806	1,209	187	72
	女	24,003	179	1,289	1,453	1,570	2,222	2,894	3,498	3,340	2,723	2,147	1,351	1,077	125	135
	計	52,215	417	2,616	3,258	3,432	5,013	6,172	7,446	6,904	6,000	4,995	3,157	2,286	312	207