

腹部超音波判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	771	(10.3%)	0	8	14	137	158	151	142	92	38	22	7	1	1	0
	女	1,605	(28.2%)	1	8	39	163	246	285	313	284	159	64	27	14	1	1
	計	2,376	(18.0%)	1	16	53	300	404	436	455	376	197	86	34	15	2	1
問題なし	男	144	(1.9%)	0	0	3	11	24	22	19	20	18	21	4	1	1	0
	女	194	(3.4%)	0	2	4	19	32	41	26	24	23	14	5	4	0	0
	計	338	(2.6%)	0	2	7	30	56	63	45	44	41	35	9	5	1	0
要経過観察	男	6,161	(82.4%)	1	3	20	245	448	661	1,031	1,081	1,085	757	457	268	77	27
	女	3,582	(62.9%)	1	3	11	99	198	352	591	624	623	480	314	204	70	12
	計	9,743	(74.0%)	2	6	31	344	646	1,013	1,622	1,705	1,708	1,237	771	472	147	39
要精密検査	男	385	(5.1%)	0	0	2	10	17	31	72	66	79	49	33	18	5	3
	女	307	(5.4%)	0	0	1	11	27	35	43	46	43	49	26	19	4	3
	計	692	(5.3%)	0	0	3	21	44	66	115	112	122	98	59	37	9	6
要治療	男	6	(0.1%)	0	0	0	0	0	1	0	3	1	1	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	7	(0.1%)	0	0	0	0	0	1	0	4	1	1	0	0	0	0
治療中	男	11	(0.1%)	0	0	0	0	0	1	1	2	2	0	5	0	0	0
	女	3	(0.1%)	0	0	0	0	0	1	0	0	0	1	0	0	1	0
	計	14	(0.1%)	0	0	0	0	0	2	1	2	2	1	5	0	1	0
合計	男	7,478		1	11	39	403	647	867	1,265	1,264	1,223	850	506	288	84	30
	女	5,692		2	13	55	292	503	714	973	979	848	608	372	241	76	16
	計	13,170		3	24	94	695	1,150	1,581	2,238	2,243	2,071	1,458	878	529	160	46

腹部超音波検査所見（1）

所見	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
脂肪肝の疑い	男	3,177	(42.5%)	0	1	9	103	193	317	565	600	577	442	227	114	22	7
	女	1,041	(18.3%)	0	0	0	21	54	80	168	190	188	157	102	65	14	2
	計	4,218	(32.0%)	0	1	9	124	247	397	733	790	765	599	329	179	36	9
肝嚢胞の疑い	男	1,468	(19.6%)	0	0	0	16	48	98	203	289	313	223	145	104	23	6
	女	1,217	(21.4%)	0	0	1	13	43	94	173	237	225	201	117	78	29	6
	計	2,685	(20.4%)	0	0	1	29	91	192	376	526	538	424	262	182	52	12
肝血管腫の疑い	男	336	(4.5%)	1	0	2	10	23	30	62	60	77	39	16	11	4	1
	女	395	(6.9%)	0	0	2	21	44	57	75	76	52	39	22	5	2	0
	計	731	(5.6%)	1	0	4	31	67	87	137	136	129	78	38	16	6	1
肝占拠性病変の疑い	男	6	(0.1%)	0	0	0	0	1	1	0	2	1	0	0	0	0	1
	女	3	(0.1%)	0	0	0	0	0	0	1	0	0	1	1	0	0	0
	計	9	(0.1%)	0	0	0	0	1	1	1	2	1	1	1	0	0	1
肝内結石の疑い	男	7	(0.1%)	0	0	0	0	0	0	2	3	0	0	1	1	0	0
	女	3	(0.1%)	0	0	0	0	0	1	0	0	0	1	1	0	0	0
	計	10	(0.1%)	0	0	0	0	0	1	2	3	0	1	2	1	0	0
肝内石灰化の疑い	男	61	(0.8%)	0	0	0	1	1	6	7	12	7	12	7	3	4	1
	女	34	(0.6%)	0	0	0	0	1	4	4	5	7	7	2	3	1	0
	計	95	(0.7%)	0	0	0	1	2	10	11	17	14	19	9	6	5	1
肝臓に高エコーのものあり	男	72	(1.0%)	0	0	0	2	1	3	9	8	14	13	12	6	2	2
	女	43	(0.8%)	0	1	0	1	2	4	7	6	6	8	3	1	2	2
	計	115	(0.9%)	0	1	0	3	3	7	16	14	20	21	15	7	4	4
肝左葉辺縁鈍化	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	計	2	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	1	0
肝内エコー粗雑化	男	4	(0.1%)	0	0	0	0	0	0	2	1	0	0	1	0	0	0
	女	2	(0.0%)	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	計	6	(0.0%)	0	0	0	0	0	0	2	1	0	1	2	0	0	0
慢性肝疾患の疑い	男	5	(0.1%)	0	0	0	0	0	0	0	1	0	1	2	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	5	(0.0%)	0	0	0	0	0	0	0	1	0	1	2	1	0	0
肝臓描出不良	男	261	(3.5%)	0	0	0	2	9	18	30	33	66	41	31	25	2	4
	女	23	(0.4%)	0	0	0	1	0	2	0	4	2	5	4	4	0	1
	計	284	(2.2%)	0	0	0	3	9	20	30	37	68	46	35	29	2	5
肝内胆管拡張の疑い	男	2	(0.0%)	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	計	3	(0.0%)	0	0	0	0	0	0	0	0	2	0	0	0	1	0
肝外胆管拡張の疑い	男	66	(0.9%)	0	0	0	1	3	1	5	5	7	9	21	10	4	0
	女	46	(0.8%)	0	0	0	0	0	0	3	6	4	7	12	6	6	2
	計	112	(0.9%)	0	0	0	1	3	1	8	11	11	16	33	16	10	2
胆嚢ポリープの疑い	男	1,713	(22.9%)	0	1	4	73	137	214	308	297	318	175	109	57	17	3
	女	778	(13.7%)	1	0	6	29	57	108	152	129	123	85	47	27	14	0
	計	2,491	(18.9%)	1	1	10	102	194	322	460	426	441	260	156	84	31	3
胆石の疑い	男	361	(4.8%)	0	0	0	1	5	16	52	69	82	59	47	18	8	4
	女	206	(3.6%)	0	0	0	3	13	16	23	33	46	41	12	13	5	1
	計	567	(4.3%)	0	0	0	4	18	32	75	102	128	100	59	31	13	5
胆砂・胆泥の疑い	男	63	(0.8%)	0	0	0	1	0	4	6	13	9	13	9	5	1	2
	女	55	(1.0%)	0	0	0	1	1	5	5	11	7	14	5	5	1	0
	計	118	(0.9%)	0	0	0	2	1	9	11	24	16	27	14	10	2	2

腹部超音波検査所見（2）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
胆嚢腺筋腫症の疑い	男	211	(2.8%)	0	0	0	2	2	6	25	45	43	43	24	16	5	0
	女	93	(1.6%)	0	0	0	1	6	7	12	13	18	17	10	8	1	0
	計	304	(2.3%)	0	0	0	3	8	13	37	58	61	60	34	24	6	0
胆嚢壁の肥厚	男	24	(0.3%)	0	0	0	1	2	1	3	4	8	2	3	0	0	0
	女	14	(0.2%)	0	1	0	0	2	1	3	2	2	2	1	0	0	0
	計	38	(0.3%)	0	1	0	1	4	2	6	6	10	4	4	0	0	0
胆嚢壁内結石の疑い	男	212	(2.8%)	0	0	0	2	6	15	30	43	51	27	25	7	4	2
	女	64	(1.1%)	0	1	0	0	3	6	12	14	10	7	7	4	0	0
	計	276	(2.1%)	0	1	0	2	9	21	42	57	61	34	32	11	4	2
胆嚢変形	男	2	(0.0%)	0	0	0	0	0	0	1	0	0	0	1	0	0	0
	女	1	(0.0%)	0	0	0	1	0	0	0	0	0	0	0	0	0	0
	計	3	(0.0%)	0	0	0	1	0	0	1	0	0	0	1	0	0	0
胆嚢腫大	男	14	(0.2%)	0	0	0	0	0	1	1	1	4	4	1	1	1	0
	女	7	(0.1%)	0	0	0	0	0	1	1	1	2	1	0	1	0	0
	計	21	(0.2%)	0	0	0	0	0	2	2	2	6	5	1	2	1	0
胆嚢摘出後	男	248	(3.3%)	0	0	0	1	6	2	24	52	48	50	27	28	6	4
	女	162	(2.8%)	0	0	0	5	4	9	19	24	34	20	24	18	4	1
	計	410	(3.1%)	0	0	0	6	10	11	43	76	82	70	51	46	10	5
胆嚢描出不良	男	81	(1.1%)	0	0	0	2	4	7	7	13	17	12	11	6	1	1
	女	20	(0.4%)	0	0	0	2	0	1	2	4	3	1	3	3	0	1
	計	101	(0.8%)	0	0	0	4	4	8	9	17	20	13	14	9	1	2
膵管拡張の疑い	男	119	(1.6%)	0	0	0	0	3	3	13	18	21	25	20	6	7	3
	女	33	(0.6%)	0	0	0	0	1	0	3	2	6	5	6	6	3	1
	計	152	(1.2%)	0	0	0	0	4	3	16	20	27	30	26	12	10	4
膵嚢胞の疑い	男	16	(0.2%)	0	0	0	0	0	0	5	2	4	0	2	2	0	1
	女	32	(0.6%)	0	0	0	0	2	1	1	5	9	7	3	1	3	0
	計	48	(0.4%)	0	0	0	0	2	1	6	7	13	7	5	3	3	1
膵臓描出不良	男	4,674	(62.5%)	1	2	13	155	291	457	748	834	866	617	373	228	63	26
	女	1,413	(24.8%)	0	1	0	35	59	105	227	255	236	194	145	108	36	12
	計	6,087	(46.2%)	1	3	13	190	350	562	975	1,089	1,102	811	518	336	99	38
その他 (肝臓・胆嚢・膵臓)	男	149	(2.0%)	0	0	0	0	8	9	18	22	23	26	20	16	5	2
	女	113	(2.0%)	0	0	0	3	4	7	17	15	21	19	16	9	0	2
	計	262	(2.0%)	0	0	0	3	12	16	35	37	44	45	36	25	5	4
腎嚢胞の疑い	男	1,902	(25.4%)	0	0	3	21	65	94	207	295	393	341	241	162	56	24
	女	702	(12.3%)	0	0	1	10	25	42	82	125	123	113	90	65	22	4
	計	2,604	(19.8%)	0	0	4	31	90	136	289	420	516	454	331	227	78	28
腎結石の疑い	男	450	(6.0%)	0	0	0	6	20	36	78	76	88	65	48	21	6	6
	女	139	(2.4%)	0	0	1	2	6	7	25	22	28	18	14	12	3	1
	計	589	(4.5%)	0	0	1	8	26	43	103	98	116	83	62	33	9	7
腎臓に高エコーのものあり	男	931	(12.4%)	0	0	1	21	60	71	146	162	188	127	82	51	19	3
	女	502	(8.8%)	0	0	1	9	26	39	65	100	95	70	61	27	8	1
	計	1,433	(10.9%)	0	0	2	30	86	110	211	262	283	197	143	78	27	4
腎血管筋脂肪腫の疑い	男	47	(0.6%)	0	0	0	0	3	5	6	14	6	5	5	2	1	0
	女	84	(1.5%)	0	0	0	2	1	8	16	23	16	12	3	3	0	0
	計	131	(1.0%)	0	0	0	2	4	13	22	37	22	17	8	5	1	0
腎占拠性病変の疑い	男	8	(0.1%)	0	0	0	1	0	0	0	1	4	0	2	0	0	0
	女	3	(0.1%)	0	0	0	0	0	0	0	2	1	0	0	0	0	0
	計	11	(0.1%)	0	0	0	1	0	0	0	3	5	0	2	0	0	0

腹部超音波検査所見（3）

所見	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
水腎症の疑い	男	9	(0.1%)	0	0	0	0	0	1	2	2	0	2	0	1	1	0
	女	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	10	(0.1%)	0	0	0	0	0	2	2	2	0	2	0	1	1	0
重複腎盂の疑い	男	24	(0.3%)	0	0	0	2	3	2	2	4	4	3	2	1	0	1
	女	25	(0.4%)	0	0	0	1	1	1	3	4	4	4	5	2	0	0
	計	49	(0.4%)	0	0	0	3	4	3	5	8	8	7	7	3	0	1
腎萎縮の疑い	男	9	(0.1%)	0	0	0	1	0	1	0	1	3	1	0	1	1	0
	女	4	(0.1%)	0	0	0	1	0	0	1	2	0	0	0	0	0	0
	計	13	(0.1%)	0	0	0	2	0	1	1	3	3	1	0	1	1	0
腎臓描出不良	男	3	(0.0%)	0	0	0	1	0	0	1	1	0	0	0	0	0	0
	女	10	(0.2%)	0	0	1	0	0	1	1	2	1	2	0	1	1	0
	計	13	(0.1%)	0	0	1	1	0	1	2	3	1	2	0	1	1	0
腎盂・腎杯の拡張	男	57	(0.8%)	0	0	0	2	0	3	4	11	13	7	7	5	3	2
	女	64	(1.1%)	0	0	0	1	2	2	9	10	9	5	7	11	5	3
	計	121	(0.9%)	0	0	0	3	2	5	13	21	22	12	14	16	8	5
その他 (腎臓)	男	101	(1.4%)	0	0	0	1	5	6	13	10	25	21	8	9	1	2
	女	54	(0.9%)	0	0	1	1	1	5	8	6	16	4	4	4	4	0
	計	155	(1.2%)	0	0	1	2	6	11	21	16	41	25	12	13	5	2
脾腫	男	3	(0.0%)	0	0	0	0	0	0	0	0	1	0	2	0	0	0
	女	4	(0.1%)	0	0	0	1	1	2	0	0	0	0	0	0	0	0
	計	7	(0.1%)	0	0	0	1	1	2	0	0	1	0	2	0	0	0
脾嚢胞の疑い	男	12	(0.2%)	0	0	0	0	0	1	6	1	3	0	0	1	0	0
	女	11	(0.2%)	0	0	1	1	1	1	1	4	1	0	0	1	0	0
	計	23	(0.2%)	0	0	1	1	1	2	7	5	4	0	0	2	0	0
脾臓に高エコー のものあり	男	7	(0.1%)	0	0	0	0	0	0	1	1	0	1	0	3	1	0
	女	3	(0.1%)	0	0	0	0	1	0	0	0	0	0	2	0	0	0
	計	10	(0.1%)	0	0	0	0	1	0	1	1	0	1	2	3	1	0
副脾の疑い	男	257	(3.4%)	0	0	5	22	42	42	41	33	37	20	11	3	1	0
	女	274	(4.8%)	0	2	8	26	45	59	42	37	24	17	7	5	2	0
	計	531	(4.0%)	0	2	13	48	87	101	83	70	61	37	18	8	3	0
脾臓描出不良	男	18	(0.2%)	0	0	0	0	0	1	1	3	3	2	5	2	1	0
	女	6	(0.1%)	0	0	0	0	0	0	0	1	0	3	1	1	0	0
	計	24	(0.2%)	0	0	0	0	0	1	1	4	3	5	6	3	1	0
腹部大動脈石灰化 の疑い	男	2,010	(26.9%)	0	0	0	1	4	23	137	252	454	464	358	221	72	24
	女	963	(16.9%)	0	0	0	1	1	8	33	91	187	221	183	161	66	11
	計	2,973	(22.6%)	0	0	0	2	5	31	170	343	641	685	541	382	138	35
腹部大動脈瘤 の疑い	男	23	(0.3%)	0	0	0	0	0	0	0	1	4	4	5	6	0	3
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	24	(0.2%)	0	0	0	0	0	0	0	1	4	4	6	6	0	3
脾血管腫の疑い	男	4	(0.1%)	0	0	0	0	0	0	1	1	0	2	0	0	0	0
	女	6	(0.1%)	0	0	0	0	1	1	1	1	0	0	1	0	1	0
	計	10	(0.1%)	0	0	0	0	1	1	2	2	0	2	1	0	1	0
その他 (脾臓・腹部大動脈)	男	43	(0.6%)	0	0	0	0	0	0	4	5	7	8	7	7	4	1
	女	31	(0.5%)	0	0	0	0	1	3	5	9	5	5	0	2	1	0
	計	74	(0.6%)	0	0	0	0	1	3	9	14	12	13	7	9	5	1
検診者総数	男	7,478		1	11	39	403	647	867	1,265	1,264	1,223	850	506	288	84	30
	女	5,692		2	13	55	292	503	714	973	979	848	608	372	241	76	16
	計	13,170		3	24	94	695	1,150	1,581	2,238	2,243	2,071	1,458	878	529	160	46