

脳検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	407 (61.5%)	0	0	1	5	11	23	73	106	106	53	17	11	1	0
	女	193 (61.5%)	0	0	1	3	6	15	40	47	47	20	10	4	0	0
	計	600 (61.5%)	0	0	2	8	17	38	113	153	153	73	27	15	1	0
問題なし	男	99 (15.0%)	0	0	1	0	0	3	15	16	24	18	10	10	0	2
	女	40 (12.7%)	0	0	0	0	0	0	2	1	10	4	9	11	1	2
	計	139 (14.2%)	0	0	1	0	0	3	17	17	34	22	19	21	1	4
要経過観察	男	75 (11.3%)	0	0	0	0	0	0	5	10	28	18	6	6	2	0
	女	33 (10.5%)	0	0	0	0	0	2	1	5	14	4	5	1	0	1
	計	108 (11.1%)	0	0	0	0	0	2	6	15	42	22	11	7	2	1
要精密検査	男	60 (9.1%)	0	0	0	1	1	3	10	9	10	10	8	6	2	0
	女	39 (12.4%)	0	0	0	2	0	2	4	4	12	8	3	3	0	1
	計	99 (10.1%)	0	0	0	3	1	5	14	13	22	18	11	9	2	1
要治療	男	15 (2.3%)	0	0	0	0	0	3	0	3	5	1	3	0	0	0
	女	9 (2.9%)	0	0	0	1	0	1	1	2	1	1	2	0	0	0
	計	24 (2.5%)	0	0	0	1	0	4	1	5	6	2	5	0	0	0
治療中	男	6 (0.9%)	0	0	0	0	0	1	2	0	2	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	6 (0.6%)	0	0	0	0	0	1	2	0	2	0	0	0	1	0
合計	男	662	0	0	2	6	12	33	105	144	175	100	44	33	6	2
	女	314	0	0	1	6	6	20	48	59	84	37	29	19	1	4
	計	976	0	0	3	12	18	53	153	203	259	137	73	52	7	6

心理検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
抑うつ状態	男	9 (23.7%)	0	0	0	0	0	1	5	2	0	0	1	0	0	0
	女	3 (42.9%)	0	0	0	0	0	1	1	0	0	0	0	1	0	0
	計	12 (26.7%)	0	0	0	0	0	2	6	2	0	0	1	1	0	0
検診者総数	男	38	0	0	0	0	0	3	7	5	7	8	5	2	1	0
	女	7	0	0	0	0	0	1	1	2	1	0	0	2	0	0
	計	45	0	0	0	0	0	4	8	7	8	8	5	4	1	0

大脳高次機能検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
MMSE <small>(脳の認知機能評価の簡易検査)</small> 低下	男	1 (2.6%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (2.2%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
HDS-R <small>(脳の認知機能評価の簡易検査)</small> 低下	男	1 (2.6%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (2.2%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
検診者総数	男	38	0	0	0	0	0	3	7	5	7	8	5	2	1	0
	女	7	0	0	0	0	0	1	1	2	1	0	0	2	0	0
	計	45	0	0	0	0	0	4	8	7	8	8	5	4	1	0

頭部MRI検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女	計														
脳萎縮	男	1	(0.2%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.1%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
無症候性脳梗塞巣	男	102	(15.4%)	0	0	0	0	0	1	3	10	28	22	19	14	4	1
	女	60	(19.1%)	0	0	0	0	0	1	1	2	17	8	16	11	1	3
	計	162	(16.6%)	0	0	0	0	0	2	4	12	45	30	35	25	5	4
脳室拡大	男	1	(0.2%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.1%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
脳内異常陰影	男	6	(0.9%)	0	0	0	0	0	0	1	0	2	3	0	0	0	0
	女	4	(1.3%)	0	0	0	0	0	0	2	0	1	0	0	1	0	0
	計	10	(1.0%)	0	0	0	0	0	0	3	0	3	3	0	1	0	0
中耳炎症所見	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	2	(0.6%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0
	計	2	(0.2%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0
副鼻腔炎	男	46	(6.9%)	0	0	1	0	0	4	5	9	15	4	4	3	1	0
	女	16	(5.1%)	0	0	0	1	0	1	2	3	4	2	2	1	0	0
	計	62	(6.4%)	0	0	1	1	0	5	7	12	19	6	6	4	1	0
くも膜嚢胞	男	6	(0.9%)	0	0	0	0	0	0	3	1	2	0	0	0	0	0
	女	3	(1.0%)	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	計	9	(0.9%)	0	0	0	0	0	0	3	1	5	0	0	0	0	0
海綿状血管腫	男	3	(0.5%)	0	0	0	0	0	0	1	1	1	0	0	0	0	0
	女	1	(0.3%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	4	(0.4%)	0	0	0	0	0	0	1	1	2	0	0	0	0	0
微小脳出血	男	4	(0.6%)	0	0	0	0	0	0	0	0	1	0	1	2	0	0
	女	2	(0.6%)	0	0	0	0	0	0	0	0	1	0	1	0	0	0
	計	6	(0.6%)	0	0	0	0	0	0	0	0	2	0	2	2	0	0
その他の所見	男	33	(5.0%)	0	0	0	1	0	0	3	9	11	5	3	1	0	0
	女	15	(4.8%)	0	0	0	3	0	1	1	4	1	3	1	1	0	0
	計	48	(4.9%)	0	0	0	4	0	1	4	13	12	8	4	2	0	0
検診者総数	男	662		0	0	2	6	12	33	105	144	175	100	44	33	6	2
	女	314		0	0	1	6	6	20	48	59	84	37	29	19	1	4
	計	976		0	0	3	12	18	53	153	203	259	137	73	52	7	6

頭頸部MRA検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
脳動脈硬化	男	1 (0.2%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	1 (0.3%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	計	2 (0.2%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
脳動脈瘤	男	29 (4.4%)	0	0	0	0	1	3	6	3	7	5	2	1	1	1	0
	女	24 (7.6%)	0	0	0	0	0	2	1	3	9	4	3	1	0	1	1
	計	53 (5.4%)	0	0	0	0	1	5	7	6	16	9	5	2	1	1	1
脳動脈狭窄	男	10 (1.5%)	0	0	0	0	0	0	2	1	3	1	0	3	0	0	0
	女	8 (2.5%)	0	0	0	0	0	0	1	1	2	2	0	1	0	1	1
	計	18 (1.8%)	0	0	0	0	0	0	3	2	5	3	0	4	0	1	1
脳動脈閉塞	男	1 (0.2%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
内頸動脈蛇行	男	30 (4.5%)	0	0	0	0	0	3	4	4	9	5	2	1	1	1	1
	女	18 (5.7%)	0	0	0	0	0	0	0	1	5	3	4	4	0	1	1
	計	48 (4.9%)	0	0	0	0	0	3	4	5	14	8	6	5	1	2	2
遺残性三叉動脈	男	4 (0.6%)	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0
	女	2 (0.6%)	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
	計	6 (0.6%)	0	0	0	0	0	0	0	0	0	5	1	0	0	0	0
頭部内頸動脈狭窄	男	14 (2.1%)	0	0	0	0	0	0	0	1	2	2	3	3	2	1	1
	女	1 (0.3%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	15 (1.5%)	0	0	0	0	0	0	0	1	2	3	3	3	2	1	1
頭部内頸動脈閉塞	男	2 (0.3%)	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
その他の所見	男	17 (2.6%)	0	0	0	0	0	1	0	1	6	4	2	2	1	0	0
	女	4 (1.3%)	0	0	0	0	0	0	0	1	1	2	0	0	0	0	0
	計	21 (2.2%)	0	0	0	0	0	1	0	2	7	6	2	2	1	0	0
検診者総数	男	662	0	0	2	6	12	33	105	144	175	100	44	33	6	2	2
	女	314	0	0	1	6	6	20	48	59	84	37	29	19	1	4	4
	計	976	0	0	3	12	18	53	153	203	259	137	73	52	7	6	6