

総合判定結果（コース別健診、市民健診）

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	2,596	(6.9%)	103	431	443	316	271	281	234	153	145	69	54	37	27	32
	女	3,790	(10.1%)	152	537	539	522	431	444	372	254	147	129	97	92	49	25
	計	6,386	(8.5%)	255	968	982	838	702	725	606	407	292	198	151	129	76	57
問題なし	男	3,311	(8.8%)	87	499	627	484	457	371	292	177	118	82	35	43	30	9
	女	4,269	(11.4%)	59	578	582	442	452	539	473	409	230	176	115	114	71	29
	計	7,580	(10.1%)	146	1,077	1,209	926	909	910	765	586	348	258	150	157	101	38
要経過観察	男	13,502	(35.9%)	113	738	1,136	1,237	1,517	1,652	1,920	1,513	1,223	828	539	493	323	270
	女	14,283	(38.2%)	77	667	954	1,055	1,346	1,604	1,923	1,772	1,399	1,089	797	840	464	296
	計	27,785	(37.0%)	190	1,405	2,090	2,292	2,863	3,256	3,843	3,285	2,622	1,917	1,336	1,333	787	566
要精密検査	男	5,952	(15.8%)	25	255	431	490	643	771	876	711	524	419	253	272	154	128
	女	5,452	(14.6%)	25	253	268	360	480	726	863	750	504	427	306	275	114	101
	計	11,404	(15.2%)	50	508	699	850	1,123	1,497	1,739	1,461	1,028	846	559	547	268	229
要治療	男	766	(2.0%)	2	16	34	52	60	86	111	105	78	73	44	46	24	35
	女	435	(1.2%)	0	4	8	15	18	39	66	49	47	49	43	44	22	31
	計	1,201	(1.6%)	2	20	42	67	78	125	177	154	125	122	87	90	46	66
治療中	男	11,520	(30.6%)	0	18	53	98	266	499	1,000	1,374	1,675	1,725	1,420	1,517	978	897
	女	9,172	(24.5%)	1	29	54	59	117	272	526	890	1,055	1,140	1,284	1,725	1,123	897
	計	20,692	(27.6%)	1	47	107	157	383	771	1,526	2,264	2,730	2,865	2,704	3,242	2,101	1,794
合計	男	37,647		330	1,957	2,724	2,677	3,214	3,660	4,433	4,033	3,763	3,196	2,345	2,408	1,536	1,371
	女	37,401		314	2,068	2,405	2,453	2,844	3,624	4,223	4,124	3,382	3,010	2,642	3,090	1,843	1,379
	計	75,048		644	4,025	5,129	5,130	6,058	7,284	8,656	8,157	7,145	6,206	4,987	5,498	3,379	2,750

胸部検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	26,894	(90.0%)	231	1,477	2,085	2,004	2,436	3,004	3,491	3,134	2,685	2,376	1,706	1,373	583	309
	女	25,356	(91.6%)	169	1,607	1,737	1,691	2,053	2,874	3,405	3,248	2,546	2,195	1,629	1,458	531	213
	計	52,250	(90.8%)	400	3,084	3,822	3,695	4,489	5,878	6,896	6,382	5,231	4,571	3,335	2,831	1,114	522
問題なし	男	2,198	(7.4%)	4	17	26	44	83	121	214	232	278	298	245	292	189	155
	女	1,834	(6.6%)	5	42	49	37	55	100	118	179	209	233	237	309	167	94
	計	4,032	(7.0%)	9	59	75	81	138	221	332	411	487	531	482	601	356	249
要経過観察	男	486	(1.6%)	0	2	5	6	12	17	59	61	82	70	54	56	36	26
	女	259	(0.9%)	0	1	2	4	3	10	32	27	29	32	43	41	25	10
	計	745	(1.3%)	0	3	7	10	15	27	91	88	111	102	97	97	61	36
要精密検査	男	281	(0.9%)	0	0	4	7	2	23	25	30	44	32	37	35	31	11
	女	240	(0.9%)	0	0	1	4	9	14	27	24	29	33	34	36	16	13
	計	521	(0.9%)	0	0	5	11	11	37	52	54	73	65	71	71	47	24
要治療	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	10	(0.0%)	0	0	0	0	0	0	1	2	1	1	4	0	1	0
	女	5	(0.0%)	1	0	0	0	0	0	0	1	0	2	1	0	0	0
	計	15	(0.0%)	1	0	0	0	0	0	1	3	1	3	5	0	1	0
合計	男	29,869		235	1,496	2,120	2,061	2,533	3,165	3,790	3,459	3,090	2,777	2,046	1,756	840	501
	女	27,694		175	1,650	1,789	1,736	2,120	2,998	3,582	3,479	2,813	2,495	1,944	1,844	739	330
	計	57,563		410	3,146	3,909	3,797	4,653	6,163	7,372	6,938	5,903	5,272	3,990	3,600	1,579	831

喀痰細胞診検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
B 1 (Class I (異常なし))	男	7	(9.6%)	0	0	0	0	0	0	0	0	1	0	1	0	4	1
	女	1	(5.9%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	8	(8.9%)	0	0	0	0	0	0	0	0	2	0	1	0	4	1
B 2 (Class II (悪性所見なし))	男	66	(90.4%)	0	1	2	0	1	1	2	6	7	8	12	13	9	4
	女	16	(94.1%)	0	0	0	1	1	1	3	4	5	0	1	0	0	0
	計	82	(91.1%)	0	1	2	1	2	2	5	10	12	8	13	13	9	4
検診者総数	男	73		0	1	2	0	1	1	2	6	8	8	13	13	13	5
	女	17		0	0	0	1	1	1	3	4	6	0	1	0	0	0
	計	90		0	1	2	1	2	2	5	10	14	8	14	13	13	5

胸部ヘリカルCT検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
線状陰影	男	31	(2.7%)	0	0	0	0	1	3	4	5	7	6	2	2	0	1
	女	10	(3.5%)	0	0	0	0	0	1	0	1	2	4	2	0	0	0
	計	41	(2.8%)	0	0	0	0	1	4	4	6	9	10	4	2	0	1
帯状陰影	男	15	(1.3%)	0	0	0	0	0	1	2	3	7	2	0	0	0	0
	女	4	(1.4%)	0	0	0	0	0	1	0	1	0	1	1	0	0	0
	計	19	(1.3%)	0	0	0	0	0	2	2	4	7	3	1	0	0	0
結節陰影	男	188	(16.2%)	0	0	3	0	2	8	29	27	55	33	19	9	2	1
	女	41	(14.5%)	0	0	0	0	2	3	9	6	7	4	4	4	2	0
	計	229	(15.8%)	0	0	3	0	4	11	38	33	62	37	23	13	4	1
塊状陰影	男	1	(0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
浸潤陰影	男	23	(2.0%)	0	0	0	0	0	0	3	2	6	7	3	1	0	1
	女	5	(1.8%)	0	0	0	0	0	0	0	1	2	1	0	0	1	0
	計	28	(1.9%)	0	0	0	0	0	0	3	3	8	8	3	1	1	1
網目状陰影	男	2	(0.2%)	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.1%)	0	0	0	0	0	0	0	0	0	0	0	1	0	1
石灰化陰影	男	14	(1.2%)	0	0	0	0	0	0	2	3	2	5	0	0	1	1
	女	4	(1.4%)	0	0	0	0	0	0	1	0	0	0	0	2	1	0
	計	18	(1.2%)	0	0	0	0	0	0	3	3	2	5	0	2	2	1
空洞陰影	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.4%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	1	(0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
嚢胞陰影	男	145	(12.5%)	0	0	0	0	3	9	23	29	43	21	6	7	3	1
	女	5	(1.8%)	0	0	0	0	0	2	1	1	1	0	0	0	0	0
	計	150	(10.4%)	0	0	0	0	3	11	24	30	44	21	6	7	3	1
気腫性変化	男	22	(1.9%)	0	0	0	0	0	0	1	3	8	7	3	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	22	(1.5%)	0	0	0	0	0	0	1	3	8	7	3	0	0	0
すりガラス状陰影	男	36	(3.1%)	0	0	0	0	1	1	5	9	9	7	2	1	0	1
	女	15	(5.3%)	0	0	0	1	0	0	5	1	2	3	0	3	0	0
	計	51	(3.5%)	0	0	0	1	1	1	10	10	11	10	2	4	0	1
粒状陰影	男	5	(0.4%)	0	0	0	0	0	0	1	1	0	1	0	2	0	0
	女	2	(0.7%)	0	0	0	0	0	0	1	0	0	0	1	0	0	0
	計	7	(0.5%)	0	0	0	0	0	0	2	1	0	1	1	2	0	0
胸膜肥厚	男	28	(2.4%)	0	0	0	0	0	1	4	4	5	2	4	5	2	1
	女	13	(4.6%)	0	0	0	0	0	0	1	4	3	3	1	1	0	0
	計	41	(2.8%)	0	0	0	0	0	1	5	8	8	5	5	6	2	1
胸膜癒着	男	8	(0.7%)	0	0	0	0	0	1	0	1	0	3	1	1	1	0
	女	5	(1.8%)	0	0	0	0	0	0	1	0	2	0	1	0	1	0
	計	13	(0.9%)	0	0	0	0	0	1	1	1	2	3	2	1	2	0
肺気腫	男	6	(0.5%)	0	0	0	0	0	0	0	0	2	0	4	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	6	(0.4%)	0	0	0	0	0	0	0	0	2	0	4	0	0	0
その他の所見	男	170	(14.6%)	0	0	0	0	8	8	40	25	35	23	8	16	4	3
	女	31	(11.0%)	0	0	0	0	0	3	8	4	4	4	3	5	0	0
	計	201	(13.9%)	0	0	0	0	8	11	48	29	39	27	11	21	4	3
検診者総数	男	1,163		0	7	17	15	38	100	198	209	267	155	76	57	13	11
	女	282		0	1	0	4	17	22	61	47	52	33	22	19	4	0
	計	1,445		0	8	17	19	55	122	259	256	319	188	98	76	17	11

胸部X線検査所見（1）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上		
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計
肺門陰影拡大	男	7 (0.0%)	0	0	0	0	1	2	0	1	1	1	1	0	0	0	0	0
	女	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	計	9 (0.0%)	0	0	0	0	1	2	0	1	1	2	1	0	0	0	0	1
線状陰影	男	197 (0.7%)	0	0	1	4	8	7	20	16	20	24	24	32	25	16		
	女	128 (0.5%)	0	1	3	1	0	5	3	9	6	22	17	31	19	11		
	計	325 (0.6%)	0	1	4	5	8	12	23	25	26	46	41	63	44	27		
帯状陰影	男	151 (0.5%)	0	0	0	4	4	5	19	11	15	26	21	19	12	15		
	女	111 (0.4%)	1	1	1	1	3	6	9	9	18	21	22	9	7			
	計	262 (0.5%)	1	1	1	5	7	8	25	20	24	44	42	41	21	22		
索状陰影	男	3 (0.0%)	0	0	0	0	0	0	0	0	0	3	0	0	0	0		
	女	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	1	0	0		
	計	5 (0.0%)	0	0	0	0	0	0	0	0	0	4	0	1	0	0		
微細斑点状陰影	男	20 (0.1%)	0	0	0	0	0	0	1	0	2	0	4	7	6			
	女	27 (0.1%)	0	0	0	0	0	0	2	3	3	6	4	3	6			
	計	47 (0.1%)	0	0	0	0	0	0	3	3	5	6	8	10	12			
粒状陰影	男	9 (0.0%)	0	0	0	1	0	0	1	1	2	0	0	2	1	1		
	女	12 (0.0%)	0	0	0	0	0	0	2	4	0	1	3	0	1	1		
	計	21 (0.0%)	0	0	0	1	0	0	3	5	2	1	3	2	2	2		
結節陰影	男	254 (0.8%)	0	1	5	4	2	15	24	23	34	25	39	38	33	11		
	女	226 (0.8%)	0	0	1	4	4	13	29	23	24	22	39	34	24	9		
	計	480 (0.8%)	0	1	6	8	6	28	53	46	58	47	78	72	57	20		
円形陰影	男	6 (0.0%)	0	1	0	0	0	0	1	0	1	0	1	1	0	1		
	女	3 (0.0%)	0	0	0	0	2	0	0	0	0	0	1	0	0	0		
	計	9 (0.0%)	0	1	0	0	2	0	1	0	1	0	2	1	0	1		
塊状陰影	男	11 (0.0%)	0	0	0	0	0	3	1	0	0	2	3	1	1			
	女	6 (0.0%)	0	0	0	0	0	0	0	1	1	1	3	0	0	0		
	計	17 (0.0%)	0	0	0	0	0	3	1	1	1	3	6	1	1			
浸潤陰影	男	114 (0.4%)	0	0	1	2	0	4	11	8	18	20	14	16	10	10		
	女	86 (0.3%)	1	0	1	0	1	1	7	5	9	16	14	16	9	6		
	計	200 (0.3%)	1	0	2	2	1	5	18	13	27	36	28	32	19	16		
網目状陰影	男	17 (0.1%)	0	0	0	0	0	0	0	0	1	1	0	3	9	3		
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0		
	計	18 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	3	10	3		
石灰化陰影	男	191 (0.6%)	0	1	1	1	1	7	17	11	15	24	23	34	25	31		
	女	158 (0.6%)	0	0	0	0	1	8	13	9	20	19	24	24	24	16		
	計	349 (0.6%)	0	1	1	1	2	15	30	20	35	43	47	58	49	47		
空洞陰影	男	2 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	1		
	女	4 (0.0%)	0	0	0	0	0	2	0	0	0	1	0	1	0	0		
	計	6 (0.0%)	0	0	0	0	0	2	0	0	0	1	0	2	0	1		
嚢胞陰影	男	104 (0.3%)	0	0	0	0	3	5	12	19	23	18	9	11	3	1		
	女	18 (0.1%)	0	0	0	0	0	1	1	3	2	4	3	2	2	0		
	計	122 (0.2%)	0	0	0	0	3	6	13	22	25	22	12	13	5	1		
無気肺陰影	男	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	1		
	女	4 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	2	0	1		
	計	6 (0.0%)	0	0	0	0	0	0	0	0	0	1	1	2	0	2		
気腫様陰影	男	3 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0		
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	計	3 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0		
胸膜肥厚	男	379 (1.3%)	0	0	2	1	7	17	31	38	38	37	51	65	55	37		
	女	389 (1.4%)	0	0	0	1	5	7	15	47	49	75	70	76	29	15		
	計	768 (1.3%)	0	0	2	2	12	24	46	85	87	112	121	141	84	52		
胸膜癒着	男	363 (1.2%)	0	0	0	1	7	20	31	36	32	42	42	55	50	47		
	女	263 (0.9%)	0	0	0	4	5	5	17	25	42	44	40	47	22	12		
	計	626 (1.1%)	0	0	0	5	12	25	48	61	74	86	82	102	72	59		
胸水陰影	男	9 (0.0%)	0	0	0	0	0	0	0	2	0	2	0	2	3	0		
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0		
	計	10 (0.0%)	0	0	0	0	0	0	0	2	0	3	0	2	3	0		
上葉縮小	男	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0		
	女	4 (0.0%)	0	0	0	0	0	0	0	1	0	1	1	0	1	0		
	計	5 (0.0%)	0	0	0	0	0	0	0	1	0	1	1	1	1	0		
右方偏位	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0		
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0		
横隔膜高位	男	143 (0.5%)	0	0	3	5	2	8	12	14	23	17	15	20	15	9		
	女	47 (0.2%)	0	0	0	2	2	5	1	2	6	2	6	7	12	2		
	計	190 (0.3%)	0	0	3	7	4	13	13	16	29	19	21	27	27	11		

胸部×線検査所見（2）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計	計	計	計	計	計	計	計	計	計	計	計	計	計
肋骨異常	男	4	(0.0%)	0	0	0	0	0	1	0	0	2	0	1	0	0
	女	3	(0.0%)	0	2	1	0	0	0	0	0	0	0	0	0	0
	計	7	(0.0%)	0	2	1	0	0	1	0	0	2	0	1	0	0
胸椎異常	男	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0
鎖骨異常	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0
	女	3	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	1
	計	4	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	1	1
漏斗胸	男	4	(0.0%)	0	0	0	1	1	0	0	1	0	1	0	0	0
	女	16	(0.1%)	0	3	0	1	0	1	0	4	4	2	0	1	0
	計	20	(0.0%)	0	3	0	2	1	1	0	5	4	3	0	1	0
胸部手術	男	276	(0.9%)	2	3	3	13	25	27	21	35	16	43	25	23	24
	女	107	(0.4%)	1	5	2	1	1	7	15	10	13	9	11	23	6
	計	383	(0.7%)	3	8	5	14	26	34	36	45	29	52	36	46	30
陳旧性肺結核の疑い	男	3	(0.0%)	0	0	0	0	0	0	1	0	0	0	1	0	1
	女	2	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	1
	計	5	(0.0%)	0	0	0	0	0	0	1	1	0	0	1	0	2
肺気腫の疑い	男	76	(0.3%)	0	0	0	0	1	1	3	4	10	5	14	13	17
	女	12	(0.0%)	0	0	0	0	0	0	0	2	1	6	0	3	0
	計	88	(0.2%)	0	0	0	0	1	1	3	4	12	6	20	13	20
慢性気管支炎の疑い	男	5	(0.0%)	0	0	0	0	0	0	0	1	1	0	1	2	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0
	計	6	(0.0%)	0	0	0	0	0	0	0	1	2	0	1	2	0
気管支拡張症の疑い	男	10	(0.0%)	0	0	0	0	0	0	2	1	0	1	0	4	2
	女	7	(0.0%)	0	0	0	0	0	0	0	2	0	2	3	0	0
	計	17	(0.0%)	0	0	0	0	0	0	2	1	2	1	2	7	2
間質性肺炎の疑い	男	74	(0.2%)	0	0	0	0	1	1	1	2	5	5	10	22	13
	女	21	(0.1%)	0	0	0	0	0	0	2	1	1	5	0	5	3
	計	95	(0.2%)	0	0	0	0	1	1	3	3	6	10	10	27	16
塵肺の疑い	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0
気胸の疑い	男	3	(0.0%)	0	0	0	1	0	0	0	0	1	0	0	1	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3	(0.0%)	0	0	0	1	0	0	0	0	1	0	0	1	0
胸椎側弯	男	308	(1.0%)	2	10	11	19	21	19	25	29	32	41	29	34	23
	女	717	(2.6%)	3	33	45	26	39	54	50	72	72	58	74	107	55
	計	1,025	(1.8%)	5	43	56	45	60	73	75	101	104	99	103	141	78
その他(肺所見)	男	158	(0.5%)	0	0	3	1	5	5	11	9	23	16	20	33	20
	女	116	(0.4%)	2	1	1	1	2	5	4	7	7	7	16	32	19
	計	274	(0.5%)	2	1	4	2	7	10	15	16	30	23	36	65	39
心陰影拡大	男	41	(0.1%)	0	0	0	2	0	4	0	5	6	4	3	8	5
	女	29	(0.1%)	0	0	1	0	0	0	1	2	2	3	2	12	2
	計	70	(0.1%)	0	0	1	2	0	4	1	7	8	7	5	20	7
右胸心	男	3	(0.0%)	0	0	1	0	1	0	0	0	0	0	0	0	1
	女	3	(0.0%)	0	2	0	1	0	0	0	0	0	0	0	0	0
	計	6	(0.0%)	0	2	1	1	1	0	0	0	0	0	0	0	1
右大動脈弓	男	24	(0.1%)	0	3	1	2	0	2	1	4	3	3	5	0	0
	女	10	(0.0%)	0	0	0	1	1	1	1	2	0	1	1	1	0
	計	34	(0.1%)	0	3	1	3	1	3	2	6	3	4	6	1	1
大動脈	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0
石灰沈着	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	1	0
大動脈蛇行	男	23	(0.1%)	0	0	0	0	0	0	0	5	3	3	5	4	3
	女	23	(0.1%)	0	0	0	0	0	0	0	0	2	0	11	5	5
	計	46	(0.1%)	0	0	0	0	0	0	0	5	5	3	16	9	8
その他(心所見)	男	8	(0.0%)	0	0	0	0	0	0	0	1	1	4	1	0	1
	女	2	(0.0%)	0	0	0	1	0	0	0	0	0	0	0	1	0
	計	10	(0.0%)	0	0	0	1	0	0	0	1	1	4	1	1	1
検診者総数	男	29,908		235	1,498	2,124	2,063	2,539	3,169	3,801	3,464	3,092	2,775	2,047	1,756	844
	女	27,695		175	1,650	1,790	1,736	2,118	2,998	3,583	3,479	2,813	2,494	1,944	1,844	741
	計	57,603		410	3,148	3,914	3,799	4,657	6,167	7,384	6,943	5,905	5,269	3,991	3,600	1,585

上部消化管検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	12,343	(71.8%)	4	38	71	436	1,689	1,919	2,183	1,882	1,723	1,288	602	371	108	29
	女	7,525	(68.4%)	1	40	104	340	1,021	1,238	1,379	1,190	908	647	336	233	72	16
	計	19,868	(70.5%)	5	78	175	776	2,710	3,157	3,562	3,072	2,631	1,935	938	604	180	45
問題なし	男	2,228	(13.0%)	1	1	2	41	183	263	428	419	332	277	143	91	35	12
	女	1,715	(15.6%)	0	0	3	33	121	229	337	341	258	205	94	69	16	9
	計	3,943	(14.0%)	1	1	5	74	304	492	765	760	590	482	237	160	51	21
要経過観察	男	2,080	(12.1%)	1	1	1	20	131	224	277	352	347	322	195	141	50	18
	女	1,330	(12.1%)	0	0	1	15	83	172	225	233	207	172	124	68	19	11
	計	3,410	(12.1%)	1	1	2	35	214	396	502	585	554	494	319	209	69	29
要精密検査	男	491	(2.9%)	0	0	4	17	46	56	71	77	79	59	34	32	11	5
	女	408	(3.7%)	1	5	7	32	36	50	62	51	62	44	25	25	6	2
	計	899	(3.2%)	1	5	11	49	82	106	133	128	141	103	59	57	17	7
要治療	男	45	(0.3%)	0	0	0	1	5	4	8	15	4	4	4	0	0	0
	女	16	(0.1%)	0	0	0	0	3	0	3	1	4	3	2	0	0	0
	計	61	(0.2%)	0	0	0	1	8	4	11	16	8	7	6	0	0	0
治療中	男	15	(0.1%)	0	0	0	0	0	0	3	3	3	1	3	1	0	1
	女	4	(0.0%)	0	0	0	0	0	1	0	0	0	1	1	1	0	0
	計	19	(0.1%)	0	0	0	0	0	1	3	3	3	2	4	2	0	1
合計	男	17,202		6	40	78	515	2,054	2,466	2,970	2,748	2,488	1,951	981	636	204	65
	女	10,998		2	45	115	420	1,264	1,690	2,006	1,816	1,439	1,072	582	396	113	38
	計	28,200		8	85	193	935	3,318	4,156	4,976	4,564	3,927	3,023	1,563	1,032	317	103

胃内視鏡検査所見（1）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
食道裂孔ヘルニア	男	641	(26.0%)	0	0	0	4	51	88	124	133	104	95	27	14	0	1
	女	164	(10.3%)	0	0	0	4	4	27	36	32	24	21	7	8	0	1
	計	805	(19.8%)	0	0	0	8	55	115	160	165	128	116	34	22	0	2
逆流性食道炎	男	283	(11.5%)	0	0	0	3	13	36	45	68	58	40	14	6	0	0
	女	49	(3.1%)	0	0	0	0	2	3	9	11	10	5	6	2	0	1
	計	332	(8.2%)	0	0	0	3	15	39	54	79	68	45	20	8	0	1
バレット食道	男	51	(2.1%)	0	0	0	1	2	1	9	13	11	9	5	0	0	0
	女	10	(0.6%)	0	0	0	0	1	0	3	3	0	0	1	1	1	0
	計	61	(1.5%)	0	0	0	1	3	1	12	16	11	9	6	1	1	0
胃食道逆流症 (GERD)	男	194	(7.9%)	0	0	0	1	15	27	39	40	37	23	9	2	0	1
	女	51	(3.2%)	0	0	0	3	3	10	13	12	5	5	0	0	0	0
	計	245	(6.0%)	0	0	0	4	18	37	52	52	42	28	9	2	0	1
その他の所見 (食道所見)	男	150	(6.1%)	0	0	0	1	10	17	29	26	31	28	6	2	0	0
	女	39	(2.4%)	0	0	0	0	1	6	8	6	10	6	2	0	0	0
	計	189	(4.6%)	0	0	0	1	11	23	37	32	41	34	8	2	0	0
慢性胃炎	男	7	(0.3%)	0	0	0	0	2	0	1	0	0	3	1	0	0	0
	女	10	(0.6%)	0	0	1	0	1	1	2	0	2	2	0	0	0	0
	計	17	(0.4%)	0	0	1	0	3	1	2	2	0	5	3	0	0	0
萎縮性胃炎	男	121	(4.9%)	0	0	0	2	12	20	12	28	13	17	11	6	0	0
	女	63	(3.9%)	0	0	0	0	8	5	8	9	12	13	4	4	0	0
	計	184	(4.5%)	0	0	0	2	20	25	20	37	25	30	15	10	0	0
びらん性胃炎	男	166	(6.7%)	0	0	0	2	11	25	29	30	33	21	7	7	0	1
	女	83	(5.2%)	0	0	0	2	7	11	18	17	12	6	9	1	0	0
	計	249	(6.1%)	0	0	0	4	18	36	47	47	45	27	16	8	0	1
タコイボびらん	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
胃潰瘍	男	8	(0.3%)	0	0	0	0	1	1	5	0	1	0	0	0	0	0
	女	2	(0.1%)	0	0	0	0	0	0	0	0	0	2	0	0	0	0
	計	10	(0.2%)	0	0	0	0	1	1	5	0	1	2	0	0	0	0
胃潰瘍瘢痕	男	25	(1.0%)	0	0	0	0	0	0	3	5	5	8	1	2	1	0
	女	11	(0.7%)	0	0	0	0	1	0	3	2	0	5	0	0	0	0
	計	36	(0.9%)	0	0	0	0	1	0	6	7	5	13	1	2	1	0
胃底腺ポリープ	男	700	(28.3%)	0	0	0	10	44	78	143	145	122	108	28	19	1	2
	女	670	(42.0%)	0	0	1	15	52	99	151	149	102	71	24	6	0	0
	計	1,370	(33.7%)	0	0	1	25	96	177	294	294	224	179	52	25	1	2
除菌後胃炎	男	262	(10.6%)	0	0	0	0	10	24	42	47	51	46	24	17	0	1
	女	148	(9.3%)	0	0	0	2	4	9	30	27	28	27	17	4	0	0
	計	410	(10.1%)	0	0	0	2	14	33	72	74	79	73	41	21	0	1
表層性胃炎	男	21	(0.9%)	0	0	0	0	1	1	3	7	6	3	0	0	0	0
	女	20	(1.3%)	0	0	0	1	2	1	4	4	3	2	3	0	0	0
	計	41	(1.0%)	0	0	0	1	3	2	7	11	9	5	3	0	0	0

胃内視鏡検査所見（2）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
胃術後	男	4	(0.2%)	0	0	0	0	0	1	1	0	1	0	1	0	0	
	女	3	(0.2%)	0	0	0	0	0	0	1	1	0	0	1	0	0	
	計	7	(0.2%)	0	0	0	0	0	1	2	1	1	0	2	0	0	
慢性活動性胃炎	男	61	(2.5%)	0	0	0	1	8	3	8	9	15	10	5	2	0	0
	女	24	(1.5%)	0	0	0	1	2	1	7	6	4	3	0	0	0	0
	計	85	(2.1%)	0	0	0	2	10	4	15	15	19	13	5	2	0	0
慢性非活動性胃炎	男	122	(4.9%)	0	0	0	0	3	13	14	27	24	28	6	4	2	1
	女	44	(2.8%)	0	0	0	1	4	4	4	11	9	7	1	2	1	0
	計	166	(4.1%)	0	0	0	1	7	17	18	38	33	35	7	6	3	1
良性びらん	男	40	(1.6%)	0	0	0	2	3	2	9	12	7	4	1	0	0	0
	女	15	(0.9%)	0	0	0	1	0	2	6	3	2	1	0	0	0	0
	計	55	(1.4%)	0	0	0	3	3	4	15	15	9	5	1	0	0	0
過形成性ポリープ	男	11	(0.4%)	0	0	0	0	2	0	1	3	3	2	0	0	0	0
	女	5	(0.3%)	0	0	0	0	1	0	0	1	1	2	0	0	0	0
	計	16	(0.4%)	0	0	0	0	3	0	1	4	4	4	0	0	0	0
その他の所見 (胃所見)	男	420	(17.0%)	0	0	0	4	31	41	56	92	76	81	22	13	1	3
	女	177	(11.1%)	0	0	0	2	11	18	37	35	38	26	7	2	1	0
	計	597	(14.7%)	0	0	0	6	42	59	93	127	114	107	29	15	2	3
十二指腸潰瘍	男	4	(0.2%)	0	0	0	0	0	0	1	2	1	0	0	0	0	0
	女	1	(0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	5	(0.1%)	0	0	0	0	0	0	1	2	2	0	0	0	0	0
十二指腸潰瘍瘢痕	男	58	(2.3%)	0	0	0	0	1	6	12	8	12	8	7	4	0	0
	女	20	(1.3%)	0	0	0	0	1	1	3	7	3	2	2	1	0	0
	計	78	(1.9%)	0	0	0	0	2	7	15	15	15	10	9	5	0	0
ポリープ	男	33	(1.3%)	0	0	0	0	4	0	4	9	6	8	2	0	0	0
	女	22	(1.4%)	0	0	0	0	2	3	5	5	1	4	1	1	0	0
	計	55	(1.4%)	0	0	0	0	6	3	9	14	7	12	3	1	0	0
憩室	男	11	(0.4%)	0	0	0	0	0	0	2	2	4	1	1	0	1	0
	女	5	(0.3%)	0	0	0	0	0	0	4	0	0	0	0	1	0	0
	計	16	(0.4%)	0	0	0	0	0	0	6	2	4	1	1	1	1	0
粘膜下腫瘍	男	60	(2.4%)	0	0	0	0	4	3	11	12	11	11	5	3	0	0
	女	18	(1.1%)	0	0	0	0	2	4	3	4	1	2	2	0	0	0
	計	78	(1.9%)	0	0	0	0	6	7	14	16	12	13	7	3	0	0
十二指腸炎	男	50	(2.0%)	0	0	0	2	2	6	5	17	5	10	2	1	0	0
	女	4	(0.3%)	0	0	0	0	1	0	1	0	2	0	0	0	0	0
	計	54	(1.3%)	0	0	0	2	3	6	6	17	7	10	2	1	0	0
Brunner 腺過形成	男	7	(0.3%)	0	0	0	0	0	0	1	3	1	2	0	0	0	0
	女	3	(0.2%)	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	計	10	(0.2%)	0	0	0	0	0	0	1	3	4	2	0	0	0	0
その他の所見 (十二指腸所見)	男	77	(3.1%)	0	0	0	0	5	4	12	25	16	12	3	0	0	0
	女	18	(1.1%)	0	0	0	0	1	1	6	3	3	3	1	0	0	0
	計	95	(2.3%)	0	0	0	0	6	5	18	28	19	15	4	0	0	0
検診者総数	男	2,470		0	1	0	30	219	315	473	511	412	334	112	55	4	4
	女	1,595		0	0	5	41	167	227	350	327	229	161	63	23	1	1
	計	4,065		0	1	5	71	386	542	823	838	641	495	175	78	5	5

胃部X線検査所見(1)

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
胃 部																	
伸展不良	男	4	(0.0%)	0	0	0	0	0	0	1	1	0	1	0	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	4	(0.0%)	0	0	0	0	0	0	1	1	0	1	0	1	0	0
辺縁不整	男	15	(0.1%)	0	0	0	0	1	1	1	1	4	2	2	3	0	0
	女	3	(0.0%)	0	0	0	0	1	0	0	0	0	0	0	2	0	0
	計	18	(0.1%)	0	0	0	0	2	1	1	1	4	2	2	5	0	0
壁硬化	男	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
変形	男	57	(0.5%)	0	0	0	2	5	4	8	7	3	6	12	6	4	0
	女	7	(0.1%)	0	0	0	0	1	1	0	1	0	0	2	2	0	0
	計	64	(0.4%)	0	0	0	2	6	5	8	8	3	6	14	8	4	0
粘膜不整	男	14	(0.1%)	0	0	0	0	1	1	1	2	2	2	1	1	2	1
	女	12	(0.2%)	0	0	0	1	1	0	0	1	2	3	2	1	1	0
	計	26	(0.2%)	0	0	0	1	2	1	1	3	4	5	3	2	3	1
ニッシュ	男	2	(0.0%)	0	0	0	0	0	0	0	2	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	0	2	0	0	0	0	0	0
レリーフ集中像	男	9	(0.1%)	0	0	0	0	1	1	1	2	2	2	0	0	0	0
	女	5	(0.1%)	0	0	0	0	1	0	0	1	2	0	1	0	0	0
	計	14	(0.1%)	0	0	0	0	2	1	1	3	4	2	1	0	0	0
レリーフ異常	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	2	(0.0%)	0	0	0	0	0	0	0	2	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	0	2	0	0	0	0	0	0
バリウム斑	男	13	(0.1%)	0	0	0	0	0	1	0	5	3	1	2	0	1	0
	女	3	(0.0%)	0	0	0	0	0	0	1	1	1	0	0	0	0	0
	計	16	(0.1%)	0	0	0	0	0	1	1	6	4	1	2	0	1	0
胃炎の疑い	男	1,226	(11.7%)	1	1	0	15	76	107	163	183	164	161	159	120	61	15
	女	531	(7.9%)	0	0	1	5	22	43	60	59	76	86	77	74	18	10
	計	1,757	(10.2%)	1	1	1	20	98	150	223	242	240	247	236	194	79	25
胃潰瘍瘢痕の疑い	男	5	(0.0%)	0	0	0	0	0	0	0	0	1	1	1	0	2	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	5	(0.0%)	0	0	0	0	0	0	0	0	1	1	1	0	2	0
胃潰瘍の疑い	男	23	(0.2%)	0	0	0	2	3	2	6	5	2	0	1	2	0	0
	女	4	(0.1%)	0	0	0	0	1	0	0	1	0	0	1	1	0	0
	計	27	(0.2%)	0	0	0	2	4	2	6	6	2	0	2	3	0	0
粗大皺壁の疑い	男	4	(0.0%)	1	0	0	0	0	1	0	1	0	0	0	1	0	0
	女	6	(0.1%)	0	0	0	0	0	1	0	0	0	1	1	2	1	0
	計	10	(0.1%)	1	0	0	0	0	2	0	1	0	1	1	3	1	0
陥凹性病変の疑い	男	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
憩室の疑い	男	41	(0.4%)	0	0	0	0	6	2	7	2	7	4	5	4	2	2
	女	27	(0.4%)	0	0	0	0	1	3	4	4	5	4	3	2	0	1
	計	68	(0.4%)	0	0	0	0	7	5	11	6	12	8	8	6	2	3
術後胃	男	23	(0.2%)	0	0	0	0	0	1	0	3	0	5	3	6	2	3
	女	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	24	(0.1%)	0	0	0	0	0	1	0	3	0	6	3	6	2	3
ヒロリ菌感染疑い	男	30	(0.3%)	0	0	1	5	9	4	5	2	2	0	1	1	0	0
	女	19	(0.3%)	0	0	1	4	1	5	3	1	1	2	1	0	0	0
	計	49	(0.3%)	0	0	2	9	10	9	8	3	3	2	2	1	0	0
その他の異常	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
その他の所見	男	61	(0.6%)	1	0	0	1	1	8	9	16	11	2	5	4	2	1
	女	34	(0.5%)	0	0	0	0	1	3	6	1	6	3	7	7	0	0
	計	95	(0.6%)	1	0	0	1	2	11	15	17	17	5	12	11	2	1

胃部X線検査所見(2)

所見		総数	19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
食道部																	
食道裂孔ヘルニア	男	83	(0.8%)	0	0	0	0	0	4	6	9	13	17	11	10	4	9
	女	32	(0.5%)	0	0	0	0	0	0	2	1	0	4	11	8	5	1
	計	115	(0.7%)	0	0	0	0	0	4	8	10	13	21	22	18	9	10
食道炎の疑い	男	68	(0.6%)	0	0	0	0	2	8	11	8	7	13	7	6	5	1
	女	16	(0.2%)	0	0	0	0	0	1	1	3	2	0	3	4	1	1
	計	84	(0.5%)	0	0	0	0	2	9	12	11	9	13	10	10	6	2
食道潰瘍の疑い	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
その他の所見	男	17	(0.2%)	0	0	0	0	0	0	1	5	5	1	1	2	2	0
	女	6	(0.1%)	0	0	0	0	0	0	0	3	0	0	0	2	1	0
	計	23	(0.1%)	0	0	0	0	0	0	1	8	5	1	1	4	3	0
十二指腸部																	
十二指腸球部変形	男	233	(2.2%)	0	0	2	4	16	24	41	40	29	36	20	10	7	4
	女	23	(0.3%)	0	0	0	0	0	4	3	2	3	1	3	6	1	0
	計	256	(1.5%)	0	0	2	4	16	28	44	42	32	37	23	16	8	4
陰影欠損	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
十二指腸潰瘍の疑い	男	9	(0.1%)	0	0	1	1	0	1	0	2	2	2	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	9	(0.1%)	0	0	1	1	0	1	0	2	2	2	0	0	0	0
十二指腸潰瘍瘢痕の疑い	男	11	(0.1%)	0	0	0	1	1	1	5	1	0	1	1	0	0	0
	女	2	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	1	0	0
	計	13	(0.1%)	0	0	0	1	1	1	6	1	0	1	1	1	0	0
十二指腸憩室の疑い	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	8	(0.1%)	0	0	0	0	0	0	1	1	3	0	3	0	0	0
	計	8	(0.0%)	0	0	0	0	0	0	1	1	3	0	3	0	0	0
隆起性病変の疑い	男	1,057	(10.1%)	0	1	1	28	95	143	173	162	173	114	72	63	23	9
	女	1,454	(21.7%)	0	0	1	29	99	212	268	282	226	170	93	51	15	8
	計	2,511	(14.6%)	0	1	2	57	194	355	441	444	399	284	165	114	38	17
造影不良	男	17	(0.2%)	0	0	0	1	3	5	3	3	2	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	17	(0.1%)	0	0	0	1	3	5	3	3	2	0	0	0	0	0
その他の所見	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
検診者総数	男	10,509		6	34	67	465	1,253	1,454	1,713	1,524	1,331	1,088	780	541	196	57
	女	6,710		1	15	50	256	635	973	1,135	1,055	896	730	474	347	109	34
	計	17,219		7	49	117	721	1,888	2,427	2,848	2,579	2,227	1,818	1,254	888	305	91

ペプシノゲン検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
ペプシノゲン	男	4,989	94	1.9	0	0	—	4	0	—	14	1	7.1	19	0	—	677	9	1.3	818	11	1.3	932	13	1.4	852	22	2.6	952	15	1.6	585	17	2.9	91	3	3.3	39	3	7.7	5	0	—	1	0	—
	女	2,946	94	3.2	0	0	—	26	3	11.5	57	2	3.5	109	6	5.5	506	9	1.8	568	19	3.3	578	13	2.2	484	12	2.5	363	16	4.4	185	8	4.3	43	2	4.7	21	3	14.3	3	0	—	3	1	33.3
	計	7,935	188	2.4	0	0	—	30	3	10.0	71	3	4.2	128	6	4.7	1,183	18	1.5	1,386	30	2.2	1,510	26	1.7	1,336	34	2.5	1,315	31	2.4	770	25	3.2	134	5	3.7	60	6	10.0	8	0	—	4	1	25.0

陽性率%

ヘリコクターピロリ抗体検査検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
ヘリコクターピロリ抗体	男	744	131	17.6	0	0	—	1	0	—	10	2	20.0	64	9	14.1	77	17	22.1	174	30	17.2	122	14	11.5	96	17	17.7	121	20	16.5	44	12	27.3	16	2	12.5	13	4	30.8	2	2	100.0	4	2	50.0
	女	980	184	18.8	1	1	100.0	28	5	17.9	53	6	11.3	145	26	17.9	164	21	12.8	143	22	15.4	123	23	18.7	111	15	13.5	97	26	26.8	65	18	27.7	23	9	39.1	19	10	52.6	5	1	20.0	3	1	33.3
	計	1,724	315	18.3	1	1	100.0	29	5	17.2	63	8	12.7	209	35	16.7	241	38	15.8	317	52	16.4	245	37	15.1	207	32	15.5	218	46	21.1	109	30	27.5	39	11	28.2	32	14	43.8	7	3	42.9	7	3	42.9

陽性率%

心電図判定結果

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	21,100	(74.8%)	193	1,066	1,524	1,533	2,335	2,662	3,124	2,733	2,246	1,850	1,097	635	78	24
	女	19,261	(80.3%)	157	1,137	1,281	1,381	1,903	2,466	2,905	2,662	2,071	1,593	913	694	68	30
	計	40,361	(77.3%)	350	2,203	2,805	2,914	4,238	5,128	6,029	5,395	4,317	3,443	2,010	1,329	146	54
問題なし	男	2,220	(7.9%)	34	148	171	173	231	263	286	231	245	199	131	89	16	3
	女	1,424	(5.9%)	14	81	79	77	137	142	209	176	202	138	78	73	9	9
	計	3,644	(7.0%)	48	229	250	250	368	405	495	407	447	337	209	162	25	12
要経過観察	男	3,776	(13.4%)	11	104	106	148	200	304	466	487	586	560	379	333	62	30
	女	2,899	(12.1%)	8	61	89	109	175	269	348	447	399	354	304	239	31	66
	計	6,675	(12.8%)	19	165	195	257	375	573	814	934	985	914	683	572	93	96
要精密検査	男	205	(0.7%)	0	5	4	5	12	17	21	23	26	38	25	24	3	2
	女	114	(0.5%)	0	5	1	1	4	8	10	17	14	20	13	15	1	5
	計	319	(0.6%)	0	10	5	6	16	25	31	40	40	58	38	39	4	7
要治療	男	2	(0.0%)	0	0	0	0	0	0	1	0	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	1	0	1	0	0	0	0	0
治療中	男	896	(3.2%)	0	4	0	2	11	32	48	89	170	201	170	128	28	13
	女	296	(1.2%)	0	5	2	2	3	8	25	35	36	41	42	56	16	25
	計	1,192	(2.3%)	0	9	2	4	14	40	73	124	206	242	212	184	44	38
合計	男	28,199		238	1,327	1,805	1,861	2,789	3,278	3,946	3,563	3,274	2,848	1,802	1,209	187	72
	女	23,994		179	1,289	1,452	1,570	2,222	2,893	3,497	3,337	2,722	2,146	1,350	1,077	125	135
	計	52,193		417	2,616	3,257	3,431	5,011	6,171	7,443	6,900	5,996	4,994	3,152	2,286	312	207

マスター負荷心電図検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
陽性ST-T の変化 (ダブル)	男	1	(0.7%)	0	0	0	0	0	0	1	0	0	0	0	0	0	
	女	4	(5.1%)	0	0	0	0	0	0	1	0	2	1	0	0	0	
	計	5	(2.3%)	0	0	0	0	0	0	2	0	2	1	0	0	0	
疑陽性ST-T の変化 (ダブル)	男	4	(2.9%)	0	1	0	0	0	0	0	0	2	1	0	0	0	
	女	7	(9.0%)	0	0	0	0	1	0	0	1	2	2	1	0	0	
	計	11	(5.1%)	0	1	0	0	1	0	0	1	4	3	1	0	0	
不整脈の出現 (ダブル)	男	13	(9.6%)	0	0	0	0	0	2	1	3	3	4	0	0	0	
	女	7	(9.0%)	0	0	0	0	0	1	2	2	2	0	0	0	0	
	計	20	(9.3%)	0	0	0	0	0	2	2	5	5	6	0	0	0	
検診者総数	男	136		0	20	8	1	2	10	11	25	28	21	5	3	1	1
	女	78		0	0	0	1	6	12	8	21	19	8	3	0	0	0
	計	214		0	20	8	2	8	22	19	46	47	29	8	3	1	1

自転車エルゴメータ負荷心電図検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
不整脈の出現	男	21	(8.1%)	0	0	0	2	0	5	0	2	4	5	0	1	0	2
	女	10	(5.3%)	0	0	0	1	0	1	0	0	3	1	3	1	0	0
	計	31	(6.9%)	0	0	0	3	0	6	0	2	7	6	3	2	0	2
ST-T の変化	男	15	(5.8%)	0	2	1	1	0	3	0	3	2	1	0	0	1	1
	女	16	(8.5%)	0	0	0	8	0	4	0	1	1	1	1	0	0	0
	計	31	(6.9%)	0	2	1	9	0	7	0	4	3	2	1	0	1	1
血圧の変化	男	106	(40.9%)	0	5	3	17	1	33	5	14	13	7	3	3	2	0
	女	37	(19.7%)	0	0	0	3	0	8	1	6	11	5	2	1	0	0
	計	143	(32.0%)	0	5	3	20	1	41	6	20	24	12	5	4	2	0
検診者総数	男	259		0	21	8	62	2	78	10	25	20	16	5	6	3	3
	女	188		0	0	1	48	5	59	9	21	21	10	7	6	1	0
	計	447		0	21	9	110	7	137	19	46	41	26	12	12	4	3

安静心电图検査所見(1)

所見	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
洞性徐脈	男	719	(2.5%)	12	46	51	58	73	86	66	71	84	63	58	39	10	2
	女	233	(1.0%)	3	13	18	6	20	22	25	37	36	23	20	8	1	1
	計	952	(1.8%)	15	59	69	64	93	108	91	108	120	86	78	47	11	3
洞性頻脈	男	225	(0.8%)	1	7	10	15	8	18	41	38	40	22	13	11	0	1
	女	167	(0.7%)	0	11	10	6	15	15	33	20	22	14	12	6	1	2
	計	392	(0.8%)	1	18	20	21	23	33	74	58	62	36	25	17	1	3
洞性不整脈	男	21	(0.1%)	1	6	3	1	0	3	1	0	1	0	4	1	0	0
	女	11	(0.0%)	2	1	1	2	1	1	1	0	1	0	0	1	0	0
	計	32	(0.1%)	3	7	4	3	1	4	2	0	2	0	4	2	0	0
右軸偏位 (100°以上)	男	263	(0.9%)	9	29	36	29	30	32	30	22	15	14	12	5	0	0
	女	293	(1.2%)	4	23	24	31	37	37	50	27	29	13	10	5	1	2
	計	556	(1.1%)	13	52	60	60	67	69	80	49	44	27	22	10	1	2
左軸偏位 (-30°以下)	男	532	(1.9%)	1	7	17	20	28	35	67	63	95	82	51	55	7	4
	女	264	(1.1%)	1	5	7	9	18	16	45	53	33	22	23	23	2	7
	計	796	(1.5%)	2	12	24	29	46	51	112	116	128	104	74	78	9	11
不定軸	男	29	(0.1%)	0	1	2	4	4	3	1	4	3	3	4	0	0	0
	女	28	(0.1%)	0	2	1	2	5	3	6	2	4	2	0	0	1	0
	計	57	(0.1%)	0	3	3	6	9	6	7	6	7	5	4	0	1	0
第一度房室ブロック	男	306	(1.1%)	0	7	7	7	11	11	26	18	41	53	52	54	13	6
	女	104	(0.4%)	0	2	4	1	3	7	8	11	19	12	10	8	2	17
	計	410	(0.8%)	0	9	11	8	14	18	34	29	60	65	62	62	15	23
第二度房室ブロック	男	8	(0.0%)	0	0	2	0	1	0	2	1	0	1	0	1	0	0
	女	6	(0.0%)	0	0	0	0	0	1	1	1	1	1	1	0	0	0
	計	14	(0.0%)	0	0	2	0	1	1	3	2	1	2	1	1	0	0
房線不全伝導群	男	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
WPW症候群	男	45	(0.2%)	1	4	1	3	3	10	5	3	6	6	3	0	0	0
	女	23	(0.1%)	1	1	2	2	2	2	3	2	2	2	2	2	0	0
	計	68	(0.1%)	2	5	3	5	5	12	8	5	8	8	5	2	0	0
PQ短縮	男	10	(0.0%)	2	2	2	0	1	1	0	0	1	0	0	1	0	0
	女	22	(0.1%)	0	4	3	3	1	3	3	2	1	2	0	0	0	0
	計	32	(0.1%)	2	6	5	3	2	4	3	2	2	2	0	1	0	0
不完全右脚ブロック	男	729	(2.6%)	3	53	53	57	95	92	99	67	64	64	47	28	5	2
	女	314	(1.3%)	2	10	14	10	20	21	43	39	54	41	23	33	2	2
	計	1,043	(2.0%)	5	63	67	67	115	113	142	106	118	105	70	61	7	4
完全右脚ブロック	男	756	(2.7%)	0	5	11	14	26	50	87	82	109	133	105	109	15	10
	女	280	(1.2%)	0	1	6	4	20	15	29	35	44	33	38	39	5	11
	計	1,036	(2.0%)	0	6	17	18	46	65	116	117	153	166	143	148	20	21
完全左脚ブロック	男	16	(0.1%)	0	0	0	0	0	1	1	0	5	1	5	2	0	1
	女	18	(0.1%)	0	0	0	0	0	0	0	4	1	3	3	4	1	2
	計	34	(0.1%)	0	0	0	0	0	1	1	4	6	4	8	6	1	3
上室性期外収縮	男	239	(0.8%)	1	3	3	8	8	17	11	18	35	31	44	41	14	5
	女	222	(0.9%)	1	6	4	5	9	26	24	30	26	33	23	23	2	10
	計	461	(0.9%)	2	9	7	13	17	43	35	48	61	64	67	64	16	15
心室性期外収縮	男	428	(1.5%)	1	8	2	14	24	26	47	43	69	78	62	43	5	6
	女	276	(1.1%)	1	9	8	4	17	34	41	45	31	27	26	21	2	10
	計	704	(1.3%)	2	17	10	18	41	60	88	88	100	105	88	64	7	16
心房細動	男	135	(0.5%)	0	0	0	0	3	2	5	9	31	27	28	26	2	2
	女	20	(0.1%)	0	0	0	0	0	1	0	0	1	2	4	5	0	7
	計	155	(0.3%)	0	0	0	0	3	3	5	9	32	29	32	31	2	9

安静心电图検査所見（2）

所見	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
心房粗動	男	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
ST低下	男	4	(0.0%)	0	0	0	0	0	0	0	0	1	1	0	2	0	0
	女	6	(0.0%)	0	0	0	0	0	0	0	0	2	1	1	2	0	0
	計	10	(0.0%)	0	0	0	0	0	0	0	0	3	2	1	4	0	0
ST-T異常	男	304	(1.1%)	0	5	6	4	7	21	27	27	45	61	46	37	11	7
	女	256	(1.1%)	0	6	10	6	7	24	18	33	33	38	37	28	5	11
	計	560	(1.1%)	0	11	16	10	14	45	45	60	78	99	83	65	16	18
異常Q波	男	543	(1.9%)	1	8	13	19	25	18	52	73	107	120	51	38	13	5
	女	313	(1.3%)	0	5	9	15	16	28	43	48	43	33	25	21	5	22
	計	856	(1.6%)	1	13	22	34	41	46	95	121	150	153	76	59	18	27
R波増高不良	男	98	(0.3%)	0	4	7	5	7	5	16	6	18	14	7	8	1	0
	女	267	(1.1%)	1	11	12	18	31	44	48	44	26	14	7	5	1	5
	計	365	(0.7%)	1	15	19	23	38	49	64	50	44	28	14	13	2	5
陰性T波	男	191	(0.7%)	1	4	5	5	12	19	24	34	23	24	23	11	5	1
	女	226	(0.9%)	3	15	6	10	13	23	21	34	22	30	21	19	1	8
	計	417	(0.8%)	4	19	11	15	25	42	45	68	45	54	44	30	6	9
平低T	男	749	(2.7%)	0	9	7	13	34	64	91	125	125	110	73	75	17	6
	女	1,073	(4.5%)	3	23	29	44	60	73	125	185	141	147	122	86	9	26
	計	1,822	(3.5%)	3	32	36	57	94	137	216	310	266	257	195	161	26	32
T波増高	男	123	(0.4%)	3	9	6	5	10	15	12	13	17	16	11	6	0	0
	女	3	(0.0%)	0	0	0	0	0	0	0	1	0	1	0	1	0	0
	計	126	(0.2%)	3	9	6	5	10	15	12	14	17	17	11	7	0	0
ST上昇	男	101	(0.4%)	0	6	4	4	19	15	15	11	6	11	7	3	0	0
	女	10	(0.0%)	0	0	1	0	0	0	2	1	1	2	1	2	0	0
	計	111	(0.2%)	0	6	5	4	19	15	17	12	7	13	8	5	0	0
早期再分極	男	1	(0.0%)	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.0%)	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.0%)	2	0	0	0	0	0	0	0	0	0	0	0	0	0
QT延長	男	92	(0.3%)	0	0	0	0	5	7	9	11	22	20	8	8	1	1
	女	70	(0.3%)	0	0	1	0	3	2	8	8	9	7	15	10	0	7
	計	162	(0.3%)	0	0	1	0	8	9	17	19	31	27	23	18	1	8
低電位差	男	3	(0.0%)	0	0	0	0	0	0	1	1	1	0	0	0	0	0
	女	25	(0.1%)	0	1	2	0	3	2	4	5	5	1	1	1	0	0
	計	28	(0.1%)	0	1	2	0	3	2	5	6	6	1	1	1	0	0
右胸心	男	4	(0.0%)	0	0	0	0	2	0	0	0	1	0	0	1	0	0
	女	3	(0.0%)	0	1	0	1	1	0	0	0	0	0	0	0	0	0
	計	7	(0.0%)	0	1	0	1	3	0	0	0	1	0	0	1	0	0
入ベースメーター因律	男	20	(0.1%)	0	0	0	0	1	0	1	2	3	8	2	0	1	2
	女	7	(0.0%)	0	1	1	0	0	1	0	0	0	0	0	2	1	1
	計	27	(0.1%)	0	1	1	0	1	1	1	2	3	8	2	2	2	3
Ⅲ、○VfのQ波	男	86	(0.3%)	0	0	4	1	3	6	16	13	11	10	11	8	2	1
	女	37	(0.2%)	0	0	0	0	1	5	3	2	6	9	5	5	1	0
	計	123	(0.2%)	0	0	4	1	4	11	19	15	17	19	16	13	3	1
左室高電位	男	1,057	(3.7%)	6	58	46	55	58	92	131	143	144	143	89	75	12	5
	女	284	(1.2%)	0	1	3	2	3	9	20	36	48	45	50	56	6	5
	計	1,341	(2.6%)	6	59	49	57	61	101	151	179	192	188	139	131	18	10
右室高電位	男	14	(0.0%)	0	2	1	3	0	1	2	1	0	4	0	0	0	0
	女	5	(0.0%)	0	0	0	0	1	1	0	2	0	0	1	0	0	0
	計	19	(0.0%)	0	2	1	3	1	2	2	3	0	4	1	0	0	0

安静心电图検査所見（3）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
ブルグダ型ST上昇 coved型	男	6 (0.0%)	0	1	0	1	1	1	1	0	1	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	6 (0.0%)	0	1	0	1	1	1	1	1	0	1	0	0	0	0
ブルグダ型ST上昇 saddle back型	男	10 (0.0%)	0	0	0	1	0	1	5	0	1	0	0	2	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	10 (0.0%)	0	0	0	1	0	1	5	0	1	0	0	2	0	0
完全房室ブロック	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	2 (0.0%)	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	計	2 (0.0%)	0	0	1	0	0	0	0	0	0	0	0	0	0	1
RSRパターン	男	290 (1.0%)	1	9	13	15	22	34	43	41	41	41	23	7	0	0
	女	265 (1.1%)	1	8	9	10	26	26	33	30	56	29	18	16	1	2
	計	555 (1.1%)	2	17	22	25	48	60	76	71	97	70	41	23	1	2
左前枝ブロック	男	137 (0.5%)	0	0	0	2	4	16	10	11	19	24	19	21	9	2
	女	106 (0.4%)	0	1	2	1	6	7	14	12	15	18	9	12	3	6
	計	243 (0.5%)	0	1	2	3	10	23	24	23	34	42	28	33	12	8
左後枝ブロック	男	2 (0.0%)	0	1	1	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.0%)	0	1	1	0	0	0	0	0	0	0	0	0	0	0
冠状静脈洞調律	男	33 (0.1%)	4	4	2	3	0	4	4	6	0	2	2	2	0	0
	女	64 (0.3%)	1	5	2	6	9	6	10	5	8	5	6	1	0	0
	計	97 (0.2%)	5	9	4	9	9	10	14	11	8	7	8	3	0	0
確定できない不整脈	男	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
右房性P (拡大)	男	94 (0.3%)	1	1	2	4	9	13	11	14	18	14	5	2	0	0
	女	147 (0.6%)	0	4	3	0	12	14	18	25	33	20	11	5	2	0
	計	241 (0.5%)	1	5	5	4	21	27	29	39	51	34	16	7	2	0
左房性P (拡大)	男	93 (0.3%)	0	3	5	6	7	13	15	10	14	9	4	7	0	0
	女	49 (0.2%)	0	1	4	4	3	2	8	5	7	6	3	4	2	0
	計	142 (0.3%)	0	4	9	10	10	15	23	15	21	15	7	11	2	0
その他 (安静心电图所見)	男	425 (1.5%)	3	3	1	5	6	13	31	45	86	93	84	46	7	2
	女	187 (0.8%)	12	5	2	1	5	8	20	26	21	22	25	27	8	5
	計	612 (1.2%)	15	8	3	6	11	21	51	71	107	115	109	73	15	7
検診者総数	男	28,212	238	1,327	1,805	1,862	2,791	3,278	3,948	3,564	3,277	2,848	1,806	1,209	187	72
	女	24,003	179	1,289	1,453	1,570	2,222	2,894	3,498	3,340	2,723	2,147	1,351	1,077	125	135
	計	52,215	417	2,616	3,258	3,432	5,013	6,172	7,446	6,904	6,000	4,995	3,157	2,286	312	207

腹部超音波判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	771	(10.3%)	0	8	14	137	158	151	142	92	38	22	7	1	1	0
	女	1,605	(28.2%)	1	8	39	163	246	285	313	284	159	64	27	14	1	1
	計	2,376	(18.0%)	1	16	53	300	404	436	455	376	197	86	34	15	2	1
問題なし	男	144	(1.9%)	0	0	3	11	24	22	19	20	18	21	4	1	1	0
	女	194	(3.4%)	0	2	4	19	32	41	26	24	23	14	5	4	0	0
	計	338	(2.6%)	0	2	7	30	56	63	45	44	41	35	9	5	1	0
要経過観察	男	6,161	(82.4%)	1	3	20	245	448	661	1,031	1,081	1,085	757	457	268	77	27
	女	3,582	(62.9%)	1	3	11	99	198	352	591	624	623	480	314	204	70	12
	計	9,743	(74.0%)	2	6	31	344	646	1,013	1,622	1,705	1,708	1,237	771	472	147	39
要精密検査	男	385	(5.1%)	0	0	2	10	17	31	72	66	79	49	33	18	5	3
	女	307	(5.4%)	0	0	1	11	27	35	43	46	43	49	26	19	4	3
	計	692	(5.3%)	0	0	3	21	44	66	115	112	122	98	59	37	9	6
要治療	男	6	(0.1%)	0	0	0	0	0	1	0	3	1	1	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	7	(0.1%)	0	0	0	0	0	1	0	4	1	1	0	0	0	0
治療中	男	11	(0.1%)	0	0	0	0	0	1	1	2	2	0	5	0	0	0
	女	3	(0.1%)	0	0	0	0	0	1	0	0	0	1	0	0	1	0
	計	14	(0.1%)	0	0	0	0	0	2	1	2	2	1	5	0	1	0
合計	男	7,478		1	11	39	403	647	867	1,265	1,264	1,223	850	506	288	84	30
	女	5,692		2	13	55	292	503	714	973	979	848	608	372	241	76	16
	計	13,170		3	24	94	695	1,150	1,581	2,238	2,243	2,071	1,458	878	529	160	46

腹部超音波検査所見（1）

所見	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
脂肪肝の疑い	男	3,177	(42.5%)	0	1	9	103	193	317	565	600	577	442	227	114	22	7
	女	1,041	(18.3%)	0	0	0	21	54	80	168	190	188	157	102	65	14	2
	計	4,218	(32.0%)	0	1	9	124	247	397	733	790	765	599	329	179	36	9
肝嚢胞の疑い	男	1,468	(19.6%)	0	0	0	16	48	98	203	289	313	223	145	104	23	6
	女	1,217	(21.4%)	0	0	1	13	43	94	173	237	225	201	117	78	29	6
	計	2,685	(20.4%)	0	0	1	29	91	192	376	526	538	424	262	182	52	12
肝血管腫の疑い	男	336	(4.5%)	1	0	2	10	23	30	62	60	77	39	16	11	4	1
	女	395	(6.9%)	0	0	2	21	44	57	75	76	52	39	22	5	2	0
	計	731	(5.6%)	1	0	4	31	67	87	137	136	129	78	38	16	6	1
肝占拠性病変の疑い	男	6	(0.1%)	0	0	0	0	1	1	0	2	1	0	0	0	0	1
	女	3	(0.1%)	0	0	0	0	0	0	1	0	0	1	1	0	0	0
	計	9	(0.1%)	0	0	0	0	1	1	1	2	1	1	1	0	0	1
肝内結石の疑い	男	7	(0.1%)	0	0	0	0	0	0	2	3	0	0	1	1	0	0
	女	3	(0.1%)	0	0	0	0	0	1	0	0	0	1	1	0	0	0
	計	10	(0.1%)	0	0	0	0	0	1	2	3	0	1	2	1	0	0
肝内石灰化の疑い	男	61	(0.8%)	0	0	0	1	1	6	7	12	7	12	7	3	4	1
	女	34	(0.6%)	0	0	0	0	1	4	4	5	7	7	2	3	1	0
	計	95	(0.7%)	0	0	0	1	2	10	11	17	14	19	9	6	5	1
肝臓に高エコーのものあり	男	72	(1.0%)	0	0	0	2	1	3	9	8	14	13	12	6	2	2
	女	43	(0.8%)	0	1	0	1	2	4	7	6	6	8	3	1	2	2
	計	115	(0.9%)	0	1	0	3	3	7	16	14	20	21	15	7	4	4
肝左葉辺縁鈍化	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	計	2	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	1	0
肝内エコー粗雑化	男	4	(0.1%)	0	0	0	0	0	0	2	1	0	0	1	0	0	0
	女	2	(0.0%)	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	計	6	(0.0%)	0	0	0	0	0	0	2	1	0	1	2	0	0	0
慢性肝疾患の疑い	男	5	(0.1%)	0	0	0	0	0	0	0	1	0	1	2	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	5	(0.0%)	0	0	0	0	0	0	0	1	0	1	2	1	0	0
肝臓描出不良	男	261	(3.5%)	0	0	0	2	9	18	30	33	66	41	31	25	2	4
	女	23	(0.4%)	0	0	0	1	0	2	0	4	2	5	4	4	0	1
	計	284	(2.2%)	0	0	0	3	9	20	30	37	68	46	35	29	2	5
肝内胆管拡張の疑い	男	2	(0.0%)	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	計	3	(0.0%)	0	0	0	0	0	0	0	0	2	0	0	0	1	0
肝外胆管拡張の疑い	男	66	(0.9%)	0	0	0	1	3	1	5	5	7	9	21	10	4	0
	女	46	(0.8%)	0	0	0	0	0	0	3	6	4	7	12	6	6	2
	計	112	(0.9%)	0	0	0	1	3	1	8	11	11	16	33	16	10	2
胆嚢ポリープの疑い	男	1,713	(22.9%)	0	1	4	73	137	214	308	297	318	175	109	57	17	3
	女	778	(13.7%)	1	0	6	29	57	108	152	129	123	85	47	27	14	0
	計	2,491	(18.9%)	1	1	10	102	194	322	460	426	441	260	156	84	31	3
胆石の疑い	男	361	(4.8%)	0	0	0	1	5	16	52	69	82	59	47	18	8	4
	女	206	(3.6%)	0	0	0	3	13	16	23	33	46	41	12	13	5	1
	計	567	(4.3%)	0	0	0	4	18	32	75	102	128	100	59	31	13	5
胆砂・胆泥の疑い	男	63	(0.8%)	0	0	0	1	0	4	6	13	9	13	9	5	1	2
	女	55	(1.0%)	0	0	0	1	1	5	5	11	7	14	5	5	1	0
	計	118	(0.9%)	0	0	0	2	1	9	11	24	16	27	14	10	2	2

腹部超音波検査所見（2）

所見	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
胆嚢腺筋腫症の疑い	男	211	(2.8%)	0	0	0	2	2	6	25	45	43	43	24	16	5	0
	女	93	(1.6%)	0	0	0	1	6	7	12	13	18	17	10	8	1	0
	計	304	(2.3%)	0	0	0	3	8	13	37	58	61	60	34	24	6	0
胆嚢壁の肥厚	男	24	(0.3%)	0	0	0	1	2	1	3	4	8	2	3	0	0	0
	女	14	(0.2%)	0	1	0	0	2	1	3	2	2	2	1	0	0	0
	計	38	(0.3%)	0	1	0	1	4	2	6	6	10	4	4	0	0	0
胆嚢壁内結石の疑い	男	212	(2.8%)	0	0	0	2	6	15	30	43	51	27	25	7	4	2
	女	64	(1.1%)	0	1	0	0	3	6	12	14	10	7	7	4	0	0
	計	276	(2.1%)	0	1	0	2	9	21	42	57	61	34	32	11	4	2
胆嚢変形	男	2	(0.0%)	0	0	0	0	0	0	1	0	0	0	1	0	0	0
	女	1	(0.0%)	0	0	0	1	0	0	0	0	0	0	0	0	0	0
	計	3	(0.0%)	0	0	0	1	0	0	1	0	0	0	1	0	0	0
胆嚢腫大	男	14	(0.2%)	0	0	0	0	0	1	1	1	4	4	1	1	1	0
	女	7	(0.1%)	0	0	0	0	0	1	1	1	2	1	0	1	0	0
	計	21	(0.2%)	0	0	0	0	0	2	2	2	6	5	1	2	1	0
胆嚢摘出後	男	248	(3.3%)	0	0	0	1	6	2	24	52	48	50	27	28	6	4
	女	162	(2.8%)	0	0	0	5	4	9	19	24	34	20	24	18	4	1
	計	410	(3.1%)	0	0	0	6	10	11	43	76	82	70	51	46	10	5
胆嚢描出不良	男	81	(1.1%)	0	0	0	2	4	7	7	13	17	12	11	6	1	1
	女	20	(0.4%)	0	0	0	2	0	1	2	4	3	1	3	3	0	1
	計	101	(0.8%)	0	0	0	4	4	8	9	17	20	13	14	9	1	2
膵管拡張の疑い	男	119	(1.6%)	0	0	0	0	3	3	13	18	21	25	20	6	7	3
	女	33	(0.6%)	0	0	0	0	1	0	3	2	6	5	6	6	3	1
	計	152	(1.2%)	0	0	0	0	4	3	16	20	27	30	26	12	10	4
膵嚢胞の疑い	男	16	(0.2%)	0	0	0	0	0	0	5	2	4	0	2	2	0	1
	女	32	(0.6%)	0	0	0	0	2	1	1	5	9	7	3	1	3	0
	計	48	(0.4%)	0	0	0	0	2	1	6	7	13	7	5	3	3	1
膵臓描出不良	男	4,674	(62.5%)	1	2	13	155	291	457	748	834	866	617	373	228	63	26
	女	1,413	(24.8%)	0	1	0	35	59	105	227	255	236	194	145	108	36	12
	計	6,087	(46.2%)	1	3	13	190	350	562	975	1,089	1,102	811	518	336	99	38
その他 (肝臓・胆嚢・膵臓)	男	149	(2.0%)	0	0	0	0	8	9	18	22	23	26	20	16	5	2
	女	113	(2.0%)	0	0	0	3	4	7	17	15	21	19	16	9	0	2
	計	262	(2.0%)	0	0	0	3	12	16	35	37	44	45	36	25	5	4
腎嚢胞の疑い	男	1,902	(25.4%)	0	0	3	21	65	94	207	295	393	341	241	162	56	24
	女	702	(12.3%)	0	0	1	10	25	42	82	125	123	113	90	65	22	4
	計	2,604	(19.8%)	0	0	4	31	90	136	289	420	516	454	331	227	78	28
腎結石の疑い	男	450	(6.0%)	0	0	0	6	20	36	78	76	88	65	48	21	6	6
	女	139	(2.4%)	0	0	1	2	6	7	25	22	28	18	14	12	3	1
	計	589	(4.5%)	0	0	1	8	26	43	103	98	116	83	62	33	9	7
腎臓に高エコーのものあり	男	931	(12.4%)	0	0	1	21	60	71	146	162	188	127	82	51	19	3
	女	502	(8.8%)	0	0	1	9	26	39	65	100	95	70	61	27	8	1
	計	1,433	(10.9%)	0	0	2	30	86	110	211	262	283	197	143	78	27	4
腎血管筋脂肪腫の疑い	男	47	(0.6%)	0	0	0	0	3	5	6	14	6	5	5	2	1	0
	女	84	(1.5%)	0	0	0	2	1	8	16	23	16	12	3	3	0	0
	計	131	(1.0%)	0	0	0	2	4	13	22	37	22	17	8	5	1	0
腎占拠性病変の疑い	男	8	(0.1%)	0	0	0	1	0	0	0	1	4	0	2	0	0	0
	女	3	(0.1%)	0	0	0	0	0	0	0	2	1	0	0	0	0	0
	計	11	(0.1%)	0	0	0	1	0	0	0	3	5	0	2	0	0	0

腹部超音波検査所見（3）

所見	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
水腎症の疑い	男	9	(0.1%)	0	0	0	0	0	1	2	2	0	2	0	1	1	0
	女	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	10	(0.1%)	0	0	0	0	0	2	2	2	0	2	0	1	1	0
重複腎盂の疑い	男	24	(0.3%)	0	0	0	2	3	2	2	4	4	3	2	1	0	1
	女	25	(0.4%)	0	0	0	1	1	1	3	4	4	4	5	2	0	0
	計	49	(0.4%)	0	0	0	3	4	3	5	8	8	7	7	3	0	1
腎萎縮の疑い	男	9	(0.1%)	0	0	0	1	0	1	0	1	3	1	0	1	1	0
	女	4	(0.1%)	0	0	0	1	0	0	1	2	0	0	0	0	0	0
	計	13	(0.1%)	0	0	0	2	0	1	1	3	3	1	0	1	1	0
腎臓描出不良	男	3	(0.0%)	0	0	0	1	0	0	1	1	0	0	0	0	0	0
	女	10	(0.2%)	0	0	1	0	0	1	1	2	1	2	0	1	1	0
	計	13	(0.1%)	0	0	1	1	0	1	2	3	1	2	0	1	1	0
腎盂・腎杯の拡張	男	57	(0.8%)	0	0	0	2	0	3	4	11	13	7	7	5	3	2
	女	64	(1.1%)	0	0	0	1	2	2	9	10	9	5	7	11	5	3
	計	121	(0.9%)	0	0	0	3	2	5	13	21	22	12	14	16	8	5
その他 (腎臓)	男	101	(1.4%)	0	0	0	1	5	6	13	10	25	21	8	9	1	2
	女	54	(0.9%)	0	0	1	1	1	5	8	6	16	4	4	4	4	0
	計	155	(1.2%)	0	0	1	2	6	11	21	16	41	25	12	13	5	2
脾腫	男	3	(0.0%)	0	0	0	0	0	0	0	0	1	0	2	0	0	0
	女	4	(0.1%)	0	0	0	1	1	2	0	0	0	0	0	0	0	0
	計	7	(0.1%)	0	0	0	1	1	2	0	0	1	0	2	0	0	0
脾嚢胞の疑い	男	12	(0.2%)	0	0	0	0	0	1	6	1	3	0	0	1	0	0
	女	11	(0.2%)	0	0	1	1	1	1	1	4	1	0	0	1	0	0
	計	23	(0.2%)	0	0	1	1	1	2	7	5	4	0	0	2	0	0
脾臓に高エコー のものあり	男	7	(0.1%)	0	0	0	0	0	0	1	1	0	1	0	3	1	0
	女	3	(0.1%)	0	0	0	0	1	0	0	0	0	0	2	0	0	0
	計	10	(0.1%)	0	0	0	0	1	0	1	1	0	1	2	3	1	0
副脾の疑い	男	257	(3.4%)	0	0	5	22	42	42	41	33	37	20	11	3	1	0
	女	274	(4.8%)	0	2	8	26	45	59	42	37	24	17	7	5	2	0
	計	531	(4.0%)	0	2	13	48	87	101	83	70	61	37	18	8	3	0
脾臓描出不良	男	18	(0.2%)	0	0	0	0	0	1	1	3	3	2	5	2	1	0
	女	6	(0.1%)	0	0	0	0	0	0	0	1	0	3	1	1	0	0
	計	24	(0.2%)	0	0	0	0	0	1	1	4	3	5	6	3	1	0
腹部大動脈石灰化 の疑い	男	2,010	(26.9%)	0	0	0	1	4	23	137	252	454	464	358	221	72	24
	女	963	(16.9%)	0	0	0	1	1	8	33	91	187	221	183	161	66	11
	計	2,973	(22.6%)	0	0	0	2	5	31	170	343	641	685	541	382	138	35
腹部大動脈瘤 の疑い	男	23	(0.3%)	0	0	0	0	0	0	0	1	4	4	5	6	0	3
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	24	(0.2%)	0	0	0	0	0	0	0	1	4	4	6	6	0	3
脾血管腫の疑い	男	4	(0.1%)	0	0	0	0	0	0	1	1	0	2	0	0	0	0
	女	6	(0.1%)	0	0	0	0	1	1	1	1	0	0	1	0	1	0
	計	10	(0.1%)	0	0	0	0	1	1	2	2	0	2	1	0	1	0
その他 (脾臓・腹部大動脈)	男	43	(0.6%)	0	0	0	0	0	0	4	5	7	8	7	7	4	1
	女	31	(0.5%)	0	0	0	0	1	3	5	9	5	5	0	2	1	0
	計	74	(0.6%)	0	0	0	0	1	3	9	14	12	13	7	9	5	1
検診者総数	男	7,478		1	11	39	403	647	867	1,265	1,264	1,223	850	506	288	84	30
	女	5,692		2	13	55	292	503	714	973	979	848	608	372	241	76	16
	計	13,170		3	24	94	695	1,150	1,581	2,238	2,243	2,071	1,458	878	529	160	46

眼底写真判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	5,463	(52.6%)	1	11	55	450	684	901	1,109	924	696	441	146	45	0	0
	女	4,521	(61.4%)	1	13	61	333	528	720	929	876	574	318	127	40	1	0
	計	9,984	(56.3%)	2	24	116	783	1,212	1,621	2,038	1,800	1,270	759	273	85	1	0
問題なし	男	69	(0.7%)	0	0	0	0	5	8	8	13	18	10	5	2	0	0
	女	36	(0.5%)	0	0	0	0	0	5	3	5	10	6	2	5	0	0
	計	105	(0.6%)	0	0	0	0	5	13	11	18	28	16	7	7	0	0
要経過観察	男	3,660	(35.3%)	0	0	0	12	54	135	379	615	786	751	467	405	41	15
	女	2,084	(28.3%)	0	0	1	6	21	72	182	330	353	434	336	312	32	5
	計	5,744	(32.4%)	0	0	1	18	75	207	561	945	1,139	1,185	803	717	73	20
要精密検査	男	720	(6.9%)	0	1	0	6	24	37	82	101	110	112	106	123	13	5
	女	433	(5.9%)	0	0	0	3	12	18	40	51	55	67	94	89	3	1
	計	1,153	(6.5%)	0	1	0	9	36	55	122	152	165	179	200	212	16	6
要治療	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	1	0	0
治療中	男	465	(4.5%)	0	0	0	2	5	13	48	66	114	93	59	46	15	4
	女	289	(3.9%)	0	0	0	1	2	14	19	43	62	53	42	40	11	2
	計	754	(4.2%)	0	0	0	3	7	27	67	109	176	146	101	86	26	6
合計	男	10,378		1	12	55	470	772	1,094	1,626	1,719	1,724	1,407	783	622	69	24
	女	7,364		1	13	62	343	563	829	1,173	1,306	1,054	878	601	486	47	8
	計	17,742		2	25	117	813	1,335	1,923	2,799	3,025	2,778	2,285	1,384	1,108	116	32

眼底検査所見（1）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
細動脈狭細化	男	52 (0.5%)	0	0	0	0	0	2	2	9	9	11	9	8	2	0
	女	23 (0.3%)	0	0	0	0	0	1	4	3	4	3	0	8	0	0
	計	75 (0.4%)	0	0	0	0	0	3	6	12	13	14	9	16	2	0
細動脈口径不同	男	51 (0.5%)	0	0	0	0	1	2	2	8	15	12	4	6	1	0
	女	42 (0.6%)	0	0	0	0	0	1	7	9	7	8	4	5	1	0
	計	93 (0.5%)	0	0	0	0	1	3	9	17	22	20	8	11	2	0
眼底出血	男	27 (0.3%)	0	0	0	0	1	3	5	4	6	3	2	3	0	0
	女	18 (0.2%)	0	0	0	1	2	0	1	1	5	4	3	1	0	0
	計	45 (0.3%)	0	0	0	1	3	3	6	5	11	7	5	4	0	0
眼底出血の疑い	男	70 (0.7%)	0	0	1	0	4	5	11	12	12	11	6	8	0	0
	女	57 (0.8%)	0	0	0	1	2	3	4	13	7	7	7	13	0	0
	計	127 (0.7%)	0	0	1	1	6	8	15	25	19	18	13	21	0	0
細動脈反射増強	男	1,169 (11.2%)	0	0	0	1	13	37	127	205	268	260	119	122	14	3
	女	779 (10.6%)	0	0	0	0	4	22	67	144	143	165	127	98	9	0
	計	1,948 (11.0%)	0	0	0	1	17	59	194	349	411	425	246	220	23	3
動静脈交叉現象	男	2,299 (22.1%)	0	0	0	3	24	64	231	404	525	486	304	230	22	6
	女	1,226 (16.6%)	0	0	0	2	5	31	95	224	235	253	201	160	19	1
	計	3,525 (19.8%)	0	0	0	5	29	95	326	628	760	739	505	390	41	7
毛細血管瘤 (赤色点)	男	2 (0.0%)	0	0	0	0	0	0	0	1	0	1	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	1	0	1	0	0	0	0
新生血管	男	1 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	0	0	2	0	0	0	0
点状出血	男	92 (0.9%)	0	0	0	0	3	6	5	18	19	22	8	11	0	0
	女	11 (0.1%)	0	0	0	0	1	2	3	0	0	3	1	1	0	0
	計	103 (0.6%)	0	0	0	0	4	8	8	18	19	25	9	12	0	0
斑状出血	男	46 (0.4%)	0	0	0	0	1	4	6	12	6	7	7	3	0	0
	女	16 (0.2%)	0	0	0	0	0	2	3	3	1	0	4	2	1	0
	計	62 (0.3%)	0	0	0	0	1	6	9	15	7	7	11	5	1	0
網膜白斑	男	85 (0.8%)	0	0	0	0	6	4	9	22	16	16	6	6	0	0
	女	34 (0.5%)	0	0	0	0	2	4	3	6	0	3	7	8	1	0
	計	119 (0.7%)	0	0	0	0	8	8	12	28	16	19	13	14	1	0
白内障の疑い	男	903 (8.7%)	0	0	0	0	1	3	10	33	92	177	234	295	42	16
	女	632 (8.6%)	0	0	0	0	1	2	5	15	49	116	192	224	22	6
	計	1,535 (8.6%)	0	0	0	0	2	5	15	48	141	293	426	519	64	22
視神経乳頭異常	男	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	1	0	0

眼底検査所見（2）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
視神経乳頭異常の疑い	男	554 (5.3%)	0	0	0	9	13	35	75	96	118	107	46	40	14	1
	女	246 (3.3%)	0	0	0	0	3	19	27	39	47	53	34	18	5	1
	計	800 (4.5%)	0	0	0	9	16	54	102	135	165	160	80	58	19	2
光凝固後	男	20 (0.2%)	0	0	0	0	0	0	0	2	4	9	4	1	0	0
	女	4 (0.1%)	0	0	0	0	0	1	0	2	0	0	0	1	0	0
	計	24 (0.1%)	0	0	0	0	0	1	0	4	4	9	4	2	0	0
網膜有髄神経繊維の疑い	男	61 (0.6%)	0	0	0	0	3	4	5	14	16	6	6	7	0	0
	女	32 (0.4%)	0	0	0	0	0	2	3	5	9	4	1	8	0	0
	計	93 (0.5%)	0	0	0	0	3	6	8	19	25	10	7	15	0	0
網脈絡膜血管叢の疑い	男	46 (0.4%)	0	0	0	0	2	4	10	5	12	7	4	1	1	0
	女	23 (0.3%)	0	0	0	0	2	1	2	8	3	4	1	2	0	0
	計	69 (0.4%)	0	0	0	0	4	5	12	13	15	11	5	3	1	0
瞳孔の開き不充分	男	304 (2.9%)	0	0	0	3	2	3	11	38	45	76	50	59	13	4
	女	130 (1.8%)	0	0	0	0	2	2	7	14	13	31	28	25	6	2
	計	434 (2.4%)	0	0	0	3	4	5	18	52	58	107	78	84	19	6
黄斑部異常の疑い	男	519 (5.0%)	0	0	0	2	9	21	55	86	101	100	68	67	9	1
	女	213 (2.9%)	0	0	0	0	5	10	8	20	42	50	34	40	3	1
	計	732 (4.1%)	0	0	0	2	14	31	63	106	143	150	102	107	12	2
右眼のみ撮影	男	23 (0.2%)	0	0	0	0	0	1	2	4	4	5	1	3	1	2
	女	10 (0.1%)	0	0	0	0	1	0	2	1	3	1	1	1	0	0
	計	33 (0.2%)	0	0	0	0	1	1	4	5	7	6	2	4	1	2
左眼のみ撮影	男	18 (0.2%)	0	0	0	0	1	0	0	4	2	2	5	2	0	2
	女	5 (0.1%)	0	0	0	0	0	0	2	0	1	0	1	1	0	0
	計	23 (0.1%)	0	0	0	0	1	0	2	4	3	2	6	3	0	2
硝子体閃輝融解の疑い	男	35 (0.3%)	0	0	0	0	0	1	2	3	7	10	5	6	1	0
	女	16 (0.2%)	0	0	0	0	0	2	0	1	3	4	2	4	0	0
	計	51 (0.3%)	0	0	0	0	0	3	2	4	10	14	7	10	1	0
網膜神経線維層欠損の疑い	男	512 (4.9%)	0	1	0	4	13	33	74	90	122	91	46	28	8	2
	女	261 (3.5%)	0	0	0	4	6	20	42	54	41	46	31	15	2	0
	計	773 (4.3%)	0	1	0	8	19	53	116	144	163	137	77	43	10	2
ドルーゼン	男	7 (0.1%)	0	0	0	0	0	0	0	0	1	2	1	1	2	0
	女	22 (0.3%)	0	0	0	0	0	0	0	0	1	4	7	7	3	0
	計	29 (0.2%)	0	0	0	0	0	0	0	0	2	6	8	8	5	0
その他の所見	男	193 (1.9%)	0	0	0	1	12	11	32	35	45	25	15	14	2	1
	女	125 (1.7%)	0	0	1	2	3	9	16	28	26	18	11	10	1	0
	計	318 (1.8%)	0	0	1	3	15	20	48	63	71	43	26	24	3	1
検診者総数	男	10,396	1	15	58	473	775	1,096	1,626	1,723	1,724	1,407	783	622	69	24
	女	7,378	1	13	62	348	564	832	1,175	1,308	1,054	879	601	486	47	8
	計	17,774	2	28	120	821	1,339	1,928	2,801	3,031	2,778	2,286	1,384	1,108	116	32

肺機能判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	17	(94.4%)	1	2	2	1	1	2	7	0	0	1	0	0	0	0
	女	1	(100.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	18	(94.7%)	1	2	2	1	1	2	7	0	1	1	0	0	0	0
問題なし	男	1	(5.6%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(5.3%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要精密検査	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	男	18		1	2	2	1	1	2	7	0	0	1	1	0	0	0
	女	1		0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	19		1	2	2	1	1	2	7	0	1	1	1	0	0	0

肺機能検査の性年齢別平均値

検査項目	総数	19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上																
%肺活量	男	45	113.8	1	92.0	3	112.7	17	112.1	8	121.8	4	119.8	2	120.5	8	114.5	0	0.0	0	0.0	1	105.0	1	72.0	0	0.0	0	0.0	0	0.0
	女	1	116.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	116.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	46	113.9	1	92.0	3	112.7	17	112.1	8	121.8	4	119.8	2	120.5	8	114.5	0	0.0	1	116.0	1	105.0	1	72.0	0	0.0	0	0.0	0	0.0
一秒率%	男	45	82.1	1	89.0	3	82.2	17	83.7	8	81.5	4	83.1	2	84.2	8	79.4	0	0.0	0	0.0	1	80.9	1	65.6	0	0.0	0	0.0	0	0.0
	女	1	81.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	81.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	46	82.1	1	89.0	3	82.2	17	83.7	8	81.5	4	83.1	2	84.2	8	79.4	0	0.0	1	81.6	1	80.9	1	65.6	0	0.0	0	0.0	0	0.0

聴力判定結果

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	24,965	(85.4%)	230	1,647	2,266	2,315	2,728	3,179	3,668	3,111	2,641	1,970	870	294	38	8
	女	22,215	(93.8%)	173	1,645	1,898	1,865	2,117	2,813	3,317	3,073	2,385	1,704	784	379	55	7
	計	47,180	(89.2%)	403	3,292	4,164	4,180	4,845	5,992	6,985	6,184	5,026	3,674	1,654	673	93	15
問題なし	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	男	4,263	(14.6%)	7	14	27	43	105	186	380	502	639	855	785	551	127	42
	女	1,463	(6.2%)	2	26	28	28	46	68	110	151	196	268	233	245	53	9
	計	5,726	(10.8%)	9	40	55	71	151	254	490	653	835	1,123	1,018	796	180	51
要精密検査	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	男	29,228		237	1,661	2,293	2,358	2,833	3,365	4,048	3,613	3,280	2,825	1,655	845	165	50
	女	23,678		175	1,671	1,926	1,893	2,163	2,881	3,427	3,224	2,581	1,972	1,017	624	108	16
	計	52,906		412	3,332	4,219	4,251	4,996	6,246	7,475	6,837	5,861	4,797	2,672	1,469	273	66

聴力検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
聴力・右・ 500Hz dB	男	113	20.2	0	—	0	—	1	10.0	0	—	2	32.5	8	16.3	12	20.0	25	19.2	33	17.6	20	19.0	6	20.8	3	38.3	1	90.0	2	32.5
	女	76	19.8	0	—	0	—	0	—	1	20.0	5	18.0	12	20.8	7	21.4	22	18.0	19	20.8	7	19.3	3	23.3	0	—	0	—	0	—
	計	189	20.0	0	—	0	—	1	10.0	1	20.0	7	22.1	20	19.0	19	20.5	47	18.6	52	18.8	27	19.1	9	21.7	3	38.3	1	90.0	2	32.5
聴力・右・ 1kHz dB	男	113	15.6	0	—	0	—	1	15.0	0	—	2	15.0	8	11.3	12	12.1	25	12.6	33	16.2	20	16.0	6	14.2	3	35.0	1	70.0	2	27.5
	女	76	14.5	0	—	0	—	0	—	1	20.0	5	14.0	12	15.0	7	13.6	22	11.4	19	16.6	7	16.4	3	18.3	0	—	0	—	0	—
	計	189	15.2	0	—	0	—	1	15.0	1	20.0	7	14.3	20	13.5	19	12.6	47	12.0	52	16.4	27	16.1	9	15.6	3	35.0	1	70.0	2	27.5
聴力・右・ 2kHz dB	男	113	17.6	0	—	0	—	1	20.0	0	—	2	12.5	8	10.0	12	10.4	25	14.6	33	18.9	20	18.5	6	23.3	3	26.7	1	65.0	2	45.0
	女	76	16.7	0	—	0	—	0	—	1	25.0	5	13.0	12	15.0	7	15.7	22	15.5	19	17.1	7	20.0	3	28.3	0	—	0	—	0	—
	計	189	17.2	0	—	0	—	1	20.0	1	25.0	7	12.9	20	13.0	19	12.4	47	15.0	52	18.3	27	18.9	9	25.0	3	26.7	1	65.0	2	45.0
聴力・右・ 4kHz dB	男	113	21.0	0	—	0	—	1	20.0	0	—	2	22.5	8	10.0	12	10.4	25	16.2	33	21.5	20	27.8	6	27.5	3	30.0	1	90.0	2	45.0
	女	76	13.4	0	—	0	—	0	—	1	15.0	5	10.0	12	13.8	7	10.0	22	10.7	19	16.3	7	17.1	3	18.3	0	—	0	—	0	—
	計	189	18.0	0	—	0	—	1	20.0	1	15.0	7	13.6	20	12.3	19	10.3	47	13.6	52	19.6	27	25.0	9	24.4	3	30.0	1	90.0	2	45.0
聴力・左・ 500Hz dB	男	113	22.0	0	—	0	—	1	15.0	0	—	2	25.0	8	13.8	12	28.8	25	19.4	33	21.5	20	20.0	6	15.8	3	41.7	1	65.0	2	42.5
	女	76	21.9	0	—	0	—	0	—	1	20.0	5	18.0	12	19.2	7	21.4	22	23.0	19	23.2	7	22.9	3	23.3	0	—	0	—	0	—
	計	189	22.0	0	—	0	—	1	15.0	1	20.0	7	20.0	20	17.0	19	26.1	47	21.1	52	22.1	27	20.7	9	18.3	3	41.7	1	65.0	2	42.5
聴力・左・ 1kHz dB	男	113	14.8	0	—	0	—	1	10.0	0	—	2	15.0	8	8.8	12	17.1	25	12.8	33	15.6	20	13.5	6	11.7	3	30.0	1	20.0	2	35.0
	女	76	14.1	0	—	0	—	0	—	1	15.0	5	12.0	12	13.3	7	11.4	22	13.9	19	15.0	7	15.7	3	20.0	0	—	0	—	0	—
	計	189	14.5	0	—	0	—	1	10.0	1	15.0	7	12.9	20	11.5	19	15.0	47	13.3	52	15.4	27	14.1	9	14.4	3	30.0	1	20.0	2	35.0
聴力・左・ 2kHz dB	男	113	17.4	0	—	0	—	1	15.0	0	—	2	17.5	8	10.0	12	18.3	25	15.0	33	17.3	20	19.3	6	21.7	3	23.3	1	20.0	2	32.5
	女	76	15.5	0	—	0	—	0	—	1	20.0	5	9.0	12	12.1	7	12.9	22	15.9	19	16.8	7	19.3	3	23.3	0	—	0	—	0	—
	計	189	16.6	0	—	0	—	1	15.0	1	20.0	7	11.4	20	11.3	19	16.3	47	15.4	52	17.1	27	19.3	9	22.2	3	23.3	1	20.0	2	32.5
聴力・左・ 4kHz dB	男	113	22.2	0	—	0	—	1	15.0	0	—	2	17.5	8	10.0	12	18.3	25	17.0	33	22.1	20	26.3	6	35.8	3	40.0	1	45.0	2	47.5
	女	76	13.8	0	—	0	—	0	—	1	25.0	5	9.0	12	10.8	7	10.7	22	13.2	19	16.1	7	16.4	3	20.0	0	—	0	—	0	—
	計	189	18.8	0	—	0	—	1	15.0	1	25.0	7	11.4	20	10.5	19	15.5	47	15.2	52	19.9	27	23.7	9	30.6	3	40.0	1	45.0	2	47.5

精密聴力検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
精密聴力・右 250Hz dB	男	289	31.5	12	32.9	61	33.0	45	29.1	52	29.7	22	30.9	10	33.0	65	32.4	11	30.0	5	34.0	4	37.5	2	32.5	0	—	0	—	0	—
	女	2	32.5	0	—	0	—	0	—	0	—	0	—	1	35.0	0	—	0	—	0	—	0	—	0	—	1	30.0	0	—	0	—
	計	291	31.5	12	32.9	61	33.0	45	29.1	52	29.7	22	30.9	11	33.2	65	32.4	11	30.0	5	34.0	4	37.5	2	32.5	1	30.0	0	—	0	—
精密聴力・右 500Hz dB	男	289	26.7	12	24.6	61	27.8	45	24.7	52	26.5	22	24.6	10	30.5	65	27.1	11	25.5	5	32.0	4	31.3	2	30.0	0	—	0	—	0	—
	女	2	27.5	0	—	0	—	0	—	0	—	0	—	1	30.0	0	—	0	—	0	—	0	—	0	—	1	25.0	0	—	0	—
	計	291	26.7	12	24.6	61	27.8	45	24.7	52	26.5	22	24.6	11	30.5	65	27.1	11	25.5	5	32.0	4	31.3	2	30.0	1	25.0	0	—	0	—
精密聴力・右 1KHz dB	男	289	17.2	12	14.6	61	15.8	45	14.1	52	14.7	22	17.5	10	24.0	65	20.2	11	19.1	5	22.0	4	28.8	2	22.5	0	—	0	—	0	—
	女	2	17.5	0	—	0	—	0	—	0	—	0	—	1	15.0	0	—	0	—	0	—	0	—	0	—	1	20.0	0	—	0	—
	計	291	17.2	12	14.6	61	15.8	45	14.1	52	14.7	22	17.5	11	23.2	65	20.2	11	19.1	5	22.0	4	28.8	2	22.5	1	20.0	0	—	0	—
精密聴力・右 2KHz dB	男	289	16.0	12	13.8	61	14.0	45	10.4	52	13.1	22	15.0	10	20.5	65	21.5	11	22.7	5	21.0	4	33.8	2	22.5	0	—	0	—	0	—
	女	2	20.0	0	—	0	—	0	—	0	—	0	—	1	15.0	0	—	0	—	0	—	0	—	0	—	1	25.0	0	—	0	—
	計	291	16.1	12	13.8	61	14.0	45	10.4	52	13.1	22	15.0	11	20.0	65	21.5	11	22.7	5	21.0	4	33.8	2	22.5	1	25.0	0	—	0	—
精密聴力・右 4KHz dB	男	289	13.9	12	5.4	61	8.3	45	6.1	52	9.9	22	14.6	10	18.0	65	24.5	11	24.6	5	25.0	4	27.5	2	35.0	0	—	0	—	0	—
	女	2	27.5	0	—	0	—	0	—	0	—	0	—	1	10.0	0	—	0	—	0	—	0	—	0	—	1	45.0	0	—	0	—
	計	291	14.0	12	5.4	61	8.3	45	6.1	52	9.9	22	14.6	11	17.3	65	24.5	11	24.6	5	25.0	4	27.5	2	35.0	1	45.0	0	—	0	—
精密聴力・右 8KHz dB	男	289	14.9	12	7.9	61	9.8	45	10.6	52	9.1	22	12.3	10	16.5	65	22.8	11	25.0	5	44.0	4	32.5	2	55.0	0	0.0	0	—	0	—
	女	2	42.5	0	—	0	—	0	—	0	—	0	—	1	15.0	0	—	0	—	0	—	0	—	0	—	1	70.0	0	—	0	—
	計	291	15.1	12	7.9	61	9.8	45	10.6	52	9.1	22	12.3	11	16.4	65	22.8	11	25.0	5	44.0	4	32.5	2	55.0	1	70.0	0	—	0	—
精密聴力・左 250Hz dB	男	289	30.0	12	29.2	61	30.3	45	27.0	52	28.9	22	29.8	10	32.5	65	30.6	11	32.7	5	37.0	4	40.0	2	35.0	0	0.0	0	—	0	—
	女	2	35.0	0	—	0	—	0	—	0	—	0	—	1	35.0	0	—	0	—	0	—	0	—	0	—	1	35.0	0	—	0	—
	計	291	30.0	12	29.2	61	30.3	45	27.0	52	28.9	22	29.8	11	32.7	65	30.6	11	32.7	5	37.0	4	40.0	2	35.0	1	35.0	0	—	0	—
精密聴力・左 500Hz dB	男	289	24.7	12	22.1	61	25.3	45	22.3	52	23.8	22	24.1	10	26.5	65	25.3	11	26.4	5	32.0	4	32.5	2	30.0	0	—	0	—	0	—
	女	2	35.0	0	—	0	—	0	—	0	—	0	—	1	35.0	0	—	0	—	0	—	0	—	0	—	1	35.0	0	—	0	—
	計	291	24.7	12	22.1	61	25.3	45	22.3	52	23.8	22	24.1	11	27.3	65	25.3	11	26.4	5	32.0	4	32.5	2	30.0	1	35.0	0	—	0	—
精密聴力・左 1KHz dB	男	289	15.7	12	13.8	61	14.5	45	13.4	52	13.7	22	16.4	10	21.0	65	17.5	11	18.6	5	23.0	4	26.3	2	22.5	0	—	0	—	0	—
	女	2	22.5	0	—	0	—	0	—	0	—	0	—	1	20.0	0	—	0	—	0	—	0	—	0	—	1	25.0	0	—	0	—
	計	291	15.8	12	13.8	61	14.5	45	13.4	52	13.7	22	16.4	11	20.9	65	17.5	11	18.6	5	23.0	4	26.3	2	22.5	1	25.0	0	—	0	—
精密聴力・左 2KHz dB	男	289	14.5	12	11.3	61	11.7	45	10.3	52	12.1	22	13.4	10	16.5	65	20.0	11	20.5	5	20.0	4	31.3	2	22.5	0	—	0	—	0	—
	女	2	22.5	0	—	0	—	0	—	0	—	0	—	1	20.0	0	—	0	—	0	—	0	—	0	—	1	25.0	0	—	0	—
	計	291	14.6	12	11.3	61	11.7	45	10.3	52	12.1	22	13.4	11	16.8	65	20.0	11	20.5	5	20.0	4	31.3	2	22.5	1	25.0	0	—	0	—
精密聴力・左 4KHz dB	男	289	14.7	12	3.3	61	6.2	45	7.4	52	10.0	22	15.7	10	20.5	65	27.9	11	28.6	5	19.0	4	28.8	2	37.5	0	—	0	—	0	—
	女	2	27.5	0	—	0	—	0	—	0	—	0	—	1	10.0	0	—	0	—	0	—	0	—	0	—	1	45.0	0	—	0	—
	計	291	14.7	12	3.3	61	6.2	45	7.4	52	10.0	22	15.7	11	19.6	65	27.9	11	28.6	5	19.0	4	28.8	2	37.5	1	45.0	0	—	0	—
精密聴力・左 8KHz dB	男	289	14.0	12	2.9	61	4.0	45	8.2	52	8.6	22	15.0	10	20.5	65	25.9	11	27.7	5	35.0	4	36.3	2	55.0	0	—	0	—	0	—
	女	2	32.5	0	—	0	—	0	—	0	—	0	—	1	10.0	0	—	0	—	0	—	0	—	0	—	1	55.0	0	—	0	—
	計	291	14.1	12	2.9	61	4.0	45	8.2	52	8.6	22	15.0	11	19.6	65	25.9	11	27.7	5	35.0	4	36.3	2	55.0	1	55.0	0	—	0	—

血圧判定結果

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	17,872	(52.9%)	243	1,685	2,252	2,044	2,263	2,251	2,249	1,638	1,231	843	510	385	175	103
	女	21,271	(68.1%)	214	1,891	2,180	1,993	2,270	2,765	2,868	2,374	1,767	1,282	808	566	201	92
	計	39,143	(60.2%)	457	3,576	4,432	4,037	4,533	5,016	5,117	4,012	2,998	2,125	1,318	951	376	195
問題なし	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	男	8,450	(25.0%)	32	251	417	531	680	865	1,211	1,121	977	858	604	526	237	140
	女	5,489	(17.6%)	8	69	75	158	257	442	699	824	720	702	581	599	244	111
	計	13,939	(21.4%)	40	320	492	689	937	1,307	1,910	1,945	1,697	1,560	1,185	1,125	481	251
要精密検査	男	844	(2.5%)	0	4	9	23	60	91	136	141	125	103	57	48	32	15
	女	480	(1.5%)	0	1	2	8	14	23	73	80	43	73	65	62	21	15
	計	1,324	(2.0%)	0	5	11	31	74	114	209	221	168	176	122	110	53	30
要治療	男	205	(0.6%)	0	0	4	6	14	26	34	31	27	27	16	14	1	5
	女	84	(0.3%)	0	0	1	1	2	6	20	16	8	12	8	4	4	2
	計	289	(0.4%)	0	0	5	7	16	32	54	47	35	39	24	18	5	7
治療中	男	6,443	(19.1%)	0	3	8	22	76	221	525	794	1,043	1,158	955	885	459	294
	女	3,928	(12.6%)	0	2	2	2	33	87	241	477	541	584	603	752	358	246
	計	10,371	(15.9%)	0	5	10	24	109	308	766	1,271	1,584	1,742	1,558	1,637	817	540
合計	男	33,814		275	1,943	2,690	2,626	3,093	3,454	4,155	3,725	3,403	2,989	2,142	1,858	904	557
	女	31,252		222	1,963	2,260	2,162	2,576	3,323	3,901	3,771	3,079	2,653	2,065	1,983	828	466
	計	65,066		497	3,906	4,950	4,788	5,669	6,777	8,056	7,496	6,482	5,642	4,207	3,841	1,732	1,023

血圧（安静時・負荷時）検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	
安静時血圧・最大 mmHg	男	34,202	126.8	288	120.6	2,012	120.6	2,754	120.8	2,693	121.7	3,125	122.6	3,473	124.0	4,221	126.3	3,742	127.8	3,412	129.3	2,997	131.8	2,157	133.4	1,866	134.9	904	135.3	558	135.7
	女	31,379	120.5	226	112.4	1,979	111.5	2,270	110.5	2,173	111.9	2,593	113.3	3,343	116.0	3,911	119.5	3,784	122.3	3,086	123.3	2,662	127.4	2,071	130.6	1,987	133.7	828	134.5	466	133.0
	計	65,581	123.8	514	117.0	3,991	116.1	5,024	116.1	4,866	117.3	5,718	118.4	6,816	120.1	8,132	123.0	7,526	125.1	6,498	126.5	5,659	129.8	4,228	132.0	3,853	134.3	1,732	134.9	1,024	134.5
安静時血圧・最小 mmHg	男	34,202	78.6	288	67.2	2,012	69.2	2,754	71.2	2,693	74.0	3,125	76.4	3,473	78.7	4,221	81.2	3,742	82.4	3,412	82.8	2,997	82.8	2,157	81.9	1,866	80.9	904	78.8	558	76.7
	女	31,379	73.6	226	66.2	1,979	67.6	2,270	67.9	2,173	69.2	2,593	70.4	3,343	72.3	3,911	74.4	3,784	76.1	3,086	76.4	2,662	77.5	2,071	77.6	1,987	77.4	828	75.8	466	73.5
	計	65,581	76.2	514	66.7	3,991	68.4	5,024	69.7	4,866	71.9	5,718	73.7	6,816	75.6	8,132	77.9	7,526	79.3	6,498	79.8	5,659	80.3	4,228	79.8	3,853	79.1	1,732	77.3	1,024	75.3

眼圧検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	
眼圧・右 mmHg	男	3,974	15.1	1	20.0	1	14.0	25	15.5	354	15.4	407	15.4	480	15.1	628	15.1	663	15.2	708	15.1	414	15.0	218	14.6	64	14.4	7	13.9	4	14.0
	女	2,961	15.2	0	0.0	0	0.0	41	15.2	247	15.4	282	15.3	401	15.1	475	15.2	525	15.3	509	15.2	319	15.2	115	15.1	44	14.4	2	15.5	1	11.0
	計	6,935	15.1	1	20.0	1	14.0	66	15.3	601	15.4	689	15.3	881	15.1	1,103	15.1	1,188	15.2	1,217	15.1	733	15.1	333	14.8	108	14.4	9	14.2	5	13.4
眼圧・左 mmHg	男	3,973	15.3	1	19.0	1	12.0	25	15.5	354	15.5	408	15.5	480	15.2	627	15.3	664	15.3	706	15.3	414	15.2	218	15.0	64	14.6	7	14.1	4	13.5
	女	2,962	15.4	0	0.0	0	0.0	41	15.0	247	15.4	282	15.3	401	15.3	475	15.5	526	15.5	509	15.4	319	15.6	115	15.5	44	14.8	2	17.0	1	12.0
	計	6,935	15.4	1	19.0	1	12.0	66	15.2	601	15.4	690	15.4	881	15.2	1,102	15.4	1,190	15.4	1,215	15.4	733	15.4	333	15.2	108	14.7	9	14.8	5	13.2

内科診察判定結果

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	29,334	(98.4%)	204	1,473	2,020	1,987	2,590	3,248	3,941	3,628	3,338	2,896	2,053	1,758	152	46
	女	27,492	(97.5%)	144	1,552	1,831	1,785	2,276	3,079	3,707	3,593	2,967	2,551	1,993	1,897	99	18
	計	56,826	(97.9%)	348	3,025	3,851	3,772	4,866	6,327	7,648	7,221	6,305	5,447	4,046	3,655	251	64
問題なし	男	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	10	(0.0%)	0	0	0	1	0	2	3	2	0	2	0	0	0	0
	計	11	(0.0%)	0	0	0	1	0	2	3	2	1	2	0	0	0	0
要経過観察	男	277	(0.9%)	0	2	5	7	15	24	40	36	35	30	32	40	8	3
	女	501	(1.8%)	0	4	10	17	42	63	83	78	64	57	40	41	2	0
	計	778	(1.3%)	0	6	15	24	57	87	123	114	99	87	72	81	10	3
要精密検査	男	107	(0.4%)	0	1	1	4	5	5	10	5	12	19	14	27	2	2
	女	124	(0.4%)	0	3	7	12	5	8	12	7	16	18	11	21	2	2
	計	231	(0.4%)	0	4	8	16	10	13	22	12	28	37	25	48	4	4
要治療	男	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	女	2	(0.0%)	0	0	0	0	1	0	0	0	0	1	0	0	0	0
	計	3	(0.0%)	0	0	0	0	1	0	1	0	0	1	0	0	0	0
治療中	男	100	(0.3%)	0	1	1	2	4	6	2	7	18	14	19	23	3	0
	女	73	(0.3%)	0	1	2	2	5	5	7	11	7	11	7	15	0	0
	計	173	(0.3%)	0	2	3	4	9	11	9	18	25	25	26	38	3	0
合計	男	29,820		204	1,477	2,027	2,000	2,614	3,283	3,994	3,676	3,404	2,959	2,118	1,848	165	51
	女	28,202		144	1,560	1,850	1,817	2,329	3,157	3,812	3,691	3,054	2,640	2,051	1,974	103	20
	計	58,022		348	3,037	3,877	3,817	4,943	6,440	7,806	7,367	6,458	5,599	4,169	3,822	268	71

内科診察検査所見（1）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
眼瞼結膜貧血あり	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	女	1	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	1
顔部リンパ節腫脹	男	5	(0.0%)	0	0	0	2	0	1	0	1	0	0	1	0	0	0
	女	18	(0.1%)	0	0	1	0	3	0	2	3	2	4	1	2	0	0
	計	23	(0.0%)	0	0	1	2	3	1	2	4	2	4	2	2	0	0
甲状腺腫大	男	12	(0.0%)	0	1	1	2	0	3	2	0	0	0	1	2	0	0
	女	176	(0.6%)	0	5	12	21	21	20	24	28	13	14	10	8	0	0
	計	188	(0.3%)	0	6	13	23	21	23	26	28	13	14	11	10	0	0
心拍不整	男	180	(0.6%)	0	2	2	0	5	8	11	13	26	26	32	48	6	1
	女	60	(0.2%)	0	2	0	1	1	5	2	5	7	8	7	20	1	1
	計	240	(0.4%)	0	4	2	1	6	13	13	18	33	34	39	68	7	2
収縮期雑音	男	66	(0.2%)	0	1	0	2	3	1	7	5	9	10	6	20	1	1
	女	76	(0.3%)	0	1	1	1	1	7	3	6	8	14	10	21	2	1
	計	142	(0.2%)	0	2	1	3	4	8	10	11	17	24	16	41	3	2
拡張期雑音	男	3	(0.0%)	0	0	1	0	0	0	0	0	0	0	1	1	0	0
	女	6	(0.0%)	0	0	1	2	0	0	1	0	0	1	0	1	0	0
	計	9	(0.0%)	0	0	2	2	0	0	1	0	0	1	1	2	0	0
連続性雑音	男	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
乾性ラ音	男	2	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	2	0	0
	女	3	(0.0%)	0	0	0	0	0	0	1	0	0	2	0	0	0	0
	計	5	(0.0%)	0	0	0	0	0	0	1	0	0	2	0	2	0	0
腹部圧痛	男	107	(0.4%)	0	0	0	4	10	11	26	23	14	11	4	4	0	0
	女	202	(0.7%)	0	0	0	2	16	38	41	36	32	22	8	6	1	0
	計	309	(0.5%)	0	0	0	6	26	49	67	59	46	33	12	10	1	0
腹部腫瘍触知	男	3	(0.0%)	0	0	0	0	0	0	0	0	1	1	1	0	0	0
	女	38	(0.1%)	0	0	1	0	5	3	17	7	4	1	0	0	0	0
	計	41	(0.1%)	0	0	1	0	5	3	17	7	5	2	1	0	0	0
下肢静脈痛	男	7	(0.0%)	0	0	0	0	0	1	0	1	2	1	1	1	0	0
	女	15	(0.1%)	0	0	0	0	0	0	0	3	2	3	5	2	0	0
	計	22	(0.0%)	0	0	0	0	0	1	0	4	4	4	6	3	0	0
関節腫脹	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
浮腫	男	17	(0.1%)	0	0	0	0	0	0	0	3	5	3	1	3	1	1
	女	22	(0.1%)	0	0	0	0	1	0	6	4	4	2	4	1	0	0
	計	39	(0.1%)	0	0	0	0	1	0	6	7	9	5	5	4	1	1

内科診察検査所見（2）

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
術創あり	男	1 (0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	1	0	0	1	0	0	0
心雑音あり	男	55 (0.2%)	0	0	0	1	4	7	3	2	4	8	15	8	3	0
	女	37 (0.1%)	0	0	3	2	2	2	5	3	3	5	5	7	0	0
	計	92 (0.2%)	0	0	3	3	6	9	8	5	7	13	20	15	3	0
肺雑音あり	男	19 (0.1%)	0	0	0	1	1	1	1	1	1	1	4	5	2	1
	女	25 (0.1%)	0	1	0	0	2	2	2	1	3	5	3	6	0	0
	計	44 (0.1%)	0	1	0	1	3	3	3	2	4	6	7	11	2	1
振戦	男	1 (0.0%)	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	1	0	0	0	0	0	0	0	0	0	0	0
皮膚の異常	男	4 (0.0%)	0	0	1	1	1	1	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	4 (0.0%)	0	0	1	1	1	1	0	0	0	0	0	0	0	0
爪の異常	男	5 (0.0%)	0	0	0	0	0	0	2	0	2	1	0	0	0	0
	女	4 (0.0%)	0	0	0	3	0	0	0	0	0	1	0	0	0	0
	計	8 (0.0%)	0	0	0	3	0	0	2	0	2	1	0	0	0	0
皮膚・粘膜の異常	男	3 (0.0%)	0	1	0	1	1	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3 (0.0%)	0	1	0	1	1	0	0	0	0	0	0	0	0	0
軽度の腰痛症状	男	11 (0.0%)	0	0	0	2	1	4	1	1	0	0	1	1	0	0
	女	37 (0.1%)	0	2	0	2	4	6	6	5	6	3	3	0	0	0
	計	48 (0.1%)	0	2	0	4	5	10	7	6	6	3	4	1	0	0
中等度の腰痛症状	男	3 (0.0%)	0	0	0	1	1	0	1	0	0	0	0	0	0	0
	女	12 (0.0%)	0	0	0	0	0	2	3	0	0	2	3	2	0	0
	計	15 (0.0%)	0	0	0	1	1	2	4	0	0	2	3	2	0	0
前屈制限・前屈時疼痛	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	3 (0.0%)	0	0	0	1	1	1	0	0	0	0	0	0	0	0
	計	3 (0.0%)	0	0	0	1	1	1	0	0	0	0	0	0	0	0
腰部圧痛・叩打痛	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
下肢しびれ・知覚異常	男	2 (0.0%)	0	0	0	0	0	0	2	0	0	0	0	0	0	0
	女	2 (0.0%)	0	0	0	0	0	0	0	2	0	0	0	0	0	0
	計	4 (0.0%)	0	0	0	0	0	0	2	2	0	0	0	0	0	0
その他の所見	男	28 (0.1%)	0	0	3	1	1	3	4	1	5	5	2	1	1	1
	女	35 (0.1%)	0	0	0	3	1	1	2	2	10	8	4	4	0	0
	計	64 (0.1%)	0	0	3	5	2	4	6	3	15	13	6	5	1	1
検診者総数	男	29,820	204	1,477	2,027	2,000	2,614	3,283	3,994	3,676	3,404	2,959	2,118	1,848	165	51
	女	28,202	144	1,560	1,850	1,817	2,329	3,157	3,812	3,691	3,054	2,640	2,051	1,974	103	20
	計	58,022	348	3,037	3,877	3,817	4,943	6,440	7,806	7,367	6,458	5,599	4,169	3,822	268	71

乳房判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
		(%)														
異常なし	11,289	(80.6%)	8	222	360	553	824	1,372	1,566	1,637	1,408	1,250	920	771	291	107
問題なし	496	(3.5%)	0	0	7	22	31	71	75	70	61	56	38	43	16	6
要経過観察	1,647	(11.8%)	0	42	142	229	299	239	273	198	92	68	37	26	1	1
要精密検査	563	(4.0%)	1	3	5	14	25	83	108	101	72	51	43	38	13	6
要治療	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	19	(0.1%)	0	0	0	0	0	2	8	4	3	2	0	0	0	0
合計	14,014		9	267	514	818	1,179	1,767	2,030	2,010	1,636	1,427	1,038	878	321	120

乳房触診検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
		(%)														
乳腺症の疑い	8	(3.1%)	0	0	0	1	1	1	2	0	2	1	0	0	0	0
良性乳腺腫瘍	1	(0.4%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
良性乳腺腫瘍の疑い	1	(0.4%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
手術後	1	(0.4%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
術創あり	2	(0.8%)	0	0	0	0	0	0	0	2	0	0	0	0	0	0
その他の所見	3	(1.2%)	0	0	0	0	0	1	0	1	0	0	0	0	0	1
検診者総数	259		1	0	6	13	20	31	42	40	40	26	21	13	5	1

マンモグラフィー検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
		(%)														
カテゴリ-1	9,915	(91.1%)	1	24	43	151	367	1,349	1,640	1,643	1,366	1,230	923	778	291	109
カテゴリ-2	439	(4.0%)	0	0	2	5	16	62	79	67	62	57	35	36	13	5
カテゴリ-3	504	(4.6%)	0	0	2	6	13	78	96	96	71	50	42	35	12	3
カテゴリ-4	20	(0.2%)	0	0	0	0	1	3	6	2	1	1	2	3	0	1
カテゴリ-5	2	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	1
腫瘍	231	(2.1%)	0	0	1	3	3	33	45	34	37	29	14	19	7	6
石灰化	342	(3.1%)	0	0	1	6	15	50	59	66	41	41	31	24	7	1
非対称性	431	(4.0%)	0	0	2	2	12	64	88	77	58	43	35	34	13	3
構築の乱れ	24	(0.2%)	0	0	0	0	2	3	7	3	1	1	3	2	1	1
その他の所見	19	(0.2%)	0	0	0	0	0	3	2	0	4	4	2	2	2	0
検診者総数	10,880		1	24	47	162	397	1,492	1,821	1,808	1,500	1,338	1,002	852	317	119

乳房超音波検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
		(%)														
カテゴリー 1	3,038	(63.6%)	7	202	323	438	555	301	305	312	225	184	92	74	18	2
カテゴリー 2	1,678	(35.1%)	0	42	146	242	317	251	273	197	87	64	33	24	1	1
カテゴリー 3	60	(1.3%)	1	3	4	12	12	5	8	6	4	2	2	1	0	0
カテゴリー 4	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
嚢胞	1,397	(29.2%)	0	39	118	182	256	199	253	180	70	51	26	23	0	0
濃縮嚢胞	26	(0.5%)	0	0	0	0	2	3	8	6	4	2	1	0	0	0
混合性病変	12	(0.3%)	0	0	0	2	3	1	1	2	1	0	2	0	0	0
充実性病変	57	(1.2%)	1	3	2	12	12	6	9	7	3	1	1	0	0	0
乳腺内低エコー域	11	(0.2%)	0	0	2	1	1	0	2	1	1	1	1	1	0	0
乳管拡張	215	(4.5%)	0	1	27	62	52	35	11	9	10	7	0	1	0	0
線維腺腫の疑い	168	(3.5%)	0	5	17	21	43	31	22	15	9	5	0	0	0	0
線維腺腫	94	(2.0%)	0	1	10	17	14	15	18	12	3	3	1	0	0	0
粗大高エコー	25	(0.5%)	0	0	0	3	2	2	3	1	4	5	3	1	0	1
その他の所見	100	(2.1%)	0	1	3	6	7	10	17	18	13	2	11	9	3	0
検診者総数	4,777		8	247	473	692	884	557	587	515	316	250	127	99	19	3

婦人科判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
異常なし	11,536	(88.7%)	13	370	610	761	1,023	1,363	1,530	1,590	1,336	1,187	840	601	241	71
問題なし	664	(5.1%)	3	12	24	35	30	57	96	116	82	76	49	57	19	8
要経過観察	469	(3.6%)	1	25	27	32	56	59	101	83	46	19	5	11	4	0
要精密検査	325	(2.5%)	0	26	21	27	31	43	57	56	31	14	9	4	4	2
要治療	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	1
治療中	7	(0.1%)	0	0	0	0	3	1	0	0	0	1	1	0	1	0
合計	13,002		17	433	682	855	1,143	1,523	1,784	1,845	1,495	1,297	904	673	269	82

子宮頸部細胞診検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
NILM (異常なし)	12,800	(98.5%)	17	411	664	830	1,121	1,500	1,751	1,819	1,479	1,292	900	670	266	80
トリコモナス	3	(0.0%)	0	0	0	0	1	1	0	0	0	1	0	0	0	0
カンジダ	209	(1.6%)	1	26	30	22	38	32	36	16	3	4	0	1	0	0
ASC-US	159	(1.2%)	0	20	16	20	19	15	24	22	9	4	4	2	3	1
ASC-H	13	(0.1%)	0	0	0	1	1	1	2	2	5	1	0	0	0	0
LSIL	17	(0.1%)	0	2	2	2	0	3	4	2	1	0	0	0	0	1
HSIL	11	(0.1%)	0	0	0	1	1	4	3	0	1	0	0	1	0	0
AGC	1	(0.0%)	0	0	0	0	1	0	0	0	0	0	0	0	0	0
その他の所見	10	(0.1%)	0	0	0	0	1	0	3	3	2	1	0	0	0	0
検診者総数	13,001		17	433	682	854	1,143	1,523	1,784	1,845	1,495	1,297	904	673	269	82

HPV検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
陰性	141	(93.4%)	0	0	0	55	43	10	16	8	6	2	1	0	0	0
陽性	10	(6.6%)	0	0	0	6	2	0	2	0	0	0	0	0	0	0
16型 陰性	149	(98.7%)	0	0	0	59	45	10	18	8	6	2	1	0	0	0
16型 陽性	2	(1.3%)	0	0	0	2	0	0	0	0	0	0	0	0	0	0
18型 陰性	150	(99.3%)	0	0	0	61	45	10	17	8	6	2	1	0	0	0
18型 陽性	1	(0.7%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
その他の ハイリスク型陰性	143	(94.7%)	0	0	0	56	43	10	17	8	6	2	1	0	0	0
その他の ハイリスク型陽性	8	(5.3%)	0	0	0	5	2	0	1	0	0	0	0	0	0	0
検診者総数	151		0	0	0	61	45	10	18	8	6	2	1	0	0	0

婦人科診察検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
外陰異常	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
外陰異常疑い	1	(0.0%)	0	1	0	0	0	0	0	0	0	0	0	0	0	0
外陰炎	2	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	2	0
外陰炎疑い	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
萎縮性膣炎	12	(0.1%)	0	0	0	0	0	0	0	0	1	2	3	4	1	1
カンジダ	1	(0.0%)	0	0	0	0	1	0	0	0	0	0	0	0	0	0
カンジダ疑い	2	(0.0%)	0	1	0	0	0	1	0	0	0	0	0	0	0	0
バルトリン腺異常	5	(0.0%)	0	0	0	0	0	1	1	2	0	1	0	0	0	0
バルトリン腺異常疑い	2	(0.0%)	0	0	0	0	0	0	2	0	0	0	0	0	0	0
子宮腔部びらん	274	(2.1%)	3	14	22	34	28	46	57	44	12	10	4	0	0	0
頸管粘膜ポリープ	91	(0.7%)	0	1	0	2	5	9	16	22	18	8	7	3	0	0
頸管粘膜ポリープ疑い	91	(0.7%)	0	1	2	3	6	13	19	17	18	10	2	0	0	0
子宮体部腫瘍	119	(0.9%)	0	0	0	2	5	16	34	36	16	7	0	3	0	0
子宮体部腫瘍疑い	100	(0.8%)	0	0	1	4	11	12	25	29	14	3	0	0	1	0
良性卵巣腫瘍	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
卵巣腫瘍	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
卵巣腫瘍疑い	13	(0.1%)	0	0	1	1	0	2	2	2	1	2	2	0	0	0
子宮下垂	19	(0.1%)	0	0	0	0	0	0	0	2	2	4	3	5	2	1
子宮下垂疑い	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0
子宮全摘後	11	(0.1%)	0	0	0	0	0	0	2	3	2	3	0	1	0	0
子宮術後	328	(2.5%)	0	0	0	0	4	11	36	56	55	49	40	52	18	7
その他の所見	7	(0.1%)	0	0	0	0	1	1	0	2	1	0	0	0	2	0
検診者総数	13,001		17	433	682	854	1,143	1,523	1,784	1,845	1,495	1,297	904	673	269	82

便潜血判定結果

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
異常なし	男	20,352	(95.6%)	5	36	92	534	1,992	2,738	3,284	3,095	2,856	2,414	1,520	1,108	443	235
	女	17,112	(96.3%)	2	58	106	455	1,586	2,305	2,805	2,689	2,261	1,846	1,315	1,104	406	174
	計	37,464	(95.9%)	7	94	198	989	3,578	5,043	6,089	5,784	5,117	4,260	2,835	2,212	849	409
問題なし	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	男	14	(0.1%)	0	0	0	0	1	3	2	2	1	4	0	1	0	0
	女	2	(0.0%)	0	0	0	0	0	1	0	1	0	0	0	0	0	0
	計	16	(0.0%)	0	0	0	0	1	4	2	3	1	4	0	1	0	0
要精密検査	男	905	(4.3%)	0	2	4	27	61	78	137	119	138	108	94	76	39	22
	女	648	(3.6%)	0	3	6	24	86	83	89	99	65	67	55	45	19	7
	計	1,553	(4.0%)	0	5	10	51	147	161	226	218	203	175	149	121	58	29
要治療	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	22	(0.1%)	0	0	0	1	2	6	4	5	1	3	0	0	0	0
	女	6	(0.0%)	0	0	0	0	0	1	0	2	1	2	0	0	0	0
	計	28	(0.1%)	0	0	0	1	2	7	4	7	2	5	0	0	0	0
合計	男	21,293		5	38	96	562	2,056	2,825	3,427	3,221	2,996	2,529	1,614	1,185	482	257
	女	17,768		2	61	112	479	1,672	2,390	2,894	2,791	2,327	1,915	1,370	1,149	425	181
	計	39,061		7	99	208	1,041	3,728	5,215	6,321	6,012	5,323	4,444	2,984	2,334	907	438

便潜血検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率									
便潜血法(一日法)	男	156	4	2.6	1	0	—	1	0	—	6	0	—	8	0	—	15	0	—	16	0	—	21	0	—	21	0	—	10	0	—	21	3	14.3	20	0	—	16	1	6.3	0	0	—	0	0	—
	女	320	10	3.1	0	0	—	0	0	—	2	0	—	9	0	—	39	0	—	40	2	5.0	51	2	3.9	32	0	—	43	1	2.3	51	2	3.9	25	2	8.0	26	1	3.8	2	0	—	0	0	—
	計	476	14	2.9	1	0	—	1	0	—	8	0	—	17	0	—	54	0	—	56	2	3.6	72	2	2.8	53	0	—	53	1	1.9	72	5	6.9	45	2	4.4	42	2	4.8	2	0	—	0	0	—
便潜血法(二日法)	男	21,137	936	4.4	4	0	—	37	2	5.4	90	4	4.4	554	28	5.1	2,041	63	3.1	2,809	87	3.1	3,406	143	4.2	3,200	126	3.9	2,986	140	4.7	2,508	112	4.5	1,594	94	5.9	1,169	76	6.5	482	39	8.1	257	22	8.6
	女	17,449	646	3.7	2	0	—	61	3	4.9	110	6	5.5	470	24	5.1	1,633	86	5.3	2,350	83	3.5	2,843	87	3.1	2,759	102	3.7	2,284	65	2.8	1,864	67	3.6	1,345	53	3.9	1,123	44	3.9	424	19	4.5	181	7	3.9
	計	38,586	1,582	4.1	6	0	—	98	5	5.1	200	10	5.0	1,024	52	5.1	3,674	149	4.1	5,159	170	3.3	6,249	230	3.7	5,959	228	3.8	5,270	205	3.9	4,372	179	4.1	2,939	147	5.0	2,292	120	5.2	906	58	6.4	438	29	6.6

脂質検査判定結果

判定	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上				
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女			
異常なし	男	12,307	(37.8%)	172	1,069	1,356	1,160	1,208	1,224	1,256	1,075	1,004	904	649	657	333	240																
	女	14,308	(47.1%)	138	1,317	1,455	1,357	1,629	2,008	1,988	1,485	940	670	467	439	243	172																
	計	26,615	(42.3%)	310	2,386	2,811	2,517	2,837	3,232	3,244	2,560	1,944	1,574	1,116	1,096	576	412																
問題なし	男	7,451	(22.9%)	31	281	494	540	719	858	1,037	894	760	674	489	377	204	93																
	女	6,100	(20.1%)	17	221	310	330	438	645	895	858	705	597	436	429	139	80																
	計	13,551	(21.6%)	48	502	804	870	1,157	1,503	1,932	1,752	1,465	1,271	925	806	343	173																
要経過観察	男	7,771	(23.9%)	34	307	492	587	784	939	1,143	994	792	678	427	345	161	88																
	女	5,673	(18.7%)	26	186	267	284	317	456	702	896	797	657	485	379	138	83																
	計	13,444	(21.4%)	60	493	759	871	1,101	1,395	1,845	1,890	1,589	1,335	912	724	299	171																
要精密検査	男	1,197	(3.7%)	7	56	102	109	130	144	193	140	102	96	45	50	13	10																
	女	862	(2.8%)	7	87	81	68	74	67	91	115	82	92	41	42	10	5																
	計	2,059	(3.3%)	14	143	183	177	204	211	284	255	184	188	86	92	23	15																
要治療	男	187	(0.6%)	0	9	11	19	17	26	30	24	22	17	6	4	2	0																
	女	147	(0.5%)	0	2	3	3	5	10	17	20	22	28	17	14	4	2																
	計	334	(0.5%)	0	11	14	22	22	36	47	44	44	45	23	18	6	2																
治療中	男	3,603	(11.1%)	0	2	17	22	77	159	357	516	666	565	502	412	186	122																
	女	3,259	(10.7%)	0	5	6	8	16	63	132	317	478	565	594	660	291	124																
	計	6,862	(10.9%)	0	7	23	30	93	222	489	833	1,144	1,130	1,096	1,072	477	246																
合計	男	32,516		244	1,724	2,472	2,437	2,935	3,350	4,016	3,643	3,346	2,934	2,118	1,845	899	553																
	女	30,349		188	1,818	2,122	2,050	2,479	3,249	3,825	3,691	3,024	2,609	2,040	1,963	825	466																
	計	62,865		432	3,542	4,594	4,487	5,414	6,599	7,841	7,334	6,370	5,543	4,158	3,808	1,724	1,019																

脂質検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
総コレステロール mg/dL	男	21,648	197.7	125	165.1	799	176.1	1,274	185.9	1,332	193.3	2,272	197.9	2,646	201.1	3,207	202.5	2,947	202.6	2,592	200.5	2,302	199.4	1,330	195.1	666	193.0	113	187.4	43	174.6
	女	16,932	202.2	85	176.2	722	180.2	946	183.4	1,032	187.3	1,763	188.1	2,271	193.4	2,696	201.3	2,567	213.6	2,060	218.8	1,462	219.0	744	215.3	438	209.1	75	201.1	71	172.3
	計	38,580	199.7	210	169.6	1,521	178.1	2,220	184.8	2,364	190.7	4,035	193.6	4,917	197.6	5,903	201.9	5,514	207.8	4,652	208.6	3,764	207.0	2,074	202.4	1,104	199.4	188	192.9	114	173.2
中性脂肪 mg/dL	男	32,529	111.8	244	69.0	1,724	77.7	2,472	91.3	2,438	101.2	2,938	109.5	3,350	115.9	4,017	122.5	3,644	125.7	3,349	120.6	2,934	118.3	2,122	115.9	1,845	109.5	899	106.3	553	104.7
	女	30,362	80.4	189	61.8	1,818	61.5	2,123	65.7	2,050	68.7	2,479	70.6	3,253	71.7	3,826	78.3	3,694	84.7	3,025	89.7	2,610	91.5	2,041	93.7	1,963	97.0	825	95.0	466	101.8
	計	62,891	96.6	433	65.9	3,542	69.4	4,595	79.5	4,488	86.4	5,417	91.7	6,603	94.1	7,843	100.9	7,338	105.0	6,374	105.9	5,544	105.7	4,163	105.0	3,808	103.0	1,724	100.9	1,019	103.3
HDLコレステロール mg/dL	男	32,529	56.7	243	55.7	1,724	55.8	2,472	55.4	2,438	55.6	2,938	55.6	3,350	56.4	4,018	55.9	3,644	56.6	3,349	58.0	2,934	58.5	2,122	58.0	1,845	57.9	899	57.7	553	56.9
	女	30,362	67.8	189	62.3	1,818	66.1	2,123	66.1	2,050	65.6	2,479	66.0	3,253	67.1	3,826	67.8	3,694	70.1	3,025	70.8	2,610	69.8	2,041	68.5	1,963	67.0	825	65.7	466	61.4
	計	62,891	62.0	432	58.6	3,542	61.1	4,595	60.3	4,488	60.2	5,417	60.3	6,603	61.6	7,844	61.7	7,338	63.4	6,374	64.1	5,544	63.8	4,163	63.2	3,808	62.6	1,724	61.5	1,019	58.9
LDLコレステロール mg/dL	男	32,526	116.9	243	95.3	1,723	105.5	2,470	111.9	2,438	117.4	2,938	120.4	3,350	121.5	4,018	122.8	3,644	121.7	3,349	118.0	2,934	116.4	2,122	112.9	1,845	111.7	899	108.6	553	105.4
	女	30,355	114.1	189	98.0	1,814	98.1	2,122	100.2	2,050	103.8	2,479	104.8	3,252	108.4	3,826	114.5	3,694	122.0	3,025	124.9	2,609	126.1	2,041	123.9	1,963	120.1	825	114.2	466	107.4
	計	62,881	115.6	432	96.5	3,537	101.7	4,592	106.5	4,488	111.2	5,417	113.3	6,602	115.1	7,844	118.8	7,338	121.8	6,374	121.3	5,543	121.0	4,163	118.3	3,808	116.1	1,724	111.3	1,019	106.3

糖尿病判定結果

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
異常なし	男	21,208	(62.7%)	267	1,792	2,433	2,268	2,467	2,533	2,664	2,055	1,641	1,294	803	586	261	144
	女	22,974	(73.5%)	242	1,897	2,159	2,019	2,325	2,872	3,129	2,776	1,953	1,479	952	755	268	148
	計	44,182	(67.9%)	509	3,689	4,592	4,287	4,792	5,405	5,793	4,831	3,594	2,773	1,755	1,341	529	292
問題なし	男	6,883	(20.4%)	16	126	203	286	439	626	908	957	904	787	565	572	289	205
	女	5,492	(17.6%)	6	51	77	107	189	341	565	697	768	752	678	756	322	183
	計	12,375	(19.0%)	22	177	280	393	628	967	1,473	1,654	1,672	1,539	1,243	1,328	611	388
要経過観察	男	2,505	(7.4%)	2	14	35	41	87	149	288	322	365	381	319	270	139	93
	女	1,437	(4.6%)	0	9	6	17	34	61	110	148	171	197	228	242	139	75
	計	3,942	(6.1%)	2	23	41	58	121	210	398	470	536	578	547	512	278	168
要精密検査	男	398	(1.2%)	0	1	7	9	11	21	49	56	61	61	49	40	18	15
	女	165	(0.5%)	0	0	3	3	4	10	15	19	27	23	16	25	16	4
	計	563	(0.9%)	0	1	10	12	15	31	64	75	88	84	65	65	34	19
要治療	男	348	(1.0%)	0	2	5	9	23	33	43	50	40	37	27	40	22	17
	女	113	(0.4%)	0	1	1	3	4	10	8	21	19	10	8	19	4	5
	計	461	(0.7%)	0	3	6	12	27	43	51	71	59	47	35	59	26	22
治療中	男	2,471	(7.3%)	0	5	7	12	66	92	204	286	390	429	378	348	173	81
	女	1,082	(3.5%)	0	7	12	14	18	29	73	111	140	189	179	181	78	51
	計	3,553	(5.5%)	0	12	19	26	84	121	277	397	530	618	557	529	251	132
合計	男	33,813		285	1,940	2,690	2,625	3,093	3,454	4,156	3,726	3,401	2,989	2,141	1,856	902	555
	女	31,263		248	1,965	2,258	2,163	2,574	3,323	3,900	3,772	3,078	2,650	2,061	1,978	827	466
	計	65,076		533	3,905	4,948	4,788	5,667	6,777	8,056	7,498	6,479	5,639	4,202	3,834	1,729	1,021

糖負荷試験判定結果

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
正常型	男	62	(60.8%)	0	0	1	0	2	5	7	14	16	12	3	0	0	2
	女	61	(82.4%)	0	0	0	1	4	11	5	17	15	5	3	0	0	0
	計	123	(69.9%)	0	0	1	1	6	16	12	31	31	17	6	0	0	2
境界型	男	38	(37.3%)	0	0	0	0	0	3	5	10	10	4	2	3	1	0
	女	12	(16.2%)	0	0	0	0	1	1	1	3	4	2	0	0	0	0
	計	50	(28.4%)	0	0	0	0	1	4	6	13	14	6	2	3	1	0
糖尿病型	男	2	(2.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0
	女	1	(1.4%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	3	(1.7%)	0	0	0	0	0	0	0	1	1	1	0	0	0	0
合計	男	102		0	0	1	0	2	8	12	24	27	17	5	3	1	2
	女	74		0	0	0	1	5	12	6	21	19	7	3	0	0	0
	計	176		0	0	1	1	7	20	18	45	46	24	8	3	1	2

糖尿病検査の性年齢別平均値

検査項目	総数		19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計					
血糖 mg/dL	32,535	99.2	244	90.0	1,725	89.8	2,471	90.5	2,439	92.3	2,939	94.6	3,350	96.1	4,019	98.8	3,645	100.8	3,349	102.6	2,935	105.1	2,122	107.5	1,845	108.0	899	107.3	553	107.7														
	30,353	93.5	189	87.5	1,814	87.4	2,122	87.3	2,049	88.5	2,479	89.4	3,252	91.0	3,825	92.2	3,694	94.0	3,024	96.1	2,610	98.0	2,041	99.6	1,963	100.6	825	100.9	466	105.9														
	62,888	96.4	433	88.9	3,539	88.6	4,593	89.0	4,488	90.6	5,418	92.2	6,602	93.6	7,844	95.6	7,339	97.4	6,373	99.5	5,545	101.7	4,163	103.6	3,808	104.2	1,724	104.2	1,019	106.9														
HbA1c (NGSP) %	17,877	5.5	66	5.1	648	5.1	1,071	5.1	1,141	5.2	1,281	5.3	1,820	5.3	2,284	5.4	2,163	5.5	2,181	5.6	1,468	5.6	1,058	5.7	1,322	5.8	849	5.8	525	5.8														
	16,319	5.4	34	5.2	467	5.1	747	5.1	763	5.1	1,043	5.2	1,715	5.2	2,038	5.3	2,003	5.4	1,696	5.5	1,527	5.6	1,481	5.6	1,634	5.7	781	5.7	390	5.7														
	34,196	5.5	100	5.1	1,115	5.1	1,818	5.1	1,904	5.2	2,324	5.3	3,535	5.3	4,322	5.4	4,166	5.5	3,877	5.6	2,995	5.6	2,539	5.7	2,956	5.7	1,630	5.8	915	5.8														

尿糖検査の性年齢別陽性率

検査項目	性別	総数		19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上			
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率									
尿糖定性	男	34,179	1,711	5.0	298	0	—	2,008	10	0.5	2,754	14	0.5	2,692	20	0.7	3,124	63	2.0	3,471	99	2.9	4,217	206	4.9	3,740	233	6.2	3,405	272	8.0	2,994	280	9.4	2,156	197	9.1	1,863	186	10.0	902	80	8.9	555	51	9.2
	女	31,373	561	1.8	252	0	—	1,981	5	0.3	2,266	9	0.4	2,173	18	0.8	2,590	14	0.5	3,341	23	0.7	3,908	64	1.6	3,782	85	2.2	3,085	79	2.6	2,657	93	3.5	2,067	70	3.4	1,982	71	3.6	827	21	2.5	462	9	1.9
	計	65,552	2,272	3.5	550	0	—	3,989	15	0.4	5,020	23	0.5	4,865	38	0.8	5,714	77	1.3	6,812	122	1.8	8,125	270	3.3	7,522	318	4.2	6,490	351	5.4	5,651	373	6.6	4,223	267	6.3	3,845	257	6.7	1,729	101	5.8	1,017	60	5.9

陽性率%

痛風判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	17,640 (71.3%)	94	760	1,191	1,160	1,870	2,090	2,536	2,281	2,097	1,841	1,073	528	84	35
	女	19,389 (97.6%)	84	1,024	1,327	1,265	2,014	2,522	3,009	2,842	2,289	1,646	779	451	71	66
	計	37,029 (83.0%)	178	1,784	2,518	2,425	3,884	4,612	5,545	5,123	4,386	3,487	1,852	979	155	101
問題なし	男	3,584 (14.5%)	17	154	245	271	407	490	547	488	403	312	158	79	12	1
	女	262 (1.3%)	1	7	10	11	20	29	32	48	39	40	16	7	0	2
	計	3,846 (8.6%)	18	161	255	282	427	519	579	536	442	352	174	86	12	3
要経過観察	男	1,338 (5.4%)	7	45	105	105	180	192	226	176	129	107	44	15	5	2
	女	143 (0.7%)	0	8	14	15	19	19	22	14	13	8	5	5	0	1
	計	1,481 (3.3%)	7	53	119	120	199	211	248	190	142	115	49	20	5	3
要精密検査	男	306 (1.2%)	0	17	27	29	40	49	51	35	32	19	4	2	0	1
	女	9 (0.0%)	0	0	1	0	1	0	2	2	2	1	0	0	0	0
	計	315 (0.7%)	0	17	28	29	41	49	53	37	34	20	4	2	0	1
要治療	男	63 (0.3%)	0	3	6	10	8	6	12	7	3	4	3	1	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	64 (0.1%)	0	3	6	10	8	6	12	7	4	4	3	1	0	0
治療中	男	1,816 (7.3%)	0	1	19	37	71	109	217	324	364	346	218	88	16	6
	女	53 (0.3%)	0	0	1	1	3	4	4	7	8	11	8	3	2	1
	計	1,869 (4.2%)	0	1	20	38	74	113	221	331	372	357	226	91	18	7
合計	男	24,747	118	980	1,593	1,612	2,576	2,936	3,589	3,311	3,028	2,629	1,500	713	117	45
	女	19,857	85	1,039	1,353	1,292	2,057	2,574	3,069	2,913	2,352	1,706	808	466	73	70
	計	44,604	203	2,019	2,946	2,904	4,633	5,510	6,658	6,224	5,380	4,335	2,308	1,179	190	115

尿酸検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	
尿酸 mg/dL	男	24,747	6.2	118	6.1	980	6.2	1,593	6.3	1,612	6.4	2,576	6.3	2,936	6.3	3,589	6.2	3,311	6.2	3,028	6.1	2,629	6.0	1,500	6.0	713	5.9	117	5.6	45	5.6
	女	19,857	4.6	85	4.5	1,039	4.5	1,353	4.4	1,292	4.4	2,057	4.4	2,574	4.4	3,069	4.5	2,913	4.7	2,352	4.8	1,706	4.8	808	4.8	466	4.9	73	5.0	70	4.6
	計	44,604	5.5	203	5.4	2,019	5.3	2,946	5.4	2,904	5.5	4,633	5.5	5,510	5.4	6,658	5.4	6,224	5.5	5,380	5.5	4,335	5.5	2,308	5.6	1,179	5.5	190	5.4	115	5.0

肝機能・血清蛋白判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女
異常なし	男	16,466 (49.6%)	177	1,091	1,342	1,287	1,511	1,535	1,822	1,595	1,473	1,357	1,159	1,188	569	360	
	女	22,773 (74.2%)	241	1,546	1,712	1,600	1,898	2,536	2,875	2,546	2,004	1,814	1,513	1,565	648	275	
	計	39,239 (61.5%)	418	2,637	3,054	2,887	3,409	4,071	4,697	4,141	3,477	3,171	2,672	2,753	1,217	635	
問題なし	男	7,717 (23.3%)	47	378	594	586	680	808	1,002	881	918	758	489	359	148	69	
	女	4,365 (14.2%)	17	211	267	278	348	465	559	611	559	431	303	213	76	27	
	計	12,082 (18.9%)	64	589	861	864	1,028	1,273	1,561	1,492	1,477	1,189	792	572	224	96	
要経過観察	男	4,481 (13.5%)	27	165	287	270	371	466	618	600	538	466	262	165	144	102	
	女	2,311 (7.5%)	3	67	120	120	191	164	269	331	308	237	146	116	85	154	
	計	6,792 (10.6%)	30	232	407	390	562	630	887	931	846	703	408	281	229	256	
要精密検査	男	3,773 (11.4%)	16	170	328	354	410	524	572	492	344	270	142	105	30	16	
	女	923 (3.0%)	2	38	44	67	70	97	125	184	112	93	46	33	7	5	
	計	4,696 (7.4%)	18	208	372	421	480	621	697	676	456	363	188	138	37	21	
要治療	男	43 (0.1%)	2	4	10	10	4	2	2	1	2	1	1	4	0	0	
	女	20 (0.1%)	0	1	4	4	1	3	1	2	3	0	0	1	0	0	
	計	63 (0.1%)	2	5	14	14	5	5	3	3	5	1	1	5	0	0	
治療中	男	685 (2.1%)	0	2	10	19	38	60	89	119	119	107	78	28	8	8	
	女	292 (1.0%)	0	0	6	7	8	18	27	52	47	39	36	37	9	6	
	計	977 (1.5%)	0	2	16	26	46	78	116	171	166	146	114	65	17	14	
合計	男	33,165	269	1,810	2,571	2,526	3,014	3,395	4,105	3,688	3,394	2,959	2,131	1,849	899	555	
	女	30,684	263	1,863	2,153	2,076	2,516	3,283	3,856	3,726	3,033	2,614	2,044	1,965	825	467	
	計	63,849	532	3,673	4,724	4,602	5,530	6,678	7,961	7,414	6,427	5,573	4,175	3,814	1,724	1,022	

肝炎ウイルス検査の性年齢別陽性率

検査項目	性別	総数		19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上			
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率									
HBs抗原	男	2,930	17	0.6	48	0	—	103	0	—	134	0	—	182	0	—	323	0	—	327	1	0.3	453	4	0.9	385	4	1.0	486	5	1.0	292	3	1.0	124	0	—	49	0	—	17	0	—	7	0	—
	女	2,771	11	0.4	110	0	—	209	0	—	219	0	—	218	0	—	290	2	0.7	375	2	0.5	368	0	—	354	3	0.8	324	3	0.9	178	1	0.6	77	0	—	35	0	—	9	0	—	5	0	—
	計	5,701	28	0.5	158	0	—	312	0	—	353	0	—	400	0	—	613	2	0.3	702	3	0.4	821	4	0.5	739	7	0.9	810	8	1.0	470	4	0.9	201	0	—	84	0	—	26	0	—	12	0	—
HCV抗体	男	1,421	14	1.0	5	0	—	77	0	—	116	0	—	34	1	2.9	189	1	0.5	119	1	0.8	201	2	1.0	171	2	1.2	197	1	0.5	173	2	1.2	77	1	1.3	39	2	5.1	16	1	6.3	7	0	—
	女	1,714	6	0.4	9	0	—	186	0	—	200	1	0.5	95	0	—	207	1	0.5	225	0	—	196	0	—	220	0	—	180	0	—	102	2	2.0	52	2	3.8	27	0	—	10	0	—	5	0	—
	計	3,135	20	0.6	14	0	—	263	0	—	316	1	0.3	129	1	0.8	396	2	0.5	344	1	0.3	397	2	0.5	391	2	0.5	377	1	0.3	275	4	1.5	129	3	2.3	66	2	3.0	26	1	3.8	12	0	—

陽性率%

肝機能・血清蛋白検査の性年齢別平均値(1)

検査項目	総数	19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上			
総ビリルビン mg/dL	男	13,900	1.0	63	1.3	730	1.1	1,279	1.1	1,201	1.1	1,315	1.1	1,531	1.0	1,904	1.0	1,852	1.0	1,764	1.0	1,335	1.0	597	1.0	240	1.1	66	1.0	23	1.0
	女	10,092	0.9	35	1.0	701	0.9	979	0.9	878	0.9	963	0.9	1,276	0.9	1,462	0.9	1,415	0.9	1,107	0.9	720	0.9	319	0.9	181	0.9	50	0.9	6	0.8
	計	23,992	1.0	98	1.2	1,431	1.0	2,258	1.0	2,079	1.0	2,278	1.0	2,807	1.0	3,366	1.0	3,267	1.0	2,871	1.0	2,055	1.0	916	1.0	421	1.0	116	1.0	29	0.9
AST (GOT) U/L	男	32,626	24.8	245	24.8	1,749	23.5	2,486	24.1	2,450	25.0	2,947	24.5	3,356	24.7	4,032	25.0	3,652	25.1	3,353	24.9	2,934	25.1	2,125	24.7	1,845	25.0	899	24.8	553	24.6
	女	30,387	20.9	189	18.1	1,819	18.3	2,127	18.4	2,053	18.6	2,482	18.8	3,258	19.2	3,826	20.0	3,701	22.1	3,025	23.1	2,612	23.0	2,041	23.3	1,963	23.6	825	23.6	466	23.5
	計	63,013	22.9	434	21.9	3,568	20.8	4,613	21.5	4,503	22.1	5,429	21.9	6,614	22.0	7,858	22.6	7,353	23.6	6,378	24.0	5,546	24.1	4,166	24.0	3,808	24.3	1,724	24.2	1,019	24.1
ALT (GPT) U/L	男	32,626	28.4	245	25.7	1,749	27.4	2,486	31.1	2,450	32.9	2,947	31.5	3,356	30.9	4,032	30.3	3,652	28.9	3,353	27.1	2,934	25.8	2,125	23.7	1,845	22.9	899	20.7	553	19.1
	女	30,387	18.0	189	14.4	1,819	14.8	2,127	15.1	2,053	16.5	2,482	16.5	3,258	16.6	3,826	17.6	3,701	20.2	3,025	20.8	2,612	20.1	2,041	19.6	1,963	19.0	825	17.7	466	15.5
	計	63,013	23.4	434	20.8	3,568	21.0	4,613	23.7	4,503	25.4	5,429	24.6	6,614	23.9	7,858	24.1	7,353	24.5	6,378	24.1	5,546	23.1	4,166	21.7	3,808	20.9	1,724	19.3	1,019	17.5
アルフォス U/L	男	22,705	70.8	88	87.2	842	73.2	1,403	69.8	1,418	69.3	2,399	70.4	2,729	70.8	3,332	71.5	3,075	70.7	2,758	70.2	2,451	71.0	1,406	70.8	651	72.0	106	69.7	47	81.2
	女	17,176	64.8	38	65.6	753	57.0	1,041	57.0	1,025	57.8	1,792	56.9	2,293	55.8	2,711	59.4	2,578	70.6	2,103	75.3	1,531	76.2	714	77.0	400	76.7	74	74.1	123	87.1
	計	39,881	68.3	126	80.7	1,595	65.5	2,444	64.3	2,443	64.5	4,191	64.6	5,022	63.9	6,043	66.1	5,653	70.6	4,861	72.4	3,982	73.0	2,120	72.9	1,051	73.8	180	71.5	170	85.5
コリンエステ ラーゼ U/L	男	5,106	363.0	7	301.1	259	360.0	501	363.8	482	368.8	435	373.7	477	363.2	682	370.0	683	367.0	752	360.8	530	352.0	225	345.0	68	329.9	3	315.0	2	295.5
	女	4,159	320.7	10	300.7	235	286.4	460	287.2	392	298.3	357	299.5	479	299.1	612	311.8	574	345.9	531	358.4	358	364.9	110	361.2	40	350.7	0	—	1	306.0
	計	9,265	344.0	17	300.9	494	325.0	961	327.2	874	337.2	792	340.2	956	331.1	1,294	342.5	1,257	357.3	1,283	359.8	888	357.2	335	350.3	108	337.6	3	315.0	3	299.0
LDH U/L	男	13,228	185.6	63	204.3	684	185.2	1,201	183.2	1,118	181.2	1,242	180.1	1,461	183.2	1,824	184.9	1,790	186.4	1,701	188.0	1,271	190.7	564	191.2	223	195.0	63	199.0	23	197.9
	女	9,292	179.2	36	176.2	594	168.9	912	166.6	802	164.4	920	166.7	1,181	170.6	1,351	176.6	1,296	187.8	1,007	196.3	673	198.5	296	204.4	170	205.8	48	206.2	6	210.2
	計	22,520	183.0	99	194.1	1,278	177.6	2,113	176.1	1,920	174.2	2,162	174.4	2,642	177.6	3,175	181.4	3,086	187.0	2,708	191.1	1,944	193.4	860	195.8	393	199.7	111	202.1	29	200.5
γ-GT (γ-GTP) U/L	男	32,595	44.1	244	24.1	1,734	27.7	2,478	32.5	2,445	37.9	2,945	41.3	3,356	47.0	4,032	49.6	3,652	52.6	3,353	50.4	2,934	50.3	2,125	45.9	1,845	41.2	899	35.1	553	31.4
	女	30,268	24.3	189	16.1	1,764	17.3	2,112	17.9	2,037	19.5	2,469	20.9	3,242	23.2	3,823	24.4	3,700	29.6	3,025	30.0	2,612	28.5	2,041	26.2	1,963	24.6	825	23.0	466	21.4
	計	62,863	34.6	433	20.6	3,498	22.4	4,590	25.8	4,482	29.5	5,414	32.0	6,598	35.3	7,855	37.4	7,352	41.0	6,378	40.7	5,546	40.0	4,166	36.3	3,808	32.7	1,724	29.3	1,019	26.8
LAP U/L	男	3,075	53.7	0	—	0	—	27	55.6	150	54.7	263	54.4	387	53.9	561	53.8	590	54.6	588	53.0	321	52.2	122	50.1	42	60.5	9	48.6	15	47.4
	女	1,913	48.4	0	—	1	52.0	40	51.0	111	47.6	198	50.9	256	43.4	329	45.2	346	49.0	348	50.9	185	51.2	65	50.4	28	49.5	5	54.6	1	40.0
	計	4,988	51.6	0	—	1	52.0	67	52.9	261	51.7	461	52.9	643	49.7	890	50.6	936	52.5	936	52.2	506	51.8	187	50.2	70	56.1	14	50.7	16	46.9
総蛋白 g/dL	男	14,622	7.2	98	7.3	820	7.4	1,375	7.4	1,296	7.3	1,388	7.2	1,579	7.2	2,031	7.1	1,921	7.1	1,795	7.1	1,361	7.1	608	7.1	245	7.1	68	6.9	37	6.8
	女	10,632	7.1	74	7.3	723	7.3	1,005	7.2	908	7.2	1,015	7.1	1,334	7.1	1,515	7.1	1,449	7.1	1,157	7.1	758	7.1	331	7.1	187	7.1	57	7.0	119	6.5
	計	25,254	7.2	172	7.3	1,543	7.4	2,380	7.3	2,204	7.3	2,403	7.2	2,913	7.1	3,546	7.1	3,370	7.1	2,952	7.1	2,119	7.1	939	7.1	432	7.1	125	6.9	156	6.6

貧血・血球数判定結果

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	23,011	(78.5%)	200	1,331	2,039	1,990	2,367	2,606	3,090	2,691	2,462	2,134	1,304	650	117	30
	女	18,129	(71.3%)	147	1,411	1,527	1,457	1,589	1,900	2,289	2,385	2,159	1,644	904	596	76	45
	計	41,140	(75.1%)	347	2,742	3,566	3,447	3,956	4,506	5,379	5,076	4,621	3,778	2,208	1,246	193	75
問題なし	男	4,088	(13.9%)	34	321	366	356	395	470	549	526	450	366	159	81	9	6
	女	2,010	(7.9%)	10	100	151	114	140	207	269	370	261	199	99	65	12	13
	計	6,098	(11.1%)	44	421	517	470	535	677	818	896	711	565	258	146	21	19
要経過観察	男	1,447	(4.9%)	5	43	40	48	100	132	190	219	197	197	144	90	26	16
	女	3,425	(13.5%)	19	224	340	354	450	464	550	338	231	184	125	88	15	43
	計	4,872	(8.9%)	24	267	380	402	550	596	740	557	428	381	269	178	41	59
要精密検査	男	649	(2.2%)	5	28	27	39	57	58	89	99	96	71	33	34	5	8
	女	1,433	(5.6%)	12	79	91	103	152	292	312	175	76	62	33	19	6	21
	計	2,082	(3.8%)	17	107	118	142	209	350	401	274	172	133	66	53	11	29
要治療	男	13	(0.0%)	0	0	1	2	0	1	0	2	0	1	4	0	0	2
	女	43	(0.2%)	0	1	1	4	3	12	18	2	1	0	0	0	0	1
	計	56	(0.1%)	0	1	2	6	3	13	18	4	1	1	4	0	0	3
治療中	男	100	(0.3%)	0	1	0	2	4	6	5	10	28	14	13	12	4	1
	女	396	(1.6%)	0	7	17	19	34	76	98	88	17	18	6	8	2	6
	計	496	(0.9%)	0	8	17	21	38	82	103	98	45	32	19	20	6	7
合計	男	29,308		244	1,724	2,473	2,437	2,923	3,273	3,923	3,547	3,233	2,783	1,657	867	161	63
	女	25,436		188	1,822	2,127	2,051	2,368	2,951	3,536	3,358	2,745	2,107	1,167	776	111	129
	計	54,744		432	3,546	4,600	4,488	5,291	6,224	7,459	6,905	5,978	4,890	2,824	1,643	272	192

貧血・血球数検査の性年齢別平均値

検査項目	総数			19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
	男	女	計	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
赤血球数 万/ μ L	男	29,363	494.5	244	518.3	1,732	519.0	2,485	515.6	2,445	510.2	2,930	503.8	3,276	499.3	3,929	494.4	3,549	489.2	3,237	483.2	2,783	477.2	1,662	470.9	867	462.4	161	458.4	63	420.3
	女	25,449	440.6	189	453.5	1,823	447.8	2,130	443.6	2,051	440.7	2,368	437.2	2,954	437.4	3,537	438.8	3,360	444.4	2,746	442.5	2,108	442.4	1,167	436.3	776	433.3	111	425.6	129	387.5
	計	54,812	469.5	433	490.0	3,555	482.5	4,615	482.3	4,496	478.5	5,298	474.0	6,230	470.0	7,466	468.1	6,909	467.4	5,983	464.5	4,891	462.2	2,829	456.6	1,643	448.7	272	445.0	192	398.2
ヘモグロビン g/dL	男	29,363	15.0	244	15.3	1,732	15.4	2,485	15.3	2,445	15.2	2,930	15.1	3,276	15.1	3,929	15.0	3,549	15.0	3,237	14.9	2,783	14.8	1,662	14.6	867	14.4	161	14.3	63	13.2
	女	25,449	13.0	189	13.1	1,823	13.1	2,130	13.0	2,051	12.8	2,368	12.7	2,954	12.7	3,537	12.8	3,360	13.2	2,746	13.3	2,108	13.3	1,167	13.2	776	13.1	111	12.9	129	11.8
	計	54,812	14.1	433	14.3	3,555	14.2	4,615	14.2	4,496	14.1	5,298	14.1	6,230	14.0	7,466	14.0	6,909	14.1	5,983	14.2	4,891	14.2	2,829	14.0	1,643	13.8	272	13.7	192	12.3
ヘマトクリット %	男	27,637	44.6	203	45.2	1,470	45.5	2,252	45.4	2,260	45.1	2,789	44.9	3,110	44.8	3,741	44.7	3,387	44.5	3,041	44.3	2,709	44.1	1,615	43.7	848	43.1	151	42.7	61	39.3
	女	23,962	39.5	149	39.7	1,436	39.6	1,890	39.2	1,830	39.0	2,254	38.8	2,837	38.7	3,408	39.0	3,256	40.0	2,690	40.3	2,064	40.4	1,155	40.1	755	39.9	109	39.5	129	36.4
	計	51,599	42.2	352	42.8	2,906	42.6	4,142	42.6	4,090	42.4	5,043	42.2	5,947	41.9	7,149	42.0	6,643	42.3	5,731	42.4	4,773	42.5	2,770	42.2	1,603	41.6	260	41.3	190	37.3
MCV fL	男	3,662	90.6	13	88.3	54	88.2	101	87.7	197	88.3	328	89.0	456	89.6	640	90.4	648	91.0	648	91.6	361	92.4	142	92.7	51	92.7	8	93.5	15	93.6
	女	2,646	89.9	2	85.5	28	89.0	79	88.4	166	88.9	261	88.1	356	89.0	470	89.1	454	90.2	441	91.4	248	91.6	94	92.2	40	93.0	6	93.4	1	94.3
	計	6,308	90.3	15	87.9	82	88.5	180	88.0	363	88.6	589	88.6	812	89.4	1,110	89.8	1,102	90.7	1,089	91.5	609	92.1	236	92.5	91	92.8	14	93.4	16	93.7
MCH pg	男	3,652	30.4	13	29.7	53	29.6	100	29.6	195	29.8	326	30.0	455	30.2	639	30.4	647	30.6	647	30.7	361	30.9	142	30.8	51	31.0	8	30.8	15	31.0
	女	2,633	29.5	2	28.0	26	29.4	76	29.3	166	29.4	256	29.0	356	29.2	469	29.2	452	29.6	441	30.1	248	30.1	94	30.2	40	30.3	6	30.3	1	30.9
	計	6,285	30.1	15	29.5	79	29.6	176	29.5	361	29.6	582	29.5	811	29.7	1,108	29.9	1,099	30.2	1,088	30.5	609	30.6	236	30.6	91	30.7	14	30.6	16	31.0
MCHC %	男	3,644	33.6	13	33.7	53	33.7	100	33.8	195	33.8	326	33.7	455	33.7	634	33.6	645	33.6	646	33.6	361	33.5	142	33.3	51	33.4	8	33.0	15	33.1
	女	2,632	32.8	2	32.8	26	33.0	76	33.2	166	33.0	255	32.8	356	32.8	469	32.7	452	32.8	441	32.9	248	32.9	94	32.8	40	32.6	6	32.4	1	32.8
	計	6,276	33.3	15	33.6	79	33.4	176	33.5	361	33.4	581	33.3	811	33.3	1,103	33.2	1,097	33.3	1,087	33.3	609	33.2	236	33.1	91	33.0	14	32.7	16	33.0
血清鉄 μ g/dL	男	3,984	112.2	32	110.3	138	107.8	157	111.8	270	112.1	355	112.6	456	111.5	696	111.9	667	114.0	636	112.3	358	113.5	143	110.7	51	112.6	9	108.4	16	97.1
	女	2,350	100.8	0	0.0	19	97.5	69	105.9	151	94.7	235	97.1	327	100.1	402	99.3	423	100.9	398	104.5	202	104.9	74	101.5	41	100.8	8	91.1	1	117.0
	計	6,334	108.0	32	110.3	157	106.6	226	110.0	421	105.9	590	106.4	783	106.7	1,098	107.2	1,090	108.9	1,034	109.3	560	110.4	217	107.6	92	107.3	17	100.3	17	98.3
白血球数 千/ μ L	男	24,879	5.8	130	6.0	1,004	5.9	1,643	5.8	1,644	5.7	2,573	5.7	2,928	5.8	3,574	5.9	3,320	5.9	3,020	5.9	2,632	5.8	1,517	5.8	727	5.7	117	5.4	50	6.2
	女	20,177	5.6	89	6.6	1,071	6.3	1,386	6.1	1,341	6.0	2,064	5.8	2,588	5.6	3,089	5.6	2,936	5.2	2,371	5.1	1,715	5.1	831	5.3	491	5.3	82	5.4	123	6.0
	計	45,056	5.7	219	6.2	2,075	6.1	3,029	6.0	2,985	5.9	4,637	5.7	5,516	5.7	6,663	5.8	6,256	5.6	5,391	5.5	4,347	5.5	2,348	5.6	1,218	5.5	199	5.4	173	6.1
血小板数 万/ μ L	男	8,010	24.4	28	25.0	295	25.1	495	24.8	575	25.4	739	25.1	862	25.4	1,205	24.8	1,204	25.0	1,157	23.8	763	22.8	409	22.5	178	21.4	63	20.0	37	20.5
	女	6,452	25.3	10	27.3	223	25.8	418	25.9	425	26.2	606	25.7	762	25.8	977	26.5	976	26.0	835	24.3	592	24.2	282	23.3	170	22.7	57	22.6	119	22.7
	計	14,462	24.8	38	25.6	518	25.4	913	25.3	1,000	25.7	1,345	25.4	1,624	25.6	2,182	25.5	2,180	25.4	1,992	24.0	1,355	23.4	691	22.8	348	22.0	120	21.2	156	22.2

炎症反応判定結果

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
異常なし	男	3,072	(93.7%)	11	26	50	152	267	378	555	567	579	306	116	44	7	14
	女	1,789	(93.5%)	0	0	38	107	187	253	317	318	309	163	62	29	5	1
	計	4,861	(93.6%)	11	26	88	259	454	631	872	885	888	469	178	73	12	15
問題なし	男	170	(5.2%)	0	3	2	8	15	23	28	36	33	12	5	2	2	1
	女	106	(5.5%)	0	0	1	5	12	15	21	22	17	8	4	0	1	0
	計	276	(5.3%)	0	3	3	13	27	38	49	58	50	20	9	2	3	1
要経過観察	男	3	(0.1%)	0	1	0	0	0	0	1	0	0	0	1	0	0	0
	女	1	(0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	4	(0.1%)	0	1	0	0	0	0	1	0	1	0	1	0	0	0
要精密検査	男	34	(1.0%)	0	1	2	3	3	3	3	7	2	5	4	1	0	0
	女	17	(0.9%)	0	0	1	5	4	1	1	1	1	3	0	0	0	0
	計	51	(1.0%)	0	1	3	8	7	4	4	8	3	8	4	1	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	男	3,279		11	31	54	163	285	404	587	610	614	323	126	47	9	15
	女	1,913		0	0	40	117	203	269	339	341	328	174	66	29	6	1
	計	5,192		11	31	94	280	488	673	926	951	942	497	192	76	15	16

炎症反応検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率									
CRP	男	3,278	207	6.3	11	0	—	31	5	16.1	54	4	7.4	163	11	6.7	285	18	6.3	404	26	6.4	587	32	5.5	610	43	7.0	614	35	5.7	323	17	5.3	126	10	7.9	46	3	6.5	9	2	22.2	15	1	6.7
	女	1,913	124	6.5	0	0	—	0	0	—	40	2	5.0	117	10	8.5	203	16	7.9	269	16	5.9	339	22	6.5	341	23	6.7	328	19	5.8	174	11	6.3	66	4	6.1	29	0	—	6	1	16.7	1	0	—
	計	5,191	331	6.4	11	0	—	31	5	16.1	94	6	6.4	280	21	7.5	488	34	7.0	673	42	6.2	926	54	5.8	951	66	6.9	942	54	5.7	497	28	5.6	192	14	7.3	75	3	4.0	15	3	20.0	16	1	6.3
血沈1時間	男	1	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	1	0	—	0	0	—	0	0	—			
	女	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—			
	計	1	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	1	0	—	0	0	—	0	0	—			

陽性率%

腎機能判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	24,432	(72.3%)	242	1,679	2,295	2,269	2,626	2,785	3,163	2,677	2,181	1,762	1,189	950	418	196
	女	21,916	(70.1%)	192	1,556	1,773	1,705	1,931	2,445	2,778	2,558	2,027	1,723	1,367	1,238	440	183
	計	46,348	(71.2%)	434	3,235	4,068	3,974	4,557	5,230	5,941	5,235	4,208	3,485	2,556	2,188	858	379
問題なし	男	2,746	(8.1%)	32	200	295	254	261	310	349	293	264	248	142	72	18	8
	女	3,406	(10.9%)	37	301	340	322	375	478	484	405	269	196	90	55	18	36
	計	6,152	(9.5%)	69	501	635	576	636	788	833	698	533	444	232	127	36	44
要経過観察	男	5,498	(16.3%)	11	49	84	83	170	295	538	661	808	832	671	672	373	251
	女	5,048	(16.1%)	14	78	102	103	223	325	549	707	678	641	524	610	311	183
	計	10,546	(16.2%)	25	127	186	186	393	620	1,087	1,368	1,486	1,473	1,195	1,282	684	434
要精密検査	男	533	(1.6%)	0	8	13	7	23	35	56	38	58	65	68	65	46	51
	女	562	(1.8%)	5	25	31	22	36	55	65	64	56	50	44	32	33	44
	計	1,095	(1.7%)	5	33	44	29	59	90	121	102	114	115	112	97	79	95
要治療	男	2	(0.0%)	0	0	0	0	1	0	0	0	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	1	0	0	0	1	0	0	0	0	0
治療中	男	596	(1.8%)	0	3	3	12	11	29	48	56	89	81	71	97	47	49
	女	328	(1.0%)	0	5	11	11	9	20	23	37	48	40	36	43	25	20
	計	924	(1.4%)	0	8	14	23	20	49	71	93	137	121	107	140	72	69
合計	男	33,807		285	1,939	2,690	2,625	3,092	3,454	4,154	3,725	3,401	2,988	2,141	1,856	902	555
	女	31,260		248	1,965	2,257	2,163	2,574	3,323	3,899	3,771	3,078	2,650	2,061	1,978	827	466
	計	65,067		533	3,904	4,947	4,788	5,666	6,777	8,053	7,496	6,479	5,638	4,202	3,834	1,729	1,021

脾機能判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	12,925 (90.2%)	69	698	1,175	1,155	1,212	1,431	1,839	1,786	1,654	1,156	493	189	47	21
	女	8,333 (89.1%)	32	569	843	743	843	1,065	1,216	1,148	858	588	255	135	32	6
	計	21,258 (89.8%)	101	1,267	2,018	1,898	2,055	2,496	3,055	2,934	2,512	1,744	748	324	79	27
問題なし	男	317 (2.2%)	1	17	23	27	41	33	54	48	41	27	4	1	0	0
	女	190 (2.0%)	0	6	22	9	16	25	36	27	26	8	9	4	2	0
	計	507 (2.1%)	1	23	45	36	57	58	90	75	67	35	13	5	2	0
要経過観察	男	1,036 (7.2%)	2	32	61	70	77	101	136	116	180	132	72	37	18	2
	女	792 (8.5%)	2	29	60	53	67	100	103	124	114	67	28	29	16	0
	計	1,828 (7.7%)	4	61	121	123	144	201	239	240	294	199	100	66	34	2
要精密検査	男	37 (0.3%)	0	1	3	2	0	4	5	6	6	6	3	1	0	0
	女	27 (0.3%)	1	0	0	1	2	3	1	8	6	2	2	1	0	0
	計	64 (0.3%)	1	1	3	3	2	7	6	14	12	8	5	2	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	8 (0.1%)	0	0	1	0	0	0	1	1	0	3	2	0	0	0
	女	6 (0.1%)	0	0	0	0	0	0	2	2	1	1	0	0	0	0
	計	14 (0.1%)	0	0	1	0	0	0	3	3	1	4	2	0	0	0
合計	男	14,323	72	748	1,263	1,254	1,330	1,569	2,035	1,957	1,881	1,324	574	228	65	23
	女	9,348	35	604	925	806	928	1,193	1,358	1,309	1,005	666	294	169	50	6
	計	23,671	107	1,352	2,188	2,060	2,258	2,762	3,393	3,266	2,886	1,990	868	397	115	29

脾機能検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
血清アミラーゼ U/L	男	14,323	77.2	72	71.8	748	74.0	1,263	74.5	1,254	75.2	1,330	74.5	1,569	76.6	2,035	76.3	1,957	75.0	1,881	78.9	1,324	81.7	574	86.9	228	88.5	65	96.4	23	87.7
	女	9,348	80.2	35	80.7	604	78.0	925	78.9	806	79.1	928	79.0	1,193	79.1	1,358	77.2	1,309	80.9	1,005	84.5	666	83.3	294	81.8	169	88.3	50	95.4	6	66.5
	計	23,671	78.4	107	74.7	1,352	75.8	2,188	76.4	2,060	76.7	2,258	76.4	2,762	77.7	3,393	76.7	3,266	77.4	2,886	80.8	1,990	82.3	868	85.2	397	88.4	115	95.9	29	83.3

電解質判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	2,307	(92.5%)	10	26	38	103	174	284	428	424	421	236	102	34	9	18
	女	1,160	(87.5%)	0	0	1	75	128	154	214	179	185	111	44	24	6	39
	計	3,467	(90.8%)	10	26	39	178	302	438	642	603	606	347	146	58	15	57
問題なし	男	116	(4.7%)	1	5	3	4	7	12	16	19	25	11	5	3	1	4
	女	102	(7.7%)	0	0	0	3	6	11	15	21	22	8	6	3	1	6
	計	218	(5.7%)	1	5	3	7	13	23	31	40	47	19	11	6	2	10
要経過観察	男	69	(2.8%)	0	0	0	1	3	5	8	12	23	9	2	4	1	1
	女	62	(4.7%)	0	0	0	2	6	3	9	10	8	6	2	1	0	15
	計	131	(3.4%)	0	0	0	3	9	8	17	22	31	15	4	5	1	16
要精密検査	男	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	女	2	(0.2%)	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	計	3	(0.1%)	0	0	0	0	0	0	1	1	0	0	0	0	0	1
要治療	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	男	2,493		11	31	41	108	184	301	453	455	469	256	109	41	11	23
	女	1,326		0	0	1	80	140	168	238	211	215	125	52	28	7	61
	計	3,819		11	31	42	188	324	469	691	666	684	381	161	69	18	84

電解質検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
ナトリウム mEq/L	男	2,492	141.3	11	141.1	31	140.9	41	140.9	108	141.2	184	141.2	301	141.1	453	141.5	455	141.3	469	141.6	256	141.6	108	141.3	41	141.2	11	139.7	23	139.4
	女	1,323	140.9	0	—	0	—	1	140.0	79	140.1	140	139.9	167	140.1	238	140.5	211	141.2	215	142.2	125	142.4	52	142.1	27	142.3	7	142.0	61	138.1
	計	3,815	141.2	11	141.1	31	140.9	42	140.9	187	140.7	324	140.6	468	140.7	691	141.1	666	141.3	684	141.8	381	141.9	160	141.6	68	141.7	18	140.6	84	138.5
カリウム mEq/L	男	2,493	4.2	11	4.2	31	4.2	41	4.2	108	4.1	184	4.1	301	4.1	453	4.1	455	4.2	469	4.2	256	4.2	109	4.3	41	4.3	11	4.5	23	4.3
	女	1,325	4.1	0	—	0	—	1	4.1	79	4.0	140	4.1	168	4.1	238	4.1	211	4.0	215	4.2	125	4.1	52	4.1	28	4.2	7	4.3	61	4.4
	計	3,818	4.1	11	4.2	31	4.2	42	4.2	187	4.1	324	4.1	469	4.1	691	4.1	666	4.1	684	4.2	381	4.2	161	4.2	69	4.3	18	4.4	84	4.3
クロール mEq/L	男	2,492	104.5	11	103.0	31	102.4	41	102.7	108	104.2	184	104.1	301	104.4	453	104.7	455	104.5	469	104.9	256	104.8	108	104.7	41	104.7	11	103.5	23	102.9
	女	1,323	104.9	0	—	0	—	1	105.0	79	104.7	140	104.9	167	105.0	238	105.2	211	104.6	215	105.1	125	105.2	52	105.2	27	105.4	7	104.7	61	102.2
	計	3,815	104.6	11	103.0	31	102.4	42	102.8	187	104.4	324	104.5	468	104.6	691	104.9	666	104.5	684	104.9	381	104.9	160	104.9	68	105.0	18	103.9	84	102.4
無機リン mg/dL	男	2,446	3.2	11	3.6	31	3.4	41	3.3	108	3.4	181	3.2	297	3.2	451	3.2	445	3.1	459	3.2	255	3.1	104	3.1	40	2.9	8	3.4	15	3.1
	女	1,246	3.5	0	—	0	—	1	3.6	79	3.5	140	3.5	166	3.4	236	3.4	207	3.6	211	3.6	125	3.6	51	3.6	24	3.5	5	3.5	1	3.0
	計	3,692	3.3	11	3.6	31	3.4	42	3.3	187	3.4	321	3.3	463	3.3	687	3.2	652	3.3	670	3.3	380	3.3	155	3.3	64	3.1	13	3.5	16	3.1
カルシウム mg/dL	男	2,456	9.4	11	9.8	31	9.7	41	9.6	108	9.5	181	9.5	297	9.4	452	9.3	447	9.3	463	9.3	256	9.3	105	9.3	41	9.4	8	9.2	15	9.2
	女	1,252	9.3	0	—	0	—	1	9.7	80	9.3	140	9.2	166	9.2	238	9.2	208	9.4	213	9.4	125	9.4	51	9.4	24	9.5	5	9.4	1	9.3
	計	3,708	9.3	11	9.8	31	9.7	42	9.6	188	9.4	321	9.4	463	9.3	690	9.3	655	9.3	676	9.3	381	9.4	156	9.3	65	9.4	13	9.3	16	9.2

その他の血液検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	3,993	(94.5%)	23	59	116	179	292	443	685	709	583	439	260	154	34	17
	女	3,027	(95.0%)	37	120	116	160	259	359	441	492	440	298	176	103	24	2
	計	7,020	(94.7%)	60	179	232	339	551	802	1,126	1,201	1,023	737	436	257	58	19
問題なし	男	68	(1.6%)	3	8	3	3	0	5	8	11	9	12	5	1	0	0
	女	56	(1.8%)	1	3	2	4	6	4	5	9	9	8	4	0	0	1
	計	124	(1.7%)	4	11	5	7	6	9	13	20	18	20	9	1	0	1
要経過観察	男	103	(2.4%)	3	11	16	5	1	2	5	12	13	10	10	8	4	3
	女	67	(2.1%)	0	1	0	1	5	3	8	13	13	8	7	5	2	1
	計	170	(2.3%)	3	12	16	6	6	5	13	25	26	18	17	13	6	4
要精密検査	男	62	(1.5%)	0	0	1	0	0	3	7	11	11	10	6	8	3	2
	女	30	(0.9%)	0	0	0	2	1	5	3	6	2	3	2	3	1	2
	計	92	(1.2%)	0	0	1	2	1	8	10	17	13	13	8	11	4	4
要治療	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	女	5	(0.2%)	0	0	0	1	1	0	1	0	0	1	1	0	0	0
	計	6	(0.1%)	0	0	0	1	1	0	1	0	0	2	1	0	0	0
合計	男	4,227		29	78	136	187	293	453	705	743	616	472	281	171	41	22
	女	3,185		38	124	118	168	272	371	458	520	464	318	190	111	27	6
	計	7,412		67	202	254	355	565	824	1,163	1,263	1,080	790	471	282	68	28

その他の血液検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
		C E A	男	1,236	37	3.0	0	0	—	0	0	—	26	1	3.8	38	0	—	50	0	—	107	1	0.9	211	3	1.4	243	8	3.3	234	5	2.1	170	8	4.7	82	4	4.9	51	4	7.8	16	2	12.5	8
	女	898	7	0.8	0	0	—	0	0	—	40	0	—	31	0	—	63	0	—	103	0	—	139	0	—	198	1	0.5	163	2	1.2	75	1	1.3	43	1	2.3	33	1	3.0	7	1	14.3	3	0	—
	計	2,134	44	2.1	0	0	—	0	0	—	66	1	1.5	69	0	—	113	0	—	210	1	0.5	350	3	0.9	441	9	2.0	397	7	1.8	245	9	3.7	125	5	4.0	84	5	6.0	23	3	13.0	11	1	9.1
R F	男	2,312	110	4.8	17	0	—	45	2	4.4	78	1	1.3	97	4	4.1	173	1	0.6	262	6	2.3	412	15	3.6	406	19	4.7	303	22	7.3	279	23	8.2	145	12	8.3	68	4	5.9	12	1	8.3	15	0	—
	女	1,790	104	5.8	38	1	2.6	120	3	2.5	68	2	2.9	121	6	5.0	175	10	5.7	216	9	4.2	270	10	3.7	243	19	7.8	230	15	6.5	169	15	8.9	88	9	10.2	44	4	9.1	7	0	—	1	1	100.0
	計	4,102	214	5.2	55	1	1.8	165	5	3.0	146	3	2.1	218	10	4.6	348	11	3.2	478	15	3.1	682	25	3.7	649	38	5.9	533	37	6.9	448	38	8.5	233	21	9.0	112	8	7.1	19	1	5.3	16	1	6.3
C P K	男	112	50	44.6	11	6	54.5	31	17	54.8	32	18	56.3	11	4	36.4	7	0	—	7	2	28.6	4	1	25.0	5	0	—	4	2	50.0	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—
	女	2	1	50.0	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	1	1	100.0	0	0	—	0	0	—	0	0	—	0	0	—	1	0	—	0	0	—
	計	114	51	44.7	11	6	54.5	31	17	54.8	32	18	56.3	11	4	36.4	7	0	—	7	2	28.6	4	1	25.0	6	1	16.7	4	2	50.0	0	0	—	0	0	—	0	0	—	1	0	—	0	0	—
C A 1 9 — 9	男	1,326	7	0.5	0	0	—	1	0	—	9	0	—	61	0	—	104	0	—	130	0	—	206	0	—	210	1	0.5	193	2	1.0	169	0	—	127	1	0.8	87	3	3.4	21	0	—	8	0	—
	女	686	4	0.6	0	0	—	0	0	—	2	0	—	21	0	—	29	0	—	63	0	—	110	1	0.9	126	0	—	113	0	—	99	1	1.0	72	2	2.8	41	0	—	8	0	—	2	0	—
	計	2,012	11	0.5	0	0	—	1	0	—	11	0	—	82	0	—	133	0	—	193	0	—	316	1	0.3	336	1	0.3	306	2	0.7	268	1	0.4	199	3	1.5	128	3	2.3	29	0	—	10	0	—
C A 1 2 5	男	1	0	0.0	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—	1	0	—	0	0	—	0	0	—	0	0	—	0	0	—	0	0	—
	女	747	11	1.5	0	0	—	4	0	—	10	0	—	22	2	9.1	46	0	—	83	3	3.6	105	1	1.0	131	4	3.1	129	0	—	102	0	—	66	0	—	42	0	—	5	0	—	2	1	50.0
	計	748	11	1.5	0	0	—	4	0	—	10	0	—	22	2	9.1	46	0	—	83	3	3.6	105	1	1.0	131	4	3.1	130	0	—	102	0	—	66	0	—	42	0	—	5	0	—	2	1	50.0
シ フ ラ	男	330	4	1.2	0	0	—	0	0	—	1	0	—	7	0	—	16	0	—	18	0	—	52	0	—	64	1	1.6	46	1	2.2	51	0	—	40	1	2.5	26	1	3.8	5	0	—	4	0	—
	女	117	0	—	0	0	—	0	0	—	0	0	—	2	0	—	7	0	—	6	0	—	15	0	—	20	0	—	18	0	—	18	0	—	13	0	—	16	0	—	2	0	—	0	0	—
	計	447	4	0.9	0	0	—	0	0	—	1	0	—	9	0	—	23	0	—	24	0	—	67	0	—	84	1	1.2	64	1	1.6	69	0	—	53	1	1.9	42	1	2.4	7	0	—	4	0	—
P R O G R P	男	329	3	0.9	0	0	—	0	0	—	1	0	—	7	0	—	15	0	—	19	0	—	52	0	—	62	0	—	47	0	—	49	0	—	40	1	2.5	26	0	—	6	0	—	5	2	40.0
	女	117	2	1.7	0	0	—	0	0	—	0	0	—	2	0	—	7	1	14.3	6	0	—	15	0	—	21	0	—	18	0	—	18	0	—	13	0	—	16	1	6.3	1	0	—	0	0	—
	計	446	5	1.1	0	0	—	0	0	—	1	0	—	9	0	—	22	1	4.5	25	0	—	67	0	—	83	0	—	65	0	—	67	0	—	53	1	1.9	42	1	2.4	7	0	—	5	2	40.0
N I T R O B E N	男	235	23	9.8	0	0	—	2	0	—	1	0	—	6	0	—	8	0	—	14	0	—	34	1	2.9	32	2	6.3	32	2	6.3	35	3	8.6	29	4	13.8	28	5	17.9	11	4	36.4	3	2	66.7
	女	217	18	8.3	0	0	—	0	0	—	1	0	—	1	0	—	15	0	—	16	0	—	25	1	4.0	37	2	5.4	36	4	11.1	33	4	12.1	21	1	4.8	19	2	10.5	10	2	20.0	3	2	66.7
	計	452	41	9.1	0	0	—	2	0	—	2	0	—	7	0	—	23	0	—	30	0	—	59	2	3.4	69	4	5.8	68	6	8.8	68	7	10.3	50	5	10.0	47	7	14.9	21	6	28.6	6	4	66.7

陽性率%

その他の血液検査検査の性年齢別平均値

検査項目	総数	19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上																		
CEA ng/mL	男	1,236	2.0	0	0.0	0	0.0	26	2.0	38	1.8	50	1.9	107	1.8	211	1.8	243	2.0	234	1.9	170	2.2	82	2.4	51	2.5	16	2.7	8	2.8		
	女	898	1.5	0	0.0	0	0.0	40	1.0	31	1.0	63	1.1	103	1.2	139	1.3	198	1.5	163	1.6	75	1.8	43	1.9	33	2.0	7	12.8	3	3.0		
	計	2,134	1.8	0	0.0	0	0.0	66	1.4	69	1.4	113	1.4	210	1.5	350	1.6	441	1.8	397	1.8	245	2.1	125	2.2	84	2.3	23	5.7	11	2.9		
RF IU/mL	男	2,312	13.9	17	10.0	45	12.3	78	10.7	97	11.9	173	10.7	262	12.0	412	13.3	406	12.9	303	16.8	279	18.0	145	14.9	68	15.5	12	21.7	15	10.6		
	女	1,790	14.7	38	11.0	120	10.7	68	11.4	121	12.4	175	12.8	216	13.5	270	13.8	243	15.4	230	12.9	169	24.0	88	19.4	44	20.7	7	10.0	1	42.1		
	計	4,102	14.3	55	10.7	165	11.1	146	11.0	218	12.2	348	11.7	478	12.7	682	13.5	649	13.8	533	15.1	448	20.3	233	16.6	112	17.5	19	17.4	16	12.6		
CPK U/L	男	112	312.9	11	360.1	31	366.8	32	405.9	11	258.7	7	128.9	7	140.7	4	177.8	5	147.4	4	136.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	女	2	46.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	42.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	0	0.0		
	計	114	308.3	11	360.1	31	366.8	32	405.9	11	258.7	7	128.9	7	140.7	4	177.8	6	129.8	4	136.5	0	0.0	0	0.0	0	0.0	1	50.0	0	0.0		
CA19-9 U/mL	男	1,326	8.8	0	0.0	1	8.0	9	4.7	61	5.8	104	6.3	130	6.7	206	7.3	210	7.7	193	9.2	169	10.4	127	11.9	87	14.6	21	11.7	8	12.5		
	女	686	10.3	0	0.0	0	0.0	2	9.5	21	7.9	29	8.6	63	10.9	110	9.0	126	10.4	113	9.5	99	10.5	72	12.1	41	12.2	8	13.8	2	16.0		
	計	2,012	9.3	0	0.0	1	8.0	11	5.6	82	6.3	133	6.8	193	8.0	316	7.9	336	8.7	306	9.3	268	10.4	199	11.9	128	13.8	29	12.2	10	13.2		
CA125 U/mL	男	1	11.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	11.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
	女	747	11.7	0	0.0	4	12.5	10	12.3	22	16.8	46	14.5	83	14.0	105	12.4	131	12.0	129	9.6	102	9.7	66	10.6	42	9.9	5	12.2	2	26.5		
	計	748	11.7	0	0.0	4	12.5	10	12.3	22	16.8	46	14.5	83	14.0	105	12.4	131	12.0	130	9.6	102	9.7	66	10.6	42	9.9	5	12.2	2	26.5		
シフラ ng/mL	男	330	1.3	0	0.0	0	0.0	1	1.2	7	0.7	16	1.1	18	1.1	52	1.1	64	1.1	46	1.3	51	1.4	40	1.6	26	1.6	5	1.1	4	1.6		
	女	117	1.0	0	0.0	0	0.0	0	0.0	2	0.6	7	0.8	6	0.9	15	0.8	20	0.9	18	1.0	18	1.1	13	1.1	16	1.4	2	1.2	0	0.0		
	計	447	1.2	0	0.0	0	0.0	1	1.2	9	0.7	23	1.0	24	1.1	67	1.0	84	1.1	64	1.2	69	1.3	53	1.5	42	1.6	7	1.1	4	1.6		
ProGRP pg/mL	男	329	41.3	0	0.0	0	0.0	1	47.6	7	32.6	15	35.5	19	37.9	52	35.9	62	39.7	47	40.8	49	44.2	40	47.7	26	44.8	6	36.9	5	72.9		
	女	117	44.7	0	0.0	0	0.0	0	0.0	2	45.1	7	71.7	6	32.9	15	41.4	21	40.1	18	40.0	18	42.2	13	47.4	16	50.8	1	69.8	0	0.0		
	計	446	42.2	0	0.0	0	0.0	1	47.6	9	35.4	22	47.0	25	36.7	67	37.1	83	39.8	65	40.6	67	43.7	53	47.6	42	47.1	7	41.6	5	72.9		
NT-proBNP pg/mL	男	235	60.5	0	0.0	2	23.5	1	29.0	6	19.3	8	13.6	14	14.3	34	32.9	32	55.5	32	54.6	35	64.4	29	65.6	28	117.9	11	111.2	3	128.7		
	女	217	64.7	0	0.0	0	0.0	1	10.0	1	64.0	15	58.3	16	58.6	25	50.7	37	48.3	36	53.3	33	71.2	21	64.6	19	67.7	10	104.5	3	382.7		
	計	452	62.5	0	0.0	2	23.5	2	19.5	7	25.7	23	42.8	30	37.9	59	40.4	69	51.6	68	53.9	68	67.7	50	65.2	47	97.6	21	108.0	6	255.7		

前立腺検査判定結果

判定	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上			
異常なし	7,004	(93.5%)	1	0	11	26	53	125	281	1,383	1,415	1,161	886	910	491	261																
問題なし	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
要経過観察	31	(0.4%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	6	7	6	3	6									
要精密検査	328	(4.4%)	0	0	1	0	0	0	0	0	4	23	35	48	46	85	56	30														
要治療	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
治療中	124	(1.7%)	0	0	0	1	0	1	2	6	23	28	25	22	7	9																
合計	7,487		1	0	12	27	53	126	287	1,413	1,475	1,243	964	1,023	557	306																

PSA検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
PSA ng/mL	7,488	1.56	1	0.6	0	0	12	1.56	27	1	53	0.99	126	0.88	287	1.04	1,413	1.1	1,475	1.32	1,243	1.49	964	1.64	1,024	2.12	557	2.28	306	2.48

骨密度検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	185 (51.7%)	0	0	1	1	7	3	11	10	10	27	34	58	19	4
	女	897 (36.7%)	0	9	31	25	47	82	109	173	157	108	76	64	14	2
	計	1,082 (38.6%)	0	9	32	26	54	85	120	183	167	135	110	122	33	6
問題なし	男	18 (5.0%)	0	0	1	1	2	3	4	3	3	0	1	0	0	0
	女	295 (12.1%)	0	1	16	27	43	88	93	27	0	0	0	0	0	0
	計	313 (11.2%)	0	1	17	28	45	91	97	30	3	0	1	0	0	0
要経過観察	男	126 (35.2%)	0	0	0	0	1	6	8	8	5	16	24	22	30	6
	女	897 (36.7%)	0	1	5	8	33	55	47	123	179	142	123	141	31	9
	計	1,023 (36.5%)	0	1	5	8	34	61	55	131	184	158	147	163	61	15
要精密検査	男	23 (6.4%)	0	0	0	0	0	1	2	1	2	4	6	3	3	1
	女	240 (9.8%)	0	0	1	1	0	5	6	20	28	51	54	54	13	7
	計	263 (9.4%)	0	0	1	1	0	6	8	21	30	55	60	57	16	8
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	6 (1.7%)	0	0	0	0	0	0	0	0	1	0	1	2	2	0
	女	114 (4.7%)	0	0	0	1	1	0	1	4	13	13	31	26	18	6
	計	120 (4.3%)	0	0	0	1	1	0	1	4	14	13	32	28	20	6
合計	男	358	0	0	2	2	10	13	25	22	21	47	66	85	54	11
	女	2,443	0	11	53	62	124	230	256	347	377	314	284	285	76	24
	計	2,801	0	11	55	64	134	243	281	369	398	361	350	370	130	35

超音波骨密度検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
若年比較 %	男	358	93.5	0	0.0	0	0.0	2	107.0	2	103.0	10	104.6	13	89.5	25	98.2	22	96.7	21	93.2	47	93.0	66	91.9	85	94.8	54	89.9	11	87.9
	女	2,444	91.3	0	0.0	11	107.5	53	104.2	62	99.3	124	98.0	230	97.1	256	97.3	347	93.8	377	89.8	314	87.5	284	85.8	286	85.4	76	84.1	24	80.3
	計	2,802	91.6	0	0.0	11	107.5	55	104.3	64	99.4	134	98.5	243	96.6	281	97.4	369	94.0	398	89.9	361	88.2	350	86.9	371	87.6	130	86.6	35	82.7
同年比較 %	男	358	102.5	0	0.0	0	0.0	2	103.5	2	101.5	10	106.3	13	91.5	25	101.4	22	101.6	21	99.2	47	100.6	66	101.4	85	106.1	54	103.7	11	103.0
	女	2,444	101.0	0	0.0	11	107.5	53	104.0	62	99.6	124	98.0	230	97.1	256	99.0	347	100.4	377	101.3	314	101.6	284	102.2	286	104.1	76	105.7	24	103.6
	計	2,802	101.2	0	0.0	11	107.5	55	104.0	64	99.6	134	98.6	243	96.8	281	99.2	369	100.4	398	101.2	361	101.5	350	102.1	371	104.6	130	104.9	35	103.4
OSI×100万	男	358	2.7	0	0.0	0	0.0	2	3.1	2	3.0	10	3.1	13	2.6	25	2.9	22	2.8	21	2.7	47	2.7	66	2.7	85	2.8	54	2.6	11	2.6
	女	2,444	2.5	0	0.0	11	2.9	53	2.8	62	2.7	124	2.7	230	2.6	256	2.6	347	2.5	377	2.4	314	2.4	284	2.3	286	2.3	76	2.3	24	2.2
	計	2,802	2.5	0	0.0	11	2.9	55	2.8	64	2.7	134	2.7	243	2.6	281	2.6	369	2.6	398	2.4	361	2.4	350	2.4	371	2.4	130	2.4	35	2.3

動脈硬化検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	226 (17.2%)	0	0	2	10	15	68	52	46	24	6	3	0	0	0
	女	166 (20.0%)	0	0	2	7	10	38	34	30	28	8	8	1	0	0
	計	392 (18.3%)	0	0	4	17	25	106	86	76	52	14	11	1	0	0
問題なし	男	209 (15.9%)	0	0	0	1	2	28	36	62	48	22	7	3	0	0
	女	151 (18.2%)	0	0	0	0	0	12	33	30	44	18	9	5	0	0
	計	360 (16.8%)	0	0	0	1	2	40	69	92	92	40	16	8	0	0
要経過観察	男	814 (61.8%)	0	0	0	0	6	49	67	166	222	144	76	66	13	5
	女	477 (57.6%)	0	0	0	0	1	4	38	74	100	98	74	69	13	6
	計	1,291 (60.2%)	0	0	0	0	7	53	105	240	322	242	150	135	26	11
要精密検査	男	62 (4.7%)	0	0	0	0	0	2	4	4	13	13	10	8	6	2
	女	32 (3.9%)	0	0	0	0	0	0	0	0	2	5	10	8	6	1
	計	94 (4.4%)	0	0	0	0	0	2	4	4	15	18	20	16	12	3
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	6 (0.5%)	0	0	0	0	0	0	0	0	0	0	1	3	1	1
	女	2 (0.2%)	0	0	0	0	0	0	0	0	1	0	0	1	0	0
	計	8 (0.4%)	0	0	0	0	0	0	0	0	1	0	1	4	1	1
合計	男	1,317	0	0	2	11	23	147	159	278	307	185	97	80	20	8
	女	828	0	0	2	7	11	54	105	134	175	129	101	84	19	7
	計	2,145	0	0	4	18	34	201	264	412	482	314	198	164	39	15

頸部動脈超音波検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
プラーク個数	男	1,317 (100.0%)	0	0	2	11	23	147	159	278	307	185	97	80	20	8
	女	828 (100.0%)	0	0	2	7	11	54	105	134	175	129	101	84	19	7
	計	2,145 (100.0%)	0	0	4	18	34	201	264	412	482	314	198	164	39	15
頸動脈の内腔狭窄あり (面積狭窄率50~75%)	男	28 (2.1%)	0	0	0	0	0	0	0	1	7	10	3	4	1	2
	女	3 (0.4%)	0	0	0	0	0	0	0	0	0	1	0	1	0	1
	計	31 (1.4%)	0	0	0	0	0	0	0	1	7	11	3	5	1	3
総頸動脈内径拡大	男	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	1
頸動脈描出不良	男	42 (3.2%)	0	0	0	0	0	3	3	12	13	3	4	2	0	2
	女	10 (1.2%)	0	0	0	0	0	0	1	0	3	1	2	3	0	0
	計	52 (2.4%)	0	0	0	0	0	3	4	12	16	4	6	5	0	2
低輝度不均質型 プラークあり	男	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
総頸動脈壁肥厚	男	48 (3.6%)	0	0	0	0	0	0	0	3	9	10	13	7	5	1
	女	12 (1.4%)	0	0	0	0	0	0	0	2	1	1	3	3	2	0
	計	60 (2.8%)	0	0	0	0	0	0	0	5	10	11	16	10	7	1
その他の所見	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	3 (0.4%)	0	0	0	0	0	0	0	0	2	1	0	0	0	0
	計	3 (0.1%)	0	0	0	0	0	0	0	0	2	1	0	0	0	0
検診者総数	男	1,317	0	0	2	11	23	147	159	278	307	185	97	80	20	8
	女	828	0	0	2	7	11	54	105	134	175	129	101	84	19	7
	計	2,145	0	0	4	18	34	201	264	412	482	314	198	164	39	15

頸部動脈超音波検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
平均IMT 右 mm	1,317	828	0	0	0	0	2	2	11	7	23	11	147	54	159	105	278	134	307	175	185	129	97	101	80	84	20	19	8	7	
	0.8	0.7	0.0	0.0	0.0	0.0	0.5	0.5	0.6	0.5	0.6	0.6	0.6	0.6	0.7	0.6	0.7	0.7	0.8	0.7	0.8	0.8	0.9	0.8	0.9	0.9	0.9	1.0	0.9	1.0	0.9
	2,145	2,145	0	0	0	0	4	4	18	18	34	34	201	201	264	264	412	412	482	482	314	314	198	198	164	164	39	39	15	15	
平均IMT 左 mm	1,317	828	0	0	0	0	2	2	11	7	23	11	147	54	159	105	278	134	307	175	185	129	97	101	80	84	20	19	8	7	
	0.8	0.7	0.0	0.0	0.0	0.0	0.5	0.6	0.5	0.6	0.6	0.6	0.7	0.6	0.7	0.7	0.8	0.7	0.8	0.7	0.8	0.8	0.9	0.8	0.9	0.9	0.9	1.2	0.9	1.0	0.9
	2,145	2,145	0	0	0	0	4	4	18	18	34	34	201	201	264	264	412	412	482	482	314	314	198	198	164	164	39	39	15	15	
最大IMT 右 mm	1,317	828	0	0	0	0	2	2	11	7	23	11	147	54	159	105	278	134	307	175	185	129	97	101	80	84	20	19	8	7	
	1.4	1.3	0.0	0.0	0.0	0.0	0.9	0.8	0.9	0.8	0.9	0.9	1.1	0.9	1.2	1.1	1.3	1.2	1.5	1.3	1.6	1.4	1.8	1.4	1.5	1.5	1.5	2.0	1.6	2.0	1.6
	2,145	2,145	0	0	0	0	4	4	18	18	34	34	201	201	264	264	412	412	482	482	314	314	198	198	164	164	39	39	15	15	
最大IMT 左 mm	1,317	828	0	0	0	0	2	2	11	7	23	11	147	54	159	105	278	134	307	175	185	129	97	101	80	84	20	19	8	7	
	1.5	1.3	0.0	0.0	0.0	0.0	0.8	0.7	0.9	0.8	1.0	0.9	1.1	0.9	1.3	1.2	1.4	1.3	1.5	1.3	1.6	1.5	1.8	1.5	1.6	1.6	2.1	1.5	2.1	1.5	
	2,145	2,145	0	0	0	0	4	4	18	18	34	34	201	201	264	264	412	412	482	482	314	314	198	198	164	164	39	39	15	15	

血圧脈波検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上			
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女		
ABI検査 右	779	550	0	0	0	0	0	1	5	1	12	5	115	33	93	68	177	85	161	100	90	57	77	48	62	14	19	7	3			
	1.1	1.1	0.0	0.0	0.0	0.0	1.0	1.0	1.1	1.0	1.1	1.1	1.1	1.1	1.2	1.1	1.1	1.1	1.1	1.1	1.1	1.2	1.1	1.1	1.1	1.1	1.2	1.1	1.1	1.1		
	1,329	1,329	0	0	0	0	1	6	17	17	148	161	262	261	186	134	110	110	134	134	186	134	110	110	33	33	10	10				
ABI検査 左	779	550	0	0	0	0	0	1	5	1	12	5	115	33	93	68	177	85	161	100	90	57	77	48	62	14	19	7	3			
	1.1	1.1	0.0	0.0	0.0	0.0	1.0	1.1	1.1	1.0	1.1	1.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.2	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1		
	1,329	1,329	0	0	0	0	1	6	17	17	148	161	262	261	186	134	110	110	134	134	186	134	110	110	33	33	10	10				
PWV検査 右 cm/s	779	550	0	0	0	0	0	1	5	1	12	5	115	33	93	68	177	85	161	100	90	57	77	48	62	14	19	7	3			
	1434.2	1440.8	0.0	0.0	0.0	0.0	1122.0	1103.0	1261.0	1103.0	1312.9	1215.2	1252.0	1151.3	1301.3	1260.4	1331.3	1361.5	1468.0	1361.5	1458.4	1499.6	1610.8	1649.0	1610.8	1610.8	1735.0	1685.3	1932.0	1941.1	2246.9	1903.3
	1,329	1,329	0	0	0	0	1	6	17	17	148	161	262	261	186	134	110	110	134	134	186	134	110	110	33	33	10	10				
PWV検査 左 cm/s	779	550	0	0	0	0	0	1	5	1	12	5	115	33	93	68	177	85	161	100	90	57	77	48	62	14	19	7	3			
	1423.3	1441.2	0.0	0.0	0.0	0.0	1122.0	1058.0	1220.6	1058.0	1275.7	1229.0	1240.4	1158.4	1288.1	1248.0	1339.0	1355.5	1457.3	1355.5	1467.3	1497.6	1626.0	1626.0	1626.0	1739.8	1685.3	1893.1	1950.2	2252.1	1852.0	
	1,329	1,329	0	0	0	0	1	6	17	17	148	161	262	261	186	134	110	110	134	134	186	134	110	110	33	33	10	10				

甲状腺判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
異常なし	男	135 (53.8%)	0	0	0	1	2	54	8	41	7	9	6	4	2	1
	女	146 (32.2%)	0	1	3	13	18	26	21	25	19	11	3	5	0	1
	計	281 (39.9%)	0	1	3	14	20	80	29	66	26	20	9	9	2	2
問題なし	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	男	85 (33.9%)	0	0	0	1	1	20	7	19	8	10	8	8	2	1
	女	212 (46.7%)	0	1	2	5	14	17	32	31	32	30	25	15	7	1
	計	297 (42.1%)	0	1	2	6	15	37	39	50	40	40	33	23	9	2
要精密検査	男	30 (12.0%)	0	0	1	1	0	4	5	9	0	3	0	6	0	1
	女	94 (20.7%)	0	0	1	2	3	11	13	15	12	11	12	9	5	0
	計	124 (17.6%)	0	0	2	3	3	15	18	24	12	14	12	15	5	1
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	1 (0.4%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	女	2 (0.4%)	0	0	0	0	0	1	0	0	0	1	0	0	0	0
	計	3 (0.4%)	0	0	0	0	0	2	0	0	0	1	0	0	0	0
合計	男	251	0	0	1	3	3	79	20	69	15	22	14	18	4	3
	女	454	0	2	6	20	35	55	66	71	63	53	40	29	12	2
	計	705	0	2	7	23	38	134	86	140	78	75	54	47	16	5

甲状腺機能検査検査の性年齢別平均値

検査項目	総数	19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
TSH μIU/mL	男	58 2.0	0 0.0	0 0.0	0 0.0	1 8.4	0 0.0	10 2.2	9 1.7	11 1.6	8 1.2	7 1.9	9 2.4	2 1.2	1 3.7	0 0.0
	女	230 2.0	0 0.0	2 0.8	4 2.7	11 2.2	25 1.5	33 2.4	38 2.1	30 1.6	30 1.8	25 1.7	16 2.2	9 2.6	6 2.3	1 2.5
	計	288 2.0	0 0.0	2 0.8	4 2.7	12 2.7	25 1.5	43 2.4	47 2.0	41 1.6	38 1.7	32 1.8	25 2.2	11 2.3	7 2.5	1 2.5
FT3 pg/mL	男	57 3.1	0 0.0	0 0.0	0 0.0	1 3.4	0 0.0	9 3.1	9 3.2	11 3.1	8 3.2	7 3.0	9 2.9	2 2.8	1 3.0	0 0.0
	女	228 2.9	0 0.0	2 3.0	4 2.8	10 3.0	25 2.8	32 2.9	38 2.7	30 3.1	30 2.9	25 2.9	16 2.7	9 2.9	6 2.7	1 2.8
	計	285 2.9	0 0.0	2 3.0	4 2.8	11 3.0	25 2.8	41 2.9	47 2.8	41 3.1	38 3.0	32 3.0	25 2.7	11 2.9	7 2.8	1 2.8
FT4 ng/dL	男	57 1.3	0 0.0	0 0.0	0 0.0	1 1.3	0 0.0	9 1.4	9 1.4	11 1.3	8 1.4	7 1.2	9 1.2	2 1.2	1 1.1	0 0.0
	女	228 1.3	0 0.0	2 1.4	4 1.3	10 1.3	25 1.2	32 1.2	38 1.2	30 1.3	30 1.3	25 1.2	16 1.2	9 1.2	6 1.3	1 1.4
	計	285 1.3	0 0.0	2 1.4	4 1.3	11 1.3	25 1.2	41 1.3	47 1.3	41 1.3	38 1.3	32 1.2	25 1.2	11 1.2	7 1.2	1 1.4

甲状腺超音波検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
右葉に甲状腺結節あり	男	83 (36.9%)	0	0	1	0	1	15	7	23	6	11	5	11	2	1
	女	217 (58.0%)	0	0	2	5	12	17	32	32	30	34	26	16	10	1
	計	300 (50.1%)	0	0	3	5	13	32	39	55	36	45	31	27	12	2
左葉に甲状腺結節あり	男	68 (30.2%)	0	0	1	1	1	15	4	15	5	8	4	12	1	1
	女	196 (52.4%)	0	0	3	3	9	15	34	28	23	32	22	16	10	1
	計	264 (44.1%)	0	0	4	4	10	30	38	43	28	40	26	28	11	2
峡部に甲状腺結節あり	男	4 (1.8%)	0	0	0	0	0	0	1	2	0	0	0	0	1	0
	女	32 (8.6%)	0	0	0	0	0	3	3	7	3	7	6	3	0	0
	計	36 (6.0%)	0	0	0	0	0	3	4	9	3	7	6	3	1	0
充実性腫瘍の疑い	男	43 (19.1%)	0	0	0	1	0	4	5	13	1	4	1	12	1	1
	女	149 (39.8%)	0	0	0	2	1	11	19	24	9	30	26	17	10	0
	計	192 (32.1%)	0	0	0	3	1	15	24	37	10	34	27	29	11	1
嚢胞性病変の疑い	男	135 (60.0%)	0	0	2	1	2	28	10	33	10	17	8	19	3	2
	女	379 (101.3%)	0	0	5	8	20	30	59	61	50	63	41	23	17	2
	計	514 (85.8%)	0	0	7	9	22	58	69	94	60	80	49	42	20	4
副甲状腺腫大あり	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	2 (0.5%)	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	計	2 (0.3%)	0	0	0	0	0	0	0	0	0	1	1	0	0	0
甲状腺腫大あり	男	4 (1.8%)	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	女	16 (4.3%)	0	0	0	1	0	1	0	1	4	4	3	1	1	0
	計	20 (3.3%)	0	0	0	1	0	2	1	1	4	4	3	2	1	1
その他の所見	男	9 (4.0%)	0	0	1	1	0	1	3	0	1	1	1	0	0	0
	女	50 (13.4%)	0	0	1	0	2	4	5	7	11	7	7	4	2	0
	計	59 (9.8%)	0	0	2	1	2	5	8	7	12	8	8	4	2	0
検診者総数	男	225	0	0	1	3	3	73	17	64	9	19	12	18	3	3
	女	374	0	0	5	13	26	41	60	56	51	46	36	26	12	2
	計	599	0	0	6	16	29	114	77	120	60	65	48	44	15	5

脳検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	407 (61.5%)	0	0	1	5	11	23	73	106	106	53	17	11	1	0
	女	193 (61.5%)	0	0	1	3	6	15	40	47	47	20	10	4	0	0
	計	600 (61.5%)	0	0	2	8	17	38	113	153	153	73	27	15	1	0
問題なし	男	99 (15.0%)	0	0	1	0	0	3	15	16	24	18	10	10	0	2
	女	40 (12.7%)	0	0	0	0	0	0	2	1	10	4	9	11	1	2
	計	139 (14.2%)	0	0	1	0	0	3	17	17	34	22	19	21	1	4
要経過観察	男	75 (11.3%)	0	0	0	0	0	0	5	10	28	18	6	6	2	0
	女	33 (10.5%)	0	0	0	0	0	2	1	5	14	4	5	1	0	1
	計	108 (11.1%)	0	0	0	0	0	2	6	15	42	22	11	7	2	1
要精密検査	男	60 (9.1%)	0	0	0	1	1	3	10	9	10	10	8	6	2	0
	女	39 (12.4%)	0	0	0	2	0	2	4	4	12	8	3	3	0	1
	計	99 (10.1%)	0	0	0	3	1	5	14	13	22	18	11	9	2	1
要治療	男	15 (2.3%)	0	0	0	0	0	3	0	3	5	1	3	0	0	0
	女	9 (2.9%)	0	0	0	1	0	1	1	2	1	1	2	0	0	0
	計	24 (2.5%)	0	0	0	1	0	4	1	5	6	2	5	0	0	0
治療中	男	6 (0.9%)	0	0	0	0	0	1	2	0	2	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	6 (0.6%)	0	0	0	0	0	1	2	0	2	0	0	0	1	0
合計	男	662	0	0	2	6	12	33	105	144	175	100	44	33	6	2
	女	314	0	0	1	6	6	20	48	59	84	37	29	19	1	4
	計	976	0	0	3	12	18	53	153	203	259	137	73	52	7	6

心理検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
抑うつ状態	男	9 (23.7%)	0	0	0	0	0	1	5	2	0	0	1	0	0	0
	女	3 (42.9%)	0	0	0	0	0	1	1	0	0	0	0	1	0	0
	計	12 (26.7%)	0	0	0	0	0	2	6	2	0	0	1	1	0	0
検診者総数	男	38	0	0	0	0	0	3	7	5	7	8	5	2	1	0
	女	7	0	0	0	0	0	1	1	2	1	0	0	2	0	0
	計	45	0	0	0	0	0	4	8	7	8	8	5	4	1	0

大脳高次機能検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	MMSE <small>(脳の認知機能評価の簡易検査)</small> 低下	男	1 (2.6%)	0	0	0	0	0	0	0	0	0	0	0	0	1
女		0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
計		1 (2.2%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
HDS-R <small>(脳の認知機能評価の簡易検査)</small> 低下	男	1 (2.6%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (2.2%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
検診者総数	男	38	0	0	0	0	0	3	7	5	7	8	5	2	1	0
	女	7	0	0	0	0	0	1	1	2	1	0	0	2	0	0
	計	45	0	0	0	0	0	4	8	7	8	8	5	4	1	0

頭部MRI検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女	計														
脳萎縮	男	1	(0.2%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.1%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
無症候性脳梗塞巣	男	102	(15.4%)	0	0	0	0	0	1	3	10	28	22	19	14	4	1
	女	60	(19.1%)	0	0	0	0	0	1	1	2	17	8	16	11	1	3
	計	162	(16.6%)	0	0	0	0	0	2	4	12	45	30	35	25	5	4
脳室拡大	男	1	(0.2%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.1%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
脳内異常陰影	男	6	(0.9%)	0	0	0	0	0	0	1	0	2	3	0	0	0	0
	女	4	(1.3%)	0	0	0	0	0	0	2	0	1	0	0	1	0	0
	計	10	(1.0%)	0	0	0	0	0	0	3	0	3	3	0	1	0	0
中耳炎症所見	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	2	(0.6%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0
	計	2	(0.2%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0
副鼻腔炎	男	46	(6.9%)	0	0	1	0	0	4	5	9	15	4	4	3	1	0
	女	16	(5.1%)	0	0	0	1	0	1	2	3	4	2	2	1	0	0
	計	62	(6.4%)	0	0	1	1	0	5	7	12	19	6	6	4	1	0
くも膜嚢胞	男	6	(0.9%)	0	0	0	0	0	0	3	1	2	0	0	0	0	0
	女	3	(1.0%)	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	計	9	(0.9%)	0	0	0	0	0	0	3	1	5	0	0	0	0	0
海綿状血管腫	男	3	(0.5%)	0	0	0	0	0	0	1	1	1	0	0	0	0	0
	女	1	(0.3%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	4	(0.4%)	0	0	0	0	0	0	1	1	2	0	0	0	0	0
微小脳出血	男	4	(0.6%)	0	0	0	0	0	0	0	0	1	0	1	2	0	0
	女	2	(0.6%)	0	0	0	0	0	0	0	0	1	0	1	0	0	0
	計	6	(0.6%)	0	0	0	0	0	0	0	0	2	0	2	2	0	0
その他の所見	男	33	(5.0%)	0	0	0	1	0	0	3	9	11	5	3	1	0	0
	女	15	(4.8%)	0	0	0	3	0	1	1	4	1	3	1	1	0	0
	計	48	(4.9%)	0	0	0	4	0	1	4	13	12	8	4	2	0	0
検診者総数	男	662		0	0	2	6	12	33	105	144	175	100	44	33	6	2
	女	314		0	0	1	6	6	20	48	59	84	37	29	19	1	4
	計	976		0	0	3	12	18	53	153	203	259	137	73	52	7	6

頭頸部MRA検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
脳動脈硬化	男	1 (0.2%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	1 (0.3%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	計	2 (0.2%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
脳動脈瘤	男	29 (4.4%)	0	0	0	0	1	3	6	3	7	5	2	1	1	1	0
	女	24 (7.6%)	0	0	0	0	0	2	1	3	9	4	3	1	0	1	1
	計	53 (5.4%)	0	0	0	0	1	5	7	6	16	9	5	2	1	1	1
脳動脈狭窄	男	10 (1.5%)	0	0	0	0	0	0	2	1	3	1	0	3	0	0	0
	女	8 (2.5%)	0	0	0	0	0	0	1	1	2	2	0	1	0	1	1
	計	18 (1.8%)	0	0	0	0	0	0	3	2	5	3	0	4	0	1	1
脳動脈閉塞	男	1 (0.2%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
内頸動脈蛇行	男	30 (4.5%)	0	0	0	0	0	3	4	4	9	5	2	1	1	1	1
	女	18 (5.7%)	0	0	0	0	0	0	0	1	5	3	4	4	0	1	1
	計	48 (4.9%)	0	0	0	0	0	3	4	5	14	8	6	5	1	2	2
遺残性三叉動脈	男	4 (0.6%)	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0
	女	2 (0.6%)	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
	計	6 (0.6%)	0	0	0	0	0	0	0	0	0	5	1	0	0	0	0
頭部内頸動脈狭窄	男	14 (2.1%)	0	0	0	0	0	0	0	1	2	2	3	3	2	1	1
	女	1 (0.3%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	15 (1.5%)	0	0	0	0	0	0	0	1	2	3	3	3	2	1	1
頭部内頸動脈閉塞	男	2 (0.3%)	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
その他の所見	男	17 (2.6%)	0	0	0	0	0	1	0	1	6	4	2	2	1	0	0
	女	4 (1.3%)	0	0	0	0	0	0	0	1	1	2	0	0	0	0	0
	計	21 (2.2%)	0	0	0	0	0	1	0	2	7	6	2	2	1	0	0
検診者総数	男	662	0	0	2	6	12	33	105	144	175	100	44	33	6	2	2
	女	314	0	0	1	6	6	20	48	59	84	37	29	19	1	4	4
	計	976	0	0	3	12	18	53	153	203	259	137	73	52	7	6	6

肥満やせ判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	18,069	(53.5%)	205	1,347	1,714	1,485	1,734	1,807	2,009	1,735	1,630	1,475	1,006	935	610	377
	女	19,732	(63.4%)	158	1,348	1,459	1,361	1,609	2,109	2,435	2,268	1,845	1,653	1,310	1,342	582	253
	計	37,801	(58.2%)	363	2,695	3,173	2,846	3,343	3,916	4,444	4,003	3,475	3,128	2,316	2,277	1,192	630
問題なし	男	1,212	(3.6%)	23	159	152	116	130	118	99	84	77	79	56	55	37	27
	女	4,944	(15.9%)	36	399	511	431	473	504	564	591	517	380	244	181	81	32
	計	6,156	(9.5%)	59	558	663	547	603	622	663	675	594	459	300	236	118	59
要経過観察	男	14,506	(42.9%)	44	435	824	1,025	1,228	1,529	2,046	1,906	1,694	1,435	1,079	868	255	138
	女	6,455	(20.7%)	28	217	289	371	494	710	902	912	717	620	511	458	158	68
	計	20,961	(32.3%)	72	652	1,113	1,396	1,722	2,239	2,948	2,818	2,411	2,055	1,590	1,326	413	206
要精密検査	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	男	33,787		272	1,941	2,690	2,626	3,092	3,454	4,154	3,725	3,401	2,989	2,141	1,858	902	542
	女	31,131		222	1,964	2,259	2,163	2,576	3,323	3,901	3,771	3,079	2,653	2,065	1,981	821	353
	計	64,918		494	3,905	4,949	4,789	5,668	6,777	8,055	7,496	6,480	5,642	4,206	3,839	1,723	895

身体計測検査の性年齢別平均値

検査項目		総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
身長 cm	男	34,147	170.2	285	170.7	2,009	171.1	2,739	171.6	2,686	171.8	3,121	171.8	3,473	171.6	4,219	171.4	3,742	170.7	3,410	170.1	2,997	169.1	2,156	167.5	1,866	165.8	902	164.1	542	162.3
	女	31,258	157.1	226	157.4	1,980	158.0	2,269	158.5	2,174	158.5	2,593	158.6	3,343	158.8	3,911	158.4	3,784	157.9	3,086	157.1	2,662	156.1	2,071	154.4	1,985	152.4	821	151.0	353	148.5
	計	65,405	163.9	511	164.8	3,989	164.6	5,008	165.6	4,860	165.8	5,714	165.8	6,816	165.3	8,130	165.2	7,526	164.3	6,496	163.9	5,659	163.0	4,227	161.1	3,851	158.9	1,723	157.9	895	156.8
体重 kg	男	34,331	69.9	286	64.3	2,026	66.7	2,759	69.4	2,717	71.0	3,144	71.3	3,488	71.8	4,244	72.7	3,764	72.2	3,418	70.8	3,010	69.0	2,164	67.3	1,867	64.8	902	62.8	542	60.6
	女	31,287	55.0	226	53.5	1,981	52.6	2,276	53.2	2,180	55.1	2,598	55.7	3,346	56.5	3,912	57.0	3,788	56.5	3,087	55.5	2,663	54.7	2,071	53.9	1,985	52.4	821	51.1	353	49.6
	計	65,618	62.8	512	59.5	4,007	59.7	5,035	62.1	4,897	63.9	5,742	64.2	6,834	64.3	8,156	65.2	7,552	64.3	6,505	63.6	5,673	62.3	4,235	60.7	3,852	58.4	1,723	57.2	895	56.3
BMI (体格指数)	男	34,147	24.1	285	22.1	2,009	22.8	2,739	23.6	2,686	24.1	3,121	24.2	3,473	24.4	4,219	24.7	3,742	24.7	3,410	24.5	2,997	24.1	2,156	24.0	1,866	23.6	902	23.3	542	23.0
	女	31,258	22.3	226	21.6	1,980	21.1	2,269	21.1	2,174	21.9	2,593	22.1	3,343	22.4	3,911	22.7	3,784	22.7	3,086	22.5	2,662	22.5	2,071	22.6	1,985	22.6	821	22.4	353	22.5
	計	65,405	23.2	511	21.8	3,989	21.9	5,008	22.5	4,860	23.1	5,714	23.2	6,816	23.4	8,130	23.8	7,526	23.7	6,496	23.5	5,659	23.3	4,227	23.3	3,851	23.1	1,723	22.9	895	22.8
体脂肪率 %	男	3,465	22.3	13	12.2	67	16.9	87	17.2	180	21.0	286	21.3	412	21.9	599	22.6	619	23.1	611	23.1	341	23.1	145	23.3	74	22.4	13	20.9	18	21.3
	女	2,395	30.9	0	0.0	15	30.6	70	28.8	156	29.9	231	28.6	323	29.9	409	31.9	428	31.4	396	31.5	207	31.6	94	32.2	59	32.3	6	35.0	1	34.1
	計	5,860	25.8	13	12.2	82	19.4	157	22.4	336	25.1	517	24.6	735	25.4	1,008	26.4	1,047	26.5	1,007	26.4	548	26.3	239	26.8	133	26.8	19	25.4	19	22.0
腹囲 cm	男	30,857	83.8	215	74.0	1,585	77.2	2,290	80.6	2,302	82.4	2,898	83.0	3,362	83.9	4,110	85.1	3,647	85.7	3,339	85.6	2,924	85.1	2,130	85.0	1,849	84.5	158	84.4	48	86.8
	女	26,980	77.9	137	69.9	1,291	71.1	1,571	72.4	1,552	74.9	2,188	75.7	3,135	77.0	3,746	78.0	3,636	79.0	2,989	79.7	2,597	80.1	2,047	81.0	1,972	81.4	103	81.7	16	82.8
	計	57,837	81.0	352	72.4	2,876	74.5	3,861	77.2	3,854	79.4	5,086	79.9	6,497	80.6	7,856	81.7	7,283	82.4	6,328	82.8	5,521	82.7	4,177	83.0	3,821	82.9	261	83.3	64	85.8

特定健診判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
該当	男	4,460	(17.8%)	0	7	29	48	200	359	593	697	740	687	579	482	31	8
	女	961	(4.3%)	0	0	5	6	30	49	92	157	181	148	143	143	3	4
	計	5,421	(11.5%)	0	7	34	54	230	408	685	854	921	835	722	625	34	12
予備群 該当	男	3,604	(14.4%)	4	33	88	140	331	445	577	548	434	445	294	243	16	6
	女	932	(4.2%)	0	4	4	18	52	97	140	152	139	120	108	94	4	0
	計	4,536	(9.6%)	4	37	92	158	383	542	717	700	573	565	402	337	20	6
非該当	男	15,363	(61.4%)	70	532	788	836	1,646	2,050	2,221	1,874	1,666	1,529	1,079	990	68	14
	女	18,454	(83.1%)	23	304	468	526	1,482	2,431	2,945	2,807	2,278	2,005	1,576	1,544	58	7
	計	33,817	(71.6%)	93	836	1,256	1,362	3,128	4,481	5,166	4,681	3,944	3,534	2,655	2,534	126	21
判定不能	男	1,605	(6.4%)	0	42	62	49	40	40	28	35	28	35	10	8	738	490
	女	1,850	(8.3%)	6	125	138	112	111	103	70	62	39	23	5	3	716	337
	計	3,455	(7.3%)	6	167	200	161	151	143	98	97	67	58	15	11	1,454	827
合計	男	25,032		74	614	967	1,073	2,217	2,894	3,419	3,154	2,868	2,696	1,962	1,723	853	518
	女	22,197		29	433	615	662	1,675	2,680	3,247	3,178	2,637	2,296	1,832	1,784	781	348
	計	47,229		103	1,047	1,582	1,735	3,892	5,574	6,666	6,332	5,505	4,992	3,794	3,507	1,634	866

体力測定検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
全身反応時間 m秒	男	261	350.1	0	0.0	21	318.8	8	311.1	62	355.2	2	332.5	79	355.7	10	337.4	25	351.4	20	335.8	17	331.7	5	355.2	6	410.3	3	393.0	3	496.3
	女	189	398.4	0	0.0	0	0.0	1	452.0	48	401.2	6	434.7	59	398.5	9	388.6	21	394.7	22	387.6	10	404.3	7	379.3	5	410.8	1	409.0	0	0.0
	計	450	370.4	0	0.0	21	318.8	9	326.8	110	375.2	8	409.1	138	374.0	19	361.6	46	371.2	42	362.9	27	358.6	12	369.3	11	410.6	4	397.0	3	496.3
立位体前屈 cm	男	261	0.9	0	0.0	21	4.3	8	2.7	62	0.6	2	5.8	79	-0.2	10	4.4	25	0.1	20	3.8	17	-0.8	5	2.0	6	-1.8	3	-1.5	3	-1.8
	女	189	5.3	0	0.0	0	0.0	1	-15.5	48	4.8	6	-0.6	59	4.9	9	3.3	21	3.8	22	9.6	10	4.4	7	11.1	5	11.9	1	4.0	0	0.0
	計	450	2.8	0	0.0	21	4.3	9	0.7	110	2.4	8	1.0	138	2.0	19	3.9	46	1.8	42	6.8	27	1.1	12	7.3	11	4.4	4	-0.1	3	-1.8
上体おこし 回	男	250	18.4	0	0.0	21	25.9	8	27.3	61	20.1	2	14.0	76	18.1	10	18.3	22	15.9	19	16.7	16	14.6	5	8.4	5	11.4	3	5.3	2	0.0
	女	187	9.8	0	0.0	0	0.0	1	0.0	48	13.2	6	11.8	58	10.3	9	8.1	20	8.8	22	8.6	10	7.9	7	2.7	5	0.0	1	0.0	0	0.0
	計	437	14.7	0	0.0	21	25.9	9	24.2	109	17.1	8	12.4	134	14.7	19	13.5	42	12.5	41	12.3	26	12.0	12	5.1	10	5.7	4	4.0	2	0.0
閉眼片足立ち 秒	男	261	53.0	0	0.0	21	99.0	8	76.4	62	78.9	2	30.0	79	54.1	10	50.6	25	26.2	20	22.7	17	11.8	5	7.6	6	7.5	3	4.7	3	2.7
	女	189	35.5	0	0.0	0	0.0	1	13.0	48	63.7	6	30.2	59	33.8	9	25.4	21	27.4	22	20.4	10	8.0	7	12.0	5	6.2	1	8.0	0	0.0
	計	450	45.7	0	0.0	21	99.0	9	69.3	110	72.3	8	30.1	138	45.4	19	38.7	46	26.8	42	21.5	27	10.4	12	10.2	11	6.9	4	5.5	3	2.7
最大酸素摂取量 mL/分/kg	男	248	33.7	0	0.0	21	40.7	8	40.3	60	35.7	2	35.0	72	34.4	10	33.2	24	29.8	20	29.4	16	28.8	4	25.5	5	28.7	3	24.7	3	24.5
	女	184	28.9	0	0.0	0	0.0	1	38.2	48	32.1	5	25.6	59	30.2	9	28.6	21	26.8	20	24.9	9	25.2	6	24.3	5	24.0	1	23.9	0	0.0
	計	432	31.7	0	0.0	21	40.7	9	40.0	108	34.1	7	28.3	131	32.5	19	31.0	45	28.4	40	27.1	25	27.5	10	24.8	10	26.4	4	24.5	3	24.5

騒音・高気圧業務健診管理区分

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	427 (83.9%)	21	114	68	91	31	11	75	9	4	2	1	0	0	0
	女	1 (100.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	428 (83.9%)	21	114	68	91	31	12	75	9	4	2	1	0	0	0
要経過観察	男	79 (15.5%)	1	6	2	5	6	6	35	8	5	4	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	79 (15.5%)	1	6	2	5	6	6	35	8	5	4	1	0	0	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	1 (0.2%)	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	1	0	0	0	0	0	0	0	0	0	0	0
要二次検査	男	2 (0.4%)	0	0	1	0	1	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.4%)	0	0	1	0	1	0	0	0	0	0	0	0	0	0
合計	男	509	22	120	72	96	38	17	110	17	9	6	2	0	0	0
	女	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	510	22	120	72	96	38	18	110	17	9	6	2	0	0	0

電離放射線健診管理区分

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	123 (91.1%)	0	9	15	17	14	9	19	11	15	11	3	0	0	0
	女	100 (78.1%)	0	7	11	9	14	16	13	11	13	6	0	0	0	0
	計	223 (84.8%)	0	16	26	26	28	25	32	22	28	17	3	0	0	0
要経過観察	男	10 (7.4%)	0	0	2	0	2	2	0	2	2	0	0	0	0	0
	女	22 (17.2%)	0	0	2	5	0	3	5	5	1	1	0	0	0	0
	計	32 (12.2%)	0	0	4	5	2	5	5	7	3	1	0	0	0	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	1 (0.7%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	女	3 (2.3%)	0	0	0	0	1	0	2	0	0	0	0	0	0	0
	計	4 (1.5%)	0	0	0	0	1	0	2	0	1	0	0	0	0	0
要二次検査	男	1 (0.7%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	女	3 (2.3%)	0	0	0	1	0	1	1	0	0	0	0	0	0	0
	計	4 (1.5%)	0	0	0	1	1	1	1	0	0	0	0	0	0	0
合計	男	135	0	9	17	17	17	11	19	13	18	11	3	0	0	0
	女	128	0	7	13	15	15	20	21	16	14	7	0	0	0	0
	計	263	0	16	30	32	32	31	40	29	32	18	3	0	0	0

有害光線健診管理区分

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	241 (92.3%)	12	56	29	40	20	13	51	10	5	3	2	0	0	0
	女	1 (100.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	242 (92.4%)	12	56	29	40	20	14	51	10	5	3	2	0	0	0
要経過観察	男	16 (6.1%)	0	3	1	6	0	0	4	1	1	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	16 (6.1%)	0	3	1	6	0	0	4	1	1	0	0	0	0	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	3 (1.1%)	0	1	0	0	0	0	0	2	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3 (1.1%)	0	1	0	0	0	0	0	2	0	0	0	0	0	0
要二次検査	男	1 (0.4%)	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.4%)	0	0	1	0	0	0	0	0	0	0	0	0	0	0
合計	男	261	12	60	31	46	20	13	55	13	6	3	2	0	0	0
	女	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	262	12	60	31	46	20	14	55	13	6	3	2	0	0	0

深夜業務健診管理区分

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	148 (60.7%)	8	43	22	31	12	4	23	3	1	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	148 (60.4%)	8	43	22	31	12	4	23	3	1	0	1	0	0	0
要経過観察	男	78 (32.0%)	4	16	8	12	6	5	22	3	2	0	0	0	0	0
	女	1 (100.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	79 (32.2%)	4	16	8	12	6	6	22	3	2	0	0	0	0	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0									

精密検査判定者の他医療機関からの回答状況

精査項目	対象者	回答数	回答率	回答結果					
				異常なし	問題なし	経過観察	治療中	要治療	
視 機 能	118	76	64.4%	27	18	20	0	11	
				35.5%	23.7%	26.3%	0.0%	14.5%	
血 圧	1,613	651	40.4%	44	61	217	32	297	
				6.8%	9.4%	33.3%	4.9%	45.6%	
脂 質	2,393	963	40.2%	128	142	348	54	291	
				13.3%	14.7%	36.1%	5.6%	30.2%	
糖 尿 病	1,024	459	44.8%	24	15	172	68	180	
				5.2%	3.3%	37.5%	14.8%	39.2%	
痛 風	379	177	46.7%	15	8	50	8	96	
				8.5%	4.5%	28.2%	4.5%	54.2%	
肝機能・血清蛋白	4,759	2,333	49.0%	217	324	1,455	155	182	
				9.3%	13.9%	62.4%	6.6%	7.8%	
甲 状 腺 検 査	124	94	75.8%	2	15	63	1	13	
				2.1%	16.0%	67.0%	1.1%	13.8%	
膵 機 能	64	46	71.9%	16	10	18	0	2	
				34.8%	21.7%	39.1%	0.0%	4.3%	
腎 機 能	1,097	605	55.2%	120	108	225	110	42	
				19.8%	17.9%	37.2%	18.2%	6.9%	
貧 血 ・ 血 球 数	2,138	1,017	47.6%	279	186	266	38	248	
				27.4%	18.3%	26.2%	3.7%	24.4%	
炎 症 反 応	51	23	45.1%	14	3	4	0	2	
				60.9%	13.0%	17.4%	0.0%	8.7%	
電 解 質	3	1	33.3%	0	0	1	0	0	
				0.0%	0.0%	100.0%	0.0%	0.0%	
そ の 他	92	47	51.1%	15	12	14	1	5	
				31.9%	25.5%	29.8%	2.1%	10.6%	
便 潜 血	1,553	824	53.1%	192	160	157	3	312	
				23.3%	19.4%	19.1%	0.4%	37.9%	
眼 底 検 査	1,155	763	66.1%	89	221	266	27	160	
				11.7%	29.0%	34.9%	3.5%	21.0%	
胸 部 検 査	521	376	72.2%	111	78	126	18	43	
				29.5%	20.7%	33.5%	4.8%	11.4%	
心 電 図	321	195	60.7%	20	63	71	10	31	
				10.3%	32.3%	36.4%	5.1%	15.9%	
上 部 消 化 管	960	616	64.2%	68	154	103	7	284	
				11.0%	25.0%	16.7%	1.1%	46.1%	
腹 部 超 音 波	699	464	66.4%	43	126	258	7	30	
				9.3%	27.2%	55.6%	1.5%	6.5%	
内 科 診 察	234	120	51.3%	15	33	42	5	25	
				12.5%	27.5%	35.0%	4.2%	20.8%	
乳 房 検 査	563	460	81.7%	210	142	80	4	24	
				45.7%	30.9%	17.4%	0.9%	5.2%	
婦 人 科 検 査	326	234	71.8%	20	23	147	3	41	
				8.5%	9.8%	62.8%	1.3%	17.5%	
前 立 腺 検 査	328	176	53.7%	12	6	111	7	40	
				6.8%	3.4%	63.1%	4.0%	22.7%	
骨 密 度	263	138	52.5%	23	18	32	4	61	
				16.7%	13.0%	23.2%	2.9%	44.2%	
動 脈 硬 化 検 査	94	56	59.6%	3	5	23	9	16	
				5.4%	8.9%	41.1%	16.1%	28.6%	
脳 検 査	123	106	86.2%	19	22	46	4	15	
				17.9%	20.8%	43.4%	3.8%	14.2%	
睡眠時無呼吸検査	32	17	53.1%	0	1	2	0	14	
				0.0%	5.9%	11.8%	0.0%	82.4%	
腹 部 検 査	1	0	0.0%	0	0	0	0	0	
				0.0%	0.0%	0.0%	0.0%	0.0%	
情報機器作業検査	81	56	69.1%	15	28	6	1	6	
				26.8%	50.0%	10.7%	1.8%	10.7%	
肝 炎 B C 検 査	1	1	100.0%	1	0	0	0	0	
				100.0%	0.0%	0.0%	0.0%	0.0%	
電 離 放 射 線	4	0	0.0%	0	0	0	0	0	
				0.0%	0.0%	0.0%	0.0%	0.0%	
深夜・有害業務（-腹囲）	1	0	0.0%	0	0	0	0	0	
				0.0%	0.0%	0.0%	0.0%	0.0%	
騒 音	2	1	50.0%	0	0	0	0	1	
				0.0%	0.0%	0.0%	0.0%	100.0%	
レ - ザ -	1	1	100.0%	1	0	0	0	0	
				100.0%	0.0%	0.0%	0.0%	0.0%	
有機・貧血・代謝物	1	0	0.0%	0	0	0	0	0	
				0.0%	0.0%	0.0%	0.0%	0.0%	
特化物肝機能	2	2	100.0%	1	0	1	0	0	
				50.0%	0.0%	50.0%	0.0%	0.0%	
特定業務簡易	1	0	0.0%	0	0	0	0	0	
				0.0%	0.0%	0.0%	0.0%	0.0%	
特定業務簡易（-腹囲）	1	1	100.0%	0	0	1	0	0	
				0.0%	0.0%	100.0%	0.0%	0.0%	
特 定 業 務	11	2	18.2%	1	1	0	0	0	
				50.0%	50.0%	0.0%	0.0%	0.0%	
深夜・有害業務	1	0	0.0%	0	0	0	0	0	
				0.0%	0.0%	0.0%	0.0%	0.0%	
じ ん 肺 1	2	1	50.0%	1	0	0	0	0	
				100.0%	0.0%	0.0%	0.0%	0.0%	
特化物肝機能尿蛋白	2	0	0.0%	0	0	0	0	0	
				0.0%	0.0%	0.0%	0.0%	0.0%	
特化物肝3尿蛋白代謝物	2	0	0.0%	0	0	0	0	0	
				0.0%	0.0%	0.0%	0.0%	0.0%	
特化物・スチレン	1	1	100.0%	0	0	1	0	0	
				0.0%	0.0%	100.0%	0.0%	0.0%	

市民健診総合判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	89 (3.9%)	4	2	2	2	5	8	15	18	14	19
	女	127 (3.2%)	18	17	21	17	8	8	7	18	10	3
	計	216 (3.5%)	22	19	23	19	13	16	22	36	24	22
問題なし	男	54 (2.3%)	3	2	3	3	3	3	3	15	14	5
	女	250 (6.3%)	10	11	13	22	25	33	30	44	42	20
	計	304 (4.9%)	13	13	16	25	28	36	33	59	56	25
要経過観察	男	493 (21.4%)	11	4	16	13	10	16	41	109	129	144
	女	1,152 (29.2%)	11	12	25	31	63	78	172	310	261	189
	計	1,645 (26.3%)	22	16	41	44	73	94	213	419	390	333
要精密検査	男	255 (11.1%)	6	2	4	4	6	6	22	59	62	84
	女	269 (6.8%)	4	4	5	10	8	21	37	64	48	68
	計	524 (8.4%)	10	6	9	14	14	27	59	123	110	152
要治療	男	54 (2.3%)	0	1	0	1	1	3	8	8	11	21
	女	82 (2.1%)	0	0	1	1	2	4	14	20	17	23
	計	136 (2.2%)	0	1	1	2	3	7	22	28	28	44
治療中	男	1,355 (58.9%)	0	0	6	14	15	28	70	318	379	525
	女	2,064 (52.3%)	3	0	6	14	31	72	221	548	590	579
	計	3,419 (54.8%)	3	0	12	28	46	100	291	866	969	1,104
合計	男	2,300	24	11	31	37	40	64	159	527	609	798
	女	3,944	46	44	71	95	137	216	481	1,004	968	882
	計	6,244	70	55	102	132	177	280	640	1,531	1,577	1,680

市民健診メタボ判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
該当	男	207 (9.3%)	4	1	4	9	7	12	39	131	0	0
	女	126 (3.2%)	0	0	0	2	5	5	29	82	2	1
	計	333 (5.4%)	4	1	4	11	12	17	68	213	2	1
予備群該当	男	124 (5.6%)	2	2	7	5	8	9	24	66	0	1
	女	90 (2.3%)	1	0	3	4	5	11	18	46	1	1
	計	214 (3.5%)	3	2	10	9	13	20	42	112	1	2
非該当	男	520 (23.3%)	18	7	19	21	23	37	82	312	0	1
	女	1,894 (48.0%)	43	43	68	89	127	200	433	876	7	8
	計	2,414 (39.1%)	61	50	87	110	150	237	515	1,188	7	9
判定不能	男	1,381 (61.9%)	0	0	0	0	0	0	1	3	596	781
	女	1,832 (46.5%)	2	0	0	0	0	0	1	0	958	871
	計	3,213 (52.0%)	2	0	0	0	0	0	2	3	1,554	1,652
合計	男	2,232	24	10	30	35	38	58	146	512	596	783
	女	3,942	46	43	71	95	137	216	481	1,004	968	881
	計	6,174	70	53	101	130	175	274	627	1,516	1,564	1,664

市民健診肥満判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
異常なし	男	1,388 (62.2%)	11	4	11	17	17	30	72	270	425	531
	女	2,697 (68.4%)	30	34	47	61	81	142	330	671	684	617
	計	4,085 (66.2%)	41	38	58	78	98	172	402	941	1,109	1,148
問題なし	男	102 (4.6%)	1	1	2	2	1	1	5	23	23	43
	女	491 (12.5%)	6	6	7	16	33	38	57	126	100	102
	計	593 (9.6%)	7	7	9	18	34	39	62	149	123	145
要経過観察	男	742 (33.2%)	12	5	17	16	20	27	69	219	148	209
	女	754 (19.1%)	10	3	17	18	23	36	94	207	184	162
	計	1,496 (24.2%)	22	8	34	34	43	63	163	426	332	371
要精密検査	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
合計	男	2,232	24	10	30	35	38	58	146	512	596	783
	女	3,942	46	43	71	95	137	216	481	1,004	968	881
	計	6,174	70	53	101	130	175	274	627	1,516	1,564	1,664

市民健診身体計測検査の性年齢別平均値

検査項目		総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
身長 c m	男	2,232	163.9	24	171.1	10	170.5	30	168.8	35	168.7	38	169.1	58	166.7	146	166.7	512	165.4	596	163.7	783	161.4
	女	3,942	151.5	46	157.0	43	158.1	71	158.3	95	157.6	137	156.4	216	155.1	481	153.7	1,004	151.9	968	150.0	881	147.8
	計	6,174	156.0	70	161.8	53	160.4	101	161.4	130	160.6	175	159.2	274	157.6	627	156.7	1,516	156.5	1,564	155.3	1,664	154.2
体重 k g	男	2,232	62.8	24	70.9	10	68.1	30	71.6	35	68.9	38	68.9	58	66.0	146	66.2	512	64.0	596	62.4	783	60.1
	女	3,942	50.7	46	52.8	43	51.9	71	55.8	95	54.7	137	52.5	216	52.4	481	52.2	1,004	51.1	968	50.0	881	48.6
	計	6,174	55.1	70	59.0	53	55.0	101	60.5	130	58.5	175	56.1	274	55.3	627	55.4	1,516	55.4	1,564	54.7	1,664	54.0
体重 B M I (体格指数)	男	2,232	23.3	24	24.2	10	23.3	30	25.0	35	24.2	38	24.0	58	23.7	146	23.8	512	23.4	596	23.3	783	23.0
	女	3,942	22.1	46	21.4	43	20.8	71	22.3	95	22.1	137	21.5	216	21.7	481	22.1	1,004	22.1	968	22.2	881	22.3
	計	6,174	22.5	70	22.3	53	21.3	101	23.1	130	22.7	175	22.0	274	22.2	627	22.5	1,516	22.6	1,564	22.6	1,664	22.6
腹囲 c m	男	851	84.6	24	84.7	10	82.1	30	87.2	35	85.3	38	86.4	58	84.7	145	85.1	509	84.1	0	0.0	2	88.8
	女	2,110	79.6	44	75.1	43	73.4	71	77.7	95	77.6	137	77.6	216	78.5	480	80.1	1,004	80.6	10	85.7	10	86.4
	計	2,961	81.0	68	78.5	53	75.1	101	80.5	130	79.7	175	79.5	274	79.8	625	81.3	1,513	81.8	10	85.7	12	86.8

市民健診血圧判定結果

判定	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
	男	女	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
異常なし	男		435	(19.5%)	16	7	21	13	19	21	35	100	103	100								
	女		1,146	(29.1%)	44	38	61	63	87	99	161	267	203	123								
	計		1,581	(25.6%)	60	45	82	76	106	120	196	367	306	223								
問題なし	男		0	(0.0%)	0	0	0	0	0	0	0	0	0	0								
	女		0	(0.0%)	0	0	0	0	0	0	0	0	0	0								
	計		0	(0.0%)	0	0	0	0	0	0	0	0	0	0								
要経過観察	男		572	(25.6%)	8	3	6	11	6	12	44	133	161	188								
	女		1,109	(28.1%)	2	5	9	18	35	62	156	303	269	250								
	計		1,681	(27.2%)	10	8	15	29	41	74	200	436	430	438								
要精密検査	男		111	(5.0%)	0	0	0	1	3	4	5	22	27	49								
	女		158	(4.0%)	0	0	0	4	2	11	21	43	34	43								
	計		269	(4.4%)	0	0	0	5	5	15	26	65	61	92								
要治療	男		26	(1.2%)	0	0	0	1	0	1	3	9	6	6								
	女		42	(1.1%)	0	0	0	0	0	2	4	10	9	17								
	計		68	(1.1%)	0	0	0	1	0	3	7	19	15	23								
治療中	男		1,088	(48.7%)	0	0	3	9	10	20	59	248	299	440								
	女		1,487	(37.7%)	0	0	1	10	13	42	139	381	453	448								
	計		2,575	(41.7%)	0	0	4	19	23	62	198	629	752	888								
合計	男		2,232		24	10	30	35	38	58	146	512	596	783								
	女		3,942		46	43	71	95	137	216	481	1,004	968	881								
	計		6,174		70	53	101	130	175	274	627	1,516	1,564	1,664								

市民健診血圧（安静時・負荷時）検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上			
	男	女	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値		
安静時血圧・最大 mmHg	男		2,232	139.1	24	124.5	10	123.6	30	122.1	35	129.9	38	127.0	58	134.7	146	135.6	512	138.6	596	139.7	783	142.1
	女		3,942	135.6	46	109.6	43	114.8	71	117.1	95	122.9	137	124.0	216	131.2	481	134.6	1,004	136.4	968	137.9	881	141.0
	計		6,174	136.9	70	114.7	53	116.5	101	118.6	130	124.8	175	124.6	274	131.9	627	134.8	1,516	137.2	1,564	138.6	1,664	141.5
安静時血圧・最小 mmHg	男		2,232	74.0	24	73.5	10	75.0	30	75.0	35	79.2	38	76.1	58	80.0	146	77.6	512	75.8	596	73.7	783	71.6
	女		3,942	72.8	46	65.9	43	69.3	71	70.0	95	73.5	137	73.7	216	75.1	481	74.5	1,004	73.8	968	72.4	881	71.1
	計		6,174	73.2	70	68.5	53	70.4	101	71.5	130	75.0	175	74.2	274	76.1	627	75.2	1,516	74.5	1,564	72.9	1,664	71.3

市民健診肝機能・血清蛋白判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	異常なし	男	1,470 (65.7%)	12	4	15	24	23	39	89	350	406
	女	3,211 (81.4%)	43	40	60	86	116	182	391	832	787	674
	計	4,681 (75.7%)	55	44	75	110	139	221	480	1,182	1,193	1,182
問題なし	男	315 (14.1%)	2	2	8	5	5	13	26	86	86	82
	女	326 (8.3%)	1	1	7	3	12	22	51	92	70	67
	計	641 (10.4%)	3	3	15	8	17	35	77	178	156	149
要経過観察	男	275 (12.3%)	4	4	3	2	6	1	13	31	69	142
	女	286 (7.3%)	0	1	3	3	1	4	21	44	93	116
	計	561 (9.1%)	4	5	6	5	7	5	34	75	162	258
要精密検査	男	144 (6.4%)	6	1	5	3	4	6	16	36	31	36
	女	77 (2.0%)	2	2	1	3	4	7	11	27	10	10
	計	221 (3.6%)	8	3	6	6	8	13	27	63	41	46
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	1	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	1	0	0	0
治療中	男	35 (1.6%)	0	0	0	2	1	1	2	10	5	14
	女	43 (1.1%)	0	0	0	0	4	1	6	9	8	15
	計	78 (1.3%)	0	0	0	2	5	2	8	19	13	29
合計	男	2,239	24	11	31	36	39	60	146	513	597	782
	女	3,944	46	44	71	95	137	216	481	1,004	968	882
	計	6,183	70	55	102	131	176	276	627	1,517	1,565	1,664

市民健診肝機能・血清蛋白検査の性年齢別平均値

検査項目	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	A S T (G O T) U / L	男	2,230 25.3	24 25.6	10 25.5	30 23.5	35 22.9	38 23.0	58 23.9	146 25.6	512 24.7	24.7 596 24.8
	女	3,942 23.7	46 18.0	43 17.8	71 19.9	95 20.3	137 27.5	216 23.1	481 23.4	1,004 24.0	968 23.9	881 24.2
	計	6,172 24.3	70 20.6	53 19.3	101 20.9	130 21.0	175 26.5	274 23.2	627 23.9	1,516 24.3	1,564 24.2	1,662 25.2
A L T (G P T) U / L	男	2,230 21.4	24 32.4	10 33.8	30 29.5	35 24.9	38 22.4	58 23.7	146 25.9	512 21.5	596 20.6	781 19.8
	女	3,942 18.1	46 15.2	43 14.4	71 16.7	95 17.2	137 20.1	216 19.3	481 19.9	1,004 19.0	968 17.5	881 16.8
	計	6,172 19.3	70 21.1	53 18.0	101 20.5	130 19.3	175 20.6	274 20.3	627 21.3	1,516 19.8	1,564 18.7	1,662 18.2
γ-G T (γ-G T P) U / L	男	2,230 37.4	24 57.3	10 38.4	30 41.5	35 35.1	38 51.4	58 48.9	146 47.8	512 38.8	596 36.0	781 33.3
	女	3,942 24.3	46 22.8	43 22.8	71 24.4	95 21.3	137 35.2	216 25.0	481 26.5	1,004 26.5	968 22.4	881 21.5
	計	6,172 29.0	70 34.6	53 25.8	101 29.5	130 25.0	175 38.7	274 30.1	627 31.4	1,516 30.6	1,564 27.6	1,662 27.1
アルブミン g / d L	男	1,381 4.2	0 —	0 —	0 —	0 —	0 —	0 —	1 4.5	3 4.0	596 4.3	781 4.2
	女	1,850 4.2	0 —	0 —	0 —	0 —	0 —	0 —	1 4.6	0 —	968 4.2	881 4.2
	計	3,231 4.2	0 —	0 —	0 —	0 —	0 —	0 —	2 4.6	3 4.0	1,564 4.2	1,662 4.2

市民健診腎機能判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	1,066 (47.8%)	23	9	26	30	31	40	88	272	283	264
	女	2,337 (59.3%)	42	39	70	79	112	173	329	637	518	338
	計	3,403 (55.1%)	65	48	96	109	143	213	417	909	801	602
問題なし	男	45 (2.0%)	1	0	0	1	1	2	4	13	10	13
	女	53 (1.3%)	2	2	0	0	0	5	3	10	14	17
	計	98 (1.6%)	3	2	0	1	1	7	7	23	24	30
要経過観察	男	806 (36.1%)	0	1	3	3	5	15	38	181	223	337
	女	1,272 (32.3%)	2	2	0	15	23	34	134	313	367	382
	計	2,078 (33.7%)	2	3	3	18	28	49	172	494	590	719
要精密検査	男	194 (8.7%)	0	0	0	0	0	0	8	23	54	109
	女	181 (4.6%)	0	0	0	0	0	1	9	23	48	100
	計	375 (6.1%)	0	0	0	0	0	1	17	46	102	209
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	男	121 (5.4%)	0	0	1	1	1	1	8	23	26	60
	女	99 (2.5%)	0	0	1	1	2	3	6	21	21	44
	計	220 (3.6%)	0	0	2	2	3	4	14	44	47	104
合計	男	2,232	24	10	30	35	38	58	146	512	596	783
	女	3,942	46	43	71	95	137	216	481	1,004	968	881
	計	6,174	70	53	101	130	175	274	627	1,516	1,564	1,664

市民健診尿検査の性年齢別陽性率

検査項目	性別	総数			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率			
尿蛋白定性	男	2,228	244	11.0	24	1	4.2	10	1	10.0	30	2	6.7	35	2	5.7	38	1	2.6	58	3	5.2	146	17	11.6	512	51	10.0	596	61	10.2	779	105	13.5
	女	3,932	173	4.4	46	2	4.3	43	3	7.0	71	0	0.0	94	0	0.0	137	1	0.7	216	8	3.7	481	15	3.1	1,004	31	3.1	964	41	4.3	876	72	8.2
	計	6,160	417	6.8	70	3	4.3	53	4	7.5	101	2	2.0	129	2	1.6	175	2	1.1	274	11	4.0	627	32	5.1	1,516	82	5.4	1,560	102	6.5	1,655	177	10.7

陽性率%

市民健診腎機能検査の性年齢別平均値

検査項目	性別	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
		値	標準偏差	値	標準偏差	値	標準偏差	値	標準偏差	値	標準偏差	値	標準偏差	値	標準偏差	値	標準偏差	値	標準偏差	値	標準偏差	値	標準偏差
クレアチニン mg/dL	男	2,230	1.0	24	0.9	10	0.8	30	0.9	35	0.9	38	0.9	58	0.9	146	0.9	512	1.0	596	1.0	781	1.0
	女	3,942	0.7	46	0.6	43	0.6	71	0.7	95	0.8	137	0.7	216	0.7	481	0.7	1,004	0.7	968	0.7	881	0.8
	計	6,172	0.8	70	0.7	53	0.7	101	0.7	130	0.8	175	0.8	274	0.7	627	0.8	1,516	0.8	1,564	0.8	1,662	0.9

市民健診脂質判定結果

判定	総数			35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計										
異常なし	男	869	(39.0%)	10	5	5	8	14	11	41	189	237	349
	女	1,197	(30.4%)	34	30	38	43	43	57	106	263	291	292
	計	2,066	(33.5%)	44	35	43	51	57	68	147	452	528	641
問題なし	男	503	(22.6%)	6	1	7	12	9	25	39	133	120	151
	女	850	(21.6%)	4	7	17	25	29	62	107	207	202	190
	計	1,353	(21.9%)	10	8	24	37	38	87	146	340	322	341
要経過観察	男	404	(18.1%)	7	3	14	9	7	12	39	85	114	114
	女	787	(20.0%)	5	5	12	18	41	51	124	221	169	141
	計	1,191	(19.3%)	12	8	26	27	48	63	163	306	283	255
要精密検査	男	96	(4.3%)	1	1	1	1	4	4	7	21	21	35
	女	91	(2.3%)	1	1	2	3	6	6	16	15	19	22
	計	187	(3.0%)	2	2	3	4	10	10	23	36	40	57
要治療	男	5	(0.2%)	0	0	0	0	1	0	0	1	2	1
	女	36	(0.9%)	0	0	0	0	2	2	8	9	10	5
	計	41	(0.7%)	0	0	0	0	3	2	8	10	12	6
治療中	男	353	(15.8%)	0	0	3	5	3	6	20	83	102	131
	女	981	(24.9%)	2	0	2	6	16	38	120	289	277	231
	計	1,334	(21.6%)	2	0	5	11	19	44	140	372	379	362
合計	男	2,230		24	10	30	35	38	58	146	512	596	781
	女	3,942		46	43	71	95	137	216	481	1,004	968	881
	計	6,172		70	53	101	130	175	274	627	1,516	1,564	1,662

市民健診脂質検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
中性脂肪 mg/dL	男	2,230	109.5	24	144.7	10	91.2	30	119.2	35	133.7	38	116.0	58	115.5	146	128.8	512	114.7	596	106.8	781	101.5
	女	3,942	98.4	46	76.2	43	61.2	71	71.5	95	83.4	137	98.9	216	90.4	481	99.6	1,004	103.6	968	98.0	881	101.0
	計	6,172	102.4	70	99.7	53	66.9	101	85.6	130	97.0	175	102.6	274	95.7	627	106.4	1,516	107.3	1,564	101.3	1,662	101.2
HDLコレステロール mg/dL	男	2,230	56.1	24	54.5	10	58.3	30	51.6	35	53.1	38	58.4	58	55.6	146	55.5	512	56.6	596	56.3	781	55.9
	女	3,942	66.5	46	66.7	43	67.8	71	68.6	95	69.6	137	73.1	216	71.8	481	67.7	1,004	66.0	968	65.9	881	64.4
	計	6,172	62.8	70	62.5	53	66.0	101	63.5	130	65.2	175	69.9	274	68.4	627	64.9	1,516	62.8	1,564	62.2	1,662	60.4
LDLコレステロール mg/dL	男	2,230	110.1	24	118.5	10	108.6	30	131.6	35	120.6	38	125.7	58	124.3	146	121.0	512	113.0	596	109.3	781	103.6
	女	3,942	120.1	46	97.7	43	105.1	71	115.4	95	120.1	137	128.9	216	125.9	481	128.3	1,004	122.5	968	117.7	881	114.8
	計	6,172	116.5	70	104.8	53	105.8	101	120.2	130	120.2	175	128.3	274	125.5	627	126.6	1,516	119.3	1,564	114.5	1,662	109.5

市民健診糖尿病判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	734 (32.9%)	17	3	19	18	23	19	52	180	178	225
	女	1,665 (42.2%)	41	41	61	65	80	111	218	410	341	297
	計	2,399 (38.9%)	58	44	80	83	103	130	270	590	519	522
問題なし	男	686 (30.7%)	5	6	7	12	7	19	53	152	191	234
	女	1,378 (35.0%)	4	2	5	23	41	78	160	355	392	318
	計	2,064 (33.4%)	9	8	12	35	48	97	213	507	583	552
要経過観察	男	323 (14.5%)	2	0	2	1	4	5	20	65	98	126
	女	477 (12.1%)	1	0	3	3	11	16	61	126	118	138
	計	800 (13.0%)	3	0	5	4	15	21	81	191	216	264
要精密検査	男	74 (3.3%)	0	0	0	1	0	0	3	17	20	33
	女	69 (1.8%)	0	0	1	0	0	3	3	18	17	27
	計	143 (2.3%)	0	0	1	1	0	3	6	35	37	60
要治療	男	53 (2.4%)	0	1	0	0	0	4	5	8	10	25
	女	39 (1.0%)	0	0	0	0	0	0	3	7	10	19
	計	92 (1.5%)	0	1	0	0	0	4	8	15	20	44
治療中	男	362 (16.2%)	0	0	2	3	4	11	13	90	99	140
	女	314 (8.0%)	0	0	1	4	5	8	36	88	90	82
	計	676 (10.9%)	0	0	3	7	9	19	49	178	189	222
合計	男	2,232	24	10	30	35	38	58	146	512	596	783
	女	3,942	46	43	71	95	137	216	481	1,004	968	881
	計	6,174	70	53	101	130	175	274	627	1,516	1,564	1,664

市民健診糖尿病検査の性年齢別平均値

検査項目		総数		35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上																																						
		血糖 mg/dL	男	2,230	107.6	24	92.6	10	105.4	30	100.0	35	100.6	38	102.0	58	109.6	146	104.9	512	106.7	596	106.9	781	110.5	女	3,942	100.6	46	89.7	43	88.8	71	92.3	95	93.1	137	95.5	216	97.2	481	100.0	1,004	100.5	968	101.3	881	104.6	計	6,172	103.1	70	90.7	53	91.9	101	94.6	130	95.2	175	96.9	274	99.8	627	101.2	1,516	102.6	1,564	103.5
HbA1c (NGSP) %	男	2,230	5.7	24	5.2	10	5.9	30	5.4	35	5.3	38	5.5	58	5.7	146	5.7	512	5.7	596	5.7	781	5.8	女	3,942	5.6	46	5.2	43	5.1	71	5.3	95	5.3	137	5.5	216	5.4	481	5.6	1,004	5.6	968	5.7	881	5.7	計	6,172	5.6	70	5.2	53	5.3	101	5.3	130	5.3	175	5.5	274	5.5	627	5.6	1,516	5.6	1,564	5.7	1,662	5.7

HbA1cは選択検査として実施されている

市民健診尿糖検査の性年齢別陽性率

検査項目	性別	総数			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率			
尿糖定性	男	2,228	166	7.5	24	1	4.2	10	1	10.0	30	1	3.3	35	2	5.7	38	4	10.5	58	8	13.8	146	12	8.2	512	43	8.4	596	43	7.2	779	51	6.5
	女	3,932	94	2.4	46	0	0.0	43	0	0.0	71	1	1.4	94	2	2.1	137	1	0.7	216	3	1.4	481	17	3.5	1,004	19	1.9	964	25	2.6	876	26	3.0
	計	6,160	260	4.2	70	1	1.4	53	1	1.9	101	2	2.0	129	4	3.1	175	5	2.9	274	11	4.0	627	29	4.6	1,516	62	4.1	1,560	68	4.4	1,655	77	4.7

陽性率%

市民健診貧血・血球数判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	異常なし	男	15 (62.5%)	0	0	1	5	1	0	4	4	0
女		106 (66.7%)	1	2	9	16	18	12	21	27	0	0
計		121 (66.1%)	1	2	10	21	19	12	25	31	0	0
問題なし	男	2 (8.3%)	0	0	0	0	0	0	0	2	0	0
	女	10 (6.3%)	1	1	0	1	2	4	0	1	0	0
	計	12 (6.6%)	1	1	0	1	2	4	0	3	0	0
要経過観察	男	3 (12.5%)	0	0	0	0	0	0	2	1	0	0
	女	22 (13.8%)	1	3	1	0	0	2	4	11	0	0
	計	25 (13.7%)	1	3	1	0	0	2	6	12	0	0
要精密検査	男	1 (4.2%)	0	0	0	1	0	0	0	0	0	0
	女	10 (6.3%)	1	1	1	1	0	1	3	2	0	0
	計	11 (6.0%)	1	1	1	2	0	1	3	2	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	2 (1.3%)	0	0	1	1	0	0	0	0	0	0
	計	2 (1.1%)	0	0	1	1	0	0	0	0	0	0
治療中	男	3 (12.5%)	0	0	0	0	1	0	0	2	0	0
	女	9 (5.7%)	1	0	1	1	0	1	1	4	0	0
	計	12 (6.6%)	1	0	1	1	1	1	1	6	0	0
合計	男	24	0	0	1	6	2	0	6	9	0	0
	女	159	5	7	13	20	20	20	29	45	0	0
	計	183	5	7	14	26	22	20	35	54	0	0

市民健診貧血・血球数検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	赤血球数 方/μL	男	24	461.0	0	0.0	0	0.0	1	469.0	6	478.0	2	445.0	0	0.0	6	459.0	9	453.7	0	0.0	0
女		159	436.2	5	434.0	7	414.3	13	433.7	20	457.8	20	450.2	20	442.5	29	428.1	45	427.2	0	0.0	0	0.0
計		183	439.5	5	434.0	7	414.3	14	436.2	26	462.4	22	449.7	20	442.5	35	433.4	54	431.7	0	0.0	0	0.0
ヘモグロビン g/dL	男	24	14.4	0	0.0	0	0.0	1	14.1	6	15.5	2	13.2	0	0.0	6	13.7	9	14.6	0	0.0	0	0.0
	女	159	12.9	5	12.5	7	12.3	13	12.2	20	13.0	20	13.6	20	13.2	29	12.9	45	12.7	0	0.0	0	0.0
	計	183	13.1	5	12.5	7	12.3	14	12.3	26	13.6	22	13.5	20	13.2	35	13.1	54	13.0	0	0.0	0	0.0
ヘマトクリット %	男	24	43.2	0	0.0	0	0.0	1	41.2	6	45.4	2	41.5	0	0.0	6	41.4	9	43.5	0	0.0	0	0.0
	女	159	39.3	5	37.7	7	37.5	13	37.5	20	40.2	20	41.0	20	40.1	29	39.3	45	38.8	0	0.0	0	0.0
	計	183	39.8	5	37.7	7	37.5	14	37.8	26	41.4	22	41.0	20	40.1	35	39.7	54	39.6	0	0.0	0	0.0

市民健診心電図判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	137 (51.5%)	0	1	3	9	6	11	21	86	0	0
	女	359 (64.3%)	3	4	5	17	24	34	91	179	1	1
	計	496 (60.2%)	3	5	8	26	30	45	112	265	1	1
問題なし	男	20 (7.5%)	0	0	0	1	0	0	4	15	0	0
	女	41 (7.3%)	0	0	0	0	4	3	8	25	1	0
	計	61 (7.4%)	0	0	0	1	4	3	12	40	1	0
要経過観察	男	83 (31.2%)	0	0	0	0	1	7	12	63	0	0
	女	140 (25.1%)	1	0	4	2	7	14	27	85	0	0
	計	223 (27.1%)	1	0	4	2	8	21	39	148	0	0
要精密検査	男	7 (2.6%)	0	0	0	0	0	2	0	5	0	0
	女	7 (1.3%)	0	0	0	0	0	1	2	4	0	0
	計	14 (1.7%)	0	0	0	0	0	3	2	9	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	男	19 (7.1%)	0	0	0	0	2	0	5	12	0	0
	女	11 (2.0%)	0	0	0	0	1	1	2	6	1	0
	計	30 (3.6%)	0	0	0	0	3	1	7	18	1	0
合計	男	266	0	1	3	10	9	20	42	181	0	0
	女	558	4	4	9	19	36	53	130	299	3	1
	計	824	4	5	12	29	45	73	172	480	3	1

市民健診安静心電図検査所見（1）

所見	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
洞性徐脈	男	10 (3.8%)	0	0	0	1	0	0	2	7	0	0
	女	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
	計	11 (1.3%)	0	0	0	1	0	0	2	8	0	0
洞性頻脈	男	2 (0.8%)	0	0	0	0	0	0	1	1	0	0
	女	25 (4.5%)	0	0	0	0	1	1	5	17	1	0
	計	27 (3.3%)	0	0	0	0	1	1	6	18	1	0
右軸偏位 (100°以上)	男	1 (0.4%)	0	0	0	0	0	0	0	1	0	0
	女	4 (0.7%)	0	0	0	0	1	0	1	1	1	0
	計	5 (0.6%)	0	0	0	0	1	0	1	2	1	0
左軸偏位 (-30°以下)	男	13 (4.9%)	0	0	0	0	0	0	2	11	0	0
	女	11 (2.0%)	0	0	0	0	1	0	4	6	0	0
	計	24 (2.9%)	0	0	0	0	1	0	6	17	0	0
第一度房室ブロック	男	12 (4.5%)	0	0	0	0	0	1	3	8	0	0
	女	3 (0.5%)	0	0	0	0	0	0	0	3	0	0
	計	15 (1.8%)	0	0	0	0	0	1	3	11	0	0
不完全右脚ブロック	男	8 (3.0%)	0	0	0	0	0	0	2	6	0	0
	女	13 (2.3%)	0	0	0	0	2	1	2	8	0	0
	計	21 (2.5%)	0	0	0	0	2	1	4	14	0	0
完全右脚ブロック	男	10 (3.8%)	0	0	0	0	0	0	1	9	0	0
	女	16 (2.9%)	1	0	0	0	0	2	3	10	0	0
	計	26 (3.2%)	1	0	0	0	0	2	4	19	0	0
完全左脚ブロック	男	1 (0.4%)	0	0	0	0	0	0	0	1	0	0
	女	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
	計	2 (0.2%)	0	0	0	0	0	0	0	2	0	0
上室性期外収縮	男	10 (3.8%)	0	0	0	0	0	2	1	7	0	0
	女	7 (1.3%)	0	0	0	0	0	0	1	6	0	0
	計	17 (2.1%)	0	0	0	0	0	2	2	13	0	0
心室性期外収縮	男	5 (1.9%)	0	0	0	0	1	1	0	3	0	0
	女	11 (2.0%)	0	0	1	0	1	2	1	6	0	0
	計	16 (1.9%)	0	0	1	0	2	3	1	9	0	0
心房細動	男	8 (3.0%)	0	0	0	0	0	0	2	6	0	0
	女	2 (0.4%)	0	0	0	0	0	0	0	1	1	0
	計	10 (1.2%)	0	0	0	0	0	0	2	7	1	0
ST低下	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	1	0	0
ST-T異常	男	12 (4.5%)	0	0	0	0	0	1	1	10	0	0
	女	22 (3.9%)	0	0	0	0	0	3	10	8	1	0
	計	34 (4.1%)	0	0	0	0	0	4	11	18	1	0
異常Q波	男	12 (4.5%)	0	0	0	0	1	1	1	9	0	0
	女	13 (2.3%)	0	0	1	0	1	1	1	8	1	0
	計	25 (3.0%)	0	0	1	0	2	2	2	17	1	0
R波増高不良	男	1 (0.4%)	0	0	0	0	0	0	0	1	0	0
	女	3 (0.5%)	0	0	0	0	0	0	1	2	0	0
	計	4 (0.5%)	0	0	0	0	0	0	1	3	0	0

市民健診安静心電図検査所見（2）

所見	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
陰性T波	男	4 (1.5%)	0	0	0	0	1	0	0	3	0	0
	女	11 (2.0%)	0	0	1	1	0	2	0	7	0	0
	計	15 (1.8%)	0	0	1	1	1	2	0	10	0	0
平低T	男	19 (7.1%)	0	0	0	0	1	1	2	15	0	0
	女	46 (8.2%)	0	0	2	1	3	3	8	29	0	0
	計	65 (7.9%)	0	0	2	1	4	4	10	44	0	0
T波増高	男	3 (1.1%)	0	0	0	0	0	0	1	2	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	3 (0.4%)	0	0	0	0	0	0	1	2	0	0
ST上昇	男	1 (0.4%)	0	0	0	0	0	0	0	1	0	0
	女	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
	計	2 (0.2%)	0	0	0	0	0	0	0	2	0	0
QT延長	男	5 (1.9%)	0	0	0	0	0	0	1	4	0	0
	女	2 (0.4%)	0	0	0	0	0	0	0	2	0	0
	計	7 (0.8%)	0	0	0	0	0	0	1	6	0	0
Ⅲ、aVfのQ波	男	2 (0.8%)	0	0	0	0	0	1	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	0	1	0	1	0	0
左室高電位	男	22 (8.3%)	0	0	0	0	0	4	4	14	0	0
	女	31 (5.6%)	0	0	0	0	0	3	8	20	0	0
	計	53 (6.4%)	0	0	0	0	0	7	12	34	0	0
右室高電位	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	2 (0.4%)	0	0	0	0	1	0	1	0	0	0
	計	2 (0.2%)	0	0	0	0	1	0	1	0	0	0
RSRパターン	男	1 (0.4%)	0	0	0	0	0	0	1	0	0	0
	女	7 (1.3%)	0	0	0	0	1	0	1	5	0	0
	計	8 (1.0%)	0	0	0	0	1	0	2	5	0	0
左脚前枝ブロック	男	9 (3.4%)	0	0	0	0	0	0	0	9	0	0
	女	10 (1.8%)	0	0	1	0	0	1	2	6	0	0
	計	19 (2.3%)	0	0	1	0	0	1	2	15	0	0
冠状静脈洞調律	男	1 (0.4%)	0	0	0	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	1	0	0
右房性P (拡大)	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	10 (1.8%)	0	0	0	0	2	2	0	6	0	0
	計	10 (1.2%)	0	0	0	0	2	2	0	6	0	0
左房性P (拡大)	男	2 (0.8%)	0	0	0	0	0	0	1	1	0	0
	女	2 (0.4%)	0	0	0	0	0	0	1	1	0	0
	計	4 (0.5%)	0	0	0	0	0	0	2	2	0	0
その他の所見	男	7 (2.6%)	0	0	0	0	1	0	1	5	0	0
	女	4 (0.7%)	0	0	0	0	1	1	1	1	0	0
	計	11 (1.3%)	0	0	0	0	2	1	2	6	0	0
検査者総数	男	266	0	1	3	10	9	20	42	181	0	0
	女	558	4	4	9	19	36	53	130	299	3	1
	計	824	4	5	12	29	45	73	172	480	3	1

市民健診眼底写真判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	41 (17.4%)	0	0	1	4	2	4	8	22	0	0
	女	129 (27.7%)	0	2	3	9	13	18	31	53	0	0
	計	170 (24.3%)	0	2	4	13	15	22	39	75	0	0
問題なし	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	1	0	0
要経過観察	男	151 (64.0%)	0	0	2	4	4	11	25	104	0	1
	女	271 (58.3%)	0	1	0	5	10	28	66	157	2	2
	計	422 (60.2%)	0	1	2	9	14	39	91	261	2	3
要精密検査	男	40 (16.9%)	0	1	0	0	3	2	7	27	0	0
	女	49 (10.5%)	0	0	0	0	3	1	9	36	0	0
	計	89 (12.7%)	0	1	0	0	6	3	16	63	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	男	4 (1.7%)	0	0	0	0	0	1	0	3	0	0
	女	15 (3.2%)	0	0	0	0	0	1	6	8	0	0
	計	19 (2.7%)	0	0	0	0	0	2	6	11	0	0
合計	男	236	0	1	3	8	9	18	40	156	0	1
	女	465	0	3	3	14	26	48	112	255	2	2
	計	701	0	4	6	22	35	66	152	411	2	3

市民健診眼底検査所見

所見	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
細動脈狭細化	男	2 (0.8%)	0	0	0	0	0	0	0	2	0	0
	女	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
	計	3 (0.4%)	0	0	0	0	0	0	0	3	0	0
細動脈口径不同	男	2 (0.8%)	0	0	0	0	0	1	0	1	0	0
	女	8 (1.7%)	0	0	0	1	0	2	2	3	0	0
	計	10 (1.4%)	0	0	0	1	0	3	2	4	0	0
網膜白斑	男	4 (1.7%)	0	0	0	0	0	1	0	3	0	0
	女	5 (1.1%)	0	0	0	0	0	0	2	3	0	0
	計	9 (1.3%)	0	0	0	0	0	1	2	6	0	0
眼底出血	男	1 (0.4%)	0	0	0	0	0	0	0	1	0	0
	女	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
	計	2 (0.3%)	0	0	0	0	0	0	0	2	0	0
眼底出血の疑い	男	3 (1.3%)	0	0	0	0	0	0	1	1	0	1
	女	8 (1.7%)	0	0	0	0	0	0	4	4	0	0
	計	11 (1.6%)	0	0	0	0	0	0	5	5	0	1
細動脈反射増強	男	52 (22.0%)	0	0	0	2	2	3	9	36	0	0
	女	99 (21.3%)	0	0	0	0	3	14	29	53	0	0
	計	151 (21.5%)	0	0	0	2	5	17	38	89	0	0
動静脈交叉現象	男	95 (40.3%)	0	0	2	4	4	8	19	58	0	0
	女	167 (35.9%)	0	0	0	4	6	17	44	94	1	1
	計	262 (37.4%)	0	0	2	8	10	25	63	152	1	1
点状出血	男	3 (1.3%)	0	1	0	0	0	0	1	1	0	0
	女	2 (0.4%)	0	0	0	0	0	0	1	1	0	0
	計	5 (0.7%)	0	1	0	0	0	0	2	2	0	0
白内障の疑い	男	58 (24.6%)	0	0	0	0	0	1	7	50	0	0
	女	101 (21.7%)	0	0	0	0	1	4	15	79	1	1
	計	159 (22.7%)	0	0	0	0	1	5	22	129	1	1
視神経乳頭異常の疑い	男	11 (4.7%)	0	0	0	0	1	2	1	7	0	0
	女	15 (3.2%)	0	0	0	0	2	0	2	11	0	0
	計	26 (3.7%)	0	0	0	0	3	2	3	18	0	0
瞳孔の開き不十分	男	21 (8.9%)	0	0	0	1	1	0	3	15	0	1
	女	18 (3.9%)	0	0	0	0	1	1	5	9	1	1
	計	39 (5.6%)	0	0	0	1	2	1	8	24	1	2
黄斑部異常の疑い	男	10 (4.2%)	0	0	0	0	0	1	1	8	0	0
	女	17 (3.7%)	0	1	0	0	1	3	2	10	0	0
	計	27 (3.9%)	0	1	0	0	1	4	3	18	0	0
網膜神経線維層欠損の疑い	男	11 (4.7%)	0	0	0	0	2	2	1	6	0	0
	女	8 (1.7%)	0	0	0	0	2	0	2	4	0	0
	計	19 (2.7%)	0	0	0	0	4	2	3	10	0	0
ドルーゼン	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	1	0	0
その他の所見	男	1 (0.4%)	0	0	0	0	0	1	0	0	0	0
	女	4 (0.9%)	0	1	0	0	0	0	0	3	0	0
	計	5 (0.7%)	0	1	0	0	0	1	0	3	0	0
検査者総数	男	236	0	1	3	8	9	18	40	156	0	1
	女	465	0	3	3	14	26	48	112	255	2	2
	計	701	0	4	6	22	35	66	152	411	2	3

市民健診結核・肺がん胸部X線判定結果

判定		総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
異常なし	男	1,314	(62.7%)	0	10	26	25	28	42	114	344	348	377	
	女	2,659	(73.6%)	0	38	58	77	110	168	355	714	655	484	
	計	3,973	(69.6%)	0	48	84	102	138	210	469	1,058	1,003	861	
異常所見あるも 精査不要	男	582	(27.8%)	0	0	2	8	3	13	22	105	164	265	
	女	758	(21.0%)	0	1	5	8	11	31	73	180	193	256	
	計	1,340	(23.5%)	0	1	7	16	14	44	95	285	357	521	
要精密検査	結核の疑い	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	
		女	0	(0.0%)	0	0	0	0	0	0	0	0	0	
		計	0	(0.0%)	0	0	0	0	0	0	0	0	0	
	結核以外の疑い	男	51	(2.4%)	0	0	0	1	2	1	2	11	17	17
		女	43	(1.2%)	0	0	0	1	1	1	5	12	8	15
		計	94	(1.6%)	0	0	0	2	3	2	7	23	25	32
	肺がんの疑い	男	99	(4.7%)	0	0	1	2	2	3	10	18	29	34
		女	118	(3.3%)	0	3	3	1	0	9	16	27	29	30
		計	217	(3.8%)	0	3	4	3	2	12	26	45	58	64
定期的に健診を要す	男	48	(2.3%)	0	1	0	0	1	0	4	9	11	22	
	女	33	(0.9%)	0	0	0	1	0	0	1	10	7	14	
	計	81	(1.4%)	0	1	0	1	1	0	5	19	18	36	
治療中	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	
合計	男	2,095		0	11	29	36	36	59	152	487	569	716	
	女	3,611		0	42	66	88	122	209	450	943	892	799	
	計	5,706		0	53	95	124	158	268	602	1,430	1,461	1,515	

市民健診肺がん検診喀痰細胞診検査所見

所見		総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
B1 (Class I (異常なし))	男	4	(8.7%)	0	0	0	0	0	0	1	2	1	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
	計	4	(8.2%)	0	0	0	0	0	0	1	2	1	0
B2 (Class II (悪性所見なし))	男	42	(91.3%)	0	0	0	0	1	1	2	10	13	15
	女	3	(100.0%)	0	0	0	0	0	0	0	0	3	0
	計	45	(91.8%)	0	0	0	0	1	1	2	10	16	15
検診者総数	男	46		0	0	0	0	1	1	3	12	14	15
	女	3		0	0	0	0	0	0	0	0	3	0
	計	49		0	0	0	0	1	1	3	12	17	15

市民健診結核・肺がん胸部X線検査所見（1）

所見	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
心陰影拡大	男	60 (2.9%)	0	0	0	0	1	0	2	7	24	26
	女	65 (1.8%)	0	0	0	0	0	0	1	12	24	28
	計	125 (2.2%)	0	0	0	0	1	0	3	19	48	54
肺門陰影拡大	男	16 (0.8%)	0	0	1	0	0	0	1	8	3	3
	女	15 (0.4%)	0	0	0	0	0	0	0	4	3	8
	計	31 (0.5%)	0	0	1	0	0	0	1	12	6	11
肺紋理増強	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0
線状陰影	男	54 (2.6%)	0	0	0	3	0	0	3	12	15	21
	女	69 (1.9%)	0	0	0	0	0	3	8	18	23	17
	計	123 (2.2%)	0	0	0	3	0	3	11	30	38	38
帯状陰影	男	45 (2.1%)	0	0	0	0	0	1	0	9	11	24
	女	50 (1.4%)	0	0	0	1	2	3	2	13	16	13
	計	95 (1.7%)	0	0	0	1	2	4	2	22	27	37
大動脈蛇行	男	24 (1.1%)	0	0	0	0	0	0	0	4	6	14
	女	43 (1.2%)	0	0	0	0	0	1	1	6	9	26
	計	67 (1.2%)	0	0	0	0	0	1	1	10	15	40
微細斑点状陰影	男	32 (1.5%)	0	0	0	0	0	0	1	7	15	9
	女	41 (1.1%)	0	0	1	0	1	4	3	14	10	8
	計	73 (1.3%)	0	0	1	0	1	4	4	21	25	17
粒状陰影	男	6 (0.3%)	0	0	0	0	0	0	0	2	3	1
	女	8 (0.2%)	0	0	0	0	0	1	3	2	2	0
	計	14 (0.2%)	0	0	0	0	0	1	3	4	5	1
結節陰影	男	131 (6.3%)	0	0	0	3	4	4	8	24	37	51
	女	168 (4.7%)	0	3	3	1	0	10	22	38	44	47
	計	299 (5.2%)	0	3	3	4	4	14	30	62	81	98
円形陰影	男	5 (0.2%)	0	0	0	0	0	0	1	1	2	1
	女	7 (0.2%)	0	0	0	0	0	0	2	0	1	4
	計	12 (0.2%)	0	0	0	0	0	0	3	1	3	5
塊状陰影	男	9 (0.4%)	0	0	0	1	0	0	2	0	3	3
	女	13 (0.4%)	0	0	0	1	0	0	0	3	2	7
	計	22 (0.4%)	0	0	0	2	0	0	2	3	5	10
浸潤陰影	男	93 (4.4%)	0	0	0	1	1	1	3	22	30	35
	女	76 (2.1%)	0	0	0	1	0	4	7	18	15	31
	計	169 (3.0%)	0	0	0	2	1	5	10	40	45	66
網目状陰影	男	28 (1.3%)	0	0	0	0	0	0	1	6	7	14
	女	12 (0.3%)	0	0	0	0	0	0	0	3	3	6
	計	40 (0.7%)	0	0	0	0	0	0	1	9	10	20
石灰化陰影	男	94 (4.5%)	0	0	0	0	0	2	4	13	25	50
	女	105 (2.9%)	0	1	0	0	0	2	4	19	25	54
	計	199 (3.5%)	0	1	0	0	0	4	8	32	50	104
空洞陰影	男	2 (0.1%)	0	0	0	0	0	0	0	2	0	0
	女	5 (0.1%)	0	0	0	0	0	0	1	3	1	0
	計	7 (0.1%)	0	0	0	0	0	0	1	5	1	0
嚢胞陰影	男	23 (1.1%)	0	0	1	2	0	3	2	6	3	6
	女	4 (0.1%)	0	0	0	0	0	0	0	1	2	1
	計	27 (0.5%)	0	0	1	2	0	3	2	7	5	7
無気肺陰影	男	2 (0.1%)	0	0	0	0	0	0	0	0	1	1
	女	2 (0.1%)	0	0	0	0	0	0	0	0	0	2
	計	4 (0.1%)	0	0	0	0	0	0	0	0	1	3
気腫様陰影	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	1	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	1	0	0	0	0
胸膜肥厚	男	130 (6.2%)	0	0	0	1	2	2	4	23	44	54
	女	171 (4.7%)	0	0	1	3	2	10	27	47	38	43
	計	301 (5.3%)	0	0	1	4	4	12	31	70	82	97

市民健診結核・肺がん胸部X線検査所見（2）

所見	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
胸膜癒着	男	87 (4.2%)	0	0	0	0	0	4	8	17	25	33
	女	60 (1.7%)	0	0	1	0	0	1	2	12	16	28
	計	147 (2.6%)	0	0	1	0	0	5	10	29	41	61
胸水陰影	男	9 (0.4%)	0	0	0	0	0	0	1	3	3	2
	女	4 (0.1%)	0	0	0	0	0	0	0	2	0	2
	計	13 (0.2%)	0	0	0	0	0	0	1	5	3	4
上葉縮小	男	9 (0.4%)	0	1	0	0	0	0	0	4	3	1
	女	4 (0.1%)	0	0	0	0	0	1	0	2	0	1
	計	13 (0.2%)	0	1	0	0	0	1	0	6	3	2
横隔膜高位	男	42 (2.0%)	0	0	0	0	0	0	1	10	10	21
	女	41 (1.1%)	0	0	1	0	0	0	3	12	9	16
	計	83 (1.5%)	0	0	1	0	0	0	4	22	19	37
胸部手術	男	31 (1.5%)	0	0	0	0	0	1	0	7	9	14
	女	20 (0.6%)	0	0	0	0	0	0	2	6	5	7
	計	51 (0.9%)	0	0	0	0	0	1	2	13	14	21
胸郭形成	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0
陳旧性肺結核の疑い	男	10 (0.5%)	0	1	0	0	0	1	0	3	5	0
	女	9 (0.2%)	0	0	0	0	0	0	0	1	3	5
	計	19 (0.3%)	0	1	0	0	0	1	0	4	8	5
肺炎腫の疑い	男	54 (2.6%)	0	0	0	1	0	1	5	9	17	21
	女	14 (0.4%)	0	0	0	0	0	2	4	4	2	2
	計	68 (1.2%)	0	0	0	1	0	3	9	13	19	23
慢性気管支炎の疑い	男	2 (0.1%)	0	0	0	0	0	0	0	1	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	1	0	1
気管支拡張症の疑い	男	1 (0.0%)	0	0	0	0	0	0	0	0	1	0
	女	5 (0.1%)	0	0	0	0	0	0	1	3	1	0
	計	6 (0.1%)	0	0	0	0	0	0	1	3	2	0
間質性肺炎の疑い	男	29 (1.4%)	0	0	0	0	0	0	1	3	10	15
	女	9 (0.2%)	0	0	0	0	0	0	0	2	1	6
	計	38 (0.7%)	0	0	0	0	0	0	1	5	11	21
胸椎側弯	男	45 (2.1%)	0	1	1	0	0	1	3	2	9	28
	女	179 (5.0%)	0	1	1	4	8	6	13	40	45	61
	計	224 (3.9%)	0	2	2	4	8	7	16	42	54	89
キライディティ症候群	男	18 (0.9%)	0	0	0	0	0	0	0	5	5	8
	女	4 (0.1%)	0	0	0	0	0	0	2	0	1	1
	計	22 (0.4%)	0	0	0	0	0	0	2	5	6	9
縦隔腫大	男	2 (0.1%)	0	0	0	1	0	0	0	0	0	1
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
	計	3 (0.1%)	0	0	0	1	0	0	0	0	0	2
食道裂孔ヘルニア	男	5 (0.2%)	0	0	0	0	0	0	0	1	1	3
	女	34 (0.9%)	0	0	0	0	0	0	1	3	10	20
	計	39 (0.7%)	0	0	0	0	0	0	1	4	11	23
右大動脈弓	男	1 (0.0%)	0	0	0	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	1	0	0	0
炎症後変化	男	16 (0.8%)	0	0	0	0	1	0	0	3	3	9
	女	34 (0.9%)	0	0	1	0	0	2	7	6	8	10
	計	50 (0.9%)	0	0	1	0	1	2	7	9	11	19
サリガラス陰影	男	5 (0.2%)	0	0	0	0	0	0	0	1	1	3
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	5 (0.1%)	0	0	0	0	0	0	0	1	1	3
その他の所見	男	11 (0.5%)	0	0	0	0	0	0	1	2	1	7
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
検診者総数	男	2,095	0	11	29	36	36	59	152	487	569	716
	女	3,611	0	42	66	88	122	209	450	943	892	799
	計	5,706	0	53	95	124	158	268	602	1,430	1,461	1,515

市民健診前立腺がん検診判定結果

判定	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
異常なし	1,284	(90.9%)	0	0	0	0	24	27	43	110	312	356	412									
問題なし	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0									
要経過観察	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0									
要精密検査	128	(9.1%)	0	0	0	0	1	1	1	6	35	41	43									
要治療	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0									
治療中	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0									
合計	1,412		0	0	0	0	25	28	44	116	347	397	455									

市民健診前立腺がん検診PSA検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値
PSA ng/mL	1,412	1.88	0	0	0	0	0	0	25	1.25	28	1.1	44	1.2	116	1.49	347	2	397	2	455	1.94

児童・生徒を対象とした健診

児童・生徒の腎臓健診受診者の尿所見

検査項目	性別	総 数		
		受診者数	陽性者数	陽性率
		尿蛋白	男	21,604
	女	21,177	137	0.6%
	計	42,781	325	0.8%
尿 糖	男	21,604	25	0.1%
	女	21,177	28	0.1%
	計	42,781	53	0.1%
尿潜血	男	21,604	126	0.6%
	女	21,177	454	2.1%
	計	42,781	580	1.4%

児童・生徒の心臓検査所見 (経過観察者を除く)

判 定		人 数	
心臓の異常	心房中隔欠損	14	0.1%
	心室中隔欠損	31	0.2%
	肺動脈狭窄	15	0.1%
	動脈管開存	8	0.1%
	ファロー四徴	0	0.0%
	先天性心疾患(位置異常)	0	0.0%
	先天性心疾患(その他)	12	0.1%
	大動脈弁疾患	8	0.1%
	僧帽弁疾患	16	0.1%
	三尖弁疾患	11	0.1%
	心筋症	0	0.0%
	虚血性心疾患	0	0.0%
	心臓手術後	68	0.4%
	その他	12	0.1%
計	195	1.2%	
その他の異常	胸郭変形	4	0.0%
	先天性心疾患の自然閉鎖	45	0.3%
	川崎病後	68	0.4%
	高血圧	1	0.0%
	その他	21	0.1%
計	139	0.9%	
受診者数合計		15,678	

判 定		人 数	
心電図の異常	右室肥大	0	0.0%
	左室肥大	2	0.0%
	心筋障害	8	0.1%
	洞性頻脈	0	0.0%
	洞性徐脈	5	0.0%
	上室性期外収縮	44	0.3%
	心室性期外収縮	62	0.4%
	上室性・心室性期外収縮	0	0.0%
	第1度房室ブロック	7	0.0%
	第2度房室ブロック	8	0.1%
	房室解離	1	0.0%
	完全右脚ブロック	17	0.1%
	不完全右脚ブロック	86	0.5%
	ヘミブロック	0	0.0%
	W P W 症候群	20	0.1%
	P Q 短縮・L G L 症候群	0	0.0%
	Q T 延長症候群	16	0.1%
その他	33	0.2%	
計	309	2.0%	

X線検査の異常心拡大	0	0.0%
------------	---	------

児童・生徒のすこやか検診(血液検査)結果

	性別	肥満度	血 清 ・ 脂 質				肝機能 G P T	貧 血			白 血 球		血小板
			総コレステロール	中性脂肪	HDLコレステロール	動脈硬化 指 数		赤血球数	ヘモグロビン	ヘマトクリット	白血球数		
											4.3未満	15.1以上	
対象者	男	2,275	2,275	2,275	2,275	2,275	2,275	2,275	2,275	2,275	2,275	2,275	2,275
	女	2,197	2,197	2,197	2,197	2,197	2,197	2,197	2,197	2,197	2,197	2,197	2,197
	計	4,472	4,472	4,472	4,472	4,472	4,472	4,472	4,472	4,472	4,472	4,472	4,472
	受診者	男	1,805	1,804	1,804	1,804	1,804	1,804	1,805	1,805	1,805	1,805	1,805
	女	1,731	1,731	1,731	1,731	1,731	1,731	1,731	1,731	1,731	1,731	1,731	1,731
	計	3,536	3,535	3,535	3,535	3,535	3,535	3,536	3,536	3,536	3,536	3,536	3,536
要経過 観察者数 (%)	男	236 (13.1)	221 (12.3)	52 (2.9)	100 (5.5)	-	64 (3.5)	8 (0.4)	61 (3.4)	28 (1.6)	-	-	-
	女	156 (9.0)	204 (11.8)	47 (2.7)	99 (5.7)	-	8 (0.5)	28 (1.6)	70 (4.0)	23 (1.3)	-	-	-
	計	392 (11.1)	425 (12.0)	99 (2.8)	199 (5.6)	-	72 (2.0)	36 (1.0)	131 (3.7)	51 (1.4)	-	-	-
	要精密 検査数 (%)	男	81 (4.5)	43 (2.4)	31 (1.7)	0 (0.0)	27 (1.5)	66 (3.7)	0 (0.0)	3 (0.2)	8 (0.4)	24 (1.3)	1 (0.1)
	女	41 (2.4)	28 (1.6)	11 (0.6)	0 (0.0)	21 (1.2)	12 (0.7)	0 (0.0)	2 (0.1)	16 (0.9)	33 (1.9)	0 (0.0)	6 (0.3)
	計	122 (3.5)	71 (2.0)	42 (1.2)	0 (0.0)	48 (1.4)	78 (2.2)	0 (0.0)	5 (0.1)	24 (0.7)	57 (1.6)	1 (0.1)	8 (0.2)

人間ドックコース受診者の総合判定結果

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計													
異常なし	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1	(1.3%)	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	1	(0.5%)	0	0	0	0	0	1	0	0	0	0	0	0	0
問題なし	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	男	30	(26.5%)	0	0	0	0	2	5	6	5	7	5	0	0	0
	女	34	(44.7%)	0	0	0	1	2	10	3	8	7	2	1	0	0
	計	64	(33.9%)	0	0	0	1	4	15	9	13	14	7	1	0	0
要精密検査	男	24	(21.2%)	0	0	1	0	0	1	5	8	5	2	0	1	0
	女	18	(23.7%)	0	0	0	0	3	0	3	5	5	2	0	0	0
	計	42	(22.2%)	0	0	1	0	3	1	8	13	10	4	0	1	0
要治療	男	2	(1.8%)	0	0	0	0	0	0	0	0	1	1	0	0	0
	女	2	(2.6%)	0	0	0	0	0	0	0	0	2	0	0	0	0
	計	4	(2.1%)	0	0	0	0	0	0	0	0	3	1	0	0	0
治療中	男	57	(50.4%)	0	0	0	0	0	2	1	12	20	12	6	2	1
	女	21	(27.6%)	0	0	0	0	0	1	1	9	5	3	2	0	0
	計	78	(41.3%)	0	0	0	0	0	3	2	21	25	15	8	2	1
合計	男	113		0	0	1	0	2	8	12	25	33	20	6	3	1
	女	76		0	0	0	1	5	12	7	22	19	7	3	0	0
	計	189		0	0	1	1	7	20	19	47	52	27	9	3	1